

Ecological Soil Screening Levels for Pentachlorophenol

Interim Final

OSWER Directive 9285.7-58



**U.S. Environmental Protection Agency
Office of Solid Waste and Emergency Response
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460**

**March 2005
Revised April 2007**

This page intentionally left blank

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	SUMMARY OF ECO-SSLs FOR PENTACHLOROPHENOL	1
3.0	ECO-SSL FOR TERRESTRIAL PLANTS	3
4.0	ECO-SSL FOR SOIL INVERTEBRATES	3
5.0	ECO-SSL FOR AVIAN WILDLIFE	6
5.1	Avian TRV	6
5.2	Estimation of Dose and Calculation of the Eco-SSL	9
6.0	ECO-SSL FOR MAMMALIAN WILDLIFE	9
6.1	Mammalian TRV	9
6.2	Estimation of Dose and Calculation of the Eco-SSL	12
7.0	REFERENCES	14
7.1	General Pentachlorophenol References	14
7.2	References for Plants and Soil Invertebrates	15
7.3	References Rejected for Use in Deriving Plant and Soil Invertebrate Eco-SSLs ..	16
7.4	References Used in Deriving Wildlife TRVs	21
7.5	References Rejected for Use in Derivation of Wildlife TRV	22

LIST OF TABLES

Table 2.1	Pentachlorophenol Eco-SSLs (mg/kg dry weight in soil)	2
Table 3.1	Plant Toxicity Data - Pentachlorophenol	4
Table 4.1	Invertebrate Toxicity Data - Pentachlorophenol	5
Table 5.1	Avian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV) - Pentachlorophenol	7
Table 5.2	Calculation of the Avian Eco-SSLs for Pentachlorophenol	9
Table 6.1	Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value - Pentachlorophenol	10
Table 6.2	Calculation of the Mammalian Eco-SSLs for Pentachlorophenol	12

LIST OF FIGURES

Figure 5.1	Avian TRV Derivation for Pentachlorophenol	8
Figure 6.1	Mammalian TRV Derivation for Pentachlorophenol	13

LIST OF APPENDICES

Appendix 5-1	Avian Toxicity Data Extracted and Reviewed for Wildlife Toxicity Reference Value (TRV) - Pentachlorophenol
Appendix 6-1	Mammalian Toxicity Data Extracted and Reviewed for Wildlife Toxicity Reference Value (TRV) - Pentachlorophenol

1.0 INTRODUCTION

Ecological Soil Screening Levels (Eco-SSLs) are concentrations of contaminants in soil that are protective of ecological receptors that commonly come into contact with and/or consume biota that live in or on soil. Eco-SSLs are derived separately for four groups of ecological receptors: plants, soil invertebrates, birds, and mammals. As such, these values are presumed to provide adequate protection of terrestrial ecosystems. Eco-SSLs are derived to be protective of the conservative end of the exposure and effects species distribution, and are intended to be applied at the screening stage of an ecological risk assessment. These screening levels should be used to identify the contaminants of potential concern (COPCs) that require further evaluation in the site-specific baseline ecological risk assessment that is completed according to specific guidance (U.S. EPA, 1997, 1998, and 1999). The Eco-SSLs are not designed to be used as cleanup levels and the United States (U.S.) Environmental Protection Agency (EPA) emphasizes that it would be inappropriate to adopt or modify the intended use of these Eco-SSLs as national cleanup standards.

The detailed procedures used to derive Eco-SSL values are described in separate documentation (U.S. EPA, 2003). The derivation procedures represent the collaborative effort of a multi-stakeholder group consisting of federal, state, consulting, industry, and academic participants led by the U.S. EPA Office of Solid Waste and Emergency Response.

This document provides the Eco-SSL values for pentachlorophenol and the documentation for their derivation. This document provides guidance and is designed to communicate national policy on identifying pentachlorophenol concentrations in soil that may present an unacceptable ecological risk to terrestrial receptors. The document does not, however, substitute for EPA's statutes or regulations, nor is it a regulation itself. Thus, it does not impose legally-binding requirements on EPA, states, or the regulated community, and may not apply to a particular situation based upon the circumstances of the site. EPA may change this guidance in the future, as appropriate. EPA and state personnel may use and accept other technically sound approaches, either on their own initiative, or at the suggestion of potentially responsible parties, or other interested parties. Therefore, interested parties are free to raise questions and objections about the substance of this document and the appropriateness of the application of this document to a particular situation. EPA welcomes public comments on this document at any time and may consider such comments in future revisions of this document.

2.0 SUMMARY OF ECO-SSLs FOR PENTACHLOROPHENOL

The use of pentachlorophenol (PCP) in the United States as an industrial wood preservative for utility poles, cross arms, and fenceposts accounts for 97% of its production and has resulted in its release to the environment through various waste streams. Other uses of PCP include the manufacture of sodium pentachlorophenate (Hagenmaier and Berchtold, 1986) and minor uses as a fungicide, bactericide, algicide, or herbicide for crops, or in the production of leathers and textiles (IARC, 1991, Lewis, 1993; HSDB).

Organic acids such as PCP can exist in soil as either a nonionic species or as an organic anion, which is dependent on the acid dissociation constant (pKa) and pH. In the pH range relevant to most environmental scenarios, PCP can exist as both a neutral species and as an anionic species; however, the majority exist as the organic anion (Lee et al., 1990). For the neutral form of PCP, sorption by soil is primarily related to hydrophobicity and the amount of organic matter present in the soil (Lagrega, 1994; Lee et al., 1990; HSDB). Differences in the distribution of several nonionic organic contaminants in diverse soil-water and sediment-water systems have been minimized by normalization to organic matter or more specifically organic carbon (OC) with OC-normalized distribution coefficients, referred to as K_{oc} values. The greater the affinity of a contaminant for organic matter, the larger the organic carbon-normalized partition coefficient (K_{oc}), and a soil with higher amounts of organic matter has a higher propensity to sorb nonionic organic contaminants (e.g., Gertsl, 1990; Lyman et al., 1990; HSDB).

For the ionic form of PCP, the anionic species has a greater tendency relative to the neutral PCP to remain in the pore-water similar to metal anions. Therefore, the soil pH modifies the solubility, sorption, transport, and bioavailability of PCP. The fraction of PCP existing as an anion increases with increasing pH. The anion has a lower affinity for the soil relative to the neutral species. Increasing soil pH also results in an increase in the number of negatively charged soil sites with a concomitant decrease in the positively charged sites. Therefore, increasing the soil pH directly impacts the sorption and removal from the pore-water of the PCP ions (Bohn et al., 1985; HSDB).

Adsorption of PCP to soil appears to be pH dependent, with stronger adsorption under acid conditions (Callahan et al., 1979; HSDB). PCP is expected to have slight to no mobility in soil where the pH is acidic (Swann et al., 1983; HSDB). The fraction of PCP which is sorbed decreases linearly with pH to a pH of 6; above pH 6, significant adsorption of the anion again occurs, contributing as much as 20% of the total adsorption effect at pH 8 (Bengtsson et al., 1993; HSDB).

The half-life of PCP in soil is approximately weeks to months (Ide et al., 1972; Murthy et al., 1979 and Rao and Davidson, 1982; HSDB). The main degradation products of PCP in soil are 2,3,7,8-tetrachlorophenol and CO_2 (Knowlton and Huckins, 1983; HSDB). Both aerobic and anaerobic biodegradation rates are dependant on the concentration of PCP present in the soil. PCP does not appear to oxidize or hydrolyze under environmental conditions (Callahan et al., 1979; Weiss et al., 1982; HSDB); however, photolysis of the dissociated form from moist soil surfaces may be a significant fate process (Donaldson and Miller, 1997; HSDB).

Eco-SSL values were derived for all receptor groups (Table 2.1). The Eco-SSL values for PCP range from 2.1 mg/kg dry weight (dw) for avian wildlife to 31 mg/kg dw for soil invertebrates.

Table 2.1 Pentachlorophenol Eco-SSLs (mg/kg dry weight in soil)			
Plants	Soil Invertebrates	Wildlife	
		Avian	Mammalian
5.0	31	2.1	2.8

3.0 ECO-SSL FOR TERRESTRIAL PLANTS

Of the papers identified from the literature search process, 43 papers were selected for acquisition for further review. Of those papers acquired, four met all 11 Study Acceptance Criteria (U.S. EPA, 2003; Attachment 3-1). Each of these papers were reviewed and the studies were scored according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 3-2). Two studies received an Evaluation Score greater than ten (U.S. EPA, 2003; Attachment 3-1). These studies are listed in Table 3.1.

All studies eligible for Eco-SSL derivation with a bioavailability score of two were used to derive the plant Eco-SSL for PCP (U.S. EPA, 2003; Attachment 3-2). The bioavailability of PCP, an ionic organic contaminant, was scored as a metal anion using Table 2.6 in the second chapter of the Eco-SSL guidance (U.S. EPA, 2003). The Eco-SSL is the geometric mean of the effective concentration for 20% of the test population (EC_{20}) values for three species under one test conditions (pH and % organic matter (OM)) and is equal to 5.0 mg/kg dw.

4.0 ECO-SSL FOR SOIL INVERTEBRATES

Of the papers identified from the literature search process, 58 papers were selected for acquisition for further review. Of those papers acquired, 22 met all 11 Study Acceptance Criteria (U.S. EPA 2003; Attachment 3-1). Each of these papers were reviewed and the studies were scored according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 3-2). Ten studies received an Evaluation Score greater than ten. These studies are listed in Table 4.1.

The studies in Table 4.1 are sorted by bioavailability score. The bioavailability of PCP, an ionic organic contaminant, was scored as a metal anion using Table 2.6 in the second chapter of the Eco-SSL guidance (U.S. EPA, 2003). There are four studies eligible for Eco-SSL derivation and all were used to derive the soil invertebrate Eco-SSL for PCP (U.S. EPA, 2003; Attachment 3-2). The Eco-SSL is the geometric mean of the maximum acceptable toxicant concentration (MATC) values for four test species under three different test conditions (pH and OM) and is equal to 31 mg/kg dw.

Table 3.1 Plant Toxicity Data - Pentachlorophenol

Reference	IP Number	Study ID	Test Organism		Soil pH	OM %	Bio-availability Score	ERE	Tox Parameter	Tox Value-Soil Conc. (mg/kg dw)	Total Evaluation Score	Eligible for Eco-SSL	Used for Eco-SSL?
TN&Associates Inc., 2000	56444	P	Alfalfa	<i>Medicago sativa</i>	6.3	0.1	2	GRO	EC ₂₀	5.0	18	Y	Y
TN&Associates Inc., 2000	56444	Q	Turnip	<i>Brassica rapa</i>	6.3	0.1	2	GRO	EC ₂₀	5.0	18	Y	Y
TN&Associates Inc., 2000	56444	R	Radish	<i>Raphanus sativa</i>	6.3	0.1	2	GRO	EC ₂₀	5.0	18	Y	Y
Geometric Mean										5.0			
Data Not Used to Derive Plant Eco-SSL													
Aben et al., 1992	1294	a	Thale cress	<i>Arabidopsis thaliana</i>	5.7	2.4	1	GRO	EC ₅₀	3.0	12	N	N
Aben et al., 1992	1294	b	Thale cress	<i>Arabidopsis thaliana</i>	6.2	8.1	1	GRO	EC ₅₀	9.0	12	N	N
TN&Associates Inc., 2000	56444	M	Alfalfa	<i>Medicago sativa</i>	5.0	5.0	0	GRO	EC ₂₀	7.0	16	Y	N
TN&Associates Inc., 2000	56444	N	Turnip	<i>Brassica rapa</i>	5.0	5.0	0	GRO	EC ₂₀	3.2	16	Y	N
TN&Associates Inc., 2000	56444	O	Radish	<i>Raphanus sativa</i>	5.0	5.0	0	GRO	EC ₂₀	3.0	16	Y	N

dw = dry weight

EC₂₀ = Effect concentration for 20% of test population

ERE = Ecologically relevant endpoint

GRO = Growth

N = No

OM = Organic matter content

Y = yes

Bioavailability Score described in *Guidance for Developing Eco-SSLs* (U.S. EPA, 2003)

Total Evaluation Score described in *Guidance for Developing Eco-SSLs* (U.S. EPA, 2003)

Table 4.1 Invertebrate Toxicity Data - Pentachlorophenol

Reference	IP Number	Study ID	Test Organism		Soil pH	OM%	Bio-availability Score	ERE	Tox Parameter	Tox Value (Soil Conc mg/kg dw)	Total Evaluation Score	Eligible for Eco-SSL Derivation?	Used for Eco-SSL?
Crouau et al., 1999	18893	a	Springtail	<i>Folsomia candida</i>	6.0	10.0	1	REP	MATC	85	17	Y	Y
Kammenga et al., 1996	5515		Nematode	<i>Plectuc acuminatus</i>	5.5	10.0	1	REP	MATC	42	13	Y	Y
Van Gestel et al., 1992	12874	a	Earthworm	<i>Eisenia andrei</i>	6.7	10.0	1	REP	MATC	14	16	Y	Y
Van Gestel et al., 1989	4111		Earthworm	<i>Eisenia fetida andrei</i>	6.0	10.0	1	REP	MATC	18	12	Y	Y
Geometric Mean										31			
Data not Used to Derive Soil Invertebrate Eco-SSL													
Aben et al., 1992	1294	a	Nematode	<i>Globodera rostochiensis</i>	5.7	2.4	1	MOR	LC ₅₀	130	12	N	N
Aben et al., 1992	1294	b	Nematode	<i>Globodera rostochiensis</i>	6.2	8.1	1	MOR	LC ₅₀	310	12	N	N
Heimbach, 1984	7843		Earthworm	<i>Eisenia fetida</i>	7.0	10.0	1	MOR	LC ₅₀	87	11	N	N
Houx et al., 1993	2446	b	Nematode	<i>Globodera rostochiensis</i>	5.9	8.1	1	MOR	LC ₅₀	310	11	N	N
Lanno et al., 1997	3996	a	Earthworm	<i>Lumbricus terrestris</i>	7.8	1.5	2	MOR	LC ₅₀	<10	11	N	N
Van Gestel and Van Dis, 1988	7889	b	Earthworm	<i>Eisenia fetida</i>	7.0	1.7	2	MOR	LC ₅₀	16	11	N	N
Van Gestel et al., 1991	6826	a	Earthworm	<i>Eisenia andrei</i>	5.8	10.0	1	MOR	LC ₅₀	28	16	N	N
Van Gestel et al., 1991	6826	b	Earthworm	<i>Eisenia andrei</i>	5.8	10.0	1	GRO	NOAEC	32	16	N	N

dw = dry weight

ERE = Ecologically relevant endpoint

GRO = Growth

LC₅₀ = Concentration lethal to 50% of test population

LOAEC = Lowest observed adverse effect concentration

MATC = Maximum acceptable toxicant concentration

MOR = Mortality

N = No

NOAEC = No observed adverse effect concentration

OM = Organic matter content

REP = Reproduction

Y = Yes

Bioavailability Score described in *Guidance for Developing Eco-SSLs* (U.S.EPA, 2003)

Total Evaluation Score described in *Guidance for Developing Eco-SSLs* (U.S. EPA, 2003)

5.0 ECO-SSL FOR AVIAN WILDLIFE

The derivation of the Eco-SSL for avian wildlife was completed as two parts. First, the toxicity reference value (TRV) was derived according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-5). Second, the Eco-SSL (soil concentration) was back-calculated for each of three surrogate species representing different trophic levels based on the wildlife exposure model and the TRV (U.S. EPA, 2003).

5.1 Avian TRV

The literature search completed according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-1) identified 1,073 papers with possible toxicity data for either avian or mammalian species. Of these studies, 1054 were rejected for use as described in Section 7.5. Of the remaining papers, three contained data for avian test species. These papers were reviewed and the data were extracted and scored according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-3 and 4-4). The results of the data extraction and review are provided as Table 5.1. The complete results are included as Appendix 5-1.

Within the reviewed papers, there are seven results for pathology (PTH), growth (GRO), and survival (MOR) effects that meet the Data Evaluation Score of >65 for use to derive the TRV (U.S. EPA, 2003; Attachment 4-4). These data are plotted in Figure 5.1 and correspond directly with the data presented in Table 5.1. The no-observed adverse effect level (NOAEL) results for growth and reproduction are used to calculate a geometric mean. This result is examined in relationship to the lowest bounded lowest-observed adverse effect level (LOAEL) for reproduction, growth, and survival to derive the TRV according to procedures in the Eco-SSL guidance (U.S. EPA, 2003); Attachment 4-5).



A geometric mean of the NOAEL values for reproduction and growth could not be calculated as there were not enough data. Therefore, the TRV is equal to the lowest NOAEL for reproduction, growth or survival and is equal to 6.73 mg PCP/kg bw/day.

**Table 5.1 Avian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)
Pentachlorophenol
Page 1 of 1**

Result #	Reference	Ref No.	Test Organism	# of Conc/ Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose ^a (mg/kg bw/day)	LOAEL Dose ^a (mg/kg bw/day)	Data Evaluation Score
Pathology (PTH)																		
1	Stedman et al, 1980	6573	Chicken (<i>Gallus domesticus</i>)	5	U	FD	8	w	1	d	JV	NR	ORW	ORWT	KI	0.466	4.66	77
2	Prescott et al, 1982	6439	Chicken (<i>Gallus domesticus</i>)	4	U	FD	8	w	1	d	JV	NR	ORW	SMIX	KI		22.5	73
Growth (GRO)																		
3	Stedman et al, 1980	6573	Chicken (<i>Gallus domesticus</i>)	5	U	FD	1	w	1	d	JV	NR	GRO	BDWT	WO	6.73	67.3	81
4	Nebeker et al, 1994	5520	Duck (<i>Anas platyrhynchos</i>)	7	M	FD	11	d	4	d	JV	NR	GRO	BDWT	WO	40.9	92.9	88
5	Prescott et al, 1982	6439	Chicken (<i>Gallus domesticus</i>)	4	U	FD	1	w	1	d	JV	NR	GRO	BDWT	WO		22.5	77
Survival (MOR)																		
6	Prescott et al, 1982	6439	Chicken (<i>Gallus domesticus</i>)	4	U	FD	8	w	1	d	JV	NR	MOR	MORT	WO	90.0		78
7	Nebeker et al, 1994	5520	Duck (<i>Anas platyrhynchos</i>)	7	M	FD	11	d	4	d	JV	NR	MOR	MORT	WO	111		83
BDWT = body weight changes; d = days; FD = food; GRO = growth; JV = juvenile; KI = kidney; LOAEL = lowest observed adverse effect level; M = measured; MOR = mortality, MORT = mortality; NOAEL = no observed adverse effect level; NR = Not reported; ORW = organ weight changes; ORWT = organ weight; SMIX = weight relative to body weight; U = unmeasured; w = weeks; WO = whole organism.																		

*NOAEL and LOAEL values that are equal and from the same reference represent different experimental designs.

Figure 5.1 Avian TRV Derivation for Pentachlorophenol



Wildlife TRV Derivation Process

- 1) There are at least three results available for two test species within the growth, reproduction, and mortality effect groups. There are enough data to derive a TRV.
- 2) There are only two NOAEL results available within the growth and reproduction effect groups; there are not enough values for calculation of a geometric mean.
- 3) The avian wildlife TRV for pentachlorophenol is equal to 6.73 mg pentachlorophenol/kg bw/day which is the lowest NOAEL value for reproduction, growth or survival.

5.2 Estimation of Dose and Calculation of the Eco-SSL

Three separate Eco-SSL values were calculated for avian wildlife, one for each of three surrogate receptor species representing different trophic levels. The avian Eco-SSLs were calculated according to the Eco-SSL guidance (U.S. EPA, 2003) and are summarized in Table 5.2.

Table 5.2 Calculation of the Avian Eco-SSLs for Pentachlorophenol (PCP)						
Surrogate Receptor Group	TRV for PCP (mg dw/kg bw/d) ¹	Food Ingestion Rate (FIR) ² (kg dw/kg bw/d)	Soil Ingestion as Proportion of Diet (P _s) ²	Concentration of PCP in Biota Type (i) ^{2,3} (B _i) (mg/kg dw)	PCP in Diet of Prey ⁴ (C _{diet})	Eco-SSL (mg/kg dw) ⁵
Avian herbivore (dove)	6.73	0.190	0.139	B _i = Soil _j * 5.93 where i = plants	NA	5.9
Avian ground insectivore (woodcock)	6.73	0.209	0.030	B _i = 14.63 * Soil _j where i = earthworms	NA	2.1
Avian carnivore (hawk)	6.73	0.12	0.05	B _i = 0.00452 * C _{diet} + 0.198 where i = mammals	C _{diet} = 14.63 * Soil _j	1,500

¹ The process for derivation of wildlife TRVs is described in Attachment 4-5 of U.S. EPA (2003).
² Parameters (FIR, P_s, B_i values, regressions) are provided in U.S. EPA (2003) Attachment 4-1 (revised February 2005).
³ B_i = Concentration in biota type (i) which represents 100% of the diet for the respective receptor.
⁴ C_{diet} = Concentration in the diet of small mammals consumed by predatory species (hawk).
⁵ HQ = FIR * (Soil_j * P_s + B_i) / TRV solved for HQ=1 where Soil_j = Eco-SSL (Equation 4-2; U.S. EPA, 2003).
 NA = Not Applicable

6.0 ECO-SSL FOR MAMMALIAN WILDLIFE

The derivation of the Eco-SSL for mammalian wildlife was completed as two parts. First, the TRV was derived according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-5). Second, the Eco-SSL (soil concentration) was back-calculated for each of three surrogate receptor species based on the wildlife exposure model and the TRV (U.S. EPA, 2003).

6.1 Mammalian TRV

The literature search was completed according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-2) and identified 1,073 papers with possible toxicity data for PCP for either avian or mammalian species. Of these studies, 1,054 were rejected for use as described in Section 7.5. Of the remaining papers, 16 contained data for mammalian test species. These papers were reviewed and the data were extracted and scored according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-3 and 4-4). The results of the data extraction and review are summarized in Table 6.1. The complete results are provided as Appendix 6-1.

Table 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Pentachlorophenol

Page 1 of 2

Result #	Reference	Ref No.	Test Organism	# of Conc/ Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose* (mg/kg bw/day)	LOAEL Dose* (mg/kg bw/day)	Total
Biochemical (BIO)																		
1	Knudsen et al, 1974	20229	Rat (<i>Rattus norvegicus</i>)	4	U	FD	6	w	NR	NR	JV	M	CHM	HMCT	BL	1.71	3.42	77
2	Schwetzel et al, 1978	20023	Rat (<i>Rattus norvegicus</i>)	5	U	FD	22	mo	NR	NR	NR	B	ENZ	GPTR	SR	9.04	27.1	80
3	Rawlings et al, 1998	20124	Sheep (<i>Ovis aries</i>)	2	U	OR	36	d	1-4	yr	GE	F	HRM	THYR	SR		0.571	77
4	Beard et al, 1999	20024	Sheep (<i>Ovis aries</i>)	2	U	FD	34	w	1-3	yr	GE	F	HRM	THYR	SR		1.0	74
5	Jekat et al, 1994	20093	Rat (<i>Rattus norvegicus</i>)	3	U	GV	28	d	NR	NR	JV	F	HRM	THYR	SR		3.0	77
6	Jekat et al, 1994	20093	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	NR	NR	JV	F	HRM	THYR	SR		3.0	77
7	Renner et al, 1987	19997	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	3.5	mo	JV	F	CHM	PCLV	BL		52.7	80
8	Umemura et al, 1999	19990	Mouse (<i>Mus musculus</i>)	3	U	FD	8	w	6	w	JV	M	ENZ	GENZ	LI		75.2	69
Behavior (BEH)																		
9	Welsh et al, 1987	20813	Rat (<i>Rattus norvegicus</i>)	4	U	FD	201	d	32	d	GE	F	FDB	FCNS	WO	12.9	42.6	83
10	Kimbrough and Linder, 1978	20197	Rat (<i>Rattus norvegicus</i>)	4	U	FD	220	d	NR	NR	JV	B	FDB	FCNS	WO	23.7		68
11	Kimbrough and Linder, 1978	20197	Rat (<i>Rattus norvegicus</i>)	4	U	FD	220	d	NR	NR	JV	B	FDB	FCNS	WO	27.7		68
Pathology (PTH)																		
12	Knudsen et al, 1974	20229	Rat (<i>Rattus norvegicus</i>)	4	U	FD	12	w	NR	NR	JV	F	ORW	SMIX	LI	1.17	2.34	80
13	Jekat et al, 1994	20093	Rat (<i>Rattus norvegicus</i>)	3	U	GV	28	d	NR	NR	JV	F	ORW	ORWT	LI	3.0	30.0	84
14	Kimbrough and Linder, 1978	20197	Rat (<i>Rattus norvegicus</i>)	4	U	FD	8	mo	NR	NR	JV	B	ORW	ORWT	LI	4.23	23.7	81
15	Kerkvliet et al, 1982	20129	Mouse (<i>Mus musculus</i>)	4	U	FD	8	w	6	w	JV	F	ORW	SMIX	LI	5.38	26.9	77
16	Kerkvliet et al, 1982	20129	Mouse (<i>Mus musculus</i>)	4	U	FD	8	w	8	w	JV	F	ORW	SMIX	LI	5.55	11.1	79
17	Schwetzel et al, 1978	20023	Rat (<i>Rattus norvegicus</i>)	5	U	FD	12	mo	NR	NR	NR	F	GRS	BDWT	WO	9.04	27.1	83
18	Welsh et al, 1987	20813	Mouse (<i>Mus musculus</i>)	4	U	FD	181	d	32	d	GE	F	PTH	HEMR	VA	13.0	42.6	81
19	Kimbrough and Linder, 1978	20197	Rat (<i>Rattus norvegicus</i>)	4	U	FD	8	mo	NR	NR	JV	B	ORW	ORWT	LI	27.7		77
20	Courtney et al, 1976	20333	Rat (<i>Rattus norvegicus</i>)	2	U	GV	9	d	NR	NR	GE	F	ORW	SMIX	LI	74.3		71
21	Beard et al, 1999	20024	Sheep (<i>Ovis aries</i>)	2	U	FD	36	w	1-3	yr	GE	F	HIS	GHIS	TY		1.0	77
22	Kerkvliet et al, 1985	20686	Mouse (<i>Mus musculus</i>)	4	U	FD	8	w	6-7	w	JV	F	ORW	ORWT	LI		11.5	73
23	Renner et al, 1987	19997	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	3.5	mo	JV	F	ORW	SMIX	LI		52.7	83
24	Umemura et al, 1999	19990	Mouse (<i>Mus musculus</i>)	2	U	FD	25	w	23	w	JV	M	ORW	ORWT	LI		70.7	73
25	Umemura et al, 1999	19990	Mouse (<i>Mus musculus</i>)	3	U	FD	8	w	6	w	JV	M	HIS	GHIS	LI		75.2	72
26	Kerkvliet et al, 1982	20129	Mouse (<i>Mus musculus</i>)	2	U	FD	8	w	NR	NR	NR	F	ORW	SMIX	LI		122	73
Reproduction (REP)																		
27	Beard and Rawlings, 1998	19985	Mink (<i>Mustela vison</i>)	2	U	FD	162	d	NR	NR	GE	F	REP	PRWT	WO	0.0753		69
28	Beard et al, 1999	20024	Sheep (<i>Ovis aries</i>)	2	U	FD	36	w	1-3	yr	GE	F	REP	PRWT	WO	1.0		79
29	Knudsen et al, 1974	20229	Rat (<i>Rattus norvegicus</i>)	4	U	FD	12	w	NR	NR	JV	F	REP	GREP	OV	2.36	9.45	84
30	Schwetzel et al, 1978	20023	Rat (<i>Rattus norvegicus</i>)	3	U	FD	89	d	NR	NR	GE	F	REP	PROG	WO	2.71	27.1	87
31	Welsh et al, 1987	20813	Rat (<i>Rattus norvegicus</i>)	4	U	FD	181	d	32	d	GE	F	REP	RSEM	WO	3.96	12.9	87
32	Schwetzel et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	5	U	GV	10	d	NR	NR	GE	F	REP	RSEM	WO	5.13	13.3	87
33	Exon and Koller, 1982	20454	Rat (<i>Rattus norvegicus</i>)	4	M	FD	13	w	21	d	GE	F	REP	PROG	WO	5.51	31.7	87
34	Schwetzel et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	4	U	GV	10	d	NR	NR	GE	F	REP	RSEM	WO	14.7	29.4	92
35	Rawlings et al, 1998	20124	Sheep (<i>Ovis aries</i>)	2	U	OR	43	d	1-4	yr	GE	F	REP	RHIS	OD		0.571	86
36	Schwetzel et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	2	U	GV	4	d	NR	NR	GE	F	REP	PRWT	WO		29.4	86
37	Schwetzel et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	2	U	GV	4	d	NR	NR	GE	F	REP	RSEM	WO		29.4	86
38	Schwetzel et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	2	U	GV	4	d	NR	NR	GE	F	REP	ODVP	WO		30.7	86
39	Schwetzel et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	2	U	GV	4	d	NR	NR	GE	F	REP	RSEM	WO		30.7	86
40	Courtney et al, 1976	20333	Rat (<i>Rattus norvegicus</i>)	2	U	GV	9	d	NR	NR	GE	F	REP	PRWT	WO		74.3	86
Growth (GRO)																		
41	Huwe et al, 2000	19901	Rat (<i>Rattus norvegicus</i>)	2	UX	FD	14	d	NR	NR	JV	NR	GRO	BDWT	WO	0.427		73
42	Knudsen et al, 1974	20229	Rat (<i>Rattus norvegicus</i>)	4	U	FD	12	w	NR	NR	JV	F	GRO	BDWT	WO	2.50	10.0	82
43	Schwetzel et al, 1978	20023	Rat (<i>Rattus norvegicus</i>)	3	U	FD	110	d	NR	NR	JV	F	GRO	BDWT	WO	2.71	27.1	85
44	Kimbrough and Linder, 1978	20197	Rat (<i>Rattus norvegicus</i>)	4	U	FD	8	mo	NR	NR	JV	M	GRO	BDWT	WO	4.23	23.7	85
45	Kimbrough and Linder, 1978	20197	Rat (<i>Rattus norvegicus</i>)	4	U	FD	220	d	NR	NR	JV	M	GRO	BDWT	WO	4.95	27.7	85
46	Welsh et al, 1987	20813	Rat (<i>Rattus norvegicus</i>)	4	U	FD	181	d	32	d	GE	F	GRO	BDWT	WO	12.9	42.6	85
47	Schwetzel et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	5	U	GV	10	d	NR	NR	GE	F	GRO	BDWT	WO	13.3	30.7	85
48	Schwetzel et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	4	U	GV	10	d	NR	NR	GE	F	GRO	BDWT	WO	14.7	29.4	90
49	Kerkvliet et al, 1982	20129	Mouse (<i>Mus musculus</i>)	4	U	FD	8	w	8	w	JV	F	GRO	BDWT	WO	27.8		77
50	Schwetzel et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	2	U	GV	4	d	NR	NR	GE	F	GRO	BDWT	WO	29.4		84
51	Schwetzel et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	2	U	GV	4	d	NR	NR	GE	F	GRO	BDWT	WO	30.7		84
52	Exon and Koller, 1982	20454	Rat (<i>Rattus norvegicus</i>)	4	M	FD	10	w	21	d	JV	F	GRO	BDWT	WO	31.7		72
53	Renner et al, 1987	19997	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	3.5	mo	JV	F	GRO	BDWT	WO	52.7		78
54	Kerkvliet et al, 1982	20129	Mouse (<i>Mus musculus</i>)	4	U	FD	8	w	6	w	JV	F	GRO	BDWT	WO	54.8		77
55	Kerkvliet et al, 1985	20686	Mouse (<i>Mus musculus</i>)	4	U	FD	8	w	6-7	w	JV	F	GRO	BDWT	WO	57.6		77
56	Umemura et al, 1999	19990	Mouse (<i>Mus musculus</i>)	2	U	FD	25	w	23	w	JV	M	GRO	BDWT	WO	70.7		77

**Table 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)
Pentachlorophenol
Page 2 of 2**

Result #	Reference	Ref No.	Test Organism	# of Conc/ Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose* (mg/kg bw/day)	LOAEL Dose* (mg/kg bw/day)	Total
57	Kerkvliet et al, 1982	20129	Mouse (<i>Mus musculus</i>)	2	U	FD	8	w	NR	NR	NR	NR	GRO	BDWT	WO	122		77
58	Schwetz et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	2	U	GV	4	d	NR	NR	GE	F	GRO	BDWT	WO		29.4	84
59	Schwetz et al, 1974	20203	Rat (<i>Rattus norvegicus</i>)	2	U	GV	4	d	NR	NR	GE	F	GRO	BDWT	WO		30.7	84
60	Courtney et al, 1976	20333	Rat (<i>Rattus norvegicus</i>)	2	U	GV	9	d	NR	NR	GE	F	GRO	BDWT	WO		74.3	84
Survival (MOR)																		
61	Beard and Rawlings, 1998	19985	Mink (<i>Mustela vison</i>)	2	U	FD	162	d	NR	NR	GE	F	MOR	MORT	WO	0.0753		77
62	Kimbrough and Linder, 1978	20197	Rat (<i>Rattus norvegicus</i>)	4	U	FD	8	mo	NR	NR	JV	B	MOR	MORT	WO	23.7		82
63	Kimbrough and Linder, 1978	20197	Rat (<i>Rattus norvegicus</i>)	4	U	FD	8	mo	NR	NR	JV	B	MOR	MORT	WO	27.7		82
64	Welsh et al, 1987	20813	Rat (<i>Rattus norvegicus</i>)	4	U	FD	181	d	32	d	GE	F	MOR	MORT	WO	42.6		82
65	Umemura et al, 1999	19990	Mouse (<i>Mus musculus</i>)	2	U	FD	25	w	23	w	JV	M	MOR	SURV	WO	70.7		78
66	Renner et al, 1987	19997	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	3.5	mo	JV	F	MOR	MORT	WO		52.7	88

B = both; BDWT = body weight changes; BL = blood; bw = body weight; CHM = chemical changes; d- day; ENZ = enzyme level changes; F = female; FCNS = food consumption; FD = food; FDB = feeding behavior; GE = gestation; GENZ = general enzyme changes; GHIS = general histology; GPTR = glutamic pyruvic transaminase; GREP = general reproductive effect; GRO = growth; GRS = gross body weight changes; GV = gavage; HEMR = hemorrhage; HIS = histological changes; HMCT = hematocrit; HRM = hormone changes; JV = juvenile; kg = kilograms; LI = liver; LOAEL = lowest observed adverse effect level; mo = months; M = male; M = measured; MOR = effects on mortality and survival; MORT = mortality; NOAEL = No Observed Adverse Effect Level; NR = Not reported; OD = oviduct; ODVP = offspring development; OR = other oral; ORW = organ weight changes; ORWT = organ weight changes; OV = ovary; PCLV = packed cell volume; PROG = progeny numbers/counts; PRWT = progeny weight; PTH = pathology; REP = reproduction; RHIS = reproductive histology; RSEM = resorbed embryos; SMIX = weight relative to body weight; SR = serum; SURV = survival; THYR = thyroxone; TY = thyroid; U = unmeasured; UX = measured but values not reported; VA = vagina; w = weeks; WO = whole organism; yr = year.

*NOAEL and LOAEL values that are equal and from the same reference represent different experimental designs.

Within the 16 papers there are 66 results for biochemical (BIO), behavior (BEH), pathology (PTH), reproduction (REP), growth (GRO), and survival (MOR) endpoints with a total Data Evaluation Score >65 that were used to derive the TRV (U.S. EPA 2003; Attachment 4-4). These data are plotted in Figure 6.1 and correspond directly with the data presented in Table 6.1. The NOAEL results for growth and reproduction are used to calculate a geometric mean NOAEL. This geometric mean is examined in relationship to the lowest bounded LOAEL for reproduction, growth, and survival to derive the TRV according to the Eco-SSL guidance (U.S. EPA 2003; Attachment 4-5).

A geometric mean of the NOAEL values for reproduction and growth was calculated at 8.42 mg PCP/kg bw/day. This value is lower than the the lowest bounded LOAEL for reproduction, growth, or mortality results. Therefore, the TRV is equal to the geometric mean of NOAEL values for reproduction and growth and is equal to 8.42 mg PCP/kg bw/day.

6.2 Estimation of Dose and Calculation of the Eco-SSL

Three separate Eco-SSL values were calculated for mammalian wildlife, one for each of three surrogate receptor groups representing different trophic levels. The mammalian Eco-SSLs derived for PCP were calculated according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-5) and are summarized in Table 6.2.

Table 6.2 Calculation of the Mammalian Eco-SSLs for Pentachlorophenol						
Surrogate Receptor Group	TRV for PCP (mg dw/kg bw/d) ¹	Food Ingestion Rate (FIR) ² (kg dw/kg bw/d)	Soil Ingestion as Proportion of Diet (P _s) ²	Concentration of PCP in Biota Type (i) ^{2,3} (B _i) (mg/kg dw)	PCP in Diet of Prey ⁴ (C _{diet})	Eco-SSL (mg/kg dw) ⁵
Mammalian herbivore (vole)	8.42	0.0875	0.032	B _i = Soil _j * 5.93 where i = plants	NA	16
Mammalian ground insectivore (shrew)	8.42	0.209	0.030	B _i = 14.63 * Soil _j where i = earthworms	NA	2.8
Mammalian carnivore (weasel)	8.42	0.130	0.057	B _i = 0.00452 * C _{diet} + 0.198 where i = mammals	C _{diet} = 14.63 * Soil _j	590

¹ The process for derivation of wildlife TRVs is described in Attachment 4-5 of U.S. EPA (2003).
² Parameters (FIR, P_s, B_i values, regressions) are provided in U.S. EPA (2003) Attachment 4-1 (revised February 2005).
³ B_i = Concentration in biota type (i) which represents 100% of the diet for the respective receptor.
⁴ C_{diet} = Concentration in the diet of small mammals consumed by predatory species (weasel).
⁵ HQ = FIR * (Soil_j * P_s + B_i) / TRV solved for HQ=1 where Soil_j = Eco-SSL (Equation 4-2; U.S. EPA, 2003).
 NA = Not Applicable

7.0 REFERENCES

7.1 General Pentachlorophenol References

Bengtsson, G., R. Lindqvist, and M.D. Piwoni. 1993. Sorption of Trace Organics to Colloidal Clays, Polymers, and Bacteria. *Soil Sci. Soc. Amer. J.* 57: 1261-70.

Bohn, H., B. McNeal, and G. O'Connor. 1985. *Soil Chemistry*. 2nd ed. John Wiley and Sons.

Callahan, M.A., M. W. Slimak, N. W. Gabel, I. P. May, C. F. Fowler, J. R. Freed, P. Jennings, R. L. Durfee, F. C. Whitmore, and B. Maestri. 1979. *Water Related Environmental Fate of 129 Priority Pollutants*. pp. 87-4 USEPA 440/4-79-029b.

Donaldson, S. G. and G. C. Miller. 1997. Transport and Photolysis of Pentachlorophenol in Soils Subject to Evaporating Water. *J Environ Qual.* 26: 402-9.

Gertsl, Z. 1990. Estimation of Organic Chemical Sorption by Soils. *Journal of Contaminant Hydrology.* 6: 357-375.

Hagenmaier H, and A. Berchtold. 1986. *Analysis of Waste from Production of Na-pentachlorophenolate for Polychlorinated Dibenzodioxins (PCDD) and Dibenzofurans (PCDF)*. *Chemosphere.* 15: 1991-94.

Hazardous Substances Database (HSDB). National Library of Medicine. <http://toxnet.nlm.nih.gov>.

IARC. 1991. *Occupational Exposure in Insecticide Application, and Some Pesticides.* 53: 371-402.

Ide, A., Y. Niki, F. Sakamoto, and I. Watanabe. 1972. Decomposition of Pentachlorophenol in Paddy Soil. *Agric Biol Chem.* 36: 1937-44.

Knowlton M.F., and J. N. Huckins. 1983. Fate of Radiolabelled Sodium Pentachlorophenate in Littoral Microcosms. *Bull Environ Contam Toxicol* 30: 206-13.

Lagas P. 1988. Sorption of Chlorophenols in the Soil. *Chemosphere.* 17: 205-16.

Lagrega, M. 1994. *Hazardous Waste Management*. McGraw-Hill, Inc.

Lee, L. S., P. S. C. Rao, P. Nkedi-Kizza, and J. J. Delfino. 1990. Influence of solvent and sorbent characteristics on distribution of pentachlorophenol in octanol-water and soil-water systems. *Environ. Sci. Tech.* 24: 654-661.

Lewis R. J. 1993. *Hawley's Condensed Chemical Dictionary* 12th ed NY,NY: Van Nostrand Reinhold Co. p. 879.

Lyman, W. J., W. F. Reehl, and D. H. Rosenblatt. 1990. *Handbook of Chemical Property Estimation Methods*. McGraw-Hill, New York.

Murthy NBK et al. 1979. Degradation of Pentachlorophenol (Pcp) in Aerobic and Anaerobic Soil. *J. Environ. Sci. Health B.* 14: 1-14.

Rao, P.S.C., and J. M. Davidson. 1982. *Retention and Transformation of Selected Pesticides and Phosphorus in Soil-Water Systems*. USEPA 600/S3-82-060.

Swann R.L., D.A. Laskowski, and P.J. McCall. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ration and water solubility. *Residue Rev.* 85 : 18-28.

United States Environmental Protection Agency (U.S. EPA). 2003. *Guidance for Developing Ecological Soil*

Screening Levels (Eco-SSLs). November. Office of Emergency and Remedial Response, Washington, DC. OSWER Directive 9285.7-55.

United States Environmental Protection Agency (U.S. EPA). 1999. *Ecological Risk Assessment and Risk Management Principles for Superfund Sites*. Office of Emergency and Remedial Response, Washington, DC. OSWER Directive 9285.7-28.P.

United States Environmental Protection Agency (U.S. EPA). 1998. *Guidelines for Ecological Risk Assessment*. Risk Assessment Forum. U.S. Environmental Protection Agency, Washington DC. EPA/630/R-95/002F. April. May 14, 1998 Federal Register 63(93): 26846-26924.

United States Environmental Protection Agency (U.S. EPA). 1997. *Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risk Assessments*. Interim Final. U.S. Environmental Protection Agency, Environmental Response Team (Edison, NJ). June 5, 1997.

Weiss, U. M., I. Scheunert, W. Klein, and F. Korte. 1982. Fate of Pentachlorophenol-c14 in Soil under Controlled Conditions. *J Agric Food Chem.* 30: 1191-4.

7.2 References for Plants and Soil Invertebrates

Aben, W. J. M., Houx, N. W. H., and Leistra, M. 1992. *Toxicity of Pentachlorophenol and Chlorpyrifos in Soil and in Solution to a Nematode and a Plant Species*. Rep.No.59, U.S.Dep.of Commerce, Agric.Res.Dept.Winand Staring Center for Integrated Land, Soil and Water Res., Wageningen, Netherlands (U.S.NTIS PB93-221216) , 39 p.

Crouau, Y., Chenon, P., and Gisclard, C. 1999. The Use of *Folsomia candida* (Collembola, Isotomidae) for the Bioassay of Xenobiotic Substances and Soil Pollutants. *Appl. Soil Ecol.* 12(2): 103-111.

Heimbach, F. 1984. Correlations Between Three Methods for Determining the Toxicity of Chemicals to Earthworms. *Pestic. Sci.* 15: 605-611 (OECDG Data File).

Houx, N. W., Aben, W. J. M., Slooff, W., and de Kruijf, H. 1993. Bioavailability of Pollutants to Soil Organisms via the Soil Solution. *Sci. Total Environ. Suppl.* (1-2): 387-395.

Lanno, R. P., Stephenson, G. L., and Wren, C. D. 1997. Applications Of Toxicity Curves In Assessing The Toxicity Of Diazinon And Pentachlorophenol To *Lumbricus terrestris* In Natural Soils. *Soil Biol. Biochem.* 29(3-4): 689-692.

TN&Associates Inc. 2000. *Plant Toxicity Testing to Support Development of Ecological Soil Screening Levels*. Subcontract Agreement No.SC-IDIQ-1999142-29, National Center for Environ. Assess., Washington, D.C. 53 p.

Van Gestel, C. A. M., Dirven-Van Breemen, E. M., Baerselman, R., Emans, H. J. B., Janssen, J. A. M., Postuma, R., and Van Vliet, P. J. M. 1992. Comparison of Sublethal and Lethal Criteria for Nine Different Chemicals in Standardized Toxicity Tests Using the Earthworm *Eisenia andrei*. *Ecotoxicol. Environ. Saf.* 23(2): 206-220 (OECDG Data File).

Van Gestel, C. A. M., Dirven-Breemen, E. M., Sparenburg, P. M., and Baerselman, R. 1991. Influence of Cadmium, Copper and Pentachlorophenol on Growth and Sexual Development of *Eisenia andrei* (Oligochaeta, Annelida). *Biol. Fertil. Soils.* 12: 117-121.

Van Gestel, C. A. M., Van Dis, W. A., Van Breeman, E. M., and Sparenburg, P. M. 1989. Development of a Standardized Reproduction Toxicity Test with the Earthworm Species *Eisenia fetida andrei* Using Copper, Pentachlorophenol, and 2,4-Dichloroaniline. *Ecotoxicol. Environ. Saf.* 18(3): 305-312 (OECDG Data File).

Van Gestel, C. A. M. and Van Dis, W. A. 1988. The Influence of Soil Characteristics on the Toxicity of Four Chemicals to the Earthworm *Eisenia fetida andrei* (Oligochaeta). *Biol. Fertil. Soils*. 6(3): 262-265 (OECDG Data File).

7.3 References Rejected for Use in Deriving Plant and Soil Invertebrate Eco-SSLs

These references were reviewed and rejected for use in derivation of the Eco-SSL. The definition of the codes describing the basis for rejection is provided at the end of the reference sections.

- Media** Alleman, B. C., Logan, B. E., and Gilbertson, R. L. 1993. A Rapid Method to Screen Fungi for Resistance to Toxic Chemicals. *Biodegradation*. 4: 125-129.
- OM** Bellin, C. A. and O'Connor, G. A. 1990. Plant Uptake of Pentachlorophenol from Sludge-Amended Soils. *J. Environ. Qual.* 19(3): 598-602.
- OM, pH** Bovey, R. W. and Miller, F. R. 1968. Desiccation and Defoliation of Plants by Different Herbicides and Mixtures. *Agron. J.* 60: 700-702.
- OM, pH** Bovey, R. W. 1969. Effects of Foliarily Applied Desiccants on Selected Species Under Tropical Environment. *Weed Sci.* 17(1): 79-83.
- OM, pH** Bruns, G. W. and Currie, R. A. 1980. Extraction of Pentachlorophenol and Tetrachlorophenol Residues from Field Contaminated Carrots and Potatoes Comparison of Several Methods. *J. Assoc. Off. Agric. Chem.* 63(1): 56-60.
- Media** Burken, Joel G. and Schnoor, Jerald L. 1998. Predictive Relationships for Uptake of Organic Contaminants by Hybrid Poplar Trees. *Environ. Sci. Technol.* 32(21): 3379-3385 .
- Rev** Cambridge Scientific Abstracts, Washington DC. - *Pentachlorophenol Toxicity*. January 1970-June 1988 (Citations From Pollution Abstracts). Af: National Technical Information Service, Springfield, Va. Gov.Rep.Announce.Index (18) (1988)
- Rev** Canadian Council of Ministers of the Environment. 1997. *Canadian Soil Quality Guidelines for Pentachlorophenol: Environmental and Human Health*. Canadian Council of Ministers of the Environment (CCME) Documents, Winnipeg, Manitoba : 52 p. (1997)
- pH** Casterline, J. L. Jr., Barnett, N. M., and Ku, Y. 1985. Uptake, Translocation, and Transformation of Pentachlorophenol in Soybean and Spinach Plants. *Environ. Res.* 37(1): 101-118 .
- Rev** Choudhury, H., Coleman, J., De Rosa, C. T., and Stara, J. F. 1986. Pentachlorophenol: Health and Environmental Effects Profile. *Toxicol. Ind. Health.* 2(4): 483-571.
- FL** Conrady, D. 1986. Ecological Studies on the Effect of Pesticides on the Animal Community of a Meadow. *Pedobiologia.* 29(4): 273-284 (1986)
- Media** Cserjesi, A. J. 1967. The Adaptation of Fungi to Pentachlorophenol and Its Biodegradation. *Can. J. Microbiol.* 13: 1243-1249.
- OM, pH** Da, Costa E. W. B., Gay, F. J., and Osborne, L. D. 1971. Laboratory Evaluations of Wood Preservatives V. The Effectiveness of some Australian Creosotes Against Subterranean Termites. *Holzforschung.* 25(2): 43-47.
- Media** Debus, R. and Niemann, R. 1994. Nematode Test to Estimate the Hazard Potential of Solved Contaminations. *Chemosphere.* 29(3): 611-621.

- OM, pH** Drong, K., Lamprecht, I., Motzkus, C., and Schaarschmidt, B. 1991. Calorimetric Investigations of Pollution by Xenobiotics. *Thermochim. Acta.* 193: 125-134.
- FL** Ebing, W., Richtarsky, G., Weigmann, G., Gruttke, H., Kielhorn, U., Kratz, W., Bornkamm, R., and Meyer, G. 1986. Residue Behavior of Organic Environmental Chemicals on Urban Fallow Land Demonstrated with Pentachlorophenol. *Gesunde Pflanz.* 38(6): 275-285 (GER).
- Score** Edwards, C. A. and Bater, J. E. 1992. The Use of Earthworms in Environmental Management. *Soil Biol. Biochem.* 24(12): 1683-1689.
- Score** Edwards, C. A. 1984. *Report Of The 2nd Stage In Development Of A Standardized Laboratory Method For Assessing The Toxicity Of Chemical Substances To Earthworms.* Contract No.XI/AL/82/430, Comm. Eur. Communities Eur. Rep. 0(9360), I-99.
- Score** Edwards, C. A. 1983. *Development of a Standardized Laboratory Method for Assessing the Toxicity of Chemical Substances to Earthworms.* EUR 8714 EN, Comm. Eur. Communities , 141p.
- Rev** Ferro, A. M. 1993. *Biodegradation of Phenanthrene and Pentachlorophenol Mediated by Vegetation.* M.S.Thesis, Environmental Toxicology, Utah State Univ., Logan, UT.
- Media** Ferro, A. M., Bugbee, B., and Sims, R. C. - Plants Accelerate the Degradation of Pentachlorophenol in Soil. *Abstr.Pap.Am.Chem.Soc.* AGRO (ABS) (1993)
- Mix** Ferro, Ari M. 1996. Phytoremediation of Soils Contaminated with Pentachlorophenol and Creosote. *Abstr. Pap. Am. Chem. Soc.* AGRO.
- OM, pH** Fitzgerald, G. D., Lanno, R. P., Klee, U., Farwell, A., and Dixon, D. G. 1997. Critical Body Residues (CBRS): Applications in the Assessment of Pentachlorophenol Toxicity to *Eisenia fetida* in Artificial Soil. *Soil Biol. Biochem.* 29(3-4): 685-688.
- ERE** Fitzgerald, D. G., Warner, K. A., Lanno, R. P., and Dixon, D. G. 1996. Assessing the Effects of Modifying Factors on Pentachlorophenol Toxicity to Earthworms: Applications of Body Residues. *Environ. Toxicol. Chem.* 15(12): 2299-2304.
- Media** Giggelman, M. A., Fitzpatrick, L. C., Goven, A. J., and Venables, B. J. 1988. Effects of Pentachlorophenol on Survival of Earthworms (*Lumbricus terrestris*) and Phagocytosis by Their Immunoactive Coelomocytes. *Environ. Toxicol. Chem.* 17(12): 2391-2394.
- OM, pH** Gile, J. D. and Gillett, J. W. 1979. Fate of Selected Fungicides in a Terrestrial Laboratory Ecosystem. *J. Agric. Food Chem.* 27(6): 1159-1164 .
- ERE** Gile, J. D., Collins, J. C., and Gillett, J. W. 1982. Fate and Impact of Wood Preservatives in a Terrestrial Microcosm. *J. Agric. Food Chem.* 30(2): 295-301.
- No Dose** Gillett, J. W., Gile, J. D., and Russell, L. K. 1983. Predator-Prey (Vole-Cricket) Interactions: The Effects of Wood Preservatives. *Environ. Toxicol. Chem.* 2(1): 83-93.
- Score** Goats, G. C. and Edwards, C. A. 1988. The Prediction of Field Toxicity of Chemicals to Earthworms by Laboratory Methods. In: C.A.Edwards and E.F.Neuhauser (Eds.), *Earthworms in Waste and Environmental Management*, SPB Academic Publ., The Hague, Netherlands , 283-294.
- Media** Gorsuch, J. W., Kringle, R. O., and Robillard, K. A. 1990. Chemical Effects on the Germination and Early Growth of Terrestrial Plants. In: W.Wang, J.W.Gorsuch., and W.R.Lower (Eds.), *Plants for Toxicity Assessment*, ASTM STP 1091, Philadelphia, PA : 49-58 .

- Media** Grimm, E., Neumann, S., and Krug, B. 1987. Transport of Xenobiotics in Higher Plants. IV. Amobility of the Acidic Compounds Bromoxynil and Pentachlorophenol. *Biochem. Physiol. Pflanz.(BPP)* 182(4): 323-332.
- FL** Gruttke, H., Kielhorn, U., Kratz, W., Weigmann, G., and Hague, A. 1985. Distribution Of Carbon-14 Sodium Pentachlorophenol In A Closed Model Ecosystem With Special Reference To The Detritus Food Chain. Wolkinger, F.(Ed.). *Verhandlungen Gesellschaft Fuer Oekologie, Band Xv (Proceedings Of The Society For Ecology, Vol.Xv) Graz, Austria, September 1-6, 1985.* 408p. Gesellschaft Fuer Oekologie: Goettingen, West Germany. Illus. Maps. Paper.; 0(0): 351-357 (1985)
- Media** Gruttke, H., Kratz, W., Weigmann, G., and Haque, A. 1988. Terrestrial Model Food Chain and Environmental Chemicals. I. Transfer of Sodium 14C-Pentachlorophenate Between Springtails and Carabids. *Ecotoxicol. Environ. Saf.* 15(3): 253-259.
- Score** Gunther, P. and Pestemer, W. 1990. Risk Assessment for Selected Xenobiotics by Bioassay Methods with Higher Plants. *Environ. Manag.* 14: 381-388 (OECDG Data File).
- ERE** Haimi, J. and Paavola, S. 1998. Responses of Two Earthworm Populations with Different Exposure Histories to Chlorophenol Contamination. *Environ. Toxicol. Chem.* 17(6): 1114-1117.
- ERE** Haque, A., Scheunert, I., and Korte, F. 1978. Isolation and Identification of a Metabolite of Pentachlorophenol-14C in Rice Plants. *Chemosphere.* 7(1): 65-69.
- ERE** Haque, A., Gruttke, H., Kratz, W., Kielhorn, U., Weigmann, G., Meyer, G., Bornkamm, R., Schuphan, I., and Ebing, W. 1988. Environmental Fate and Distribution of Sodium 14C-Pentachlorophenate in a Section of Urban Wasteland *Ecosystem. Sci. Total Environ.* 68: 127-139.
- No Control** Haque, A. and Ebing, W. 1988. Uptake and Accumulation of Pentachlorophenol and Sodium Pentachlorophenate by Earthworms from Water and Soil. *Sci. Total Environ.* 68: 113-125 .
- Media** Hilton, W. W. and Nomura, N. 1964. Phytotoxicity of Herbicides as Measured by Root Absorption. *Weed Res.* 4: 216-222 .
- Score** Hulzebos, E. M., Adema, D. M. M., E.M.Dirven-Van Breemen, Henzen, L., W.A.Van Dis, Herbold, H. A., Hoekstra, J. A., Baerselman, R., and C.A.M.Van Gestel. 1993. Phytotoxicity Studies with *Lactuca sativa* in Soil and Nutrient Solution. *Environ.Toxicol.Chem.* 12(6), 1079-1094
- Species** Ide, A., Niki, Y., Sakamoto, F., Watanabe, I., and Watanabe, H. - Decomposition of Pentachlorophenol in Paddy Soil. *Agric. Biol. Chem.* 36(11): 1937-1944 (1972)
- No Data** Kammenga, J. E., Koert, P. H. G., Riksen, J. A. G., Korthals, G. W., and Bakker, J. 1996. A Toxicity Test in Artificial Soil Based on the Life-History Strategy of the Nematode *Plectus acuminatus*. *Environ. Toxicol. Chem.* 15(5): 722-727.
- Rev** Kaufman, D. D. 1978. Degradation of Pentachlorophenol in Soil, and by Soil Microorganisms. In: K.R.Rao (Ed.), *Pentachlorophenol: Chemistry, Pharmacology and Environmental Toxicology*, Plenum Press, NY : 27-39.
- Mix** Knoke, K. L., Marwood, T. M., Cassidy, M. B., Liu, D., Seech, A. G., Lee, H., and Trevors, J. T. 1999. A Comparison of Five Bioassays to Monitor Toxicity during Bioremediation of Pentachlorophenol-contaminated Soil. *Water Air Soil Pollut.* 110(1-2): 157-169 (1999)
- OM, pH** Kohler, H. R., Knodler, C., and Zanger, M. 1999. Divergent Kinetics of HSP70 Induction in *Oniscus asellus* (Isopoda) in Response to Four Environmentally Relevant Organic Chemicals (B[a]P,

PCB52, gamma-HCH, PCP): Suitability and Limits of a Biomarker. *Arch. Environ. Contam. Toxicol.* 36(2): 179-185.

- Species** Koss, G. and Koransky, W. 1977. Pentachlorophenol in Different Species of Vertebrates After Administration of Hexachlorobenzene and Pentachlorobenzene. In: K.R.Rao (Ed.), *Pentachlorophenol - Chemistry, Pharmacology, and Environmental Toxicology*, Plenum Press. 131-137.
- Media** Kratz, W. and Gruttke, H. 1991. Pentachlorophenol - A Wood Preservative - Its Distribution in an Invertebrate Food Chain. In: *Micropollut. Aquat. Environ., Proc.Eur.Symp.*, 6th : 428-431.
- Media** Lamprecht, I., Motzkus, C., Schaarschmidt, B., and Coenen-Stass, D. 1990. Pentachlorophenol - An Environmental Pollutant. Microcalorimetric Investigations of an Ecological Model System. *Thermochim. Acta.* 172: 87-94.
- Media** Lanno, R. P. and McCarty, L. S. 1977. Earthworm Bioassays: Adopting Techniques From Aquatic Toxicity Testing. *Soil Biol Biochem.* 29(3-4): 693-697.
- OM, pH** Lu, P. Y., Metcalf, R. L., and Cole, L. K. 1977. The Environmental Fate of ¹⁴C-Pentachlorophenol In Laboratory Model Ecosystems. In: *Pentachlorophenol*, Rao, K.R., ed.(New York: Plenum Press)(14 References). 53-63.
- ERE** Metcalf, R. L., Cole, L. K., Wood, S. G., Mandel, D. J., and Milbrath, M. L. 1979. *Design and Evaluation of a Terrestrial Model Ecosystem for Evaluation of Substitute Pesticide Chemicals*. U.S.EPA Rep.EPA 600/3-79-004 : 306 p.
- pH** Mitsui, S., Watanabe, I., Honma, M., and Honda, S. 1964. The Effect of Pesticides on Denitrification in Paddy Soil. *Soil Sci Plant Nutr.* 10: 15-23 .
- FL** Nagasawa, S. Sdnkbb, Kondo, M., and Kasuya, M. 1981. Concentration of PCP Inhibiting the Development of Roots at the Early Growth Stage of Rice and the Difference of Susceptibilities in Varieties. Kenkyu Hokoku. *Bulletin Of The Faculty Of Agriculture, Shimane University.* 15: 101-108.
- Species** National, Toxicology Program. 1989. *NTP Technical Report on the Toxicology and Carcinogenesis Studies of Pentachlorophenol (CAS No. 87-86-5) in B6C3F1 Mice (Feed Studies)*. NIH Publ.No.89-2804, U.S.Dep of Health and Human Serv., Public Health Serv., National Inst.of Health, Research Triangle Park, NC : 15 (1989)
- No Dose** Pfender, W. F. 1996. Bioremediation Bacteria to Protect Plants in Pentachlorophenol-contaminated Soil. *J. Environ. Qual.* 25(6): 1256-1260.
- Score** Roembke, J. 1989. *Enchytraeus albidus* (Enchytraeidae, Oligochaeta) as a Test Organism in Terrestrial Laboratory Systems. *Arch. Toxicol. Suppl, N Biol. Monit. Exposure Response Subcell. Level Toxic Subst.* 13: 402-405.
- Media** Ravanel, P. and Tissut, M. - Toxicity of Pentachlorophenol on Isolated Plant Mitochondria. *Phytochemistry.* 25(3): 577-583.
- Media** Salminen, J., Haimi, J., Sironen, A., and Ahtiainen, J. 1995. Effects of Pentachlorophenol and Biotic Interactions on Soil Fauna and Decomposition in Humus Soil. *Ecotoxicol. Environ. Saf.* 31(3): 250-257.

- OM** Salminen, J. and Haimi, J. 1997. Effects of Pentachlorophenol on Soil Organisms and Decomposition in Forest Soil. *J. Appl. Ecol.* 34(1): 101-110.
- ERE** Salminen, J. and Haimi, J. 1996. Effects of pentachlorophenol in forest soil: a microcosm experiment for testing ecosystem responses to anthropogenic stress. *Biol. Fertil. Soils.* 23(2): 182-188.
- ERE** Salminen, J. E. A. and Sulkava, P. O. 1997. Decomposer Communities in Contaminated Soil: is Altered Community Regulation a Proper Tool in Ecological Risk Assessment of Toxicants? *Environ. Pollut.* 97(1/2): 45-53.
- ERE** Salminen, J. and Sulkava, P. 1996. Distribution of Soil Animals in Patchily Contaminated Soil. *Soil Biol. Biochem.* 28(10-11): 1349-1355.
- Species** Sato, K. 1994. Effect of Nutrients on Interaction Between Pesticide Pentachlorophenol and Microorganisms in Soil. In: T.A.Anderson and J.R.Coats (Eds.), *Bioremediation Through Rhizosphere Technology*, Chapter 4, ACS Symp.Ser. 563 : 43-55.
- Media** Scheel, D., Schafer, W., and Sandermann, H., Jr. 1984. Metabolism of Pentachlorophenol in Cell Suspension Cultures of Soybean (*Glycine max L.*) and Wheat (*Triticum aestivum L.*). General Results and Isolation of Lignin Metabolites. *J. Agric. Food Chem.* 32(6): 1237-1241.
- No Control** Scheunert, I., Qiao, Z., and Korte, F. 1986. Comparative Studies of the Fate of Carbon-14 Atrazine and Carbon-14 Pentachlorophenol in Various Laboratory and Outdoor Soil-Plant Systems. *J. Environ. Sci. Health Part B.* 21(6): 457-486. (1986)
- Media** Schreiber, L. and Schonherr, J. 1992. Uptake of Organic Chemicals in Conifer Needles: Surface Adsorption and Permeability of Cuticles. *Environ. Sci. Technol.* 26(1): 153-159.
- FL** Schweiger, G. 1983. Effects of Pentachlorophenol HgCl₂ and Sodium Dodecylbenzene Sulfonate on Passive Membrane Permeability of Red Beet Discs in Rhine Water and Pond Water (Wirkung von Pentachlorphenol, HgCl₂ und Natrium-Dodecylbenzolsulfonat auf die Passive Membranpermeabilitat von Rote Beete Gewebescheiben in Rheinebzw. Teichwasser). *Angew. Bot.* 57(5/6): 391-402 (GER).
- No Media** Taylor, J. M. 1971. Testing the Effects of Liquid Eradicants on Emergence of *Anobium punctatum*. *Ann. Appl. Biol.* 67(2): 201-210.
- ERE** Topp, E., Scheunert, I., Attar, A., and Korte, F. 1986. Factors Affecting the Uptake of 14C-Labeled Organic Chemicals by Plants from Soil. *Ecotoxicol. Environ. Saf.* 11(2): 219-228.
- No Control** Tuomela, M., Lyytikainen, M., Oivanen, P., and Hatakka, A. 1999. Mineralization and Conversion of Pentachlorophenol (PCP) in Soil Inoculated with the White-Rot Fungus *Trametes versicolor*. *Soil Biol Biochem.* 31: 65-74.
- Media** Van Beelen, P. and Fleurren-Kemila, A. K. 1999. A Comparison Between Toxicity Tests Using Single Species and a Microbial Process. *Chemosphere.* 38(14): 3277-3290.
- Score** Van Gestel, C. A. M. and Ma, W. C. 1990. An Approach to Quantitative Structure-Activity Relationships (QSARs) in Earthworm Toxicity. *Chemosphere.* 21(8): 1023-1033.
- Media** Vollner, L. and Korte, F. - Fingerprint Analyses of Plant and Animal Tissues with Respect to the Occurrence of Foreign Compounds. *Int.J.Environ.Anal.Chem.* 7(3): 191-204 (1980)

- No Control** Weiss, U. M., Moza, P., Scheunert, I., Haque, A. U., and Korte, F. 1982. Fate of Carbon-14 Labeled Pentachlorophenol in Rice *Oryza sativa var aristata* Plants under Controlled Conditions. *J. Agric. Food Chem.* 30(6): 1186-1190.
- OM, pH** Young, H. C. and Carrol, J. C. 1951. The Decomposition of Pentachlorophenol when Applied as a Residual Pre-Emergence Herbicide. *Agron. J.* 43: 504-507.

7.4 References Used in Deriving Wildlife TRVs

- Beard, A. P. and Rawlings, N. C. 1998. Reproductive effects in mink (*Mustela vison*) exposed to the pesticides lindane, carbofuran and pentachlorophenol in a multigeneration study. *J. Reprod. Fertil.* 113(1): 95-104. Ref ID. 19985.
- Beard, A. P., Bartlewski, P. M., and Rawlings, N. C. 1999. Endocrine and reproductive function in ewes exposed to the organochlorine pesticides lindane or pentachlorophenol. *Journal of Toxicology and Environmental Health Part A*; 56 (1). 23- 46. Ref ID. 20024.
- Courtney, K. D., Copeland, M. F., and Robbins, A. 1976. the effects of pentachloronitrobenzene, hexachlorobenzene, and related compounds on fetal development. *Toxicology and Applied Pharmacology* 35(2): 239-256. Ref ID. 20333.
- Exon, Jerry H. Univ of Idaho and Koller, Loren D. effects of transplacental exposure to chlorinated phenols. *Environ Health Perspec.* V46, P137(4) 46: 137. Ref ID. 20454.
- Huwe, Janice K., Feil, Vernon J., Zaylskie, Richard G., and Tiernan, Thomas O. 2000. An investigation of the in vivo formation of octachlorodibenzo-p-dioxin. *Chemosphere.* 40(9-11): 957-962. Ref ID. 19901.
- Jekat, F. W., Meisel, M. L., Eckard, R., and Winterhoff, H. effects of pentachlorophenol (pcp) on the pituitary and thyroidal hormone regulation in the rat. *Toxicol. Lett.* (1994) 71(1): 9-25. Ref ID. 20093.
- Kerkvliet, N. Isaacson, Baecher-Steppan, L., Claycomb, A. T., Craig, A. M., and Sheggeby, G. G. immunotoxicity of technical pentachlorophenol (pcp-t): depressed humoral immune responses to t-dependent and t-independent antigen stimulation in pcp-t-exposed mice. *Fundam. Appl. Toxicol.* (1982) 2(2): 90-9. Ref ID. 20129.
- Kerkvliet, N. I., Brauner, J. A., and Baecher-Steppan, L. 1985. effects of dietary technical pentachlorophenol exposure on t cell, macrophage and natural killer cell activity in c57bl/6 mice. *International Journal of Immunopharmacology* 7(2): 239-47. Ref ID. 20686.
- Kimbrough, Renate D. and Linder, Ralph E. the effect of technical and purified pentachlorophenol on the rat liver. *Toxicol. Appl. Pharmacol.* (1978) 46(1): 151-62. Ref ID. 20197.
- Knudsen, P., Verschuuren, H. G., Den Tonkelaar Em, Kroes, R., and Helleman, P. F. W. 1974. 141-152. short-term toxicity of pentachlorophenol in rats. *Toxicology.* Ref ID. 20229.
- Nebeker, A. V., Griffis, W. L., and Schuytema, G. S. 1994. Toxicity and estimated water quality criteria values in mallard ducklings exposed to pentachlorophenol. *Arch. Environ. Contam. Toxicol.* (1994) 26(1): 33-6. Ref ID. 5520.
- Prescott, C. A., Wilkie, B. N., Hunter, B., and Julian, R. J. 1982. Influence of a purified grade of pentachlorophenol on the immune response of chickens. *Am. J. Vet. Res.* (1982) 43(3): 481-7. Ref ID. 6439.
- Rawlings, N. C., Cook, S. J., and Waldbillig, D. Department of Veterinary Physiological Sciences Western College of Veterinary Medicine University of Saskatchewan Saskatoon Saskatchewan Canada. 1998. effects of the pesticides carbofuran, chlorpyrifos, dimethoate, lindane, triallate, trifluralin, 2,4-d, and pentachlorophenol on the metabolic endocrine and reproductive endocrine system in ewes. *Journal of Toxicology and Environmental Health.* V. 54(1) P.

21-36 . Ref ID. 20124.

Renner, G., Hopfer, C., Gokel, J. M., Braun, S., and Muecke, W. 1987. Subacute toxicity studies on pentachlorophenol (pcp), and the isomeric tetrachlorobenzenediols tetrachlorohydroquinone (tch), tetrachlorocatechol (tcc), and tetrachlororesorcinol (tcr). *Toxicol. Environ. Chem. (1987)* 15(4): 301-12. Ref ID. 19997.

Savolainen, H. and Pekari, K. 1979. Neurochemical effects of per oral administration of technical pentachloro phenol. *Research Communications in Chemical Pathology and Pharmacology*. 23 (1). 1979. 97-106. Ref ID. 20044.

Schwetz, B. A., Quast, J. F., Keeler, P. A., Humiston, C. G., and Kociba, R. J. 301-309. results of two-year toxicity and reproduction studies on pentachlorophenol in rats. *In: Pentachlorophenol. Rao* Ref ID. 20023

Schwetz, B. A., Keeler, P. A., and Gehring, P. J. 1974. (i) effect of purified and commercial grade tetrachlorophenol on rat embryonal and fetal development. (ii) the effect of purified and commercial grade pentachlorophenol on rat embryonal and fetal development. *Toxicology and Applied Pharmacology*. 28(No.1): 146-150, 151-161. Ref ID. 20203.

Stedman, Thomas M. Jr., Booth, Nicholas H., Bush, Parshall B., Page, Robert K., and Goetsch, Dennis D. 1980. Toxicity and bioaccumulation of pentachlorophenol in broiler chickens. *Poult. Sci.* 59(5): 1018-26. Ref ID. 6573.

Umemura, T., Kai, S., Hasegawa, R., Sai, K., Kurokawa, Y., and Williams, G. M. 1999. pentachlorophenol (pcp) produces liver oxidative stress and promotes but does not initiate hepatocarcinogenesis in b6c3f1 mice. *Carcinogenesis* 20(6): 1115-20. Ref ID. 19990.

Welsh, J. J., Collins, T. F. X., Black, T. N., Graham, S. L., and O'Donnell, M. W. Jr. 1987. teratogenic potential of purified pentachlorophenol and pentachloroanisole in subchronically exposed sprague-dawley rats. *Food And Chemical Toxicology*. 25(2): 163-172. Ref ID. 20813.

7.5 References Rejected for Use in Derivation of Wildlife TRV

These references were reviewed and rejected for use in derivation of the Eco-SSL. The definition of the codes describing the basis for rejection is provided at the end of the reference sections.

Diss The action of phencyclidine upon hippocampal neurons. 917024 ORDER NO: NOT AVAILABLE FROM UNIVERSITY MICROFILMS INT'L.

Diss Alteration in central nervous system noradrenergic function associated with aging in the rat. 884182 ORDER NO: AAD85-12017

No COC Analysis of the interaction of pcp-like agents on operant behaviors in the rat. 01156309 ORDER NO: AAD91-06059

Diss Antibody-based medications as short- and long-term antagonists of. 01691223 ORDER NO: AAD99-20411

Diss Behavioral and biochemical analysis of phencyclidine. 1045920 ORDER NO: AAD89-05455

Diss Behavioral and neurochemical consequences of prenatal exposure to phencyclidine in mice: mid versus late gestation. 0985614 ORDER NO: AAD88-03536

Diss Behavioral characterization of sigma site compounds (sigma site compounds). 01107453 ORDER NO: AAD90-13894

- Diss** The behavioral effects of drug interactions: phencyclidine and central nervous system depressant. 828556 ORDER NO: AAD83-25721
- Diss** Behavioral interactions between delta-9-tetrahydrocannabinol, phencyclidine and ethanol in rats (delta-9-tetrahydrocannabinol). 01222636 ORDER NO: AAD92-16707
- Diss** A behavioral model for evaluating the interaction between phencyclidine (pcp) and the sigma receptor. 1071025 ORDER NO: AAD89-15599
- Diss** The behavioral pharmacology of novel n-methyl-d-aspartate receptor channel blockers (nmda). 01695959 ORDER NO: AAD99-23749
- Diss** Behavioral pharmacology of phencyclidine (pcp) in the rat (aggression, opioid, dopamine). 868518 ORDER NO: AAD84-28919
- Diss** Biochemical and pharmacological studies of transmethylation mechanisms in the central nervous system (clioquinol). 01706096 ORDER NO: NOT AVAILABLE FROM UNIVERSITY MICROFILMS INT'L.
- Diss** Comparison of central sites of action and cns depressant properties of phencyclidine and (+)-n-allylnormetazocine. 901393 ORDER NO: AAD85-25979
- Diss** Comparison of the behavioral pharmacology of phencyclidine to related compounds (pcp). 808941 ORDER NO: AAD83-06301
- Diss** Conditioned taste aversions in rats as a behavioral baseline to assess the discriminative stimulus properties of phencyclidine. 945938 ORDER NO: AAD87-05009
- Diss** Creativity at the task and process level: what is responsible for age differences? (divergent thinking, convergent thinking). 01636929 ORDER NO: AAD98-26255
- Diss** Cyclazocine: dissociation of its opioid and non-opioid effects using eeg, eeg power spectra and behavior in the rat. 955014 ORDER NO: AAD87-12470
- No COC** Dependence on phencyclidine: behavioral and biochemical aspects (drug dependence, operant behavior). 01164407 ORDER NO: AAD91-19378
- Diss** Development of an improved rat model of pneumocystis carinii pneumonia and investigations of novel chemotherapeutic agents (immune deficiency, aids. 01413015 ORDER NO: AADAA-I9514430
- Diss** Development of dicationic compounds as anti-microbial agents (pneumocystis carinii, opportunistic infections, diamidoximes, immune deficiency). 01681862 ORDER NO: AAD99-14926
- No Oral** Differential effect of metaphit on the biochemical and functional properties of receptors for n-methyl-d-aspartate (nmda) and phencyclidine (pcp) (methylasspartate). 01204627 ORDER NO: AAD92-05488
- No Oral** Discriminative learning with an interoceptive drug stimulus and an exteroceptive stimulus: stimulus interaction and relative salience. 01403622 ORDER NO: AADAA-I9509216
- Diss** Dissociative anesthetics selectively block long-term potentiation in the rat hippocampus. 858440 ORDER NO: AAD84-19907

- Diss** The effect of a single administration of phencyclidine on behavior and some neurochemical parameters in the rat. 816980 ORDER NO: AAD83-17163
- Diss** The effect of pentachlorophenol on the reproductive performance in rats. 718584 ORDER NO: AAD13-16620
- No COC** Effects of opioids on the acquisition and performance of discriminations in squirrel monkeys (monkeys). 01147464 ORDER NO: AAD91-08037
- Diss** Evaluation of the effectiveness of molybdate as an inhibitor of xenobiotic sulfation in rats (sulfation inhibition, intestinal absorption, biotransformation). 01613685 ORDER NO: AAD98-11345
- Diss** Evaluation of the reinforcing efficacy of orally-delivered phencyclidine and ethanol in rhesus monkeys under fixed- and progressive-ratio schedules (drug abuse). 01613652 ORDER NO: AAD98-11275
- Diss** Examination of the cerebrospinal fluid of the dog original title: laboruntersuchung des liquor cerebrospinalis beim hund. 01230230 ORDER NO: NOT AVAILABLE FROM UNIVERSITY MICROFILMS INT'L.
- Diss** Fos induction within the ventral tegmental area following infusions of phencyclidine, mk-801, and nomifensine into the core and shell subterritories of the nucleus accumbens septi. 01707933 ORDER NO: AADMQ-39442
- Diss** Immunotherapy for phencyclidine abuse (drug abuse, pcp). 01432793 ORDER NO: AADAA-19532080
- Diss** Inactivation of cytochrome p450 2b1 by clorgyline, deprenyl and phencyclidine. 01619796 ORDER NO: AAD98-15374
- Diss** The investigation of n-benzylpiperidines: as possible phencyclidine antagonists. 0959781 ORDER NO: AAD87-16499
- Diss** The investigation of some analogs of phencyclidine (pcp) as possible antagonists to phencyclidine. 778671 ORDER NO: AAD82-10469
- Diss** Involvement of sigma binding sites in the regulation of posture and movement. 1084730 ORDER NO: AAD90-02260
- Diss** Locomotor sensitization and neural degeneration associated with chronic phencyclidine administration in rats: a potential model of schizophrenia. 01698470 ORDER NO: AAD99-24635
- Diss** Metabolic and neurochemical aspects of phencyclidine toxicity.
- Diss** The n-acetylation polymorphism: the metabolic activation of 2-aminofluorene and dna damage in mice. 0979586 ORDER NO: AAD88-01419
- Diss** Neuronal degeneration in the neurologically mutant mouse lurcher (cerebellum, apoptosis). 01448550 ORDER NO: AADAA-19539517
- Diss** Part I. metabolic activation of cyclic tertiary amines. part ii neurotoxic activation of beta, beta prime-iminodipropionitrile (idpn). 01404431 ORDER NO: AADAA-19510906
- Diss** Pharmacokinetic mechanisms of antibody therapy for pcp toxicity and abuse (immunoglobulin g).

01691226 ORDER NO: AAD99-20414

- Diss** Pharmacological characterization and nociceptive action of excitatory amino acids in the rodent spinal cord. 0962316 ORDER NO: AAD87-18629
- Diss** Pharmacological modulation of hypoxic membrane changes and neuronal survival in rat hippocampal slices. 01092937 ORDER NO: AAD90-03684
- Diss** Pharmacology and characterization of n-methyl-d-aspartate neurotoxicity in developing central nervous system. 01209422 ORDER NO: AAD92-08613
- Diss** Phencyclidine and central dopamine receptor sensitivity; behavioral and biochemical studies in differentially housed mice. 879307 ORDER NO: AAD85-07167
- Diss** Phencyclidine disposition in dogs (pcp). 824041 ORDER NO: AAD83-22654
- Diss** Phencyclidine exposure and the developing mouse. 791828 ORDER NO: AAD82-23760
- Diss** Phencyclidine-induced potentiation of brain stimulation reward: acute effects are not altered by repeated administration. 01330619 ORDER NO: AADMM-80958
- Diss** The phencyclidine model of schizophrenia: dysregulation of brain dopamine systems induced by nmda receptor antagonists. an experimental study. 01688017 ORDER NO: NOT AVAILABLE FROM UNIVERSITY MICROFILMS INT'L.
- HHE** Phencyclidine (pcp) interaction with ethyl alcohol and morphine: pharmacology and disposition of pcp and metabolites in rats and human postmortem specimens. 1067974 ORDER NO: AAD89-13774
- Diss** Phencyclidine: the rapid induction of tolerance, the development of physical dependence, and the effect of acute treatment and chronic infusion of 3h-spiperone binding to dopamine d-2 receptors in the rat striatum|+. 826493 ORDER NO: AAD83-25103
- Diss** Purkinje cells and the control of neuronal survival in the developing cerebellum (17adt, apoptosis, cell proliferation). 01674357 ORDER NO: AAD99-11176
- Diss** Regulation of striatal nmda receptor function in normal and altered states: implications for schizophrenia (nucleus accumbens, striatum, phencyclidine, gaba). 01636908 ORDER NO: AAD98-26225
- Diss** The role of male reproductive tract glutathione in protecting against chemically induced dominant lethal mutation. 1067277 ORDER NO: AAD89-10131
- Diss** The role of the n-methyl-d-aspartate receptor in synaptic structural plasticity: possible implications for learning. 01224952 ORDER NO: AADNN-65960
- Diss** Searching for evidence of transfer between drug facilitators (drug discrimination, methadone, pcp). 01631941 ORDER NO: AAD98-24006
- No Org** Shortened analogs of somatostatin. *Can.* 41 pp.
- Diss** Smoking studies of phencyclidine: pyrolysis and biodisposition in mice (pcp, thc). 806439 ORDER NO: AAD83-06297

- Diss** Toxicologic and pharmacologic effects of phencyclidine hydrogen chloride in the dog. 693220
ORDER NO: AAD80-18829
- Fungus** Tracking-resistant electrically insulating polymer compositions for outdoors with good resistance to moss and fungi and high-voltage outdoor electric machineries therefrom. *Jpn. Kokai Tokkyo Koho* : 6 pp..
- No Oral** 1997. *Proposed Modifications to the RCRA Post-Closure Permit for the Bear Creek Hydrogeologic Regime at the US Department of Energy Y-12 Plant, Oak Ridge, Tennessee. Y/ER/MS-6*
- No COC** Aanonsen, L. and Wilcox, G. L. 1981. phencyclidine selectively blocks a spinal action of n-methyl-d-aspartate in mice. *Vol. 67, No. 2, Pp. 191-197 Neurosci. Lett.*
- Phys** Abel, F. L., Mihailescu, L. S., Lader, A. S., and Starr, R. G. 1995. effects of pericardial pressure on systemic and coronary hemodynamics in dogs. *American Journal of Physiology* 268(4 Pt 2): H1593-605.
- No COC** Adams, B. and Moghaddam, B. 1997. temporal dissociation between cognitive-locomotor effects of pcp and altered dopamine and glutamate release in the nucleus accumbens and prefrontal cortex. *27TH Annual Meeting of the Society for Neuroscience*
- No COC** Adams, B. and Moghaddam, B. 1998. corticolimbic dopamine neurotransmission is temporally dissociated from the cognitive and locomotor effects of phencyclidine. *Journal of Neuroscience* 18(14): 5545-54.
- No COC** Aguayo, L. G., Warnick, J. E., Maayani, S., Glick, S. D., Weinstein, H., and Albuquerque, E. X. site of action of phencyclidine 4. interaction of phencyclidine and its analogs on ionic channels of the electrically excitable membrane and nicotinic receptor implications for behavioral effects. *Molecular Pharmacology. 21 (3). 1982. 637-647.*
- No COC** Ahmad, G., Halsall, L. C., and Bondy, S. C. persistence of phencyclidine in fetal brain. *Brain Research. 415 (1). 1987. 194-196.*
- BioX** Ainsworth Dorothy M(A), Weldon, A. D(A), Beck Kathy A(A), and Rowland, P. H. 1993. recognition of pneumocystis carinii in foals with respiratory distress. *Equine Veterinary Journal* 25(2): 103-108.
- No COC** Al-Amin Hassen A and Schwarzkopf Steven B(A). 1996 . effects of the pcp analog dizocilpine on sensory gating: potential relevance to clinical subtypes of schizophrenia. *Biological Psychiatry* 40(8): 744-754.
- No COC** Albuquerque, E. X., Aguayo, L. G., Warnick, J. E., Ickowicz, R. K., and Blaustein, M. P. 1983. interactions of phencyclidine with ion channels of nerve and muscle: behavioral implications. *Federation Proceedings* 42(9): 2584-9 .
- No COC** Albuquerque, E. X., Aguayo, L. G., Warnick, J. E., Weinstein, H., Glick, S. D., Maayani, S., Ickowicz, R. K., and Blaustein, M. P. 1981. the behavioral effects of phencyclidines may be due to their blockade of potassium channels. *Proceedings of the National Academy of Sciences of the United States of*
- No COC** Albuquerque, E. X., Daly, J. W., and Warnick, J. E. 1988. macromolecular sites for specific neurotoxins and drugs on chemosensitive synapses and electrical excitation in biological membranes. *Ion Channels* 1: 95-162.

- No Oral** Alexander, R. C., Wright, R., and Freed, W. 1996. quantitative trait loci contributing to phencyclidine-induced and amphetamine-induced locomotor behavior in inbred mice [published erratum appears in *neuropsychopharmacology* 1996 dec;15(6):609]. *Neuropsychopharmacology* 15(5): 484-90.
- No COC** Ali, S. F., Ahmad, G., Slikker, W. Jr, and Bondy, S. C. 1988. Gestational exposure to phencyclidine pcp in rats decreases pcp binding sites in fetal brain at Term. *Twenty-eighth Annual Meeting of the Teratology Society*
- No COC** Ali, S. F., Ahmad, G., Slikker, W. Jr, and Bondy, S. C. 1989. effects of gestational exposure to phencyclidine: distribution and neurochemical alterations in maternal and fetal brain. *Neurotoxicology* 10(3): 383-92.
- No COC** Ali, S. F., Kordsmeier, K. J., and Gough, B. 1995. drug-induced circling preference in rats. correlation with monoamine levels. *Molecular Neurobiology* 11(1-3): 145-54.
- No COC** Ali, S. F., Newport, G. D., and Bracha, H. S. 1994 . phencyclidine and (+)-mk-801-induced circling preference: correlation with monoamine levels in striatum of the rat brain. *Neurotoxicology and Teratology* 16(4): 335-42.
- Prim** Allen, J. R. and Van Miller JP. health implications of 2,3,7,8-tetrachlorodibenzo-p-dioxin exposure in primates,in:pentachlorophenol:chemistry,pharmacology,and environmental toxicology. *ENVIRON SCI RES 12:PP 371-379,1978*
- No COC** Amir, A., Biegelman, A., Kalir, A., and Funchs, P. 1982. Interaction of phencyclidine with mouse neuro blastoma cells. *Biochemical Pharmacology*. 31 (8). 1982. 1475-1482.
- Gene** Anderson, G. W., Larson, R. J., Oas, D. R., Sandhofer, C. R., Schwartz, H. L., Mariash, C. N., and Oppenheimer, J. H. 1998. chicken ovalbumin upstream promoter-transcription factor (coup-tf) modulates expression of the purkinje cell protein-2 gene. a potential role for coup-tf in repressing premature thyroid hormone action in the developing brain. *Journal of Biological Chemistry* 273(26): 16391-9.
- Unrel** Anderson Grant W, Hagen Steven G, Larson Ruby J, Strait Kevin A, Schwartz Harold L, Mariash Cary N, and Oppenheimer Jack H(A). 1997. purkinje cell protein-2 cis-elements mediate repression of t3-dependent transcriptional activation. *Molecular and Cellular Endocrinology* 131(1): 79-87.
- Diss** Anderson R.S., Giam C.S., Ray L.E., and Stegeman, J. J. (ed.). 1984. Effects of hexachlorobenzene and pentachlorophenol on cellular and humoral immune parameters in glycera Dibranchiata. *Proceedings of the Second International Symposium on Responses of Marine Organisms to Pollutants Held at Woods Hole Oceanographic Institution, Massachusetts, Usa, 27-29 April 1983* : pp. 317-326 .
- FL** Anonymous. studies on the teratogenicity of sodium pentachlorophenol in Rats. *Chung-hua Yu Fang I Hsueh Tsa Chih(chinese J Prevent Med)* 13:8-10,1979
- No COC** Appel James B(A), West William B, Rolandi Walter G, Alici Tevfik, and Pechersky Kara. 1999. increasing the selectivity of drug discrimination procedures. *Pharmacology Biochemistry and Behavior* 64(2): 353-358.
- HHE** Arasteh, K., Cordes, C., Futh, U., Grosse, G., Dietz, E., and Staib, F. 1998. co-infection by cryptococcus neoformans and mycobacterium avium intracellulare in aids. clinical and epidemiological aspects. *Mycopathologia* 140(3): 115-20.

- No COC** Ault, B., Miller, M. S., Kelly, M. D., Hildebrand, L. M., Earley, W. G., Luttinger, D., Mallamo, J. P., and Ward, S. J. 1995. win 63480, a hydrophilic tcp-site ligand, has reduced agonist-independent nmda ion channel access compared to mk-801 and phencyclidine. *Neuropharmacology* 34(12): 1597-606.
- No COC** Avenet Patrick(A), Leonardon Jacques, Besnard Francois, Graham David, Depoortere Henri, and Scatton Bernard. 1997. antagonist properties of eliprodil and other nmda receptor antagonists at rat nr1a/nr2a and nr1a/nr2b receptors expressed in xenopus oocytes. *Neuroscience Letters* 223(2): 133-136.
- No COC** Avins, L. , Guroff, G., and Kuwabara, T. 1975. ultrastructural changes in rat optic nerve associated with hyperphenylalaninemia induced by para-chlorophenylalanine and phenylalanine. *Journal of Neuropathology and Experimental Neurology* 34(2): 178-88.
- No Oral** Baba, A., Yamamoto, T., Kawai, N., Yamamoto, H., Suzuki, T., and Moroji, T. 1994. behavioral effects of phencyclidine and its major metabolite, (trans)4-phenyl-4-(1-piperidinyl)cyclohexanol, in mice. *Vol. 65, No. 1, Pp. 75-81 Behav. Brain Res.*
- No COC** Baba A(A), Kurita H(A), Suzuki T(A), Abe S(A), and Shiraishi H(A). 1999. effects of chronic nicotine administration on behavioral responses caused by phencyclidine in rats. *Society for Neuroscience Abstracts*. 25(1-2): 1069 .
- No COC** Baba A(A), Yamamoto T(A), Yamamoto H(A), Kawai T(A), Suzuki T(A), Moroll T(A), and Murashima, Y. 1993. behavioral and pharmacological effects of a phencyclidine metabolite, (trans)-4oh-cyclohexyl pcp. *Society for Neuroscience Abstracts* 19(1-3): 1392.
- No COC** Baba A(A), Yamamoto T(A), Yamamoto H(A), Nagase H(A), Hori T(A), Moroji T(A), and Nakata, H. 1992. behavioral and pharmacological effects of phencyclidine (pcp) metabolites on rat. *Society for Neuroscience Abstracts* 18(1-2): 108.
- No Oral** Baba Atsuomi, Yamamoto Toshifumi, Yamamoto Hideko, Suzuki Toshihito, and Moroji Takashi(A). 1994. effects of the major metabolite of phencyclidine, the trans isomer of 4-phenyl-4-(1-piperidinyl)cyclohexanol, on (3h)n-1(1-(2-thienyl)cyclohexyl)-3,4-piperidine ((3h)tcp) binding and (3h)dopamine uptake in the rat brain. *Neuroscience Letters* 182(1): 119-121.
- Aquatic** Bahig, M. E., Kraus, A., Klein, W., and Korte, F. 1981. metabolism of pentachloronitrobenzene-super(14)c (quintozene) in fish. *Vol. 10, No. 3, Pp. 319-322 Chemosphere.*
- No COC** BAKSHI, V. P. neural substrates of pcp's effect on sensorimotor gating. *Crisp Data Base National Institutes Of Health*
- No COC** Bakshi, V. P. and Geyer, M. A. 1993. a pharmacological analysis of pcp-induced deficits in sensorimotor gating of the startle response. *Society for Neuroscience Abstracts* 19(1-3): 598.
- No COC** Bakshi, V. P. and Geyer, M. A. 1995. antagonism of pcp-induced deficits in prepulse inhibition by olanzapine. *Society for Neuroscience Abstracts* 21(1-3): 1707.
- No COC** Bakshi, V. P. and Geyer, M. A. 1995. antagonism of phencyclidine-induced deficits in prepulse inhibition by the putative atypical antipsychotic olanzapine. *Psychopharmacology* 122(2): 198-201.
- No COC** Bakshi Vaishali P, Swerdlow Neal R, and Geyer Mark A(A). 1994. clozapine antagonizes phencyclidine-induced deficits in sensorimotor gating of the startle response. *Journal of Pharmacology and Experimental Therapeutics* 271(2): 787-794.

- BioX** Balkovec, J. M., Black, R. M., Hammond, M. L., Heck, J. V., Zambias, R. A., Abruzzo, G., Bartizal, K., Kropp, H., Trainor, C., Schwartz, R. E., and et, a. l. 1992. synthesis, stability, and biological evaluation of water-soluble prodrugs of a new echinocandin lipopeptide. discovery of a potential clinical agent for the treatment of systemic candidiasis and pneumocystis carinii pneumonia (pcp). *Journal of Medicinal Chemistry* 35(1): 194-8.
- No COC** Balla, A., Sershen, H., and Javitt, D. C. 1998. inhibition of phencyclidine-induced subcortical dopamine release by glycine. *Society for Neuroscience Abstracts* 24(1-2): 2177.
- Prim** Ballhorn, L., Rozman, T., Rozman, K., Korte, F., and Greim, H. cholestyramine enhances fecal elimination of pentachlorophenol in rhesus monkeys. *Chemosphere* 10(8): 877-888 1981 (18 References)
- No COC** Balster, R. L. 1989. behavioral pharmacology of pcp, nmda and sigma receptors. *NIDA Research Monograph* 95: 270-4.
- No COC** Balster, R. L. and Baird, J. B. effects of phencyclidine dextro amphetamine and pento barbital on spaced responding in mice. *Pharmacology Biochemistry and Behavior*. 11 (6). 1979 (Recd. 1980). 617-624.
- No COC** Balster, R. L., Nicholson, K. L., and Sanger, D. J. 1994. evaluation of the reinforcing effects of eliprodil in rhesus monkeys and its discriminative stimulus effects in rats. *Vol. 35, No. 3, Pp. 211-216* Drug Alcohol Depend.
- No COC** Balster, R. L. and Woolverton, W. L. 1980. continuous-access phencyclidine self-administration by rhesus monkeys leading to physical dependence. *Psychopharmacology* 70(1): 5-10.
- No COC** Barr, G. A., Paredes, W., and Bridger, W. H. 1985. place conditioning with morphine and phencyclidine: dose dependent effects. *Life Sciences* 36(4): 363-8.
- Unrel** Barthold, S. W. 1991. a review of common infectious disease agents of laboratory mice and rats: potential influence on pneumocystis carinii. *Journal of Protozoology* 38(6): 131S-133S.
- Drug** Bartlett, S. E., Cramond, T., and Smith, M. T. 1994. the excitatory effects of morphine-3-glucuronide are attenuated by ly274614, a competitive nmda receptor antagonist, and by midazolam, an agonist at the benzodiazepine site on the gaba sub(a) receptor complex. *Vol. 54, No. 10, Pp. 687-694* Life Sci.
- No COC** Bartschat, D. K. and Blaustein, M. P. psychotomimetic sigma ligands dexoxadrol and phencyclidine block the same presynaptic potassium channel in rat brain. *Journal of Physiology (London)*. 403 (0). 1988. 341-354.
- No COC** Bartschat, D. K. and Blaustein, M. P. 1986. phencyclidine in low doses selectively blocks a presynaptic voltage-regulated potassium channel in rat brain. *Proceedings of the National Academy of Sciences of the United States of*
- No Oral** Bastianetto, S., Perrault, G., and Sanger, D. J. 1995. pharmacological evidence for the involvement of sigma sites in dtg-induced contralateral circling in rats. *Vol. 34, No. 1, Pp. 107-114* Neuropharmacology
- HHE** Bauer, K. A., Kass, B. L., Beeler, D. L., and Rosenberg, R. D. 1984. detection of protein c activation in humans. *Journal of Clinical Investigation* 74(6): 2033-41.
- No COC** Bayorth, M. A. and Homes, R. Cardiovascular Effects of Chronic Phencyclidine (Pcp) and Ethanol

in Rats. *Research Communications in Alcohol and Substances of Abuse*; 17 (1-2). 1996. 37-47.

- No Dose** Beard, A. P., Bartlewski, P. M., Chandolia, R. K., Honaramooz, A., and Rawlings, N. C. Department of Veterinary Physiological Sciences Western College of Veterinary Medicine University of Saskatchewan Saskatoon SK S7N-5B4 Canada. 1999. reproductive and endocrine function in rams exposed to the organochlorine pesticides lindane and pentachlorophenol from conception. *Journal of Reproduction and Fertility*. V. 115(2) P. 303-314
- No Dose** Beard, A. P. and Rawlings, N. C. 1999. thyroid function and effects on reproduction in ewes exposed to the organochlorine pesticides lindane or pentachlorophenol (pcp) from conception. *Journal of Toxicology and Environmental Health. Part A* 58(8): 509-530.
- No COC** Beardsley, P. M. and Balster, R. L. 1987. behavioral dependence upon phencyclidine and ketamine in the rat. *Journal of Pharmacology and Experimental Therapeutics* 242(1): 203-11.
- No COC** Beardsley, P. M., Balster, R. L., and Harris, L. S. 1996. evaluation of the discriminative stimulus and reinforcing effects of gammahydroxybutyrate (ghb). *Psychopharmacology* 127(4): 315-22.
- No COC** Beardsley, P. M., Hayes, B. A., and Balster, R. L. 1990. the self-administration of mk-801 can depend upon drug-reinforcement history, and its discriminative stimulus properties are phencyclidine-like in rhesus monkeys. *Journal of Pharmacology and Experimental Therapeutics* 252(3): 953-9.
- No COC** Belozertseva, I. V. and Bespalov, A. Y. 1999. effects of nmda receptor channel blockade on aggression in isolated male mice. *Vol. 25, No. 5, Pp. 381-396* Aggressive Behavior
- No COC** Bennett, D. A., Bernard, P. S., and Amrick, C. L. 1988. a comparison of pcp-like compounds for nmda antagonism in two in vivo models. *Life Sciences* 42(4): 447-54.
- No COC** Berger, P., Jacobsen, A. E., Rice, K. C., Lessor, R. A., and Reith, M. A. 1986. metaphit, a receptor acylator, inactivates cocaine binding sites in striatum and antagonizes cocaine-induced locomotor stimulation in rodents. *Neuropharmacology* 25(8): 931-3.
- Abstract** BERGMAN, H. 1976. effects of pentachlorophenol on hepatic drug metabolism and porphyria related to contamination with chlorinated dibenzo-p-dioxins. *Society of Toxicology: Fifteenth Annual Meeting: Abstracts. London: Academic Press, 1976. Pp. 105, 107*
- No COC** Berry, S. C., Burton, N. R., Anis, N. A., and Lodge, D. stereoselective effects of 2 phencyclidine derivatives on n methyl aspartate excitation of spinal neurons in the cat and rat. *EUR J PHARMACOL. European Journal of Pharmacology. 96 (3-4). 1983 (Recd. 1984). 261-268.*
- No COC** Bigge, C. F., Malone, T. C., Hays, S. J., Johnson, G., Novak, P. M., Lescosky, L. J., Retz, D. M., Ortwine, D. F., Probert, A. W. Jr, Coughenour, L. L., and et, a. I. 1993. synthesis and pharmacological evaluation of 4a-phenanthrenamine derivatives acting at the phencyclidine binding site of the n-methyl-d-aspartate receptor complex. *Journal of Medicinal Chemistry* 36(14): 1977-95.
- Unrel** Bisbal, C., Salehzada, T., Lebleu, B., and Bayard, B. 1989. characterization of two murine (2'-5')(a)n-dependent endonucleases of different molecular mass. *European Journal of Biochemistry* 179(3): 595-602.
- No COC** Blaustein, M. P. and Ickowicz, R. K. 1983. phencyclidine in nanomolar concentrations binds to synaptosomes and blocks certain potassium channels. *Proceedings of the National Academy of Sciences of the United States of*

- No COC** Bleavins, M. R., Aulerich, R. J., and Ringer, R. K. 1984. effects of chronic dietary hexachlorobenzene exposure on the reproductive-performance and survivability of mink and european ferrets. *Archives Of Environmental Contamination And Toxicology* 13(3): 357-365.
- No COC** Bleavins, M. R., Bursian, S. J., Brewster, J. S., and Aulerich, R. J. 1984. effects of dietary hexachlorobenzene exposure on regional brain biogenic-amine concentrations in mink and european ferrets. *Journal Of Toxicology And Environmental Health* 14(2-3): 363-377.
- No COC** Bolger, G. T., Rafferty, M. F., Weissman, B. A., Rice, K. C., and Skolnick, P. 1986. acylating phencyclidines irreversibly enhance brain calcium antagonist binding. *Pharmacology, Biochemistry, and Behavior* 25(1): 51-7.
- No COC** Boren, J. L. and Consroe, P. phencyclidine and ethanol potentiation of lethality and sleep time with combined administration to rats. *Neurobehavioral Toxicology and Teratology*. 3 (1). 1981. 11-14.
- No COC** Boren, J. L. and Consroe, P. 1981. phencyclidine (pcp) and ethanol - potentiation of lethality and sleep time with combined administration in rats. *Neurobehavioral Toxicology And Teratology* 3(1): 11-14.
- No COC** Boren, J. L. and Consroe, P. F. behavioral effects of phencyclidine in the dog a possible animal model of phencyclidine toxicity in humans. *LIFE SCI. Life Sciences*. 28 (11). 1981. 1245-1252.
- Acu** Borzelleca, J. F., Condie, L. W., and Hayes, J. R. toxicological evaluation of selected chlorinated phenols. *Report (1984) EPA/600/D-84/234; Order No. PB85-101772/GAR, 24 Pp. Avail.: NTIS From: Gov. Rep. Announce. Index U. S.)* 1985, 85(1). 84
- Acu** Borzelleca, J. F., Hayes, J. R., Condie, L. W., and Egle, J. L. Jr. 1985. acute toxicity of monochlorophenols, dichlorophenols and pentachlorophenol in the mouse. *Toxicology Letters*. 29(1): 39-42.
- No COC** Bowers Malcom B Jr(A) and Morton Judith B. 1994. regional brain catecholamines and metabolites following the, pcp and mk-801. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 18(5): 961-964.
- No COC** Bowyer, J. F. phencyclidine inhibition of the rate of development of amygdaloid kindled seizures. *Experimental Neurology*. 75 (1). 1982. 173-183.
- No COC** Bowyer, J. F. and Winters, W. D. effects of various anesthetics on amygdaloid kindled seizures. *Neuropharmacology*. 20 (3). 1981. 199-210.
- BioX** Boylan, C. J. and Current, W. L. 1991. an improved rat model of pneumocystis carinii pneumonia: induced infections in pneumocystis-free animals. *Journal of Protozoology* 38(6): 138S-140S.
- No COC** Brady, K. T. and Balster, R. L. 1981. discriminative stimulus properties of phencyclidine and five analogues in the squirrel monkey. *Pharmacology, Biochemistry, and Behavior* 14(2): 213-8.
- No COC** Brady, K. T. and Balster, R. L. 1982. discriminative stimulus properties of stereoisomers of cyclazocine in phencyclidine-trained squirrel monkeys. *Life Sciences* 31(6): 541-9.
- No COC** Brady, K. T., Balster, R. L., Meltzer, L. T., and Schwertz, D. comparison of phencyclidine and 3 analogs on fixed interval performance in rhesus monkeys. *Pharmacology Biochemistry and Behavior*. 12 (1). 1980. 67-72.

- No COC** Brady, K. T., Woolverton, W. L., and Balster, R. L. discriminative stimulus and reinforcing properties of etoxadrol and dexoxadrol in monkeys saimiri-sciureus. *Journal of Pharmacology and Experimental Therapeutics*. 220 (1). 1982. 56-62.
- No COC** Brent, P. J. 1991. similar behavioural effects of sigma agonists and pcp-like non-competitive nmda antagonists in guinea-pigs. *Psychopharmacology* 105(3): 421-7.
- No COC** Bresink, I., Danysz, W., Parsons, C. G., and Mutschler, E. 1995. different binding affinities of nmda receptor channel blockers in various brain regions--indication of nmda receptor heterogeneity. *Neuropharmacology* 34(5): 533-40.
- No COC** Bristow, L. J(A), Hutson, P. H., Thorn, L., and Tricklebank, M. D. 1993. the glycine/nmda receptor antagonist, r-(dextro)-ha-966, blocks activation of the mesolimbic dopaminergic system induced by phencyclidine and dizocilpine (mk-801) in rodents. *British Journal of Pharmacology* 108(4): 1156-1163.
- No COC** Brocco, M. J. and Mcmillan, D. E. tolerance to dextro amphetamine and lack of cross tolerance to other drugs in rats under a multiple schedule of food presentation. *J PHARMACOL EXP THER. Journal of Pharmacology and Experimental Therapeutics*. 224 (1). 1983. 35-39.
- No COC** Brocco, M. J., Rastogi, S. K., and Mcmillan, D. E. effects of chronic phencyclidine administration on the schedule controlled behavior of rats. *Journal of Pharmacology and Experimental Therapeutics*. 226 (2). 1983. 449-454.
- No COC** Brooks, W. J., Petit, T. L., and LeBoutillier, J. C. 1997. effect of chronic administration of nmda antagonists on synaptic development. *Synapse* 26(2): 104-13.
- No COC** Brooks, W. J., Weeks, A. C., Leboutillier, J. C., and Petit, T. L. 1997. altered nmda sensitivity and learning following chronic developmental nmda antagonism. *Physiology & Behavior* 62(5): 955-62.
- Nut def** Brun-Pascaud, M., Chau, F., Garry, L., Farinotti, R., Derouin, F., and Girard, P. M. 1996. altered trimethoprim-sulfamethoxazole ratios for prophylaxis and treatment of toxoplasma gondii and pneumocystis carinii dual infections in rat model. *Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology*
- No COC** Brunet, B. L., Reiffenstein, R. J., Williams, T., and Wong, L. 1986. toxicity of phencyclidine and ethanol in combination. *Alcohol and Drug Research* 6(5): 341-9.
- No COC** Buckland Paul R(A), Marshall Rupert, Watkins Peter, and McGuffin Peter. 1997. does phenylethylamine have a role in schizophrenia?: lsd and pcp up-regulate aromatic l-amino acid decarboxylase mrna levels. *Molecular Brain Research* 49(1-2): 266-270.
- In Vit** Burger, A. and Bellersheim, M. calcium ion uptake into noradrenaline storing granules of bovine splenic nerves. *Naunyn-Schmiedeberg'S Archives of Pharmacology*. 296 (1). 1976 (Recd 1977) 47-57.
- In Vit** Burger, A. and Bellersheim, M. 1976. ca²⁺ -uptake into noradrenaline-storing granules of bovine splenic nerves. *Naunyn-Schmiedeberg's Archives of Pharmacology* 296(1): 47-57.
- No COC** Burke Timothy F(A), Buzzard Shayla, and Wessinger William D. 1995. (3h)mk-801 binding to well-washed rat brain membranes following cessation of chronic phencyclidine treatment. *Pharmacology Biochemistry and Behavior* 51(2-3): 435-438.

- No COC** Byrd, L. D., Standish, L. J., and Howell, L. L. 1987. behavioral effects of phencyclidine and ketamine alone and in combination with other drugs. *European Journal of Pharmacology* 144(3): 331-41.
- No COC** Byron, K., Young, G. A., Khazan, N., and Hong, O. 1985. suppression of pcp-induced behavioral arousal in the rat by yohimbine pretreatment. *European Journal of Pharmacology* 117(2): 271-3.
- Abstract** Cabral, J. R. P., Raitano, F., Mollner, T., Broczyk, S., and Shubik, P. 1979. Acute Toxicity of Pesticides in Hamsters. *Toxicol. Appl. Pharmacol.* 48(1) : A192.
- Unrel** Caflisch, C. R. 1992. acidification of testicular and epididymal fluids in the rat after surgically-induced varicocele. *International Journal of Andrology* 15(3): 238-45.
- Phys** Caflisch, C. R. and DuBose, T. D. Jr . 1990. direct evaluation of acidification by rat testis and epididymis: role of carbonic anhydrase. *American Journal of Physiology* 258(1 Pt 1): E143-50.
- No COC** Campbell, U. C., Thompson, S. S., and Carroll, M. E. Acquisition of Oral Phencyclidine (Pcp) Self-administration in Rhesus Monkeys: Effects of Dose and an Alternative Non-drug Reinforcer. *Psychopharmacology*; 137 (2). 1998. 132-138.
- Diss** Canudas, A. M., Pubill, D., Pallas, M., Camins, A., Camarasa, J., and Escubedo, E. 1996. effect of sigma and pcp ligands on noradrenaline-induced contractile responses in isolated rat vas deferens. *Methods and Findings in Experimental and Clinical Pharmacology* 18(SUPPL. B): 213.
- No COC** Capasso, A., Di Giannuario, A., Loizzo, A., Pieretti, S., and Sorrentino, L. 1994. phencyclidine reduces inherited neocortical spindling in dba/2j mice. *Life Sciences* 54(15): PL235-40.
- No COC** Carlezon, W. A. Jr and Wise, R. A. 1993. phencyclidine-induced potentiation of brain stimulation reward: acute effects are not altered by repeated administration. *Psychopharmacology* 111(4): 402-8.
- No COC** Carlezon, W. A. Jr and Wise, R. A. 1993. rats self-administer the non-competitive nmda receptor antagonists phencyclidine (pcp) and mk-801 directly into the nucleus accumbens. *Society for Neuroscience Abstracts* 19(1-3): 830.
- No COC** Carlezon, W. A. Jr and Wise, R. A. 1996. rewarding actions of phencyclidine and related drugs in nucleus accumbens shell and frontal cortex. *Journal of Neuroscience* 16(9): 3112-22.
- No COC** Carlezon William A Jr(A) and Wise Roy A. 1996. microinjections of phencyclidine (pcp) and related drugs into nucleus accumbens shell potentiate medial forebrain bundle brain stimulation reward. *Psychopharmacology* 128(4): 413-420.
- No COC** Carpentier, P., Foquin Tarricone, A., Bodjarian, N., Rondouin, G., Lerner Natoli, M., Kamenka, J. M., Blanchet, G., Denoyer, M., and Lallement, G. 1994. anticonvulsant and antilethal effects of the phencyclidine derivative tcp in soman poisoning. *Vol. 15, No. 4, Pp. 837-852 Neurotoxicology*
- No COC** Carroll, M. E. concurrent access to two concentrations of orally delivered phencyclidine effects of feeding conditions. *Journal of the Experimental Analysis of Behavior.* 47 (3). 1987. 347-362.
- No COC** Carroll, M. E. the effect of second order schedule history on fixed ratio performance maintained by orally delivered phencyclidine in rhesus monkeys macaca-mulatta.. *Pharmacology Biochemistry and Behavior.* 20 (5). 1984. 779-788.
- No COC** Carroll, M. E. tolerance to the behavioral effects of orally self administered phencyclidine. *Drug*

and Alcohol Dependence. 9 (3). 1982. 213-224.

- No COC** Carroll, M. E. 1987. a quantitative assessment of phencyclidine dependence produced by oral self-administration in rhesus monkeys. *Journal of Pharmacology and Experimental Therapeutics* 242(2): 405-12.
- No COC** Carroll, M. E. 1988. oral self-administration of n-allylnormetazocine (skf-10,047) stereoisomers in rhesus monkeys: substitution during phencyclidine self-administration and withdrawal. *Pharmacology, Biochemistry, and Behavior* 30(2): 493-500.
- No COC** Carroll, M. E. 1993. the economic context of drug and non-drug reinforcers affects acquisition and maintenance of drug-reinforced behavior and withdrawal effects. *Vol. 33, No. 2, Pp. 201-210* Drug Alcohol Depend.
- No COC** Carroll, M. E., Carmona, G. N., May, S. A., Buzalsky, S., and Larson, C. buprenorphine effects on self-administration of smoked cocaine base and orally delivered phencyclidine ethanol and saccharin in rhesus monkeys. *Journal of Pharmacology and Experimental Therapeutics*. 261 (1). 1992. 26-37.
- No COC** Carroll, M. E., Carmona, G. N., and Rodefer, J. S. 1994. phencyclidine (pcp) self-administration and withdrawal in rhesus monkeys: effects of buprenorphine and dizocilpine (mk-801) pretreatment. *Pharmacology, Biochemistry, and Behavior* 48(3): 723-32.
- No COC** Carroll, M. E., Hagen, E. W., Asencio, M., and Brauer, L. H. 1988. behavioral dependence on caffeine and phencyclidine in rhesus monkeys: interactive effects. *Pharmacology, Biochemistry, and Behavior* 31(4): 927-32.
- No COC** Cartmell, J., Monn, J. A., and Schoepp, D. D. 1999. the metabotropic glutamate 2/3 receptor agonists ly354740 and ly379268 selectively attenuate phencyclidine versus d-amphetamine motor behaviors in rats. *Journal of Pharmacology and Experimental Therapeutics* 291(1): 161-70.
- No COC** Cartmell Jayne, Monn James A, and Schoepp Darryle D(A). 200. attenuation of specific pcp-evoked behaviors by the potent mglu2/3 receptor agonist, ly379268 and comparison with the atypical antipsychotic, clozapine. *Psychopharmacology*. 148(4): 423-429.
- No COC** Castellani, S. and Adams, P. M. effects of dopaminergic drugs on phencyclidine induced behavior in the rat. *Neuropharmacology*. 20 (4). 1981. 371-374.
- No COC** Castellani, S. and Adams, P. M. 1981. acute and chronic phencyclidine effects on locomotor activity, stereotypy and ataxia in rats. *European Journal of Pharmacology* 73(2-3): 143-54.
- No COC** Castellani, S., Giannini, A. J., and Adams, P. M. effects of naloxone methionine enkephalin and morphine on phencyclidine induced behavior in the rat. *Psychopharmacology*. 78 (1). 1982. 76-80.
- No COC** Castellani, S., Giannini, A. J., and Adams, P. M. 1982. effects of naloxone, metenkephalin, and morphine on phencyclidine-induced behavior in the rat. *Psychopharmacology* 78(1): 76-80.
- No COC** Ceci, A. and French, E. D. phencyclidine-induced activation of ventral tegmental a-10 dopamine neurons is differentially affected by lesions of the nucleus accumbens and medial prefrontal cortex. *LIFE SCI. Life Sciences*. 45 (7). 1989. 637-646.
- No COC** Ceci, A. and French, E. D. 1989. phencyclidine-induced activation of ventral tegmental a10 dopamine neurons is differentially affected by lesions of the nucleus accumbens and medial prefrontal cortex. *Life Sciences* 45(7): 637-46.

- No COC** Chan Susan L F, Pallett Anna L, Clews John, Ramsden Christopher A, and Morgan Noel G. 1997. evidence the the ability of imidazoline compounds to stimulate insulin secretion is not due to interaction with sigma receptors. *European Journal of Pharmacology* 323(2-3): 241-244.
- No COC** Chapman, A. G. and Meldrum, B. S. 1989. non-competitive n-methyl-d-aspartate antagonists protect against sound-induced seizures in dba/2 mice. *European Journal of Pharmacology* 166(2): 201-11.
- No COC** Chaturvedi, A. K. 1983. influence of cholinergic modifiers on phencyclidine-induced acute toxicity. *Pharmacological Research Communications* 15(3): 291-305.
- No COC** Chaturvedi, A. K. 1984. effects of mecamylamine, nicotine, atropine and physostigmine on the phencyclidine-induced behavioral toxicity. *Pharmacology, Biochemistry, and Behavior* 20(4): 559-66.
- No COC** Chaturvedi, A. K., Rao, N. G., and Berg, I. E. 1981. the role of hepatic microsomal enzymes in the modulation of phencyclidine-induced toxicity. *Toxicology* 22(3): 245-54.
- No COC** Chaudieu, I., Vignon, J., Chicheportiche, M., Kamenka, J. M., Trouiller, G., and Chicheportiche, R. 1989. role of the aromatic group in the inhibition of phencyclidine binding and dopamine uptake by pep analogs. *Pharmacology, Biochemistry, and Behavior* 32(3): 699-705.
- Unrel** Chemouilli, P., Heidmann, T., Changeux J-P, Bachy, A., and Morre, M. allosteric effects of diprobutine on acetylcholine receptors.. *European Journal of Pharmacology*. 117 (2). 1985. 205-214.
- No COC** Chen Jianping, Paredes William, and Gardner Eliot L(A). 1993. effects of acute phencyclidine on in vivo efflux and metabolism of dopamine in nucleus accumbens, caudate-putamen and medial prefrontal cortex of the awake, freely-moving rat. *Einstein Quarterly Journal of Biology and Medicine* 10(3): 78-86.
- BioX** Chen, Y. T., Ma, L., Mei, Q., Tang, Y., and Liao, X. G. 1994. an experimental trial of artemether in treatment of pneumocystis carinii in immunosuppressed rats. *Chinese Medical Journal* 107(9): 673-7.
- BioX** Chin, K., Merali, S., Saric, M., and Clarkson, A. B. Jr. 1996. continuous infusion of dl- alpha - difluoromethylornithine and improved efficacy against a rat model of pneumocystis carinii pneumonia. *Antimicrobial Agents and Chemotherapy* 40(10): 2318-2320.
- Abstract** Chou, K. and Cook, R. M. 1979. effects of pentachlorophenol on fetal and postpartum development in rat. *Federation Proceedings* 38: 868.
- No Oral** Chou, Y. C., Liao, J. F., Chang, W. Y., Lin, M. F., and Chen, C. F. 1999 . binding of dimemorfan to sigma-1 receptor and its anticonvulsant and locomotor effects in mice, compared with dextromethorphan and dextroprhan. *Brain Research* 821(2): 516-9.
- Rev** Choudhury, H., Coleman, J., De Rosa Ct, and Stara, J. F. 1986. Pentachlorophenol: Health and Environmental Effects Profile. ;, *Toxicol Ind Health* . 2: 483-571.
- Unrel** Chudwin, D. S., Artrip, S. G., Ogden, J. D., and Schiffman, G. 1987. tamarin model of pneumococcal bacteremia. *Journal of Medical Primatology* 16(4): 249-60.
- Unrel** Coderre, T. J. and Van Empel, I. 1994. the utility of excitatory amino acid (eaa) antagonists as analgesic agents. i. comparison of the antinociceptive activity of various classes of eaa antagonists in

mechanical, thermal and chemical nociceptive tests. *Pain* 59(3): 345-52.

- Abstract** Compton, R. P., Hood, W. F., Contreras, P. C., O'donohue, T. L., Jacobson, A. E., Rafferty, M. F., Rice, K. C., Lessor, R. A., and Monahan, J. B. the phencyclidine pcp receptor acylating agent metaphit potentiates 2 amino-7-phosphonoheptanoate ap7 induced stereotyped behavior and ataxia in Rats. *17th Annual Meeting of the Society for Neuroscience, New Orleans, Louisiana, Usa, November 16-21, 1987. Soc Neurosci Abstr.* 13 (3). 1987. 1556.
- No COC** Consroe, P., Boren, J. L., and Hsu, C. H. 1982. propranolol antagonizes phencyclidine-induced hyperactivity and stereotypy in rats. *Pharmacology* 24(2): 96-104.
- BioX** Contini, C., Colombo, D., Cultrera, R., Prini, E., Sechi, T., Angelici, E., and Canipari, R. 1996. employment of terbinafine against pneumocystis carinii infection in rat models. *British Journal of Dermatology* 134 Suppl 46: 30-2; discussion 40.
- No COC** Contreras, C. M., Guzman-Flores, C., Dorantes, M. E., Ervin, F. R., and Palmour, R. naloxone and phencyclidine interacting effects on the limbic system and behavior. *Physiology & Behavior.* 27 (6). 1981 (Recd. 1982). 1019-1026.
- No COC** Contreras, P. C. d serine antagonized phencyclidine and mk-801-induced stereotyped behavior and ataxia. *Neuropharmacology.* 29 (3). 1990. 291-294.
- No COC** Contreras, P. C., Contreras, M. L., O'Donohue, T. L., and Lair, C. C. 1988. biochemical and behavioral effects of sigma and pcp ligands. *Synapse* 2(3): 240-3.
- No COC** Contreras, P. C., Quirion, R., and O'Donohue, T. L. 1986. agonistic and antagonistic effects of pcp-derivatives and sigma opioids in pcp behavioral and receptor assays. *NIDA Research Monograph* 64: 80-93.
- No COC** Contreras, P. C., Rafferty, M. F., Lessor, R. A., Rice, K. C., Jacobson, A. E., and O'Donohue, T. L. 1985. a specific alkylating ligand for phencyclidine (pcp) receptors antagonizes pcp behavioral effects. *European Journal of Pharmacology* 111(3): 405-6.
- Abstract** Cook, S. J., Beard, A. P., McRae, A. C., and Rawlings, N. C. fertility in mink (mustela vison) exposed to pesticides from conception. *Biol Reprod* 1997;56(Suppl 1):200
- No COC** Corbett, R., Camacho, F., Woods, A. T., Kerman, L. L., Fishkin, R. J., Brooks, K., and Dunn, R. W. 1995. antipsychotic agents antagonize non-competitive n-methyl-d-aspartate antagonist-induced behaviors. *Psychopharmacology* 120(1): 67-74.
- Unrel** Cornish, J., Lecamwasam, J. P., Harrison, G., Vanderwee, M. A., and Miller, T. E. 1988. host defence mechanisms in the bladder. ii. disruption of the layer of mucus. *British Journal of Experimental Pathology* 69(6): 759-70.
- No COC** Corso, T. D., Sesma, M. A., Tenkova, T. I., Der, T. C., Wozniak, D. F., Farber, N. B., and Olney, J. W. 1997. multifocal brain damage induced by phencyclidine is augmented by pilocarpine. *Brain Research* 752(1-2): 1-14.
- No COC** Coveney, J. R., Neal, B. S., and Sparber, S. B. food deprivation alters behavioral and plasma corticosterone responses to phencyclidine in rats. *Pharmacology Biochemistry and Behavior.* 36 (3). 1990. 451-456.
- No COC** Coveney, J. R. and Sparber, S. B. delayed effects of amphetamine or phencyclidine interaction of food deprivation stress and dose. *Pharmacology Biochemistry and Behavior.* 36 (3). 1990. 443-

450.

- No COC** Coveney, J. R. and Sparber, S. B. 1982. phencyclidine retards autoshaping at a dose which does not suppress the required response. *Pharmacology, Biochemistry, and Behavior* 16(6): 937-42.
- Aquatic** Crook Anne C. 1997. determinants of the physiological colour patterns of juvenile parrotfish, *chlorurus sordidus*. *Animal Behaviour* 53(6): 1251-1261.
- Rev** Crossland, J. and Shea, K. P. the hazards of impurities. *Environment*15(5): 35-38; 1973(REF:29)
- No COC** Crowley Jan R and Hollenberg Paul F(A). 1995. mechanism-based inactivation of rat liver cytochrome p4502b1 by phencyclidine and its oxidative product, the iminium ion. *Drug Metabolism and Disposition* 23(8): 786-793.
- In Vit** Cui Xiao-Lan and Lou Marjorie F(A). 1993. the effect and recovery of long-term hydrogen peroxide exposure on lens morphology and biochemistry. *Experimental Eye Research* 57(2): 157-167.
- Gene** Daimon, H., Sawada, S., Asakura, S., and Sagami, F. Inhibition of Sulfotransferase Affecting in Vivo Genotoxicity and Dna Adducts Induced by Safrole in Rat Liver. *Teratogenesis Carcinogenesis and Mutagenesis*; 17 (6). 1997-1998. 327-337.
- No Oral** Daimon, Hirohiko, Sawada, Shigeki, Asakura, Shoji, and Sagami, Fumio. 1998. inhibition of sulfotransferase affecting in vivo genotoxicity and dna adducts induced by safrole in rat liver. *Teratog. Carcinog., Mutagen.* 17(6): 327-337
- No COC** Daniell, L. C. 1990. the noncompetitive n-methyl-d-aspartate antagonists, mk-801, phencyclidine and ketamine, increase the potency of general anesthetics. *Pharmacology, Biochemistry, and Behavior* 36(1): 111-5.
- No COC** Danysz, W., Essmann, U., Bresink, I., and Wilke, R. 1994. glutamate antagonists have different effects on spontaneous locomotor activity in rats. *Vol. 48, No. 1, Pp. 111-118* Pharmacol. Biochem. Behav.
- No COC** Davis, W. M., Hackett, R. B., Obrosky, K. W., and Waters, I. W. 1991. factors in the lethality of i.v. phencyclidine in conscious dogs. *General Pharmacology* 22(4): 723-8.
- No COC** de Costa, B. R., George, C., Burke, T. R. Jr, Rafferty, M. F., Contreras, P. C., Mick, S. J., Jacobson, A. E., and Rice, K. C. 1988. synthesis, configuration, and evaluation of two conformationally restrained analogues of phencyclidine. *Journal of Medicinal Chemistry* 31(8): 1571-5.
- No COC** De Sarro G B(A) and De Sarro A. 1993. anticonvulsant properties of non-competitive antagonists of the n-methyl-d-aspartate receptor in genetically epilepsy-prone rats: comparison with cpene. *Neuropharmacology* 32(1): 51-58.
- No COC** De Souza, E. B., Clouet, D., and London, E. D. 1993. *Sigma, PCP, and NMDA Receptors. NIDA/RMS-133; NIH/PUB-93/3587*
- In Vit** De-Souza, L. and Koury, M. C. 1992. chemical and biological properties of endotoxin from leptospira interrogans serovars canicola and icterohaemorrhagiae. *Brazilian Journal of Medical and Biological Research* 25(5): 467-75.
- No COC** De Vry, J., Benz, U., Schreiber, R., and Traber, J. 1993. shock-induced ultrasonic vocalization in young adult rats: a model for testing putative anti-anxiety drugs. *European Journal of*

Pharmacology 249(3): 331-9.

- Alt** De Zeeuw Chris I, Hansel Christian, Bian Feng, Koekkoek Sebastian K E, Van Alphen Adriaan M, Linden David J, and Oberdick John(A). 1998. expression of a protein kinase c inhibitor in purkinje cells blocks cerebellar ltd and adaptation of the vestibulo-ocular reflex. *Neuron* 20(3): 495-508.
- BioX** Deerberg, F., Pohlmeier, G., Wullenweber, M., and Hedrich, H. J. 1993. history and pathology of an enzootic pneumocystis carinii pneumonia in athymic han:rmu and han:nznu rats. *Journal of Experimental Animal Science* 36(1): 1-11.
- Unrel** Delahooke, D. M., Barclay, G. R., and Poxton, I. R. A Re-appraisal of the Biological Activity of Bacteroides Lps. *Journal of Medical Microbiology*; 42 (2). 1995. 102-112.
- Drug** Delander, G. E. and Wahl, J. J. descending systems activated by morphine icv inhibit kainic acid it-induced behavior. *Pharmacology Biochemistry and Behavior*. 39 (1). 1991. 155-160.
- No COC** DeLander, G. E. and Wahl, J. J. 1989. in vivo characterization of phencyclidine/sigma agonist-mediated inhibition of nociception. *European Journal of Pharmacology* 159(2): 149-56.
- Acu** Delclos, K. B., Miller, E. C., Miller, J. A., and Liem, A. 1986. sulfuric acid esters as major ultimate electrophilic and hepatocarcinogenic metabolites of 4-aminoazobenzene and its n-methyl derivatives in infant male c57bl/6j x c3h/hej f1 (b6c3f1) mice. *Carcinogenesis* 7(2): 277-87.
- No COC** Dematteis, M., Lallement, G., and Mallaret, M. 1998. dextromethorphan and dextrorphan in rats: common antitussives--different behavioural profiles. *Fundamental & Clinical Pharmacology* 12(5): 526-37.
- Metab** den Besten, Cathaline, Bennik, Marjon M. H., van Iersel, Marlou, Peters, Maria A. W., Teunis, Cees, and van Bladeren, Peter J. comparison of the urinary metabolite profiles of hexachlorobenzene and pentachlorobenzene in the rat. *Chem.-Biol. Interact.* (1994) 90(2): 121-37.
- No COC** Denoble, V. J., Jones, K. W., Schaeffer, C. L., and Bauerle, L. M. 3-racemic 2 carboxypiperazin-4-ylpropyl-1-phosphonic acid cpp and phencyclidine produce a deficit of passive avoidance retention in rats. *European Journal of Pharmacology*. 175 (2). 1990. 197-202.
- No COC** DeNoble, V. J., Jones, K. W., Schaeffer, C. L., and Bauerle, L. M. 1990. 3-(+)-2-carboxypiperazin-4-ylpropyl-1-phosphonic acid (cpp) and phencyclidine produce a deficit of passive avoidance retention in rats. *European Journal of Pharmacology* 175(2): 197-202.
- Unrel** Dersch, C. M., Akunne, H. C., Partilla, J. S., Char, G. U., de Costa, B. R., Rice, K. C., Carroll, F. I., and Rothman, R. B. 1994. studies of the biogenic amine transporters. 1. dopamine reuptake blockers inhibit [3h]mazindol binding to the dopamine transporter by a competitive mechanism: preliminary evidence for different binding domains. *Neurochemical Research* 19(2): 201-8.
- No COC** Deutsch, S. I. and Hitri, A. 1993. measurement of an explosive behavior in the mouse, induced by mk-801, a pcp analogue. *Clinical Neuropharmacology* 16(3): 251-7.
- No COC** Deutsch, S. I., Mastropaolo, J., and Rosse, R. B. 1998. neurodevelopmental consequences of early exposure to phencyclidine and related drugs. *Clinical Neuropharmacology* 21(6): 320-32.
- No COC** Deutsch, S. I., Rosse, R. B., and Mastropaolo, J. 1997. behavioral approaches to the functional assessment of nmda-mediated neural transmission in intact mice. *Clinical Neuropharmacology* 20(5): 375-84.

- No COC** Deutsch, S. I., Rosse, R. B., Paul, S. M., Tomasino, V., Koetzner, L., Morn, C. B., and Mastropalo, J. 1996. 7-nitroindazole and methylene blue, inhibitors of neuronal nitric oxide synthase and non-stimulated guanylate cyclase, block mk-801-elicited behaviors in mice. *Neuropsychopharmacology* 15(1): 37-43.
- No Oral** Diana, G. and Sagratella, S. 1994. different capability of n-methyl-d-aspartate antagonists to affect locomotor/exploratory activity of mice in a computerized on-line open field test. *Pharmacology, Biochemistry, and Behavior* 48(1): 291-5.
- No Oral** Diana, G., Scotti de Carolis, A., Popoli, P., Pezzola, A., and Sagratella, S. 1993. non-opioid antitussives potentiate some behavioural and eeg effects of n-methyl-d-aspartate channel blockers. *Life Sciences* 52(19): 1547-57.
- No COC** Didriksen M(A). 1999. enduring cognitive deficits in rats after long-term administration of phencyclidine (pcp). *Society for Neuroscience Abstracts*. 25(1-2): 2154.
- No COC** Dijkema Hero E(A), Weil, E. H. J., Mijs, P. T., and Janknegt, R. A. 1993 . neuromodulation of sacral nerves for incontinence and voiding dysfunctions: clinical results and complications. *European Urology* 24(1): 72-76.
- No COC** Dimpfel, W. and Spuler, M. 1990. dizocilpine (mk-801), ketamine and phencyclidine: low doses affect brain field potentials in the freely moving rat in the same way as activation of dopaminergic transmission. *Psychopharmacology* 101(3): 317-23.
- No COC** Domino, E. F., Gole, D., and Koek, W. 1987. metaphit, a proposed phencyclidine receptor acylator - disruption of mouse motor behavior and absence of pcp antagonist activity. *Journal Of Pharmacology And Experimental Therapeutics* 243(1): 95-100.
- No COC** Dornand, J., Kamenka, J. M., Bartegi, A., and Mani, J. C. 1987. pcp and analogs prevent the proliferative response of t lymphocytes by lowering il2 production. an effect related to the blockade of mitogen-triggered enhancement of free cytosolic calcium concentration. *Biochemical Pharmacology* 36(22): 3929-36.
- FL** Dorrestein, G. M. and Zelle, R. 1979. [pentachlorophenol poisoning in nestlings of canaries (*Serinus canarius*) (author's transl)]. <original> pentachloorphenol intoxicatie bij nestjongen van kanaries (*Serinus canarius*). *Tijdschrift Voor Diergeneeskunde* 104(6): 268-73.
- FL** Dorrestein, G. M., Zwart, P., and Buitelaar, M. N. 1980. [problems arising from disease during the periods of breeding and rearing canaries and other aviary birds (author's transl)]. <original> ziekteproblemen in de fok en opfokperiode van kanaries en andere volierevogels. *Tijdschrift Voor Diergeneeskunde* 105(13): 535-43.
- No COC** Doty, P., Dykstra, L. A., and Picker, M. J. 1994. discriminative stimulus effects of phencyclidine: pharmacologically specific interactions with delta 9- and delta 8-tetrahydrocannabinol. *Drug and Alcohol Dependence* 35(2): 151-8.
- No COC** Doty, P., Dysktra, L. A., and Picker, M. J. 1992. delta 9-tetrahydrocannabinol interactions with phencyclidine and ethanol: effects on accuracy and rate of responding. *Pharmacology, Biochemistry, and Behavior* 43(1): 61-70.
- In Vit** Dull, R. O. and Davies, P. F. flow modulation of agonist atp-response calcium ion coupling in vascular endothelial cells.. *American Journal of Physiology*. 261 (1 Part 2). 1991. H149-H154.
- No Oral** Dunachie, J. F. and Fletcher, W. W. Effect of Some Herbicides on the Hatching Rate of Hen's Eggs

Nature(london) 215:1406-1407,1967

- No Oral** Dunachie, J. F. and Fletcher, W. W. toxicity of certain herbicides to hens' eggs assessed by the egg-injection Technique. *Ann Appl Biol* 66:515-520,1970
- HHE** Edgerton, T. R., Moseman, R. F., and Wright, L. H. 1981. *Method Development for the Assessment of Possible Human Exposure to Pesticides and Industrial Chemicals*. EPA-600/1-81-024
- No COC** Ehrhardt Jens, Sabel Bernhard A, and Schroeder Ulrike(A). 1999. subchronically applied phencyclidine fails to disrupt prepulse inhibition in rats. *European Neuropsychopharmacology* 10(1): 69-74.
- In Vit** Ehrlich, W. the effect of pentachlorophenol and its metabolite tetrachloroquinone on cell growth and the induction of dna damage in chinese hamster ovary cells. *Mutat Res; 244 (4). 1990. 299-302.*
- BioX** Eijking, E. P., van Daal, G. J., Tenbrinck, R., Luijendijk, A., Sluiter, J. F., Hannappel, E., and Lachmann, B. 1991. effect of surfactant replacement on pneumocystis carinii pneumonia in rats. *Intensive Care Medicine* 17(8): 475-8.
- Unrel** Eijking, E. P., van Daal, G. J., Tenbrinck, R., Sluiter, J. F., Hannappel, E., Erdmann, W., and Lachmann, B. 1992. improvement of pulmonary gas exchange after surfactant replacement in rats with pneumocystis carinii pneumonia. *Advances in Experimental Medicine and Biology* 316: 293-8.
- Nut def** Ellinger, C., Seffner, W., and Schiller, F. 1991. investigations on the sensitivity of several biochemical and histological methods after liver intoxication induced by pentachlorophenol and carbon tetrachloride. *Archives of Toxicology. Supplement. Archiv Fur Toxikologie.*
- BioAcc** Elliott, J. E., Machmer, M. M., Henry, C. J., Wilson, L. K., and Norstrom, R. J. Contaminants in Ospreys from the Pacific Northwest: I. Trends and Patterns in Polychlorinated Dibenzo-p-dioxins and -Dibenzofurans in Eggs and Plasma. *Archives of Environmental Contamination and Toxicology; 35 (4). 1998. 620-631.*
- No COC** Ellison, G. 1995. the n-methyl-d-aspartate antagonists phencyclidine, ketamine and dizocilpine as both behavioral and anatomical models of the dementias. *Brain Research. Brain Research Reviews* 20(2): 250-67.
- No COC** Ellison Gaylord D(A) and Keys Alan S. 1996. persisting changes in brain glucose uptake following neurotoxic doses of phencyclidine which mirror the acute effects of the drug. *Psychopharmacology* 126(3): 271-274.
- No COC** Emley, G. S. and Hutchinson, R. R. effects of phencyclidine on aggressive behavior in squirrel monkeys saimiri-sciureus.. *Pharmacology Biochemistry and Behavior.* 18 (2). 1983. 163-166.
- No COC** Emley, G. S. and Hutchinson, R. R. 1983. effects of phencyclidine on aggressive behavior in squirrel monkeys. *Pharmacology, Biochemistry, and Behavior* 18(2): 163-6.
- No COC** English, J. A., Bruce, K. H., and Paul, I. A. 1999. increased discriminative stimulus potency of phencyclidine in c57b1/6 mice infected with the lp-bm5 retrovirus. *European Journal of Pharmacology* 367(1): 1-5.
- Fate** Engst, R., Macholz, R. M., Kujawa, M., Lewerenz, H. J., and Plass, R. 1976. the metabolism of lindane and its metabolites gamma-2,3,4,5,6-pentachlorocyclohexene, pentachlorobenzene, and

pentachlorophenol in rats and the pathways of lindane metabolism. *Journal of Environmental Science and Health. Pt. B: Pesticides, Food*

- No COC** Ericson, E. and Ahlenius, S. 1990. phencyclidine-induced disruption of an aversely motivated two-choice successive discrimination in the rat. *Psychopharmacology* 102(2): 171-4.
- Chem Meth** Erkey Can, Madras Giridhar, Orejuela Mauricio, and Akgerman Aydin(A). 1993. supercritical carbon dioxide extraction of organics from soil. *Environmental Science & Technology* 27(6): 1225-1231.
- Phys** Erlinge, D., Yoo, H., Edvinsson, L., Reis, D. J., and Wahlestedt, C. 1993. mitogenic effects of atp on vascular smooth muscle cells vs. other growth factors and sympathetic cotransmitters. *American Journal of Physiology* 265(4 Pt 2): H1089-97.
- FL** Ershova, L. K. and Khomenko, N. R. effect of some pesticides of the organo chlorine group on the functional state of the central nervous system. *FIZIOL ZH (KIEV). Fiziologicheskii Zhurnal (Kiev)*. 27 (4). 1981. 557-560.
- FL** Eshel, Y. and Korczyn, A. M. 1985. circling behavior induced by phencyclidine in mice and its inhibition by naloxone. *Experientia* 41(1): 73-4.
- No COC** Evoniuk, G. E., Hertzman, R. P., and Skolnick, P. 1991. a rapid method for evaluating the behavioral effects of phencyclidine-like dissociative anesthetics in mice. *Psychopharmacology* 105(1): 125-8.
- FL** Ewig, S., Schafer, H., Rockstroh, J. K., and Luderitz, B. 1996. [improved prognosis of first episode hiv associated pneumocystis carinii pneumonia without preventive treatment: etiology and sequelae]. <original> verbesserte prognose der erstepisoden hiv-assoziiierter pneumocystis carinii-pneumonien ohne prophylaxe: ursachen und folgerungen. *Pneumologie* 50(7): 455-61.
- Imm** Exon, J. H. 1984. A Review of Chlorinated Phenols. : *Vet Hum Toxicol.* 26: 508-520.
- IMM** Exon, J. H. and Koller, L. D. Effects of Chlorinated Phenols on Immunity in Rats. *Int J Immunopharmacol* 5:131-136,1983
- Diss** Farber, N. B., Wozniak, D. F., Price, M. T., Ikonomidou, C., and Olney, J. W. 1992. Pcp Triggers Apoptotic Neurodegeneration in the Developing Rat Cns. *28th Annual Meeting of the Society for Neuroscience*
- Ferrett** Favaron, M., Manev, H., Alho, H., Bertolino, M., Ferret, B., Guidotti, A., and Costa, E. 1988. gangliosides prevent glutamate and kainate neurotoxicity in primary neuronal cultures of neonatal rat cerebellum and cortex. *Proceedings of the National Academy of Sciences of the United States of*
- No COC** Feinberg, I. and Campbell, I. G. 1998. haloperidol potentiates the eeg slowing of mk-801 despite blocking its motor effects: implications for the pcp model of schizophrenia. *Neuroreport* 9(10): 2189-93.
- No COC** Ferle-Vidovic Ana(A), Petrovic Danilo, Suman Lidija, Skare Danko, Mlinaric-Majerski Kata, Kaselj Mira, and Lasic Mila. 1995. adamantyl phencyclidine: a potential effective radioprotector. *Periodicum Biologorum* 97(1): 41-44.
- No COC** Fessler, R. G., Sturgeon, R. D., London, S. F., and Meltzer, H. Y. 1982. effects of lithium on behaviour induced by phencyclidine and amphetamine in rats. *Psychopharmacology* 78(4): 373-6.

- No COC** Fessler, R. G., Sturgeon, R. D., and Meltzer, H. Y. effects of phencyclidine and methylphenidate on dextro amphetamine induced behaviors in reserpine pre treated rats. *Pharmacology Biochemistry and Behavior*. 13 (6). 1980 (Recd. 1981). 835-842.
- No COC** Fessler, R. G., Sturgeon, R. D., and Meltzer, H. Y. phencyclidine induced ipsilateral rotation in rats with unilateral 6 hydroxy dopamine induced lesions of the substantia nigra.. *Life Sciences*. 24 (14). 1979. 1281-1288.
- No COC** Fessler, R. G., Sturgeon, R. D., and Meltzer, H. Y. 1980. effects of phencyclidine and methylphenidate on d-amphetamine-induced behaviors in reserpine pretreated rats. *Pharmacology, Biochemistry, and Behavior* 13(6): 835-42.
- No COC** French-Mullen, J. M. and Rogawski, M. A. 1989. interaction of phencyclidine with voltage-dependent potassium channels in cultured rat hippocampal neurons: comparison with block of the nmda receptor-ionophore complex. *Journal of Neuroscience* 9(11): 4051-61.
- No COC** Fico, T. A., Banks, A. N., and Hutchings, D. E. 1990. prenatal phencyclidine in rats: effects on apomorphine-induced climbing. *Pharmacology, Biochemistry, and Behavior* 35(1): 93-7.
- No COC** Fico, T. A. and Vanderwende, C. Effects of Prenatal Phencyclidine on 3h-pcp Binding and Pcp-induced Motor Activity and Ataxia. *Neurotoxicol Teratol* 11:373-376,1989
- No COC** Fico, T. A. and Vanderwende, C. effects of prenatal phencyclidine on tritiated pcp binding and pcp-induced motor activity and ataxia. *Neurotoxicology and Teratology*. 11 (4). 1989. 373-376.
- No COC** Fico, T. A. and Vanderwende, C. Prenatal Exposure to Phencyclidine: Effects on Postnatal Behavior and 3h-pcp Binding. *Teratology* 37(5):522,1988
- No COC** Fico, T. A. and Vanderwende, C. prenatal exposure to phencyclidine effects on postnatal behavior and tritiated pcp binding. *TWELFTH ANNUAL MEETING OF THE BEHAVIORAL TERATOLOGY SOCIETY, PALM BEACH, FLORIDA, USA, JUNE 11-13, 1988. TERATOLOGY*. 37 (5). 1988. 522.
- No COC** Fico, T. A. and Vanderwende, C. 1988. phencyclidine during pregnancy: fetal brain levels and neurobehavioral effects. *Neurotoxicology and Teratology* 10(4): 349-54.
- No COC** Finnegan, K. T., Kanner, M. I., and Meltzer, H. Y. 1976. phencyclidine-induced rotational behavior in rats with nigrostriatal lesions and its modulation by dopaminergic and cholinergic agents. *Pharmacology, Biochemistry, and Behavior* 5(6): 651-60 .
- Chem Meth** Fishbein, L. 1975. chromatography of environmental hazards. volume 3. pesticides. (Book) : 820 pp.
- No COC** Fishkin Rod J, Zhou Lily, and Winslow James T. 1996. pcp-induced deficits in squirrel monkey social behavior are differentially affected by clozapine and haloperidol. *Society for Neuroscience Abstracts* 22(1-3): 177.
- Fate** Fishman, J. A., Strauss, H. W., Fischman, A. J., Nedelman, M., Callahan, R., Khaw B-A, and Rubin, R. H. imaging of pneumocystis-carinii pneumonia with indium-111-labeled non-specific polyclonal igg an experimental study in rats. *NUCL MED COMMUN. Nuclear Medicine Communications*. 12 (3). 1991. 175-188.
- No Oral** Fleischer, M., Meiss, R., Robenek, H., Themann, H., and Eckard, R. 1980. ultrastructural morphometric investigations on rat liver of young and adult rats after treatment with technical pentachlorophenol (pcp). *Archives of Toxicology* 44(4): 243-57.

- No COC** France, C. P., Moerschbaecher, J. M., and Woods, J. H. 1991. mk-801 and related compounds in monkeys: discriminative stimulus effects and effects on a conditional discrimination [published erratum appears in *J Pharmacol Exp Ther* 1991 Dec;259(3):1404]. *Journal of Pharmacology and Experimental Therapeutics* 257(2): 727-34.
- No COC** Frederick, D. L., Gillam, M. P., Allen, R. R., and Paule, M. G. 1995. acute behavioral effects of phencyclidine on rhesus monkey performance in an operant test battery. *Pharmacology, Biochemistry, and Behavior* 52(4): 789-97.
- No COC** Freed, W. J., Bing, L. A., and Wyatt, R. J. 1984. effects of neuroleptics on phencyclidine (pcp)-induced locomotor stimulation in mice. *Neuropharmacology* 23(2A): 175-81.
- No COC** Freed, W. J. and Cannon-Spoor, H. E. 1990. a possible role of α_2 excitatory amino acid receptors in the expression of stimulant drug effects. *Psychopharmacology* 101(4): 456-64.
- No COC** Freed, W. J., Weinberger, D. R., Bing, L. A., and Wyatt, R. J. 1980. neuropharmacological studies of phencyclidine (pcp)-induced behavioral stimulation in mice. *Psychopharmacology* 71(3): 291-7.
- No COC** Freeman, A. S. and Martin, B. R. 1982. disposition of phencyclidine in mice after smoke exposure. *Drug Metabolism and Disposition* 10(6): 680-4.
- No COC** Freeman, A. S. and Martin, B. R. 1983. interactions between phencyclidine and Δ^9 -tetrahydrocannabinol in mice following smoke exposure. *Vol. 32, No. 10, Pp. 1081-1089* Life Sci.
- No COC** Freeman, A. S. and Martin, B. R. 1983. interactions between phencyclidine and Δ^9 -tetrahydrocannabinol in mice following smoke exposure. *Life Sciences* 32(10): 1081-9.
- No COC** Freeman, A. S., Martin, B. R., and Balster, R. L. 1984. relationship between the development of behavioral tolerance and the biodisposition of phencyclidine in mice. *Pharmacology, Biochemistry, and Behavior* 20(3): 373-7.
- No COC** French, E. D. Phencyclidine and the Midbrain Dopamine System: Electrophysiology and Behavior. *Neurotoxicology and Teratology*; 16 (4). 1994. 355-362.
- No COC** French, E. D. 1987. phencyclidine-induced changes in α -10 dopamine neuronal-activity and locomotor behavior in rats chronically treated with pcp. *Pharmacology Biochemistry And Behavior* 28: 123-124.
- No COC** French, E. D. 1988. effects of acute and chronic administration of phencyclidine on the α 10 dopaminergic mesolimbic system: electrophysiological and behavioral correlates. *Neuropharmacology* 27(8): 791-8.
- No COC** French, E. D. 1992. competitive nmda receptor antagonists attenuate phencyclidine-induced excitations of α 10 dopamine neurons. *European Journal of Pharmacology* 217(1): 1-7.
- No Oral** French, E. D., Ferkany, J., Abreu, M., and Levenson, S. 1991. effects of competitive n-methyl-d-aspartate antagonists on midbrain dopamine neurons: an electrophysiological and behavioral comparison to phencyclidine. *Neuropharmacology* 30(10): 1039-46.
- No COC** French, E. D., Jacobson, A. E., and Rice, K. C. 1987. metaphit, a proposed phencyclidine (pcp) antagonist, prevents pcp-induced locomotor behavior through mechanisms unrelated to specific blockade of pcp receptors. *European Journal Of Pharmacology* 140(3): 267-274.

- No COC** French, E. D., Lopez, M., Peper, S., Kamenka, J. M., and Roberts, D. Cs. A Comparison of the Reinforcing Efficacy of Pcp, the Pcp Derivatives Tep and Btcp, and Cocaine Using a Progressive Ratio Schedule in the Rat. *Behavioural Pharmacology*; 6 (3). 1995. 223-228.
- No COC** French, E. D. and Vantini, G. phencyclidine induced loco motor activity in the rat is blocked by 6 hydroxy dopamine lesion of the nucleus accumbens comparisons to other psycho motor stimulants. *Psychopharmacology*. 82 (1-2). 1984. 83-88.
- No COC** French Edward D, Mura Anna, and Wang Ting. 1993. mk-801, phencyclidine (pcp), and pcp-like drugs increase burst firing in rat a10 dopamine neurons: comparison to competitive nmda antagonists. *Synapse (New York)* 13(2): 108-116.
- HHE** Fulton, B., Wagstaff, A. J., and McTavish, D. 1995. trimetrexate. a review of its pharmacodynamic and pharmacokinetic properties and therapeutic potential in the treatment of pneumocystis carinii pneumonia. *Drugs* 49(4): 563-76.
- No COC** Furuya, Y., Kagaya, T., Nishizawa, Y., and Ogura, H. 1998. differential effects of the strychnine-insensitive glycine site antagonist (+)-ha-966 on the hyperactivity and the disruption of prepulse inhibition induced by phencyclidine in rats. *Vol. 781, No. 1-2, Pp. 224-232 Brain Res.*
- Surv** Galt, D. E. Reduced Hatchability of Eggs Associated with Pentachlorophenol-contaminated Shavings. *Can Vet J*; 29 (1). 1988. 65-67.
- No Oral** Gandy, Jay, Millner, Clenn C., Bates, Hudson K., Casciano, Daniel A., and Harbison, Raymond D. effects of selected chemicals on the glutathione status in the male reproductive system of rats. *J. Toxicol. Environ. Health (1990)* 29(1): 45-57.
- No COC** Gao Xue-Min, Shirakawa Osamu, Du Fu, and Tamminga Carol A. 1993. delayed regional metabolic actions of phencyclidine. *European Journal of Pharmacology* 241(1): 7-15.
- No COC** Gao Xue-Min and Tamminga Carol A(A). 1994. an increase in nmda-sensitive (3h)glutamate and (3h)kainate binding in hippocampus 24 hours after pcp. *Neuroscience Letters* 174(2): 149-153.
- No COC** Garey, R. E. and Heath, R. G. the effects of phencyclidine on the uptake of tritiated catecholamines by rat striatal and hypothalamic synaptosomes. *LIFE SCI. Life Sciences*. 18 (10). 1976 1105-1110.
- No COC** Garey, R. E., McQuitty, S., Tootle, D., and Heath, R. G. 1980. the effects of apomorphine and haldol on pcp induced behavioral and motor abnormalities in the rat. *Life Sciences* 26(4): 277-84.
- No COC** Garner, H. R(A), Wessinger, W. D., and Mcmillan, D. E. 1996. effect of multiple discrimination reversals on acquisition of a drug discrimination task in rats. *Behavioural Pharmacology* 7(2): 200-204.
- No Oral** Gatto, G. J., Bowen, C. A., and Grant, K. A(A). 1995. assessment of the mixed discriminative stimulus effects of ethanol in a three-choice ethanol-dizocilpine-water discrimination in rats. *Behavioural Pharmacology* 6(5-6): 601-613.
- Unrel** Geisinger, K. R., Scobey, M. W., Northway, M. G., Cassidy, K. T., and Castell, D. O. 1990. radiation-induced proctitis cystica profunda in the rat. *Digestive Diseases and Sciences* 35(7): 833-9.
- No COC** Geller, E. B., Adler, L. H., Wojno, A. C., and Adler, M. W. 1981. the anticonvulsant effect of phencyclidine in rats. *Psychopharmacology* 74(1): 97-8.

- No COC** Gentry, W. Brooks(A), Proksch Joel W(A), and Owens, S. Michael(A). 1999. the effect of anti-phencyclidine antibodies on the distribution of phencyclidine (pcp), a ketamine analogue, in rats. *Anesthesiology (Hagerstown)* 91(3A): A446.
- Mix** George, S. E., Chadwick, R. W., Creason, J. P., Kohan, M. J., and Dekker, J. P. 1991. effect of pentachlorophenol on the activation of 2,6-dinitrotoluene to genotoxic urinary metabolites in cd-1 mice: a comparison of gi enzyme activities and urine mutagenicity. *Environmental and Molecular Mutagenesis* 18(2): 92-101.
- Abstract** Gerber, R., Pastor, G., and Liebman, J. M. mk-801 increases locomotor activity and induces pcp-like behaviors comparison of systemic intra-accumbens and intra-frontal cortex administration. *18th Annual Meeting of the Society for Neuroscience, Toronto, Ontario, Canada, November 13-18, 1988. Soc Neurosci Abstr.* 14 (1). 1988. 44.
- Unrel** Geter-Douglass, B. and Witkin, J. M. 1997. dizocilpine-like discriminative stimulus effects of competitive nmda receptor antagonists in mice. *Psychopharmacology* 133(1): 43-50.
- HHE** Geyer, H., Scheunert, I., and Korte, F. 1986. bioconcentration potential of organic environmental chemicals in humans. *Regulatory Toxicology and Pharmacology* 6(4): 313-47.
- Drug** Geyer, M. A. 1998. behavioral studies of hallucinogenic drugs in animals: implications for schizophrenia research. *Pharmacopsychiatry* 31 Suppl 2: 73-9.
- No COC** Geyer, M. A., Segal, D. S., and Greenberg, B. D. 1984. increased startle responding in rats treated with phencyclidine. *Neurobehavioral Toxicology and Teratology* 6(2): 161-4.
- No COC** Geyer, M. A., Swerdlow, N. R., Lehmann-Masten, V., Teschendorf, H. J., Traut, M., and Gross, G. 1999. effects of lu-111995 in three models of disrupted prepulse inhibition in rats. *Journal of Pharmacology and Experimental Therapeutics* 290(2): 716-24.
- No Org** Ghosh, S. K. and Guha, S. R. further studies on the inhibition of mono amine oxidation by mono amine oxidase ec-1.4.3.4 inhibitors. *Biochemical Pharmacology.* 27 (1). 1978 112-114.
- BioX** Gliotti, F., Wiley, J. A., and Harmsen, A. G. 1998. immunization with pneumocystis carinii gpa is immunogenic but not protective in a mouse model of p. carinii pneumonia. *Infection and Immunity* 66(7): 3179-82.
- Fate** Gile, J. D., Collins, J. C., and Gillett, J. W. 1981. *Fate and Impact of Wood Preservatives in a Terrestrial Microcosm.* <NOTE> Journal Article : 9p.
- Fate** Gile, J. D. and Gillett, J. W. 1980. *Fate of Selected Fungicides in a Terrestrial Laboratory Ecosystem.* <NOTE> Journal Article : 8p.
- Fate** Gile, J. D. and Gillett, J. W. CS Terrestrial Systems Division Laboratory US Environmental Protection Agency Corvallis Oregon 97330 USA. 1979. fate of selected fungicides in a terrestrial laboratory ecosystem. *Journal of Agricultural and Food Chemistry* 27(6): 1159-1164.
- Chem Meth** Gillard, Douglas, Epstein, Robert L., Ashworth, Raymond B., Curry, Kevin, and Nathan, Quincy. validation study of gas chromatographic determination of pentachlorophenol in animal liver. *J. - Assoc. Off. Anal. Chem. (1988)* 71(5): 926-9.
- No COC** Ginski, M. J. and Witkin, J. M. 1994. sensitive and rapid behavioral differentiation of n-methyl-d-aspartate receptor antagonists. *Psychopharmacology* 114(4): 573-82.

- No COC** Gleason, S. D. and Shannon, H. E. 1997. blockade of phencyclidine-induced hyperlocomotion by olanzapine, clozapine and serotonin receptor subtype selective antagonists in mice. *Psychopharmacology* 129(1): 79-84.
- No COC** Glick, S. D., Meibach, R. C., Cox, R. D., and Maayani, S. 1980. phencyclidine-induced rotation and hippocampal modulation of nigrostriatal asymmetry. *Brain Research* 196(1): 99-107.
- FL** Goerz, G., Vizethum, W., Bolsen, K., Krieg, T., and Lissner, R. hexa chloro benzene induced porphyria in rats influence of hexa chloro benzene metabolites on the biosynthesis of heme. *Archives of Dermatological Research*. 263 (2). 1978. 189-196.
- No COC** Goerz, G., Vizethum, W., Bolsen, K., Krieg, T., and Lissner, r. hexachlorobenzene (hcb) induced porphyria in rats: influence of hcb-metabolites on the biosynthesis of heme. *Arch Dermatol Res*; 263 (2). 1978. 189-196.
- Abstract** Goerz, G., Vizethum, W., Bolsen, K., Krieg, T., and Lissner, R. 1978. influence of chlorinated benzene derivatives on liver cytochrome p-450 and on urinary porphyrin excretion. *Arch. Dermatol. Res.* 26(1): 94.
- No COC** Goerz, G., Vizethum, W., Bolsen, K., and Krieg, T. h. hexachlorobenzene (hcb)-induced porphyria in rats. effect of hcb-metabolites on heme biosynthesis. *Arch. Dermatol. Res.* 263(2): 189-196 1978 (27 References)
- No COC** Goerz, G., Vizethum, W., Bolsen, K., Krieg, Th., and Lissner, R. hexachlorbenzene (hcb) induced porphyria in rats . effect of hcb-metabolites on the heme biosynthesis. *Arch. Dermatol. Res.* (1978) 263(2): 189-96.
- In Vit** Goldstein, J. A., Friesen, M., Linder, R. E., Hickman, P., Hass, J. R., and Bergman, H. 1977. effects of pentachlorophenol on hepatic drug-metabolizing enzymes and porphyria related to contamination with chlorinated dibenzo-p-dioxins and dibenzofurans. *Biochemical Pharmacology* 26(17): 1549-57.
- No Oral** Goldstein, S. R., Matsumoto, R. R., Thompson, T. L., Patrick, R. L., Bowen, W. D., and Walker, J. M. 1989. motor effects of two sigma ligands mediated by nigrostriatal dopamine neurons. *Synapse* 4(3): 254-8.
- Unrel** Gomez, J., Macina, O. T., Sussman, N., Grant, S., and Mattison, D. R. generation of developmental toxicity models based on physico-chemical properties. *Toxicologist* 1998 Mar;42(1-S):259
- Unrel** Gong, D. W., Murayama, N., Yamazoe, Y., and Kato, R. 1992. hepatic triiodothyronine sulfation and its regulation by growth hormone and triiodothyronine in rats. *Journal of Biochemistry* 112(1): 112-6.
- No COC** Goodwin, P. J., Perez, V. J., Eatwell, J. C., Palet, J. L., and Jaworski, M. T. 1980. phencyclidine: effects of chronic administration in the female mouse on gestation, maternal behavior, and the neonates. *Psychopharmacology* 69(1): 63-7.
- FL** Graef, V., Golf, S. W., and Goerz, G. 1980. the involvement of porphyrinogenic steroids in the development of experimental porphyria. *Experientia* 36(9): 1090-1.
- Drug** Grant Kathleen A(A). 1999. strategies for understanding the pharmacological effects of ethanol with drug discrimination procedures. *Pharmacology Biochemistry and Behavior* 64(2): 261-267.
- No Oral** Grant Kathleen A(A) and Colombo Giancarlo. 1993. discriminative stimulus effects of ethanol:

effect of training dose on the substitution of n-methyl-d-aspartate antagonists. *Journal of Pharmacology and Experimental Therapeutics* 264(3): 1241-1247.

- No COC** Gray, N. M., Cheng, B. K., Mick, S. J., Lair, C. M., and Contreras, P. C. 1989. phencyclidine-like effects of tetrahydroisoquinolines and related compounds. *Journal of Medicinal Chemistry* 32(6): 1242-8.
- No COC** Grebb, J. A., Ellsworth, K. A., and Freed, W. J. 1985. differences between calcium channel inhibitors in their effects on phencyclidine-induced behavioral stimulation in mice. *Pharmacology, Biochemistry, and Behavior* 23(4): 613-8.
- No COC** Grech, D. M. and Balster, R. L. 1997. the discriminative stimulus effects of muscimol in rats. *Psychopharmacology* 129(4): 339-47.
- No Oral** Green-Jordan Kristen and Grant Kathleen A(A). 2000. modulation of the ethanol-like discriminative stimulus effects of diazepam and phencyclidine by l-type voltage-gated calcium-channel ligands in rats. *Psychopharmacology* 149(1): 84-92.
- No COC** Greenberg, B. D. and Segal, D. S. acute and chronic behavioral interactions between phencyclidine and amphetamine evidence for a dopaminergic role in some phencyclidine-induced behaviors. *Pharmacology Biochemistry and Behavior*. 23 (1). 1985. 99-106.
- No COC** Greenberg, B. D. and Segal, D. S. 1986. evidence for multiple opiate receptor involvement in different phencyclidine-induced unconditioned behaviors in rats. *Psychopharmacology* 88(1): 44-53.
- Diss** Griesbach Grace S(A), Richburg John H, and Amsel Abram. 1999. dentate granule cell apoptosis during the third postnatal week in the rat. *Society for Neuroscience Abstracts* 25(1-2): 1777.
- No COC** Griffiths, M. R., Mitchell, I. J., and Cooper, A. J. 1999. phencyclidine induces d-1 dopamine receptor mediated fos-like immunoreactivity in discretely localised populations of striatopallidal and striatoentopeduncular neurons in the rat. *Brain Research* 821(1): 177-89.
- Diss** Grunze H(A), Bender A(A), Wendhof S(A), Greene, R. W., and Rujescu D(A). 1999. chronic low dose exposure to mk 801 results in a selective loss of parvalbumin positive interneurons and impairment of recurrent inhibition in the ca 1 region of rat hippocampus. *Society for Neuroscience Abstracts* 25(1-2): 1718.
- No COC** Gundlach, A. L., Largent, B. L., and Snyder, S. H. 1986. phencyclidine (pcp) receptors - autoradiographic localization in brain with the selective ligand,[h-3]tcp. *Brain Research* 386(1-2): 266-279.
- In Vit** Gysbers, J. W. and Rathbone, M. P. 1996. gtp and guanosine synergistically enhance ngf-induced neurite outgrowth from pc12 cells. *International Journal of Developmental Neuroscience* 14(1): 19-34.
- Unrel** Hagen, S. G., Larson, R. J., Strait, K. A., and Oppenheimer, J. H. 1996. a purkinje cell protein-2 intronic thyroid hormone response element binds developmentally regulated thyroid hormone receptor-nuclear protein complexes. *Journal of Molecular Neuroscience* 7(4): 245-55.
- No COC** Haggerty, G. C., Forney, R. B., and Johnson, J. M. 1984. the effect of a single administration of phencyclidine on behavior in the rat over a 21-day period. *Toxicology and Applied Pharmacology* 75(3): 444-53.

- Unrel** Hampton, R. Y., Medzihradsky, F., Woods, J. H., and Dahlstrom, P. J. stereospecific binding of tritium labeled phencyclidine in brain membranes. *Life Sciences*. 30 (25). 1982. 2147-2154.
- No COC** Hanania, T., Hillman, G. R., and Johnson, K. M. 1999. augmentation of locomotor activity by chronic phencyclidine is associated with an increase in striatal nmda receptor function and an upregulation of the nr1 receptor subunit. *Synapse* 31(3): 229-39.
- Abstract** Haney, M. and Miczek, K. A. dextro amphetamine mdma and pcp effects on aggressive and conditioned behavior 5ht and dopamine Antagonists. *19th Annual Meeting of the Society for Neuroscience, Phoenix, Arizona, Usa, October 29-november 3, 1989. Soc Neurosci Abstr.* 15 (1). 1989. 635.
- No COC** Hanson Glen R(A), Midgley Leonora P, Bush Lloyd G, and Gibb James W. 1995. response of extrapyramidal and limbic neurotensin systems to phencyclidine treatment. *European Journal of Pharmacology* 278(2): 167-173.
- No COC** Hardin, J. S., Wessinger, W. D., Proksch, J. W., and Owens, S. M. 1998. pharmacodynamics of a monoclonal antiphencyclidine fab with broad selectivity for phencyclidine-like drugs. *Journal of Pharmacology and Experimental Therapeutics* 285(3): 1113-22.
- No COC** Hardin, J. S(A), Wenger, G. R(A), Wessinger, W. D(A), and Owens, S. M(A). 1999. monoclonal antibodies as long-term antagonists of phencyclidine (pcp). *Clinical Pharmacology & Therapeutics* 65(2): 153.
- Unrel** Hasegawa, R., Takekida, K., Sai, K., Umemura, T., Tanimura, A., Inoue, T., and Kurokawa, Y. 1998. [inhibitory effect of green tea infusion of hepatotoxicity]. *Kokuritsu Iyakuin Shokuhin Eisei Kenkyujo Hokoku* (116): 82-91.
- No COC** Hashimoto, T., Kajii, Y., and Nishikawa, T. 1998. psychotomimetic-induction of tissue plasminogen activator mrna in corticostriatal neurons in rat brain. *European Journal of Neuroscience* 10(11): 3387-99.
- Aquatic** Hashimoto, Y., Okubo, E., Ito, T., Yamaguchi, M., and Tanaka, S. Changes in Susceptibility of Carp (Cyprinus Carpio) to Several Pesticides with Growth. *J Pestic Sci (Nihon Noyaku Gakkaishi)*; 7 (4). 1982. 457-462.
- Prim** Hawley, H. B., Yamada, T., Mosher, D. F., Fine, D. P., and Berendt, R. F. 1977. disseminated intravascular coagulopathy during experimental pneumococcal sepsis: studies in normal and asplenic rhesus monkeys. *Journal of Medical Primatology* 6(4): 203-18.
- In Vit** Hayashi Teruo, Kagaya Ariyuki, Takebayashi Minoru, Shimizu Masami, Uchitomi Yosuke, Motohashi Nobutaka, and Yamawaki Shigeto(A). 1995. modulation by sigma ligands of intracellular free ca⁺⁺ mobilization by n-methyl-d-aspartate in primary culture of rat frontal cortical neurons. *Journal of Pharmacology and Experimental Therapeutics* 275(1): 207-214.
- Abstract** Hayes, R. L., Chapouris, R., Lyeth, B. G., Jenkins, L., Robinson, S. E., Young, H. F., and Marmarou, A. pretreatment with phencyclidine pcp attenuates long-term behavioral deficits following of concussive brain injury in the rat. *17th Annual Meeting of the Society for Neuroscience, New Orleans, Louisiana, Usa, November 16-21, 1987. Soc Neurosci Abstr.* 13 (2). 1987. 1254.
- No COC** Hayes, R. L., Jenkins, L. W., Lyeth, B. G., Balster, R. L., Robinson, S. E., Clifton, G. L., Stubbins, J. F., and Young, H. F. 1988. pretreatment with phencyclidine, an n-methyl-d-aspartate antagonist, attenuates long-term behavioral deficits in the rat produced by traumatic brain injury. *Journal of*

Neurotrauma 5(4): 259-74.

- No COC** Helsley Scott(A), Filipink Robyn A, Bowen Wayne D, Rabin, R. A., and Winter, J. C. 1998. the effects of sigma, pcp, and opiate receptor ligands in rats trained with ibogaine as a discriminative stimulus. *Pharmacology Biochemistry and Behavior* 59(2): 495-503.
- No COC** Herman Barbara H(A), Vocci Frank, and Bridge Peter. 1995. the effects of nmda receptor antagonists and nitric oxide synthase inhibitors on opioid tolerance and withdrawal. *Neuropsychopharmacology* 13(4): 269-293.
- Unrel** Heroux Jeffrey A, Tam, S. William, and De Souza Errol B(A). 1992. autoradiographic identification and characterization of sigma receptors in guinea pig brain using tritiated 1(cyclopropylmethyl)-4-(2'-(4"-fluorophenyl)-2'-oxoethyl)piperidine (tritiated dup 734), a novel sigma receptor ligand. *Brain Research* 598(1-2): 76-86.
- No COC** Hertel, P., Mathe, J. M., Nomikos, G. G., Iurlo, M., Mathe, A. A., and Svensson, T. H. 1995. effects of d-amphetamine and phencyclidine on behavior and extracellular concentrations of neurotensin and dopamine in the ventral striatum and the medial prefrontal cortex of the rat. *Behavioural Brain Research* 72(1-2): 103-14.
- No COC** Heveran, J. E., Anthony, M., and Ward, C. 1980. determination of phencyclidine by radioimmunoassay. *Journal of Forensic Sciences* 25(1): 79-87.
- Drug** Hiles Richard A(A), Bekersky Ihor, Serabian Mercedes A, and Mong Seymour. 1993. comparative toxicity in rats and dogs of intravenous 1,3-di(4-imidazolino-2-methoxyphenoxy) propane cntdot lactate, a potential agent for the treatment of pneumocystis carinii pneumonia. *Drug Investigation* 6(6): 311-319.
- Abstract** Hinkle, D. K. Fetotoxic Effects of Pentachlorophenol in the Golden Syrian Hamster. *Toxicol Appl Pharmacol* 25:455,1973
- No COC** Hinko, C. N., Crider, A. M., Kliem, M. A., Steinmiller, C. L., Seo, T. H., Ho, B., Venkatarangan, P., el-Assadi, A. A., Chang, H., Burns, C. M., Tietz, E. I., Andersen, P. H., and Klitgaard, H. 1996. anticonvulsant activity of novel derivatives of 2- and 3-piperidinecarboxylic acid in mice and rats. *Neuropharmacology* 35(12): 1721-35.
- No Oral** Hino, T. Meiji Univ. Kawasaki Kanagawa Japan Faculty of Agriculture, Miwa, T., Saitoh, H., Esaki, H., Takagi, S., Asanuma, N., and Umemori, J. 1995. effect of methane production on plant fiber digestion by rumen microorganisms. *Bulletin of the Faculty of Agriculture - Meiji University.* (No.106) P. 27-33
- No COC** Hiramatsu, M., Cho, A. K., and Nabeshima, T. 1989. comparison of the behavioral and biochemical effects of the nmda receptor antagonists, mk-801 and phencyclidine. *European Journal of Pharmacology* 166(3): 359-66.
- No COC** Hiramatsu, M., Nabeshima, T., Fukaya, H., Furukawa, H., and Kameyama, T. 1986. potentiation of phencyclidine-induced stereotyped behaviors in rats by thiorphan and bestatin. *European Journal of Pharmacology* 120(1): 69-74.
- No COC** Hiramatsu, M., Nabeshima, T., Furukawa, H., and Kameyama, T. effects of enkephalin analogs morphine and naloxone on the behavioral responses of phencyclidine in mice. *RES COMMUN SUBST ABUSE. Research Communications in Substances of Abuse.* 5 (3). 1984 (Recd. 1985). 161-174.

- No COC** Hiramatsu, M., Nabeshima, T., Furukawa, H., and Kameyama, T. 1987. ethylketocyclazocine (ekc) antagonizes phencyclidine (pcp)-induced stereotyped behaviors by reducing monoamine release. *Pharmacology Biochemistry And Behavior* 28: 126-127.
- No COC** Hiramatsu, M., Nabeshima, T., Furukawa, H., and Kameyama, T. 1987. different effects of ethylketocyclazocine on phencyclidine- and n-allylnormetazocine-induced stereotyped behaviors in rats. *Pharmacology, Biochemistry, and Behavior* 28(4): 489-94 .
- No COC** Hitri, A., O'Connor, D. A., Cohen, J. M., Keuler, D. J., and Deutsch, S. I. 1993. differentiation between mk-801- and apomorphine-induced stereotyped behaviors in mice. *Clinical Neuropharmacology* 16(3): 220-36.
- Rev** Hobbs, S. J., Howe, P. D., and Dobson, S. 111. environmental hazard assessment: pentachlorophenol. *Toxic Substances Division. Department of the Environment*
- Unrel** Hoit, B. D., Lew, W. Y., and LeWinter, M. 1988. regional variation in pericardial contact pressure in the canine ventricle. *American Journal of Physiology* 255(6 Pt 2): H1370-7.
- No COC** Holsapple, M. P., Munson, A. E., Freeman, A. S., and Martin, B. R. 1982. pharmacological activity and toxicity of phencyclidine (pcp) and phenylcyclohexene (pc), a pyrolysis product. *Life Sciences* 31(8): 803-13.
- No COC** Holtzman, S. G. 1980. phencyclidine-like discriminative effects of opioids in the rat. *Journal of Pharmacology and Experimental Therapeutics* 214(3): 614-9.
- No COC** Holtzman, S. G. 1982. phencyclidine-like discriminative stimulus properties of opioids in the squirrel monkey. *Psychopharmacology* 77(4): 295-300.
- No COC** Holtzman, S. G. 1989. opioid- and phencyclidine-like discriminative effects of ditolylguanidine, a selective sigma ligand. *Journal of Pharmacology and Experimental Therapeutics* 248(3): 1054-62.
- No COC** Holtzman, S. G., Cook, L., and Steinfels, G. F. 1991. discriminative stimulus effects of spiradoline, a kappa-opioid agonist. *Psychopharmacology* 105(4): 447-52.
- No COC** Holtzman Stephen G. 1993. discriminative stimulus effects of the pcp sigma-ligand dextro-n-allylnormetazocine in monkeys. *Pharmacology Biochemistry and Behavior* 44(2): 349-355.
- No COC** Hondo, H., Nakahara, T., Nakamura, K., Hirano, M., Uchimura, H., and Tashiro, N. 1995. the effect of phencyclidine on the basal and high potassium evoked extracellular gaba levels in the striatum of freely-moving rats: an in vivo microdialysis study. *Brain Research* 671(1): 54-62.
- No Oral** Hondo, H., Yonezawa, Y., Nakahara, T., Nakamura, K., Hirano, M., Uchimura, H., and Tashiro, N. 1994. effect of phencyclidine on dopamine release in the rat prefrontal cortex; an in vivo microdialysis study. *Brain Research* 633(1-2): 337-42.
- Bact** Hooke, A. M., Palecek, R. C., Palecek, T. M., and Miller, D. R. spontaneous temperature-sensitive mutants of pseudomonas-cepacia isolation and utilization. *Current Microbiology*. 22 (2). 1991. 129-132.
- No COC** Hori Yusuke(A), Takeda Hiroshi, Tsuji Minoru, and Matsumiya Teruhiko. 1998. differentiation of the inhibitory effects of calcium antagonists on abnormal behaviors induced by methamphetamine or phencyclidine. *Pharmacology (Basel)* 56(4): 165-174.

- No COC** Howard-Butcher, S., Blaha, C. D., and Lane, R. F. a comparison of central nervous system stimulants with phencyclidine on dopamine release using in-vivo voltammetry. *Brain Research Bulletin*. 13 (4). 1984 (Recd. 1985). 497-502.
- No COC** Howard-Butcher, S., Blaha, C. D., and Lane, R. F. 1984. a comparison of cns stimulants with phencyclidine on dopamine release using in vivo voltammetry. *Brain Research Bulletin* 13(4): 497-501.
- No COC** Howard, S. G. and Takeda, H. 1990. effect of prenatal exposure to phencyclidine on the postnatal development of the cholinergic system in the rat. *Developmental Neuroscience* 12(3): 204-9.
- No COC** Hu, C. Y., Choudhuri, M. S., Berg, I. E., Rao, N. G., and Chaturvedi, A. K. 1984. toxicity of 1-phenylcyclohexene and its interaction with phencyclidine. *Toxicology and Applied Pharmacology* 76(3): 403-13.
- No COC** Hudzik, T. J. and McMillan, D. E. 1994. drug effects on response duration differentiation. i. differential effects of drugs of abuse. *Vol. 114, No. 4, Pp. 620-627* *Psychopharmacology*
- No COC** Hudzik, T. J. and Slifer, B. L. 1992. interaction of sigma and pcp-like drugs on operant behaviors in the rat. *Psychopharmacology* 108(1-2): 115-22.
- Acu** Hughes, B. J., Forsell, J. H., Sleight, S. D., Kuo, C., and Shull, L. R. 1985. assessment of pentachlorophenol toxicity in newborn calves - clinicopathology and tissue residues. *Journal Of Animal Science* 61(6): 1587-1603.
- Nut def** Hughes, W. T. 1995. the role of atovaquone tablets in treating pneumocystis carinii pneumonia. *Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology*
- BioX** Hughes, W. T., Sillos, E. M., LaFon, S., Rogers, M., Woolley, J. L., Davis, C., Studenberg, S., Pattishall, E., Freeze, T., Snyder, G., and Staton, S. 1998. effects of aerosolized synthetic surfactant, atovaquone, and the combination of these on murine pneumocystis carinii pneumonia. *Vol. 177, No. 4, Pp. 1046-1056* *Journal Of Infectious Diseases*
- No COC** Hutchings, D. E., Bodnarenko, S. R., and Diaz-DeLeon, R. 1984. phencyclidine during pregnancy in the rat: effects on locomotor activity in the offspring. *Pharmacology, Biochemistry, and Behavior* 20(2): 251-4.
- No COC** Iorio, M. A., Molinari, M., Scotti de Carolis, A., and Niglio, T. 1984. nitrogen analogues of phencyclidine: 1-alkyl-4-phenyl-4-(1-piperidinyl)piperidines. *Il Farmaco* edizione scientifica; 39(7): 599-611.
- No COC** Ishmael, J. E., Franklin, P. H., and Murray, T. F. 1998. dextrorotatory opioids induce stereotyped behavior in sprague-dawley and dark agouti rats. *Psychopharmacology* 140(2): 206-16.
- No COC** Itzhak Yossef(A) and Ali Syed F. 1995. the putative 'endabuse' ibogaine interacts with the pcp and sigma binding sites in rat brain. *Society for Neuroscience Abstracts* 21(1-3): 2108.
- No COC** Iwamoto, E. T. 1986. comparison of the pharmacologic effects of n-allylnormetazocine and phencyclidine: sensitization, cross-sensitization, and opioid antagonist activity. *Psychopharmacology* 89(2): 221-9.
- No COC** Iwamoto, E. T. 1986. place-aversion conditioned by phencyclidine in rats: development of tolerance and pharmacologic antagonism. *Alcohol and Drug Research* 6(4): 265-76.

- No COC** Jackson, A. and Sanger, D. J. 1988. is the discriminative stimulus produced by phencyclidine due to an interaction with n-methyl-d-aspartate receptors? *Psychopharmacology* 96(1): 87-92.
- No COC** Jackson, D. M., Johansson, C. E., Bengtsson, A., and Lindgren, M. 1993. phencyclidine (pcp) and (+)-amphetamine (dex)-induced stimulation: a pharmacological study. *Society for Neuroscience Abstracts* 19(1-3): 1626.
- No COC** Jackson David M(A), Johansson Christina, Lindgren Li-Marie, and Bengtsson Annelie. 1994. dopamine receptor antagonists block amphetamine and phencyclidine-induced motor stimulation in rats. *Pharmacology Biochemistry and Behavior* 48(2): 465-471.
- No COC** Jacobs, P. S., Taylor, B. M., Cicero, T. J., and Bardgett, M. E. 1997. prepubescent rats are more sensitive than adults to the locomotor-stimulating effects of pcp. *Society for Neuroscience Abstracts* 23(1-2): 1093.
- No COC** Jacobson, A. E., Harrison, E. A. Jr, Mattson, M. V., Rafferty, M. F., Rice, K. C., Woods, J. H., Winger, G., Solomon, R. E., Lessor, R. A., and Silverton, J. V. 1987. enantiomeric and diastereomeric dioxadrols: behavioral, biochemical and chemical determination of the configuration necessary for phencyclidine-like properties. *Journal of Pharmacology and Experimental Therapeutics* 243(1): 110-7.
- In Vit** Jansson, Kristian and Jansson, Vuokko. induction of micronuclei in v79 chinese hamster cells by tetrachlorohydroquinone, a metabolite of pentachlorophenol. *Mutat. Res. (1992)* 279(3): 205-8
- No COC** Javitt, D. C., Sershen, H., Hashim, A., and Lajtha, A. 1997. reversal of phencyclidine-induced hyperactivity by glycine and the glycine uptake inhibitor glycyldodecylamide. *Neuropsychopharmacology* 17(3): 202-4.
- No COC** Javitt, D. C(A), Shelley, A. M., Schroeder, C. E., Steinschneider, M. S., Arezzo, J. C, and Vaughan, H. G. Jr. 1993. a primate model of schizophrenia-like neurophysiological dysfunction: evidence for the pcp/nmda model of schizophrenia. *Society for Neuroscience Abstracts* 19(1-3): 1005.
- No COC** Javitt Daniel C(A) and Frusciante Mark. 1997. glycyldodecylamide, a phencyclidine behavioral antagonist, blocks cortical glycine uptake: implications for schizophrenia and substance abuse. *Psychopharmacology* 129(1): 96-98.
- No COC** Jentsch, J. D., Redmond, D. E. Jr., Elsworth, J. D., Taylor, J. R., Youngren, K. D., and Roth, R. H. 1997. enduring cognitive deficits and cortical dopamine dysfunction in monkeys after long-term administration of phencyclidine. *Vol. 277, No. 5328, Pp. 953-955 Science (Wash.)*
- No COC** Jentsch, J. D., Taylor, J. R., Redmond, D. E. Jr, Elsworth, J. D., Youngren, K. D., and Roth, R. H. 1999. dopamine d4 receptor antagonist reversal of subchronic phencyclidine-induced object retrieval/detour deficits in monkeys. *Psychopharmacology* 142(1): 78-84.
- No COC** Jentsch, J. D., Taylor, J. R., and Roth, R. H. 1998. subchronic phencyclidine administration increases mesolimbic dopaminergic system responsivity and augments stress- and psychostimulant-induced hyperlocomotion. *Neuropsychopharmacology* 19(2): 105-13.
- No COC** Jentsch, J. D., Tran, A., Taylor, J. R., and Roth, R. H. 1998. prefrontal cortical involvement in phencyclidine-induced activation of the mesolimbic dopamine system: behavioral and neurochemical evidence. *Psychopharmacology* 138(1): 89-95.
- No COC** Jentsch, J. D., Wise, A., Katz, Z., and Roth, R. H. 1998. alpha-noradrenergic receptor modulation of the phencyclidine- and delta9-tetrahydrocannabinol-induced increases in dopamine utilization in

rat prefrontal cortex. *Synapse* 28(1): 21-6.

- No COC** Jentsch, J. D(A), Taylor, J. R., Elsworth, J. D., Redmond, D. E. Jr, Tran, A., Le, D., Kudelko, K., and Roth, R. H. 1997. prefrontal cortical cognitive and dopamine deficits in rats and monkeys after subchronic pcp exposure. *Society for Neuroscience Abstracts* 23(1-2): 1930.
- No Oral** Jentsch, J. David, Elsworth John D, Redmond, D. Eugene Jr, and Roth Robert H(A). 1997. phencyclidine increases forebrain monoamine metabolism in rats and monkeys: modulation by the isomers of ha966. *Journal of Neuroscience* 17(5): 1769-1775.
- Diss** Jeremic A(A), Jeftinija K(A), and Jeftinija S(A). 1999. phencyclidin (pcp) stimulates calcium-dependent glutamate release from cultured astrocytes. *Society for Neuroscience Abstracts*. 25(1-2): 2236.
- No COC** Jewell, A. L(A), Carney, J. M., and Dvoskin, L. P. 1993. pcp-induced da release is positively correlated with (3h)tcp, but not (3h)gbr 12935 binding, in striatum from two inbred mice strains. *Society for Neuroscience Abstracts* 19(1-3): 1458.
- No COC** Jewett, D. C., Butelman, E. R., and Woods, J. H. 1996. nitric oxide synthase inhibitors produce phencyclidine-like behavioral effects in pigeons. *Vol. 715, No. 1-2, Pp. 25-31 Brain Res.*
- No COC** Jin Jingji, Yamamoto Tsuneyuki(A), and Watanabe Shigenori. 1997. the involvement of sigma receptors in the choice reaction performance deficits induced by phencyclidine. *European Journal of Pharmacology* 319(2-3): 147-152.
- No COC** Johansson, C., Jackson, D. M., and Svensson, L. 1994. the atypical antipsychotic, remoxipride, blocks phencyclidine-induced disruption of prepulse inhibition in the rat. *Psychopharmacology* 116(4): 437-42.
- No COC** Johansson Christina, Jackson David M, Deveney Aaron, and Magnusson Olle. 1997. the nitric oxide synthase (nos) inhibitor n-g-nitro-l-arginine methyl ester (l-name) blocks certain effects of phencyclidine (pcp): behavioural and biochemical evidence. *Society for Neuroscience Abstracts* 23(1-2): 1498.
- No COC** Johansson Christina, Magnusson Olle, Deveney Aaron M, Jackson David M, Zhang Jianhua, Engel Jorgen A, and Svensson Lennart(A). 1998. the nitric oxide synthase inhibitor, l-name, blocks certain phencyclidine-induced but not amphetamine-induced effects on behaviour and brain biochemistry in the rat. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 22(8): 1341-1360.
- No COC** Johnson, K. M. 1982. acute and chronic phencyclidine administration effects on the conversion of 3h-tryptophan to 3h-serotonin in rat forebrain. *Journal of Neural Transmission* 53(2-3): 179-86.
- No COC** Johnson, K. M. and Balster, R. L. acute and chronic phencyclidine administration relationships between bio dispositional factors and behavioral effects. *Subst Alcohol Actions/misuse*. 2 (3). 1981 (Recd. 1982). 131-142.
- No Oral** Johnson, K. M., Phillips, M., Wang, C., and Kevetter, G. A. 1998. chronic phencyclidine induces behavioral sensitization and apoptotic cell death in the olfactory and piriform cortex. *Journal of Neuroscience Research* 52(6): 709-22.
- No COC** Johnson, K. M. and Snell, L. D. 1985. effects of phencyclidine (pcp)-like drugs on turning behavior, h-3-dopamine uptake, and pcp-h-3 binding. *Pharmacology Biochemistry And Behavior* 22(5): 731-735.

- No Control** Johnson, R. L. P. J. Gehring R. J. Kociba and B. A. Schwetz. 1973. chlorinated dibenzodioxins and pentachlorophenol. *Environ. Health Perspect. Exp. Issue.* 5: 171-175.
- No COC** Johnson, S. W., Hoffer, B. J., and Freedman, R. 1986. investigation of the failure of parenterally administered haloperidol to antagonize dopamine released from micropipettes in the caudate. *Journal of Neuroscience* 6(2): 572-80.
- No COC** Johnston, J. J., Furcolow, C. A., and Kimball, B. A. Identification of Metabolites of Pentachlorobenzene and 1,2,4,5-tetrachlorobenzene in Coyote Feces: Development of Physiological Markers for Wildlife Damage Control. *Pesticide Science; 50 (3).* 1997. 249-257.
- No Oral** Jones, H. E., Li, H., and Balster, R. L. 1998. failure of ibogaine to produce phencyclidine-like discriminative stimulus effects in rats and monkeys. *Pharmacology, Biochemistry, and Behavior* 59(2): 413-8.
- No COC** Jordan, W. P. and Bohan, R. T. 1996. seroquel reverses pcp-induced hyperactivity and partially antagonizes pcp-mediated disruption of prepulse inhibition in the rat. *Society for Neuroscience Abstracts* 22(1-3): 1677.
- No Oral** Jortani, S. A., Willetts, J., and Balster, R. L. systemic magnesium chloride administration fails to produce phencyclidine-like discriminative stimulus effects in rats. *NEUROSCI LETT. Neuroscience Letters.* 135 (1). 1992. 136-138.
- Unrel** Kadaba, P. K. aminoalkylpyridines--potent orally active anticonvulsants. *Crisp Data Base National Institutes Of Health*
- No COC** Kameyama, T., Sugimoto, A., Yamaguchi, K., Hiramatsu, M., Furukawa, H., and Nabeshima, T. the relationship between phencyclidine-induced stereotyped behavior and dopamine release using in-vivo voltammetry. *Research Communications in Substances of Abuse.* 9 (2). 1988. 89-106.
- In Vit** Kaneki, Hiroyuki, Nakauchi, Mizuo, and Tanaka, Mitsuya. selective measurement of hepatic triglyceride lipase and lipoprotein lipase in rat postheparin plasma with pentachlorophenol and dichlorodiphenyltrichloroethane. *Chem. Pharm. Bull. (1987)* 35(7): 2887-93.
- Diss** Kaneshiro, E. S., Amit, Z., Swonger, M. M., Kreishman, G. P., Brooks, E. E., Kreishman, M., Jayasimhulu, K., Parish, E. J., Sun, H., Kizito, S. A., and Beach, D. H. 1999. pneumocystol [(24z)-ethylidenelanost-8-en-3beta-ol], a rare sterol detected in the opportunistic pathogen pneumocystis carinii hominis: structural identity and chemical synthesis. *Proceedings of the National Academy of Sciences of the United States of*
- Drug** Kao M-C, Lee, H. K., Chai, C. Y., and Wang, Y. nmda antagonists attenuate hypertension induced by carotid clamping in the rostral ventrolateral medulla of rats. *BRAIN RES. Brain Research.* 549 (1). 1991. 83-89.
- No COC** Katz, J. L., Spealman, R. D., and Clark, R. D. stereoselective behavioral effects of n allylnormetazocine in pigeons columba-livia and squirrel monkeys saimiri-sciureus. *J PHARMACOL EXP THER. Journal of Pharmacology and Experimental Therapeutics.* 232 (2). 1985. 452-461.
- No COC** Katz, J. L., Spealman, R. D., and Clark, R. D. 1985. stereoselective behavioral effects of n-allylnormetazocine in pigeons and squirrel monkeys. *Journal of Pharmacology and Experimental Therapeutics* 232(2): 452-61.
- No Oral** Kawai, M., Iwahara, S., Sasaki, Y., Mikami, T., Watanabe, I., and Ochiai, Y. pesticide

interactions.). *Boei Eisei (Nat. Def. Med. J.)*20(12): 509-512; 1973

- FL** Kawano, S., Hirose, K., Iguchi, S., and Hiraga, K. toxicological studies of polychlorinated aromatic compounds in female rats. *Tokyo Toritsu Eisei Kenkyusho Kenkyo Nempo (Ann. Rep. Tokyo Metrop. Res. Lab. Public Health)* 30(2): 116-123 1979 (12 References)
- In Vit** Keithly, J. S. and Bienen, E. J. 1981. infectivity of leishmania donovani primary culture promastigotes for golden hamsters. *Acta Tropica* 38(1): 85-89.
- No COC** Kerkvliet, N. I. and Brauner, J. A. 1987. mechanisms of 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin (hpcdd)-induced humoral immune suppression: evidence of primary defect in t-cell regulation [published erratum appears in *Toxicol Appl Pharmacol* 1987 Jan;89(1):148]. *Toxicology and Applied Pharmacology* 87(1): 18-31.
- Dup** Kerkvliet, N. Isaacson, Brauner, J. A., and Baecher-Steppan, L. effects of dietary technical pentachlorophenol exposure on t cell, macrophage and natural killer cell activity in c57b1/6 mice. *Int. J. Immunopharmacol.* (1985) 7(2): 239-47.
- No COC** Kesner, R. P. and Dakis, M. 1993. phencyclidine disrupts acquisition and retention performance within a spatial continuous recognition memory task. *Pharmacology, Biochemistry, and Behavior* 44(2): 419-24.
- No COC** Kesner, R. P., Hardy, J. D., and Calder, L. D. 1981. phencyclidine and behavior: i. sensory-motor function, activity level, taste aversion and water intake. *Pharmacology, Biochemistry, and Behavior* 15(1): 7-13.
- No COC** Kesner, R. P., Hardy, J. D., and Novak, J. M. 1983. phencyclidine and behavior: ii. active avoidance learning and radial arm maze performance. *Pharmacology, Biochemistry, and Behavior* 18(3): 351-6.
- Unrel** Kessler, E., Takahara, K., Biniaminov, L., Brusel, M., and Greenspan, D. S. 1996. bone morphogenetic protein-1: the type i procollagen c-proteinase [see comments]. *Science* 271(5247): 360-2.
- No COC** Kest Benjamin, Mogil Jeffrey S, Sternberg Wendy F, Pechnick Robert N, and Liebeskind John C(A). 1995. antinociception following 1,3,-di-o-tolylguanidine, a selective sigma receptor ligand. *Pharmacology Biochemistry and Behavior* 50(4): 587-592.
- Unrel** Khazan, N., Young, G. A., El-Fakany, E. E., Hong, O., and Calligaro, D. 1984. sigma receptors mediated the psychotomimetic effects of n-allylnormetazocine (skf-10,047), but not its opioid agonistic-antagonistic properties. *Neuropharmacology* 23(8): 983-7.
- No COC** Kim, S. H., Price, M. T., Olney, J. W., and Farber, N. B. 1999. excessive cerebrocortical release of acetylcholine induced by nmda antagonists is reduced by gabaergic and alpha2-adrenergic agonists. *Molecular Psychiatry* 4(4): 344-52.
- No Oral** Kimura, T., Kuroki, K., and Doi, K. 1998. dermatotoxicity of agricultural chemicals in the dorsal skin of hairless dogs. *Toxicologic Pathology* 26(3): 442-7.
- No COC** Kinney, G. G., Wilkinson, L. O., Saywell, K. L., and Tricklebank, M. D. 1999. rat strain differences in the ability to disrupt sensorimotor gating are limited to the dopaminergic system, specific to prepulse inhibition, and unrelated to changes in startle amplitude or nucleus accumbens dopamine receptor sensitivity. *Journal of Neuroscience* 19(13): 5644-53.

- No Oral** Kitaichi, K., Noda, Y., Hasegawa, T., Furukawa, H., and Nabeshima, T. 1996. acute phencyclidine induces aversion, but repeated phencyclidine induces preference in the place conditioning test in rats. *European Journal of Pharmacology* 318(1): 7-9.
- No Oral** Kitaichi, K., Noda, Y., Hasegawa, T., Furukawa, H., and Nabeshima, T. 1996. in vivo functional interaction between phencyclidine binding sites and sigma receptors to produce head-weaving behavior in rats. *European Journal of Pharmacology* 318(2-3): 205-11.
- No Oral** Kitaichi, K., Noda, Y., Miyamoto, Y., Numaguchi, A., Osawa, H., Hasegawa, T., Furukawa, H., and Nabeshima, T. 1999. involvement of the serotonergic neuronal system in phencyclidine-induced place aversion in rats. *Vol. 103, No. 1, Pp. 105-111 Behavioural Brain Research*
- No COC** Kitaichi, K., Yamada, K., Hasegawa, T., Furukawa, H., and Nabeshima, T. 1994. effects of risperidone on phencyclidine-induced behaviors: comparison with haloperidol and ritanserin. *Vol. 66, No. 2, Pp. 181-189 Jap. J. Pharmacol.*
- No Oral** Kitaichi, K., Yamada, K., Yoneda, Y., Ogita, K., Hasegawa, T., Furukawa, H., and Nabeshima, T. 1995. risperidone prevents the development of supersensitivity, but not tolerance, to phencyclidine in rats treated with subacute phencyclidine. *Life Sciences* 56(7): 531-43.
- No COC** Kitaichi Kiyoyuki(A), Hasegawa Takaaki(A), Furukawa Hiroshi, and Nabeshima Toshiktaka. 1993. effect of risperidone on phencyclidine (pcp)-induced stereotyped behavior in rats: comparison with haloperidol and ritanserin. *Japanese Journal of Pharmacology* 61(SUPPL. 1): 94P.
- No COC** Kobayashi, T., Matsuno, K., and Mita, S. 1998. sigma1 receptor subtype does not interact with stereotyped behaviors in rats. *Pharmacology, Biochemistry, and Behavior* 61(4): 381-4.
- Prim** Koegel, W., Mueller, W. F., Coulston, F., and Korte, F. 1979. biotransformation of pentachloronitrobenzene-14c in rhesus monkeys after single and chronic oral administration. *Chemosphere; Chemistry, Physics, and Biology as Focused on Environmental Problems* 8(2): 97-105.
- No COC** Koek, W. and Colpaert, F. C. 1990. selective blockade of n-methyl-d-aspartate (nmda)-induced convulsions by nmda antagonists and putative glycine antagonists: relationship with phencyclidine-like behavioral effects. *Journal of Pharmacology and Experimental Therapeutics* 252(1): 349-57.
- No COC** Koek, W., Colpaert, F. C., and Vignon, J. 1993. effects of phencyclidine-type drugs in rats discriminating fentanyl from saline: pharmacological and behavioral characterization of intermediate levels of drug lever selection. *Journal of Pharmacology and Experimental Therapeutics* 264(2): 746-56.
- No COC** Koek, W., Colpaert, F. C., Woods, J. H., and Kamenka, J. M. 1989. the phencyclidine (pcp) analog n-[1-(2-benzo(b)thiophenyl) cyclohexyl]piperidine shares cocaine-like but not other characteristic behavioral effects with pcp, ketamine and mk-801. *Journal of Pharmacology and Experimental Therapeutics* 250(3): 1019-27.
- Abstract** Koek, W., Winger, G., Colpaert, F. C., Woods, J. H., and Kamenka, J. M. the pcp analog btcp shares cocaine-like but not other characteristic behavioral effects with pcp and mk-801. *73rd Annual Meeting of the Federation of American Societies for Experimental Biology, New Orleans, Louisiana, Usa, March 19-23, 1989. Faseb (Fed Am Soc Exp Biol) J. 3 (3). 1989. A588.*
- No COC** Koek, W. and Woods, J. H. 2 amino-6-trifluoromethoxybenzothiazole pk-26124 a proposed antagonist of excitatory amino acid neurotransmission does not produce phencyclidine-like behavioral effects in pigeons rats and rhesus monkeys. *Neuropharmacology. 27 (7). 1988. 771-*

- Diss** Koek, W. and Woods, J. H. assessing directly observable behavioral effects of phencyclidine pcp-like drugs in Animals. *Second Usa-french Sponsored International Seminar on Sigma Opioid/phencyclidine-like Compounds as Molecular Probes in Biology, Ann Arbor, Michigan, Usa, June 29-july 2, 1987. Pharmacol Biochem Behav. 28 (1). 1987. 130.*
- No COC** Koek, W., Woods, J. H., and Colpaert, F. C. n methyl-d-aspartate antagonism and phencyclidine-like activity a drug discrimination analysis. *Journal of Pharmacology and Experimental Therapeutics. 253 (3). 1990. 1017-1025.*
- No COC** Koek, W., Woods, J. H., Jacobsen, A. E., and Rice, K. C. phencyclidine pcp-like discriminative stimulus effects of metaphit and of 2 amino-5-phosphonovalerate in pigeons generality across different training doses of pcp. *Psychopharmacology. 93 (4). 1987. 437-442.*
- No COC** Koek, W., Woods, J. H., Jacobson, A. E., and Rice, K. C. 1987. phencyclidine (pcp)-like discriminative stimulus effects of metaphit and of 2-amino-5-phosphonovalerate in pigeons - generality across different training doses of pcp. *Psychopharmacology 93(4): 437-442.*
- No COC** Koek, W., Woods, J. H., Jacobson, A. E., Rice, K. C., and Lessor, R. A. metaphit a proposed phencyclidine receptor acylator phencyclidine-like behavioral effects and evidence of absence of antagonist activity in pigeons and in rhesus monkeys.. *Journal of Pharmacology and Experimental Therapeutics. 237 (2). 1986. 386-392.*
- No COC** Koek, W., Woods, J. H., and Ornstein, P. phencyclidine-like behavioral effects in pigeons induced by systemic administration of the excitatory amino-acid antagonist 2 amino-5-phosphonovalerate. *LIFE SCI. Life Sciences. 39 (11). 1986. 973-978.*
- Unrel** Koek, W., Woods, J. H., and Ornstein, P. 1987. a simple and rapid method for assessing similarities among directly observable behavioral-effects of drugs - pcp-like effects of 2-amino-5-phosphonovalerate in rats . *Psychopharmacology 91(3): 297-304.*
- No COC** Koek, W., Woods, J. H., and Winger, G. D. mk-801 a proposed noncompetitive antagonist of excitatory amino acid neurotransmission produces phencyclidine-like behavioral effects in pigeons rats and rhesus monkeys. *Journal of Pharmacology and Experimental Therapeutics. 245 (3). 1988. 969-974.*
- No COC** Koek W(A), Kleven, M. S., and Colpaert, F. C. 1995. effects of the nmda antagonist, dizocilpine, in various drug discriminations: characterization of intermediate levels of drug lever selection. *Behavioural Pharmacology 6(5-6): 590-600.*
- Drug** Kornhuber, J., Quack, G., Danysz, W., Jellinger, K., Danielczyk, W., Gsell, W., and Riederer, P. 1995. therapeutic brain concentration of the nmda receptor antagonist amantadine. *Neuropharmacology 34(7): 713-21.*
- Method** Korte, F. ecotoxicology of belgard ev. *Desalination 30(1-3): 411-424 1979 (8 References)*
- Mix** Korte, F. effects and consequences of anthropogenic substances. *GSF-Ber. (1990) Proc.-Int. Workshop Study Predict. Pestic. Behav. Soils, Plants Aquat. Sys : 1-18.*
- Acu** Korte, F., Freitag, D., Geyer, H., Klein, W., Kraus, A. G., and Lahaniatis, E. a concept for establishing ecotoxicologic priority lists for chemicals. *Chemosphere 7(1): 79-102 1978 (45 References)*

- No COC** Koss, G., Seubert, S., Seubert, A., Koransky, W., and Ippen, H. studies on the toxicology of hexachlorobenzene. iii. observations in a long-term experiment. *Arch. Toxicol.* 40(4): 285-294 1978 (14 References)
- No COC** Kosten Therese A(A), Decaprio Jenine L, and Rosen Marc I. 1995. the severity of naloxone-precipitated opiate withdrawal is attenuated by felbamate, a possible glycine antagonist. *Neuropsychopharmacology* 13(4): 323-333.
- No COC** Koszo, F., Siklosi, C., and Simon, N. hexachlorobenzene porphyria and hexachlorobenzene catabolism in rats. *Biochem. Biophys. Res. Commun.* (1978) 80(4): 781-8.
- No COC** Koszo, F., Siklosi, C., Simon, N., and Aczel, A. hexachlorobenzene catabolism and the development of hexachlorobenzene porphyria. *Proc. Hung. Annu. Meet. Biochem.* (1979) : 19th, 115-16.
- No COC** Kozawa, T., Nabeshima, T., Furukawa, H., and Kameyama, T. retrograde amnesia induced by post-training phencyclidine on passive avoidance and escape learning responses. *Neurosciences (KOBE).* 11 (2). 1985. 162-163.
- No COC** Kozlowski, M. R., Browne, R. G., and Vinick, F. J. 1986. discriminative stimulus properties of phencyclidine (pcp)-related compounds: correlations with 3h-pcp binding potency measured autoradiographically. *Pharmacology, Biochemistry, and Behavior* 25(5): 1051-8.
- Food** Kramer, Petra M., Marco, Maria-Pilar, and Hammock, Bruce D. development of a selective enzyme-linked immunosorbent assay for 1-naphthol-the major metabolite of carbaryl (1-naphthyl n-methylcarbamate). *J. Agric. Food Chem.* (1994) 42(4): 934-43.
- No COC** Krebs-Thomson, K., Lehmann-Masten, V., Naiem, S., Paulus, M. P., and Geyer, M. A. 1998. modulation of phencyclidine-induced changes in locomotor activity and patterns in rats by serotonin. *European Journal of Pharmacology* 343(2-3): 135-43.
- No COC** Krebs-Thomson, K., Masten, V. L., Naiem, S., and Geyer, M. A. 1997. serotonin modulation of pcp-induced changes in locomotor activity. *Society for Neuroscience Abstracts* 23(1-2): 265.
- No COC** Kreeger, J. S. and Yukhananov, R. Yu. Larson A. A. 1994. increased n-methyl-d-aspartate (nmda) activity in the mouse spinal cord following morphine does not mediate opioid withdrawal. *Vol. 663, No. 1, Pp. 101-106* Brain Res.
- In Vit** Kreis Patricia, Degen Gisela H, and Andrae Ulrich(A). 1998. sulfotransferase-mediated genotoxicity of propane 2-nitronate in cultured ovine seminal vesicle cells. *Mutation Research* 413(1): 69-81.
- In Vit** Kroese, E. D., Tijdens, R. B., Mulder, G. J., and Meerman, J. H. 1987. autoradiographic studies on in vivo covalent binding of n-hydroxy-2-acetylaminofluorene in rat liver containing gamma-glutamyltranspeptidase-positive foci. the effect of the sulfation-inhibitor pentachlorophenol. *Carcinogenesis* 8(4): 571-5.
- No COC** Kumagai, Y., Wickham, K. A., Schmitz, D. A., and Cho, A. K. metabolism of methylenedioxyphenyl compounds by rabbit liver preparations participation of different cytochrome p450 isozymes in the demethylenation reaction. *Biochemical Pharmacology.* 42 (5). 1991. 1061-1068.
- HHE** Kumamoto, K., Stewart, T. A., Johnson, A. R., and Erdos, E. G. 1981. prolylcarboxypeptidase (angiotensinase c) in human lung and cultured cells. *Journal of Clinical Investigation* 67(1): 210-

5.

- Unrel** Laakkonen, J. 1995. characterization of pneumocystis carinii infection in sorex araneus: a review. *Mammalia* 59(4): 623-627.
- No COC** Landauer, M. R. and Balster, R. L. 1982. the effects of aggregation on the lethality of phencyclidine in mice. *Toxicology Letters* 12(2-3): 171-6.
- No COC** Landauer, M. R., Woolverton, W. L., and Balster, R. L. effects of chlorpromazine on the lethality of dextro amphetamine and phencyclidine in mice. *Research Communications in Substances of Abuse*. 3 (3). 1982. 287-296.
- No COC** Lang, A., Vasar, E., Soosaar, A., and Harro, J. 1992. the involvement of sigma and phencyclidine receptors in the action of antipsychotic drugs. *Pharmacology & Toxicology* 71(2): 132-8.
- No Oral** Lapin, I. P. and Rogawski, M. A. 1995. effects of d1 and d2 dopamine receptor antagonists and catecholamine depleting agents on the locomotor stimulation induced by dizocilpine in mice. *Behavioural Brain Research* 70(2): 145-51.
- No COC** Lapin, I. P. and Yuwiler A(A). 1997. modulation of the inhibitory effect of phenylethylamine on spontaneous motor activity in mice by cpp (racemic)-3-(2-carboxypiperazin-4-yl)-propyl-1-phosphonic acid. *Pharmacology Biochemistry and Behavior* 56(2): 199-204.
- No COC** Lapiz, M. D. S(A), Parker, T. L(A), and Marsden, C. A(A). 1999. changes in phencyclidine-induced behaviour following isolation rearing in the rat. *British Journal of Pharmacology* 128(PROC. SUPPL.): 201P.
- No Dose** Larsen, R. V., Born, G. S., Kessler, W. V., Shaw, S. M., and Van Sickle Dc. 1975. Placental Transfer and Teratology of Pentachlorophenol in Rats. *Environ Lett* . 10: 121-128.
- No COC** Larson Alice A and Sun Xiaofeng . 1993. regulation of sigma activity by the amino-terminus of substance p in the mouse spinal cord: involvement of phencyclidine (pcp) sites not linked to n-methyl-d-aspartate (nmda) activity. *Neuropharmacology* 32(9): 909-917.
- No COC** Leander, J. D. 1992. comparative behavioural pharmacology of competitive and non-competitive nmda antagonists. *Vol. 2, No. 2, Pp. 93-96* Mol. Neuropharmacol.
- No COC** Leander, J. D., Lawson, R. R., Ornstein, P. L., and Zimmerman, D. M. 1988. n-methyl-d-aspartic acid-induced lethality in mice: selective antagonism by phencyclidine-like drugs. *Brain Research* 448(1): 115-20.
- No COC** Leander, J. D., Ort, J. F., and Jones, L. A. pharmacological effects of 3 co synthetics of phencyclidine.. *Research Communications in Substances of Abuse*. 2 (2). 1981. 173-185.
- BioAcc** Lebedev, A. T., Poliakova, O. V., Karakhanova, N. K., Petrosyan, V. S., and Renzoni, A. The Contamination of Birds with Organic Pollutants in the Lake Baikal Region. *Science of the Total Environment*; 212 (2-3). 1998. 153-162.
- No COC** Leccese, A. P., Marquis, K. L., Mattia, A., and Moreton, J. E. The Convulsant and Anticonvulsant Effects of Phencyclidine and Phencyclidine Analogues in the Rat. *Behav Brain Res*; 19 (2). 1986. 163-170.
- No COC** Leccese, A. P., Marquis, K. L., Mattia, A., and Moreton, J. E. 1986. the anticonvulsant and behavioral effects of phencyclidine and ketamine following chronic treatment in rats. *Behavioural*

- Abstract** Levenson, S. and French, E. D. effects of phencyclidine pcp a non-competitive and npc-12626 a competitive n methyl-d-aspartate antagonist on mesolimbic dopamine systems an electrophysiological and behavioral comparison. *19th Annual Meeting of the Society for Neuroscience, Phoenix, Arizona, Usa, October 29-november 3, 1989. Soc Neurosci Abstr.* 15 (2). 1989. 1096.
- No COC** Leventer, S. M. and Johnson, K. M. 1983. effects of phencyclidine on the release of radioactivity from rat striatal slices labeled with (super(3)h)choline. *Vol. 225, No. 2, Pp. 332-336 J. Pharmacol. Exp. Ther.*
- No COC** Levine, M. S., Clausen, M. L., and Butcher, S. H. 1981. behavioral effects of phencyclidine in the developing cat. *Vol. 20, No. 8, Pp. 743-745 Neuropharmacology.*
- No COC** Levine, M. S. and Howard-Butcher, S. 1986. behavioral effects of phencyclidine and some of its metabolites in developing cats. *Pharmacology, Biochemistry, and Behavior* 25(2): 359-63.
- No COC** Li C-S, He H-J, and Sircar, R. 1995. repeated postnatal pcp exposure does not alter sigma receptor binding in rat cerebellum. *Society for Neuroscience Abstracts* 21(1-3): 1144.
- No COC** Liang, X. and Wang, R. Y. 1998. m100907 and clozapine, but not haloperidol or raclopride, prevent phencyclidine (pcp)-induced blockade of nmda responses in pyramidal neurons of the rat medial prefrontal cortical slice. *Society for Neuroscience Abstracts* 24(1-2): 1827.
- No COC** Lillrank, S. M., O'Connor, W. T., Oja, S. S., and Ungerstedt, U. 1994. systemic phencyclidine administration is associated with increased dopamine, gaba, and 5-hiaa levels in the dorsolateral striatum of conscious rats: an in vivo microdialysis study. *Journal of Neural Transmission* 95(2): 145-55.
- No Oral** Lillrank, S. M., O'Connor, W. T., Saransaari, P., and Ungerstedt, U. 1994. in vivo effects of local and systemic phencyclidine on the extracellular levels of catecholamines and transmitter amino acids in the dorsolateral striatum of anaesthetized rats. *Acta Physiologica Scandinavica* 150(2): 109-15.
- No Oral** Lillrank, S. M., Oja, S. S., and Saransaari P(A). 1995. the effect of phencyclidine on (3h)gaba and (3h)flunitrazepam binding in the brain of naive and handling-habituated rats. *Acta Physiologica Scandinavica* 153(1): 33-41.
- Acu** Lin, P. H., Waidyanatha, S., Pollack, G. M., Swenberg, J. A., and Rappaport, S. M. Dose-specific Production of Chlorinated Quinone and Semiquinone Adducts in Rodent Livers Following Administration of Pentachlorophenol. *Toxicological Sciences; 47 (1). 1999. 126-133.*
- FL** Lochmann, E. R. 1986. *Entwicklung Und Pruefung Eines Testsystems Zur Raschen Unterscheidung Zwischen Kern- Und Cytoplasmatischen Schaeden in Eukaryontenzellen. (Investigation of a Test System for the Rapid Differentiation of Nuclear and Cytoplasmic Damage in Eucaryotes). UBA-FB-86-001*
- No COC** Long, J. M. and Kesner, R. P. 1993. phencyclidine (pcp) impairs temporal order memory for spatial locations in rats. *Society for Neuroscience Abstracts* 19(1-3): 1011 .
- No COC** Long Jeffrey M and Kesner Raymond P(A). 1995. phencyclidine impairs temporal order memory for spatial locations in rats. *Pharmacology Biochemistry and Behavior* 52(3): 645-648.

- No Oral** Loscher, W. and Honack, D. 1991. the novel competitive n-methyl-d-aspartate (nmda) antagonist cgp 37849 preferentially induces phencyclidine-like behavioral effects in kindled rats: attenuation by manipulation of dopamine, alpha-1 and serotonin 1a receptors. *Journal of Pharmacology and Experimental Therapeutics* 257(3): 1146-53.
- No Oral** Loscher, W., Wlaz, P., Rundfeldt, C., Baran, H., and Honack, D. 1994. anticonvulsant effects of the glycine/nmda receptor ligands d-cycloserine and d-serine but not r-(+)-ha-966 in amygdala-kindled rats. *British Journal of Pharmacology* 112(1): 97-106.
- No COC** Lozovsky, D., Saller, C. F., Bayorh, M. A., Chiueh, C. C., Rice, K. C., Burke, T. R. Jr, and Kopin, I. J. 1983. effects of phencyclidine on rat prolactin, dopamine receptor and locomotor activity. *Life Sciences* 32(24): 2725-31.
- No COC** Lui, H. and Sweeney, G. D. hepatic metabolism of hexachlorobenzene in rats. *FEBS (Fed. Eur. Biochem. Soc.) Lett.* 51(1): 225-226; 1975(REF:5)
- Abstract** Lyddane, J. E., Thomas, B. F., Compton, D. R., and Martin, B. R. 1988-1989. Effect of Charcoal Cholestyramine and Paraffin in Combination with Ammonium Chloride on Pcp Intoxication in Rats. *72nd Annual Meeting of the Federation of American Societies for Experimental Biology*
- No COC** Lyddane, J. E., Thomas, B. F., Compton, D. R., and Martin, B. R. 1988. modification of phencyclidine intoxication and biodisposition by charcoal and other treatments. *Pharmacology, Biochemistry, and Behavior* 30(2): 371-7.
- No COC** Lysko, P. G. and Feuerstein, G. 1990. excitatory amino acid neurotoxicity at the n-methyl-d-aspartate receptor in cultured neurons: protection by skf 10,047. *Neuroscience Letters* 120(2): 217-20.
- No COC** Maeda, Y., Nakamura, T., Hasegawa, T., Furukawa, H., and Nabeshima, T. 1992. effect of salmon calcitonin on the lethality of quinolinic acid, an excitatory amino acid. *Research Communications in Chemical Pathology and Pharmacology* 77(2)
- No COC** Majewska, M. D., Parameswaran, S., Vu, T., and London, E. D. 1989. divergent ontogeny of sigma and phencyclidine binding sites in the rat brain. *Brain Research. Developmental Brain Research* 47(1): 13-8.
- FL** Malen'kii, V. P. histological changes in organs of experimental animals caused by soil dust, chemical fertilizers, and toxic chemicals. *Gig. Sanit. (1977)* (6): 15-18
- No COC** Malouf, A. T., Swearengen, E., and Chavkin, C. 1988. comparison of the actions of phencyclidine and sigma ligands on cal hippocampal pyramidal neurons in the rat. *Neuropharmacology* 27(11): 1161-70.
- Food** Manclus, Juan J. and Montoya, Angel. development of an enzyme-linked immunosorbent assay for 3,5,6-trichloro-2-pyridinol. 1. production and characterization of monoclonal antibodies. *J. Agric. Food Chem. (1996)* 44(11): 3703-3709.
- No COC** Mansbach, R. S. and Balster, R. L. 1991. pharmacological specificity of the phencyclidine discriminative stimulus in rats. *Pharmacology, Biochemistry, and Behavior* 39(4): 971-5.
- An Prod** Manzano Airton(A), De Freitas Alfredo Ribeiro(A), Esteves Sergio Novita= (A), and Novaes Nelson Jose(A). 1999. pelleted citrus pulp in equine feeding. *Revista Brasileira De Zootecnia* 28(6): 1327-1332.

- Soil** Mapes, James P., McKenzie, Karen D., McClelland, Lisa R., Movassaghi, Sherry, Reddy, R. Anantha, Allen, Randy L., and Friedman, Stephen B. penta risc soil - a rapid, on-site screening test for pentachlorophenol in soil. *Bull. Environ. Contam. Toxicol.* (1992) 49(3): 334-41.
- No COC** Marglin, S. H., Milano, W. C., Mattie, M. E., and Reid, L. D. 1989. pcp and conditioned place preferences. *Pharmacology, Biochemistry, and Behavior* 33(2): 281-3.
- Bact** Mariuz, P., Bosler, E. M., and Luft, B. J. 1997. toxoplasma pneumonia. *Seminars in Respiratory Infections* 12(1): 40-3.
- No COC** Marquis, K. L., Paquette, N. C., Gussio, R. P., and Moreton, J. E. 1989. comparative electroencephalographic and behavioral effects of phencyclidine, (+)-skf-10,047 and mk-801 in rats. *Journal of Pharmacology and Experimental Therapeutics* 251(3): 1104-12.
- HHE** Marrssimon, P. A., Weiler, M., Santangelo, M. A., Perry, M. T., and Leikin, J. B. 1988. analysis of sexual disparity of violent behavior in pcp intoxication. *Veterinary And Human Toxicology* 30(1): 53-55.
- No COC** Martin, B. R. and Freeman, A. S. 1983. disposition of phencyclidine and its pyrolytic products in mice exposed to smoke. *Federation Proceedings* 42(9): 2561-5.
- No COC** Martin, B. R., Vincek, W. C., and Balster, R. L. the disposition of phencyclidine in mice. *Drug Metabolism and Disposition.* 8 (2). 1980. 49-54.
- No COC** Martin, B. R., Vincek, W. C., and Balster, R. L. synthesis and behavioral activity of cis-4 phenyl 4-piperidino cyclo hexanol a metabolite of phencyclidine. *Subst Alcohol Actions/misuse.* 2 (3). 1981 (Recd. 1982). 143-148.
- No COC** Martin, P., Carlsson, M. L., and Hjorth, S. 1998. systemic pcp treatment elevates brain extracellular 5-ht: a microdialysis study in awake rats. *Vol. 9, No. 13, Pp. 2985-2988 Neuroreport*
- No COC** Martinez Zoe A, Ellison Gaylord D, Geyer Mark A, and Swerdlow Neal R(A). 1999. effects of sustained phencyclidine exposure on sensorimotor gating of startle in rats. *Neuropsychopharmacology* 21(1): 28-39.
- No COC** Marwaha, J. 1982. candidate mechanisms underlying phencyclidine-induced psychosis: an electrophysiological behavioral, and biochemical study. *Biological Psychiatry* 17(2): 155-98.
- No COC** Marwaha, J., Palmer, M., Hoffer, B., and Freedman, R. phencyclidine induced depressions of cerebellar purkinje neurons. *Life Sciences.* 26 (18). 1980. 1509-1516.
- No COC** Marwaha, J., Palmer, M., Hoffer, B., Freedman, R., Rice, K. C., Paul, S., and Skolnick, P. 1981. differential electrophysiological and behavioral responses to optically active derivatives of phencyclidine. *Naunyn-Schmiedeberg's Archives of Pharmacology* 315(3): 203-9.
- No COC** Massey, B. W. and Wessinger, W. D. alterations in rat brain tritiated tcp binding following chronic phencyclidine administration. *Life Sciences.* 47 (24). 1990. P1-139-P1-144.
- No COC** Mastropaolo, J. P., Moskowitz, K. H., Dacanay, R. J., and Riley, A. L. 1989. conditioned taste aversions as a behavioral baseline for drug discrimination learning: an assessment with phencyclidine. *Pharmacology, Biochemistry, and Behavior* 32(1): 1-8.
- Unrel** Matsumoto, R. R. Sigma Receptor Subtypes and Motor Side Effects. *Crisp Data Base National Institutes of Health*

- No COC** Matsuzaki, M. and Dowling, K. C. effects of phencyclidine on the visual evoked potentials in the rhesus monkey. *Brain Research Bulletin*. 10 (1). 1983. 33-38.
- No COC** Matsuzaki, M. and Dowling, K. C. phencyclidine effects of acute and chronic administration on electroencephalographic activities in the rhesus monkey *Macaca-mulatta*. *Electroencephalography and Clinical Neurophysiology*. 60 (4). 1985. 356-366.
- No COC** Matsuzaki, M. and Dowling, K. C. 1983. effects of phencyclidine (pcp) on the visual evoked potentials in the rhesus monkey. *Brain Research Bulletin* 10(1): 33-8.
- No COC** Matsuzaki, M. and Dowling, K. C. 1984. phencyclidine (pcp) - effects on limbic afterdischarges in the rhesus-monkey. *Brain Research Bulletin* 13(5): 635-641.
- No COC** Matsuzaki, M. and Dowling, K. C. 1985. phencyclidine (pcp): effects of acute and chronic administration on eeg activities in the rhesus monkey. *Electroencephalography and Clinical Neurophysiology* 60(4): 356-66.
- No COC** Mattia, A., El-Fakahany, E. E., and Moreton, J. E. behavioral and receptor binding studies of phencyclidine and lithium interaction in the rat. *Life Sciences*. 38 (11). 1986. 975-984.
- No COC** Mattia, A., Marquis, K. L., Leccese, A. P., El-Fakahany, E. E., and Moreton, J. E. electroencephalographic behavioral and receptor binding correlates of phencyclidinoids in the rat. *Journal of Pharmacology and Experimental Therapeutics*. 246 (2). 1988. 797-802.
- No COC** Mattia, A., Sisson, D. F., Linn, L. H., Webb, M. G., and Moreton, J. E. 1995. effects of chronic phencyclidine (pcp) on eeg and behavior in rats. *Vol. 5, No. 2, Pp. 137-146* Pharmacol. Commun.
- No COC** Maurice, T., Su, Tsung Ping, Parish, D. W., Nabeshima, T., and Privat, A. 1994. pre-084, a sigma selective pcp derivative, attenuates mk-801-induced impairment of learning in mice. *Vol. 49, No. 4, Pp. 859-869* Pharmacol. Biochem. Behav.
- Abstract** Mayura, K., Smith, E. E., Clement, B. A., and Phillips, T. D. detection and ranking of developmental hazards associated with chlorinated phenols. *Toxicologist 1990 Feb;10(1):273*
- In Vit** Mayura, Kittane, Smith, Ernest E., Clement, Beverly A., and Phillips, Timothy D. evaluation of the developmental toxicity of chlorinated phenols utilizing hydra attenuata and postimplantation rat embryos in culture. *Toxicol. Appl. Pharmacol. (1991)* 108(2): 253-66.
- No Oral** Mazarati, A. M. and Wasterlain, C. G. 1999. n-methyl-d-aspartate receptor antagonists abolish the maintenance phase of self-sustaining status epilepticus in rat. *Neuroscience Letters* 265(3): 187-90.
- No COC** Mazzola-Pomietto, P., Aulakh, C. S., and Murphy, D. L. 1995. the nmda receptor complex modulates clonidine-induced increases in growth hormone levels in rats. *Pharmacology, Biochemistry, and Behavior* 50(2): 305-7.
- No COC** Mccann, D. J., Rabin, R. A., and Winter, J. C. use of the radial maze in studies of phencyclidine and other drugs of abuse. *Physiology & Behavior*. 40 (6). 1987. 805-812.
- No COC** McCann, D. J., Rabin, R. A., and Winter, J. C. 1987. interactions of clonidine with phencyclidine and ketamine: studies of radial maze performance and righting reflex in rats. *Pharmacology, Biochemistry, and Behavior* 26(1): 23-8.
- No COC** McClurkan, M. B., Valentine, J. L., Arnold, L., and Owens, S. M. 1993. disposition of a

monoclonal anti-phencyclidine fab fragment of immunoglobulin g in rats. *Journal of Pharmacology and Experimental Therapeutics* 266(3): 1439-45.

- No COC** McCullough, L. D. and Salamone, J. D. increases in extracellular dopamine levels and locomotor activity after direct infusion of phencyclidine into the nucleus accumbens. *Brain Research*. 577 (1). 1992. 1-9.
- Phys** McDonald, J. W., Johnston, M. V., and Young, A. B. 1990. differential ontogenic development of three receptors comprising the nmda receptor/channel complex in the rat hippocampus. *Experimental Neurology* 110(3): 237-47.
- No COC** McDonald, J. W., Silverstein, F. S., and Johnston, M. V. 1989. neuroprotective effects of mk-801, tcp, pcp and cpp against n-methyl-d-aspartate induced neurotoxicity in an in vivo perinatal rat model. *Brain Research* 490(1): 33-40.
- No COC** McMichael A(A), Walker, E. L., and Piercey, M. F. 1997. u-99194a, a d-3 receptor antagonist, antagonizes increases in brain energy metabolism evoked by the psychotomimetic phencyclidine (pcp): implications for antipsychotic therapy. *Society for Neuroscience Abstracts* 23(1-2): 1930.
- No COC** Mcmillan, D. E. effects of drugs on behavior before and during chronic diazepam administration. *European Journal of Pharmacology*. 215 (2-3). 1992. 145-152.
- No COC** McMillan, D. E., Sun, W. L., and Hardwick, W. C. 1996. effects of drug discrimination history on the generalization of pentobarbital to other drugs. *Journal of Pharmacology and Experimental Therapeutics* 278(1): 50-61.
- Mix** Meerman, J. H., Sterenborg, H. M., and Mulder, G. J. 1983. use of pentachlorophenol as long-term inhibitor of sulfation of phenols and hydroxamic acids in the rat in vivo. *Biochemical Pharmacology* 32(10): 1587-93.
- In Vit** Meerman, J. H. N. the initiation of .gamma.-glutamyltranspeptidase-positive foci in the rat liver by n-hydroxy-2-acetylaminofluorene. the effect of the sulfation inhibitor pentachlorophenol. *Carcinogenesis (London) (1985)* 6(6): 893-7.
- BioX** Mei, Q., Wang, Q., Fan, W., Li, B., Chen, Y., and Liu, Y. 1994. [experimental and clinical study on pneumocystosis. iii. development and characterization of monoclonal antibody against pneumocystis carinii]. *Chung-Kuo Chi Sheng Ch'Ung Hsueh Yu Chi Sheng Ch'Ung Ping Tsa Chih*; 12
- Unrel** Meissner, G., Darling, E., and Eveleth, J. kinetics of rapid calcium release by sarcoplasmic reticulum effects of calcium magnesium and adenine nucleotides. *Biochemistry*. 25 (1). 1986. 236-244.
- In Vit** Meissner, G., Darling, E., and Eveleth, J. 1986. kinetics of rapid ca²⁺ release by sarcoplasmic reticulum. effects of ca²⁺, mg²⁺, and adenine nucleotides. *Biochemistry* 25(1): 236-44.
- Unrel** Meissner, G. and Henderson, J. S. 1987. rapid calcium release from cardiac sarcoplasmic reticulum vesicles is dependent on ca²⁺ and is modulated by mg²⁺, adenine nucleotide, and calmodulin. *Journal of Biological Chemistry* 262(7): 3065-73.
- No COC** Mele, A., Fontana, D., and Pert, A. 1997. alterations in striatal dopamine overflow during rotational behavior induced by amphetamine, phencyclidine, and mk-801. *Synapse* 26(3): 218-24.
- No Oral** Mele, A., Wozniak, K. M., Hall, F. S., and Pert, A. 1998. the role of striatal dopaminergic mechanisms in rotational behavior induced by phencyclidine and phencyclidine-like drugs.

Psychopharmacology 135(2): 107-18.

- No COC** Mendelsohn, L. G., Kerchner, G. A., Kalra, V., Zimmerman, D. M., and Leander, J. D. 1984. phencyclidine receptors in rat brain cortex. *Biochemical Pharmacology* 33(22): 3529-35.
- No COC** Menon, M. K., Clark, W. G., and Vivonia, C. 1980. interaction between phencyclidine (pcp) and gaba-ergic drugs: clinical implications. *Pharmacology, Biochemistry, and Behavior* 12(1): 113-7.
- Fate** Metcalf, Robert L., Cole, Larry K., Wood, Susanne G., Mandel, Douglas J., and Milbrath, Mary L. 1979. design and evaluation of a terrestrial model ecosystem for evaluation of substitute pesticide chemicals. *Report (1979) EPA/600/3-79/004; Order No. PB-293167, Avail.: NTIS From: Gov. Rep. Announce. Index U. S.)* 79(14. 64. 308 pp.
- No COC** Miczek, K. A. and Haney, M. 1994. psychomotor stimulant effects of d-amphetamine, mdma and pcp: aggressive and schedule-controlled behavior in mice. *Psychopharmacology* 115(3): 358-65.
- No COC** Milano, W. C., Wild, K. D., Hui, Y. Z., Hubbell, C. L., and Reid, L. D. 1988. pcp, thc, ethanol, and morphine and consumption of palatable solutions. *Pharmacology, Biochemistry, and Behavior* 31(4): 893-7.
- No COC** Millan, M. J. 1991. antagonists at the nmda recognition site and blockers of the associated ion channel induce spontaneous tail-flicks in the rat. *European Journal of Pharmacology* 203(2): 315-8.
- No COC** Miller Christine L, Bickford Paula C, Luntz-Leybman Vera, Adler, L. E., Gerhardt, G. A., and Freedman R(A). 1992. phencyclidine and auditory sensory gating in the hippocampus of the rat. *Neuropharmacology* 31(10): 1041-1048.
- No COC** Miller, T. L., Lorusso, D. J., and Deinzer, M. L. 1982. the acute toxicity of nonachloropredioxin and 3- and 4-hydroxynonachlorodiphenyl ether in mice. *Journal of Toxicology and Environmental Health* 10(4-5): 699-707.
- No Oral** Miller, T. L., Lorusso, D. J., Walsh, M. L., and Deinzer, M. L. 1983. the acute toxicity of penta-, hexa-, and heptachlorohydroxydiphenyl ethers in mice. *Journal of Toxicology and Environmental Health* 12(2-3): 245-53.
- No Oral** Mirvish, S. S., Nickols, J., Weisenburger, D. D., Johnson, D., Joshi, S. S., Kaplan, P., Gross, M., and Tong, H. Y. effects of 2,4,5-trichlorophenoxyacetic acid, pentachlorophenol, methylprednisolone, and freund's adjuvant on 2-hydroxyethylnitrosourea carcinogenesis in mrc-wistar rats. *J. Toxicol. Environ. Health (1991)* 32(1): 59-74.
- FL** Miura, H., Ohmori, S., and Yamakawa, M. are chlorinated phenols capable of inducing hepatic porphyria? *Sangyo Igaku (Jpn. J. Ind. Health)* 20(3): 162-173 1978 (14 References)
- No COC** Miyamoto Y(A), Noda Y(A), Komon, Y., Sugihara, H., Furukawa, H., and Nabeshima, T. A. 1998. role of nitric oxide (no) in the acquisition of phencyclidine (pcp) - induced place aversion and place preference in mice. *Society for Neuroscience Abstracts* 24(1-2): 1970.
- No COC** Moghaddam, B. and Adams, B. W. 1998. reversal of phencyclidine effects by a group ii metabotropic glutamate receptor agonist in rats. *Vol. 281, No. 5381, Pp. 1349-1352 Science (Wash.)*
- No COC** Moodley, I., Grouhel, A., Witko, V., and Junien, J. L. effects of pcp and sigma ligands on nmda-induced and dtg-induced convulsions and mortality in mice. *Meeting of the British*

Pharmacological Society, Sheffield, England, Uk, April 18-20, 1990. Br J Pharmacol. 100 (Proc. Suppl. June). 1990. 380p.

- No COC** Moreau J-L, Pieri, L., and Prud'hon, B. convulsions induced by centrally administered nmda in mice effects of nmda antagonists benzodiazepines minor tranquilizers and anticonvulsants. *British Journal of Pharmacology. 98 (3). 1989. 1050-1054.*
- Diss** Moreton, J. E., Mattia, A., Webb, M. G., and Linn, L. H. chronic phencyclidine pcp produces only moderate tolerance and cross-tolerance to pcp and dizocilpine mk-801 behavioral and eeg studies in the rat. *74th Annual Meeting of the Federation of American Societies for Experimental Biology, Part II, Washington, D.C USA, April 1-5, 1990. Faseb (Fed Am Soc Exp Biol) j. 4 (4). 1990. A1130.*
- No COC** Moreton, J. E., Robles, L., Witkin, J. M., Sharpe, L. G., and Tortella, F. C. effects of d serine on eeg overt behavior and discriminative stimulus effects of pcp in Rats. *21st Annual Meeting of the Society for Neuroscience, New Orleans, Louisiana, Usa, November 10-15, 1991. Soc Neurosci Abstr. 17 (1-2). 1991. 1434.*
- Prim** Mueller, W. F. metabolism and kinetic studies of selected chemicals in rhesus monkeys and chimpanzees. *GSF-Ber. O (1981) Volume Date 1980, 599, Inst. Oekol. Chem., Kolloq., 120-8*
- Unrel** Mulholland, M. W. and Debas, H. T. 1988. central nervous system inhibition of pentagastrin-stimulated acidsecretion by insulin-like growth factor ii. *Life Sciences 42(21): 2091-2096.*
- No COC** Murase Sumio, Nisell Magnus, Grenhoff Johan, and Svensson Torgny H(A). 1992. decreased sensory responsiveness of noradrenergic neurons in the rat locus coeruleus following phencyclidine or dizocilpine (mk-801): role of nmda antagonism. *Psychopharmacology 109(3): 271-276.*
- No COC** Murata Shunji and Kawasaki Kazuo(A). 1993. common and uncommon behavioural effects of antagonists for different modulatory sites in the nmda receptor/channel complex. *European Journal of Pharmacology 239(1-3): 9-15.*
- In Vit** Murayama, J. I., Ishiwata, M., Fukui, M., Utsumi, H., and Hamada, A. Comparative Acute Cytotoxicities of 37 Xenobiotics Detected in Drinking Water to Rat Hepatocyte Primary Culture. *Eisei Kagaku; 36 (4). 1990. 267-276.*
- No COC** Murray, F., Garrett, L., Hutson, P. H., and Bristow, L. J. 1998. the selective 5-ht2a receptor antagonists mdl 100,907 attenuates the behavioural and neurochemical effects of pcp in rodents. *British Journal of Pharmacology 123(PROC. SUPPL.): 241P.*
- No COC** Musty, R. E. and Consroe, P. F. 1982. phencyclidine produces aggressive behavior in rapid eye movement sleep-deprived rats. *Life Sciences 30(20): 1733-8.*
- No COC** Nabeshima, T., Amano, M., Furukawa, H., Ho, I. K., and Kameyama, T. design of a phencyclidine implantation pellet suitable for tolerance development. *J PHARMACOBIO-DYN. Journal of Pharmacobio-Dynamics. 7 (1). 1984. 51-58.*
- No COC** Nabeshima, T., Fukaya, H., Kamei, H., Ishikawa, K., Furukawa, H., and Kameyama, T. cross sensitization between phencyclidine and methamphetamine ii. repeated administration of methamphetamine at a high dose. *Research Communications in Substances of Abuse. 10 (2). 1989. 95-108.*
- No COC** Nabeshima, T., Fukaya, H., Kamei, H., Ishikawa, K., Furukawa, H., and Kameyama, T. cross sensitization between phencyclidine and methamphetamine i. repeated administration of methamphetamine at a low dose. *Research Communications in Substances of Abuse. 10 (1). 1989.*

- No COC** Nabeshima, T., Fukaya, H., Yamaguchi, K., Ishikawa, K., Furukawa, H., and Kameyama, T. 1987. development of tolerance and supersensitivity to phencyclidine in rats after repeated administration of phencyclidine. *European Journal of Pharmacology* 135(1): 23-33.
- FL** Nabeshima, T., Furukawa, H., and Kameyama, T. 1984. [phencyclidine, a drug which induces psychosis: its neuropharmacological actions]. *Yakubutsu, Seishin, Kodo* 4(2): 133-47.
- No COC** Nabeshima, T., Hiramatsu, M., Amano, M., Furukawa, H., and Kameyama, T. effects of acute and chronic administration of phencyclidine on the levels of dopamine and metabolites in discrete brain areas of mouse. *Research Communications in Substances of Abuse*. 4 (4). 1983 (Recd. 1984). 273-288.
- No COC** Nabeshima, T., Hiramatsu, M., Furukawa, H., and Kameyama, T. 1985. effects of acute and chronic administrations of phencyclidine on the levels of serotonin and 5-hydroxyindoleacetic acid in discrete brain areas of mouse. *Life Sciences* 36(10): 939-46.
- No COC** Nabeshima, T., Hiramatsu, M., Yamaguchi, K., Kasugai, M., Ishizaki, K., Kawashima, K., Itoh, K., Ogawa, S., Katoh, A., Furukawa, H., and et, a. l. 1988. effects of prenatal administration of phencyclidine on the learning and memory processes of rat offspring. *Journal of Pharmacobio-Dynamics* 11(12): 816-23.
- No COC** Nabeshima, T., Ishikawa, K., Yamaguchi, K., Furukawa, H., and Kameyama, T. 1987. phencyclidine-induced head-twitch response in rats treated chronically with methysergide. *European Journal of Pharmacology* 133(3): 319-28.
- No COC** Nabeshima, T., Ishikawa, K., Yamaguchi, K., Furukawa, H., and Kameyama, T. 1987. phencyclidine-induced head-twitch responses as 5-HT₂ receptor-mediated behavior in rats. *Neuroscience Letters* 76(3): 335-8.
- No COC** Nabeshima, T., Ishikawa, K., Yamaguchi, K., Furukawa, H., and Kameyama, T. 1987. phencyclidine-induced head-weaving observed in mice after ritanserin treatment. *European Journal of Pharmacology* 139(2): 171-8.
- No COC** Nabeshima, T., Ishikawa, K., Yamaguchi, K., Furukawa, H., and Kameyama, T. 1988. protection with phencyclidine against inactivation of 5-HT₂ receptors by sulfhydryl-modifying reagents. *Biochemical Pharmacology* 37(17): 3277-83.
- No COC** Nabeshima, T., Itoh K-I, Maeda, Y., Kameyama, T., Furukawa, H., and Cho, A. K. stereotyped behaviors induced by phencyclidine pcp Derivatives. *Sixteenth Annual Meeting of Japanese Society of Toxicological Sciences, Yokohama, Japan, June 13-14, 1989. J Toxicol Sci.* 14 (4). 1989. 340.
- No COC** Nabeshima, T., Noda, Y., Matsuno, K., Furukawa, H., and Kameyama, T. phencyclidine interacts with serotonin-2 receptor but not serotonin-1 receptor. *RES COMMUN SUBST ABUSE. Research Communications in Substances of Abuse.* 5 (2). 1984. 81-88.
- No COC** Nabeshima, T., Sivam, S. P., and Ho, I. K. 1983. effect of morphine on the responses to and disposition of phencyclidine in mice. i. enhancement of phencyclidine effects by acute morphine administration. *Journal of Pharmacology and Experimental Therapeutics* 225(2): 325-31.
- No COC** Nabeshima, T., Sivam, S. P., and Ho, I. K. 1984. attenuation of pharmacological effects and increased metabolism of phencyclidine in morphine tolerant mice. *European Journal of*

Pharmacology 104(3-4): 211-21.

- No COC** Nabeshima, T., Sivam, S. P., Tai, C. Y., and Ho, I. K. 1982. development of dispositional tolerance to phencyclidine by osmotic minipump in the mouse. *Journal of Pharmacological Methods* 7(3): 239-53.
- No COC** Nabeshima, T., Tohyama, K., Noda, A., Maeda, Y., Hiramatsu, M., Harrer, S. M., Kameyama, T., Furukawa, H., Jacobson, A. E., and Rice, K. C. 1989. effects of metaphit on phencyclidine and serotonin₂ receptors. *Neuroscience Letters* 102(2-3): 303-8.
- No COC** Nabeshima, T., Yamada, K., Yamaguchi, K., Hiramatsu, M., Furukawa, H., and Kameyama, T. 1983. effect of lesions in the striatum, nucleus accumbens and medial raphe on phencyclidine-induced stereotyped behaviors and hyperactivity in rats. *European Journal of Pharmacology* 91(4): 455-62.
- No COC** Nabeshima, T., Yamaguchi, K., Furukawa, H., and Kameyama, T. 1984. role of sex hormones in sex-dependent differences in phencyclidine-induced stereotyped behaviors in rats. *European Journal of Pharmacology* 105(3-4): 197-206.
- No COC** Nabeshima, T., Yamaguchi, K., Hiramatsu, M., Amano, M., Furukawa, H., and Kameyama, T. 1984. serotonergic involvement in phencyclidine-induced behaviors. *Pharmacology, Biochemistry, and Behavior* 21(3): 401-8.
- No COC** Nabeshima, T., Yamaguchi, K., Hiramatsu, M., Ishikawa, K., Furukawa, H., and Kameyama, T. 1987. effects of prenatal and perinatal administration of phencyclidine on the behavioral development of rat offspring. *Pharmacology, Biochemistry, and Behavior* 28(3): 411-8.
- No COC** Nabeshima, T., Yamaguchi, K., Ishikawa, K., Furukawa, H., and Kameyama, T. potentiation in phencyclidine-induced serotonin-mediated behaviors after intracerebroventricular administration of 5,7-dihydroxytryptamine in Rats. *J Pharmacol Exp Ther*; 243 (3). 1987. 1139-1146.
- No COC** Nabeshima, T., Yamaguchi, K., Ishikawa, K., Furukawa, H., and Kameyama, T. potentiation of phencyclidine and serotonin agonist-induced behaviors after administration of p chloroamphetamine in rats. *Research Communications in Substances of Abuse*. 10 (1). 1989. 37-61.
- No COC** Nabeshima, T., Yamaguchi, K., Yamada, K., Hiramatsu, M., Furukawa, H., and Kameyama, T. 1983. phencyclidine-induced stereotyped behaviors in rats following specific neurotoxin lesions of the striatum. *European Journal of Pharmacology* 93(3-4): 229-34.
- No COC** Nabeshima, T., Yamaguchi, K., Yamada, K., Hiramatsu, M., Kuwabara, Y., Furukawa, H., and Kameyama, T. 1984. sex-dependent differences in the pharmacological actions and pharmacokinetics of phencyclidine in rats. *European Journal of Pharmacology* 97(3-4): 217-27.
- No COC** Nabeshima, T., Yamaguchi, K., Yoshida, S., Furukawa, H., and Kameyama, T. 1986. phencyclidine-induced wet-dog shakes observed in rats after withdrawal from reserpine treatment. *Pharmacology, Biochemistry, and Behavior* 24(5): 1275-9.
- No Oral** Naekki, R., Sharp, F. R., and Sagar, S. M. 1996. fos expression in the brainstem and cerebellum following phencyclidine and mk801. *Vol. 43, No. 2, Pp. 203-212* J. Neurosci. Res.
- Unrel** Nagae, S., Matsuda, T., and Akutsu, T. development of coupling agent with long-chain hydrophilic spacer. application to protein modification. *Jinko Zoki (1989)* 18(1): 137-40.
- Unrel** Nagao, T., Murata, S., and Sato, M. 1975. effects of diltiazem (crd-401) on developed coronary

collaterals in the dog. *Japanese Journal of Pharmacology* 25(3): 281-8.

- In Vit** Nagata, K., Suzuki, K., and Imahori, K. 1979. analysis of the allosteric properties of rabbit muscle phosphofructokinase by means of affinity labeling with a reactive atp analog. *Journal of Biochemistry* 86(5): 1179-89.
- No COC** Nakanishi, H., Kamata, O., Ukai, K., and Yamamoto, K. inhibitory effects of nmda receptor antagonists on hypoxia-induced seizures in dietary magnesium-deficient mice. *European Journal of Pharmacology*. 204 (1). 1991. 29-34.
- Diss** Napolitano, M. A(A), Katak, K. M., and Spealman, R. D. 1992. influence of different training doses of cocaine on generalization to noncompetitive nmda antagonists. *Society for Neuroscience Abstracts* 18(1-2): 1239.
- In Vit** Narasimhan, Tumkur R., Mayura, Kittane, Clement, Beverly A., Safe, Stephen H., and Phillips, Timothy D. effects of chlorinated phenols on rat embryonic and hepatic mitochondrial oxidative phosphorylation. *Environ. Toxicol. Chem.* (1992) 11(6): 805-14
- Unrel** Navar, L. G., Bell, P. D., and Burke, T. J. auto regulatory responses of superficial nephrons and their association with sodium excretion during arterial pressure alterations in the dog.. *Circulation Research*. 41 (4). 1977 487-496.
- No COC** Nicholas, J. M. and Schreiber, E. C. 1983. phencyclidine exposure and the developing mouse: behavioral teratological implications. *Teratology* 28(3): 319-26.
- Unrel** Nicholls, J., Hourani, S. M., and Kitchen, I. 1990. the ontogeny of purinoceptors in rat urinary bladder and duodenum. *British Journal of Pharmacology* 100(4): 874-8.
- No COC** Nicholson, K. L. and Balster, R. L. 1998. phencyclidine-like discriminative stimulus effects of polyamine modulators of n-methyl-d-aspartate receptor activity in rats. *Neuroscience Letters* 253(1): 53-6.
- No Oral** Nicholson, K. L., Hayes, B. A., and Balster, R. L. 1999. evaluation of the reinforcing properties and phencyclidine-like discriminative stimulus effects of dextromethorphan and dextrorphan in rats and rhesus monkeys. *Psychopharmacology* 146(1): 49-59.
- No COC** Nicholson, K. L., Hua, L., and Balster, R. L. 1997. discriminative stimulus effects of novel nmda antagonists in pcp-trained rats. *Society for Neuroscience Abstracts* 23(1-2): 1758.
- No COC** Nicholson, K. L., Jones, H. E., and Balster, R. L. 1997. evaluation of the reinforcing and discriminative stimulus effects of the n-methyl-d-aspartate competitive antagonist npc 17742 in rhesus monkeys. *Behavioural Pharmacology* 8(5): 396-407.
- No COC** Nicholson, K. L., Jones, H. E., and Balster, R. L. 1998. evaluation of the reinforcing and discriminative stimulus properties of the low-affinity n-methyl-d-aspartate channel blocker memantine. *Behavioural Pharmacology* 9(3): 231-43.
- Diss** Nielsen, F. H., Myron, D. R., and Uthus, E. O. 1978. newer trace elements - vanadium (v) and arsenic (as) deficiency signs and possible metabolic roles. *Trace Elem. Metab. Man Anim. Proc. Int. Symp., 3rd* : Meeting Date 1977, 244-7. Editor(s): Kirchgessner, M. Publisher: Arbeitskreis Tierernaehrungsforschung Weihenstephan Inst. Ernaehrungsphysiol., Freising-Weihenstephan, Ger.
- No Oral** Nishijima, K., Kashiwa, A., Hashimoto, A., Iwama, H., Umino, A., and Nishikawa, T. 1996. differential effects of phencyclidine and methamphetamine on dopamine metabolism in rat frontal

cortex and striatum as revealed by in vivo dialysis. *Synapse* 22(4): 304-12.

- No COC** Noda, Y., Mamiya, T., Furukawa, H., and Nabeshima, T. 1997. effects of antidepressants on phencyclidine-induced enhancement of immobility in a forced swimming test in mice. *European Journal of Pharmacology* 324(2-3): 135-40.
- No COC** Noda, Y. and Nabeshima, T. 1996. [behavioral assessment of neuroleptics (3)--schizophrenia negative symptoms-like model induced by pcp]. *Nihon Shinkei Seishin Yakurigaku Zasshi* 16(4): 123-8.
- No Oral** Noda, Y., Yamada, K., Furukawa, H., and Nabeshima, T. 1995. involvement of nitric oxide in phencyclidine-induced hyperlocomotion in mice. *European Journal of Pharmacology* 286(3): 291-7.
- No COC** Noda, Y., Yamada, K., Furukawa, H., and Nabeshima T(A). 1995. enhancement of immobility in a forced swimming test by subacute or repeated treatment with phencyclidine: a new model of schizophrenia. *British Journal of Pharmacology* 116(5): 2531-2537.
- No Oral** Noda, Y., Yamada, K., Komori, Y., Sugihara, H., Furukawa, H., and Nabeshima, T. 1996. role of nitric oxide in the development of tolerance and sensitization to behavioural effects of phencyclidine in mice. *British Journal of Pharmacology* 117(7): 1579-85.
- No COC** Noda Y(A), Yamada K(A), Nakayama S(A), Hasegawa H(A), Furukawa, H., and Nabeshima T(A). 1995. effect of phencyclidine on the forced swimming-induced immobility in mice. *Neurosciences* 21(SUPPL.): P131-P134.
- No Oral** Noda Yukihiro, Miyamoto Yoshiaki, Mamiya Takayoshi, Kamei Hiroyuki, Furukawa Hiroshi, and Nabeshima Toshitaka(A). 1998. involvement of dopaminergic system in phencyclidine-induced place preference in mice pretreated with phencyclidine repeatedly. *Journal of Pharmacology and Experimental Therapeutics* 286(1): 44-51.
- No COC** Noda Yukihiro and Nabeshima Toshitaka(A). 1998. neuronal mechanisms of phencyclidine-induced place aversion and preference in the conditioned place preference task. *Methods and Findings in Experimental and Clinical Pharmacology* 20(7): 607-611.
- Rev** Nrc Assoc Comm Sci Criter Environ Qual Can. . 1982. Chlorinated Phenols: Criteria for Environmental Quality. *Natl Res Counc Can Assoc Comm Sci Criter Environ Qual Publ.*(0 (18578)): ;17-191.
- No COC** Nsimba, S. E. D., Kelly, J. P., and Leonard, B. E. 1994. effects of acute phencyclidine (pcp) on different routes of administration on behavioural parameters in rats. *Vol. 22, No. 6, Pp. 399-401* Med. Sci. Res.
- No COC** Nsimba Stephen E D, Kelly, J. P., and Leonard, B. E(A). 1994. dose-dependent behavioural effects of phencyclidine (pcp). *Medical Science Research* 22(3): 207-209.
- No Oral** Nsimba Stephen E D, Kelly, J. P., and Leonard, B. E(A). 1994. effects of olfactory bulbectomy on phencyclidine (pcp) induced behavioural changes. *Indian Journal of Pharmacology* 26(2): 136-140.
- No Oral** Nsimba Stephen E D(A), Kelly, J. P., and Leonard, B. E. 1997. effect of chronic rafoxanide administration on behavioural and physiological parameters in the rat. *Indian Journal of Pharmacology* 29(5): 289-295.

- No COC** O'Connell, A., Earley, B., and Leonard, B. E. Changes in Muscarinic (M1 and M2 Subtypes) and Phencyclidine Receptor Density in the Rat Brain Following Trimethyltin Intoxication. *Neurochemistry International*; 25 (3). 1994. 243-252.
- No COC** O'Neill, S. K. and Bolger, G. T. 1989. phencyclidine and mk-801: a behavioral and neurochemical comparison of their interactions with dihydropyridine calcium antagonists. *Brain Research Bulletin* 22(4): 611-6.
- Phys** Oberdick, J. 1994. evidence for a genetically encoded map of functional development in the cerebellum. *Histochemistry* 102(1): 1-14.
- No COC** Ogawa, S., Okuyama, S., Araki, H., Nakazato, A., and Otomo, S. 1994. a rat model of phencyclidine psychosis. *Life Sciences* 55(21): 1605-10.
- No COC** Ogawa, S., Okuyama, S., Tsuchida, K., Araki, H., and Otomo, S. 1995. the sigma-selective ligand ne-100 attenuates the effect of phencyclidine in a rat diving model. *General Pharmacology* 26(1): 177-82.
- Unrel** Ogawa, S. and Yoshida, S. effects of hemodynamics and sympathetic tone on the coronary collateral circulation. *SAPPORO MED J. Sapporo Medical Journal*. 57 (6). 1988. 625-636.
- No COC** Ogren Sven Ove(A) and Goldstein Menek. 1994. phencyclidine- and dizocilpine-induced hyperlocomotion are differentially mediated. *Neuropsychopharmacology* 11(3): 167-177.
- No COC** Ohno, M. and Watanabe, S. 1995. intrahippocampal administration of (+)-skf 10,047, a sigma ligand, reverses mk-801-induced impairment of working memory in rats. *Brain Research* 684(2): 237-42.
- No Oral** Okuyama, S., Chaki, S., Kawashima, N., Suzuki, Y., Ogawa, S., Kumagai, T., Nakazato, A., Nagamine, M., Yamaguchi, K., and Tomisawa, K. 1997. the atypical antipsychotic profile of nra0045, a novel dopamine d4 and 5-hydroxytryptamine2a receptor antagonist, in rats. *British Journal of Pharmacology* 121(3): 515-25.
- No COC** Okuyama, S., Imagawa, Y., Ogawa, S., Araki, H., Ajima, A., Tanaka, M., Muramatsu, M., Nakazato, A., Yamaguchi, K., Yoshida, M., and et, a. l. 1993. ne-100, a novel sigma receptor ligand: in vivo tests. *Life Sciences* 53(18): PL285-90.
- No COC** Okuyama, S., Imagawa, Y., Sakagawa, T., Nakazato, A., Yamaguchi, K., Katoh, M., Yamada, S., Araki, H., and Otomo, S. 1994. ne-100, a novel sigma receptor ligand: effect on phencyclidine-induced behaviors in rats, dogs and monkeys. *Life Sciences* 55(7): PL133-8.
- No COC** Okuyama, S., Ogawa, S., Nakazato, A., and Tomizawa, K. 1995. effect of ne-100, a novel sigma receptor ligand, on phencyclidine- induced delayed cognitive dysfunction in rats. *Neuroscience Letters* 189(1): 60-2.
- No COC** Olney, J. W. pcp induced permanent brain damage. *Crisp Data Base National Institutes Of Health*
- No COC** Olney, J. W., Labruyere, J., and Price, M. T. 1989. pathological changes induced in cerebrocortical neurons by phencyclidine and related drugs [see comments]. *Science* 244(4910): 1360-2.
- No COC** Olney, J. W., Labruyere, J., Wang, G., Wozniak, D. F., Price, M. T., and Sesma, M. A. 1991. nmda antagonist neurotoxicity: mechanism and prevention. *Science* 254(5037): 1515-8.
- No Oral** Ortiz, G. G., Guerrero, J. M., Reiter, R. J., Poeggeler, B. H., Bitzer-Quintero, O. K., and Feria-

- Velasco, A. 1999. neurotoxicity of dextrorphan. *Archives of Medical Research* 30(2): 125-7.
- No Oral** Osborn, J. L. and Lawton, M. T. 1986. neurogenic antinatriuresis during development of acute cardiac tamponade. *American Journal of Physiology* 250(2 Pt 2): H195-201.
- No COC** Overton, D. A., Shen, C. F., Ke, G. Y., and Gazdick, L. P. 1989. discriminable effects of phencyclidine analogs evaluated by multiple drug (pcp versus other) discrimination training. *Psychopharmacology* 97(4): 514-20.
- No COC** Owens, S. M. and Mayersohn, M. 1986. phencyclidine-specific fab fragments alter phencyclidine disposition in dogs. *Drug Metabolism and Disposition* 14(1): 52-8.
- No COC** Owens, S. M., Mcmillan, D. E., Hardwick, W. C., and Wessinger, W. D. phencyclidine pharmacokinetics and concentration-response relationships in the pigeon. *Pharmacology Biochemistry and Behavior*. 35 (4). 1990. 797-802.
- Fate** Oyen, W. J., Boerman, O. C., Storm, G., van Bloois, L., Koenders, E. B., Claessens, R. A., Perenboom, R. M., Crommelin, D. J., van der Meer, J. W., and Corstens, F. H. 1996. detecting infection and inflammation with technetium-99m-labeled stealth liposomes. *Journal of Nuclear Medicine* 37(8): 1392-7.
- Unrel** Ozol, K., Hayden, J. M., Oberdick, J., and Hawkes, R. 1999. transverse zones in the vermis of the mouse cerebellum. *Vol. 412, No. 1, Pp. 95-111* Journal Of Comparative Neurology
- Aquatic** Ozretic, B. and Krajnovicozretic, M. 1985. morphological and biochemical-evidence of the toxic effect of pentachlorophenol on the developing embryos of the sea-urchin. *Aquatic Toxicology* 7(4): 255-263.
- In Vit** Packham, E. D., Duxbury, C. L., Mayfield, C. I., Inniss, W. E., Kruuv, J., and Thompson, J. E. 1982. quantitative analysis of pollutant-induced lethal and sublethal damage in cultured mammalian cells. *Bulletin of Environmental Contamination and Toxicology* 29(6): 739-46.
- No Org** Packham, E. D., Thompson, J. E., Mayfield, C. I., Inniss, W. E., and Kruuv, J. 1981. perturbation of lipid membranes by organic pollutants. *Archives of Environmental Contamination and Toxicology* 10(3): 347-56.
- No COC** Paleos, G. A., Yang, Z. W., and Byrd, J. C. 1990. ontogeny of pcp and sigma receptors in rat brain. *Brain Research. Developmental Brain Research* 51(2): 147-52.
- No COC** Pang, K., Johnson, S. W., Maayani, S., and Freedman, R. structure-activity relationships of phencyclidine derivatives in rat cerebellum. *Pharmacology Biochemistry and Behavior*. 24 (1). 1986. 127-134.
- Abstract** Paquette, N. C., Marquis, K. L., and Moreton, J. E. 1988-1989. Comparative Eeg and Behavioral Effects of Phencyclidine Pcp Mk-801 and Dextro Skf-10047 in the Rat. *72nd Annual Meeting of the Federation of American Societies for Experimental Biology*
- Bio Acc** Parker, C. E., Jones, W. A., Matthews, H. B., McConnell, E. E., and Hass, J. R. chronic toxicity of technical and analytical penta chloro phenol in cattle 2. chemical analyses of tissues. *Toxicology and Applied Pharmacology*. 55(2): 359-369.
- No Org** Parr, L. J., Gee, M. G., Land, D. G., Robinson, D., and Curtis, R. F. chlorophenols from wood preservatives in broiler house litter. *J. Sci. Food Agric.*25(7): 835-841; 1974(REF:22)

- No COC** Parsons, C. G., Gibbens, H., Magnago, T. S., and Headley, P. M. 1988. at which 'sigma' site are the spinal actions of ketamine mediated? *Neuroscience Letters* 85(3): 322-8.
- Unrel** Parsons, C. G. and Headley, P. M. 1989. spinal antinociceptive actions of mu- and kappa-opioids: the importance of stimulus intensity in determining 'selectivity' between reflexes to different modalities of noxious stimulus. *British Journal of Pharmacology* 98(2): 523-32.
- No COC** Paule, M. G. 1994. acute behavioral toxicity of mk-801 and phencyclidine: effects on rhesus monkey performance in an operant test battery. *Psychopharmacology Bulletin* 30(4): 613-21.
- No COC** Pechnick, R. N., George, R., Lee, R. J., and Poland, R. E. 1986. the effects of the acute administration of phencyclidine hydrochloride (pcp) on the release of corticosterone, growth-hormone and prolactin in the rat. *Life Sciences* 38(3): 291-296.
- No COC** Pechnick, R. N., George, R., and Poland, R. E. characterization of the effects of the acute and repeated administration of mk-801 on the release of acth corticosterone and prolactin in the rat. *European Journal of Pharmacology*. 164 (2). 1989. 257-264.
- No COC** Pechnick, R. N., George, R., Poland, R. E., Hiramatsu, M., and Cho, A. K. characterization of the effects of the acute and chronic administration of phencyclidine on the release of acth corticosterone and prolactin in the rat evidence for the differential development of tolerance. *Journal of Pharmacology and Experimental Therapeutics*. 250 (2). 1989. 534-540.
- No COC** Pechnick Robert N(A) and Hiramatsu Masayuki. 1994. the effects of mk-801 on body temperature and behavior in the rat: cross-sensitization and cross-tolerance with phencyclidine. *European Journal of Pharmacology* 252(1): 35-42.
- BioX** Perenboom, R. M., Oyen, W. J., van Schijndel, A. C., Beckers, P., Corstens, F. H., and van, d. e. r. Meer JW. 1995. serial indium-111-labelled igg biodistribution in rat pneumocystis carinii pneumonia: a tool to monitor the course and severity of the infection. *European Journal of Nuclear Medicine* 22(10): 1129-32.
- Unrel** Perle, M. A., Leonard, C. M., and Newman, S. A. developmentally regulated nonhistone proteins evidence for dna binding role and localization near dnase i sensitive domains of pre cartilage cell chromatin. *Biochemistry*. 21 (10). 1982. 2379-2386.
- No COC** Peruche, B., Klaassens, H., and Krieglstein, J. 1995. quantitative analysis of the electrocorticogram after forebrain ischemia in the rat. *Pharmacology* 50(4): 229-37 .
- In Vit** Phillips, T. D., Narasimhan, T. R., Mayura, K., Clement, B. A., and Safe, S. effect of chlorinated phenols on rat embryonic and hepatic mitochondrial oxidative phosphorylation. *Toxicologist* 1991 Feb;11(1):71
- In Vit** Pickar, A. D. and Hobbs, J. 1982. the influence of sterols on pentachlorophenol-induced charge transfer across lipid bilayers studied by alternating current methods. *Biochimica Et Biophysica Acta* 693(1): 221-36.
- No COC** Piercey, M. F., Hoffmann, W. E., and Kaczkofsky, P. 1988. functional evidence for pcp-like effects of the anti-stroke candidate mk-801. *Psychopharmacology* 96(4): 561-2.
- No COC** Piercey, M. F., Ray, C., and Vogelsang, G. D. evidence from 2-dg autoradiography that phencyclidine's functional effects are mediated by specific pcp rather than sigma receptors. *Second USA-french Sponsored International Seminar on Sigma Opioid/phencyclidine-like Compounds as Molecular Probes in Biology, Ann Arbor, Michigan, Usa, June 29-july 2, 1987. Pharmacol Biochem*

Behav. 28 (1). 1987. 136-137.

- No COC** Piercey, M. F. and Ray, C. A. 1988. dramatic limbic and cortical effects mediated by high affinity pcp receptors. *Life Sciences* 43(4): 379-85.
- No COC** Pierson, M. and Swann, J. 1991. sensitization to noise-mediated induction of seizure susceptibility by mk-801 and phencyclidine. *Brain Research* 560(1-2): 229-36.
- No COC** Pietraszek, M. and Ossowska, K. 1998. chronic treatment with haloperidol diminishes the phencyclidine-induced sensorimotor gating deficit in rats. *Naunyn-Schmiedeberg's Archives of Pharmacology* 357(4): 466-71.
- No COC** Pirat, J. L., Kamenka, J. M., Arnone, M., and Morre, M. quantitative structure activity relationship model for phencyclidine pcp Compounds. *Second USA-french Sponsored International Seminar on Sigma Opioid/phencyclidine-like Compounds as Molecular Probes in Biology, Ann Arbor, Michigan, Usa, June 29-july 2, 1987. Pharmacol Biochem Behav. 28 (1). 1987. 137.*
- No COC** Poch, G., Dittrich, P., Reiffenstein, R. J., Lenk, W., and Schuster, A. 1990. evaluation of experimental combined toxicity by use of dose-frequency curves: comparison with theoretical additivity as well as independence. *Canadian Journal of Physiology and Pharmacology* 68(10): 1338-45.
- No Dose** Polin, Donald, Olson, Barbara, Bursian, Steven, and Lehning, Ellen. 1986. enhanced withdrawal from chickens of hexachlorobenzene (hcb) and pentachlorophenol (pcp) by colestipol, mineral oil, and/or restricted feeding. *J. Toxicol. Environ. Health* . 19(3): 359-68 .
- No COC** Popoli, P., Benedetti, M., and Scotti de Carolis, A. 1990. influence of dhp ligands on pcp-induced effects in rats. *Pharmacological Research* 22 Suppl 1: 7-8.
- No Oral** Popoli, P., Benedetti, M., and Scotti de Carolis, A. 1990. influence of nimodipine and diltiazem, alone and in combination, on phencyclidine-induced effects in rats: an eeg and behavioural study. *European Journal of Pharmacology* 191(2): 141-8.
- Diss** Popoli, P., Caporali, M. G., and De Carolis A S. pcp-induced stereotypy and ataxia relationship with d-1 dopamine receptors. *XXIVTH National Congress of the Italian Society of Farmacology, Brescia, Italy, September 25-28, 1988. Pharmacol Res Commun. 20 (Suppl. 2). 1988. 313.*
- No COC** Popoli, P., Caporali, M. G., and Scotti de Carolis, A. 1990. evidence of the involvement of d1 dopamine receptors in pcp-induced stereotypy and ataxia in rabbits. *Pharmacological Research* 22(2): 197-205.
- No COC** Popoli, P., Pezzola, A., and Sagratella, S. 1994. diphenylhydantoin potentiates the eeg and behavioural effects induced by n-methyl-d-aspartate antagonists in rats. *Psychopharmacology* 113(3-4): 471-5.
- No Oral** Popoli, P., Pezzola, A., and Scotti de Carolis, A. 1990. an eeg and behavioural study on the interactions of clonidine with phencyclidine and ketamine in rats. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 14(2)
- No Oral** Popoli, P., Pezzola, A., and Scotti de Carolis, A. 1993. influence of non-l-type calcium channel antagonists on phencyclidine-induced effects in rats. *Life Sciences* 52(25): 2055-61.
- No COC** Popoli, P., Reggio, R., Pezzola, A., and Scotti de Carolis, A. 1995. the stimulation of cholecystokinin receptors in the rostral nucleus accumbens significantly antagonizes the eeg and

behavioural effects induced by phencyclidine in rats. *Psychopharmacology* 120(2): 156-61.

- No COC** Popoli, P., Sagratella, S., Pezzola, A., and Scotti De Carolis A. interactions between haloperidol and pcp-sigma receptor agonists an eeg and behavioral study in Rats. *Fourth Meeting of the Italian Society of Neuroscience, Palermo, Italy, December 4-7, 1990. Neurosci Lett Suppl.* 0 (39). 1990. S176.
- No COC** Porter, J. H., Wiley, J. L., and Balster, R. L. 1989. effects of phencyclidine-like drugs on punished behavior in rats. *Journal of Pharmacology and Experimental Therapeutics* 248(3)
- No COC** Potthoff, A. D., Ellison, G., and Nelson, L. 1983. ethanol intake increases during continuous administration of amphetamine and nicotine, but not several other drugs. *Pharmacology, Biochemistry, and Behavior* 18(4): 489-93.
- No COC** Powell, K. R. and Holtzman, S. G. 1998. lack of nmda receptor involvement in caffeine-induced locomotor stimulation and tolerance in rats. *Pharmacology, Biochemistry, and Behavior* 59(2): 433-8.
- Alt** Preheim, L. C., Mellencamp, M. A., Snitily, M. U., and Gentry, M. J. 1992. effect of cirrhosis on the production and efficacy of pneumococcal capsular antibody in a rat model. *American Review of Respiratory Disease* 146(4): 1054-8.
- No COC** Prince, J. A., Yassin, M. S., and Oreland L(A). 1997. normalization of cytochrome-c oxidase activity in the rat brain by neuroleptics after chronic treatment with pcp or methamphetamine. *Neuropharmacology* 36(11-12): 1665-1678.
- No COC** Proksch, J. W., Gentry, W. B., and Owens, S. M. 1998. pharmacokinetic mechanisms for obtaining high renal coelimination of phencyclidine and a monoclonal antiphencyclidine antigen-binding fragment of immunoglobulin g in the rat. *Journal of Pharmacology and Experimental Therapeutics* 287(2): 616-24.
- No COC** Pubill, D., Canudas, A. M., Sureda, F. X., Camins, A., Pallas M(A), Escubedo, E., and Camarasa, J. 1998. effect of pcp and sigma ligands on both noradrenaline- and electrically-induced contractions and on (3h)-noradrenaline uptake in rat vas deferens. *Journal of Autonomic Pharmacology* 18(4): 239-244.
- Diss** Pubill, D., Gasulla, D., Camins, A., Pallas, M., Escubedo, E., and Camarasa, J. 1996. binding of (3h)nisoxetine to rat vas deferens membranes: modulation by sigma and pcp ligands. *Methods and Findings in Experimental and Clinical Pharmacology* 18(SUPPL. B): 218.
- No COC** Pubill David(A), Gasulla Daniel, Sureda Francesc X, Camins Antonio, Pallas Merce, Escubedo Elena, and Camarasa Jorge. 1998. characterization of (3h)nisoxetine binding in rat vas deferens membranes: modulation by sigma and pcp ligands. *Life Sciences* 62(8): 763-773.
- No Oral** Qiao, G. L., Brooks, J. D., and Riviere, J. E. Pentachlorophenol Dermal Absorption and Disposition from Soil in Swine: Effects of Occlusion and Skin Microorganism Inhibition. *Toxicology and Applied Pharmacology*; 147 (2). 1997. 234-246.
- No COC** Quirion, R., Bayorh, M. A., Zerbe, R. L., and Pert, C. B. chronic phencyclidine treatment decreases phencyclidine and dopamine receptors in rat brain. *Pharmacology Biochemistry and Behavior.* 17 (4). 1982. 699-702.
- No COC** Quirion, R., DiMaggio, D. A., French, E. D., Contreras, P. C., Shiloach, J., Pert, C. B., Everist, H., Pert, A., and O'Donohue, T. L. 1984. evidence for an endogenous peptide ligand for the

phencyclidine receptor. *Peptides* 5(5): 967-73.

- No COC** Quirion, R. and Pert, C. B. 1983. properties of the phencyclidine (pcp) receptors. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 7(4-6)
- No COC** Quirion, R., Rice, K. C., Skolnick, P., Paul, S., and Pert, C. B. 1981. stereospecific displacement of (super(3)h)phencyclidine (pcp) receptor binding by an enantiomeric pair of pcp analogs. *Vol. 74, No. 1, Pp. 107-108* Eur. J. Pharmacol.
- Surv** Radi, Lynne M. North Dakota State Univ, Kuntz, David J., Padmanabhan, G., Berg, Ivan E., and Chaturvedi, Arvind K. toxicological evaluation of the leachate from a closed urban landfill. *Bull Environ Contam Toxicol.* V38, N2, P337(8)
- Phys** Ramanadham, S., Wolf, M. J., Jett, P. A., Gross, R. W., and Turk, J. 1994. characterization of an atp-stimulatable ca(2+)-independent phospholipase a2 from clonal insulin-secreting hit cells and rat pancreatic islets: a possible molecular component of the beta-cell fuel sensor. *Biochemistry* 33(23): 7442-52.
- No COC** Ramoa, A. S. and Albuquerque, E. X. 1988. phencyclidine and some of its analogues have distinct effects on nmda receptors of rat hippocampal neurons. *FEBS Letters* 235(1-2): 156-62.
- No COC** Rao, T. S., Contreras, P. C., Cler, J. A., Mick, S. J., Dilworth, V. M., Iyengar, S., Monahan, J. B., and Wood, P. L. 1991. contrasting neurochemical interactions of tiletamine, a potent phencyclidine (pcp) receptor ligand, with the n-methyl-d-aspartate-coupled and -uncoupled pcp recognition sites. *Journal of Neurochemistry* 56(3): 890-7.
- No Oral** Rasmussen, K., Fuller, R. W., Stockton, M. E., Perry, K. W., Swinford, R. M., and Ornstein, P. L. 1991. nmda receptor antagonists suppress behaviors but not norepinephrine turnover or locus coeruleus unit activity induced by opiate withdrawal. *European Journal of Pharmacology* 197(1): 9-16.
- No COC** Rawleigh Joyce M, Rodefer Joshua S, Hansen Jeffrey J, and Carroll Marilyn E= (A). 1996. combined effects of buprenorphine and an alternative nondrug reinforcer on phencyclidine self-administration in rhesus monkeys. *Experimental and Clinical Psychopharmacology* 4(1): 68-76.
- Diss** Rawlings, N. C(A), Mcrae, A. C., and Beard, A. P. 1995. decreased fertility in female mink (*Mustela vison*) exposed to low doses of pesticides. *Biology of Reproduction* 52(SUPPL. 1): 97.
- No COC** Redmond, A. M., Harkin, A., Kelly, J. P., and Leonard, B. E. 1999. effects of acute and chronic antidepressant administration on phencyclidine (pcp) induced locomotor hyperactivity. *European Neuropsychopharmacology* 9(1-2): 165-70.
- No COC** Redmond, A. M., Kelly, J. P., and Leonard, B. E. 1995. effects of olfactory bulbectomy and chronic amitriptyline treatment on phencyclidine (pcp)-induced hyperactivity. *Vol. 23, No. 5, Pp. 351-352* Med. Sci. Res.
- No Oral** Redmond Anna M, Kelly John P, and Leonard Brian E(A). 1996. behavioural effects of chronic glycine in the olfactory bulbectomised rat in the 'open field' test and on phencyclidine (pcp)-induced hyperactivity. *Medical Science Research* 24(1): 55-56.
- Acu** Reigner, B. G., Gungon, R. A., Bois, F. Y., Zeise, L., and Tozer, T. N. 1992. pharmacokinetic concepts in assessing intake of pentachlorophenol by rats after exposure through drinking water. *Journal of Pharmaceutical Sciences* 81(11): 1113-8.

- Dup** Reigner, Bruno G., Gungon, Ramon A., Bois, Frederic Y., Zeise, Lauren, and Tozer, Thomas N. pharmacokinetic concepts in assessing intake of pentachlorophenol by rats after exposure through drinking water. *J. Pharm. Sci.* (1992) 81(11): 1113-18.
- No COC** Reith, M. E., Jacobson, A. E., Rice, K. C., Benuck, M., and Zimanyi, I. 1991. effect of metaphit on dopaminergic neurotransmission in rat striatal slices: involvement of the dopamine transporter and voltage-dependent sodium channel. *Journal of Pharmacology and Experimental Therapeutics* 259(3): 1188-96.
- Acu** Renner, G., Hopfer, C., and Gokel, J. M. acute toxicities of pentachlorophenol, pentachloroanisole, tetrachlorohydroquinone, tetrachlorocatechol, tetrachlororesorcinol, tetrachlorodimethoxybenzenes and tetrachlorobenzenediol diacetates administered to mice. *Toxicol. Environ. Chem.* (1986) 11(1): 37-50.
- Unrel** Ringer, D. P. and Norton, T. R. further characterization of the ability of hepatocarcinogens to lower rat liver aryl sulfotransferase Activity. *Carcinogenesis (London)*. 8 (11). 1987. 1749-1752.
- No COC** Risner, M. E. 1982. intravenous self-administration of phencyclidine and related compounds in the dog. *Journal of Pharmacology and Experimental Therapeutics* 221(3): 637-44.
- No COC** Rizzardini, Milena and Smith, Andrew G. sex differences in the metabolism of hexachlorobenzene by rats and the development of porphyria in females. *Biochem. Pharmacol.* (1982) 31(22): 3543-8.
- Unrel** Robinson, G. S. Jr, Crooks, G. B. Jr, Shinkman, P. G., and Gallagher, M. behavioral effects of mk-801 mimic deficits associated with hippocampal damage. *Psychobiology*. 17 (2). 1989. 156-164.
- Abstract** Robinson, S. E., Enters, E. K., Posner, M. G., Foux, S. D., Martin, R. M., Gyenes, C. A., and Davis, T. R. effect of phencyclidine pcp on central cholinergic activity following traumatic brain injury Tbi. *19th Annual Meeting of the Society for Neuroscience, Phoenix, Arizona, Usa, October 29-november 3, 1989. Soc Neurosci Abstr.* 15 (2). 1989. 1113.
- No COC** Roche, J. K. and Turgeon, S. M. 1998. the delayed effects of phencyclidine (pcp) enhance amphetamine-induced behavior and striatal c-fos induction. *Society for Neuroscience Abstracts* 24(1-2): 957.
- No COC** Rodefer, J. S., Campbell, U. C., Cosgrove, K. P., Voeller, R. K., and Carroll, M. E. 1997. effects of naltrexone pretreatment on oral self-administration of ethanol, phencyclidine (pcp) and saccharin in rhesus monkeys using progressive-ratio schedules. *Society for Neuroscience Abstracts* 23(1-2): 2397.
- No COC** Rodefer, J. S. and Carroll, M. E. 1997. a comparison of progressive ratio schedules versus behavioral economic measures: effect of an alternative reinforcer on the reinforcing efficacy of phencyclidine. *Psychopharmacology* 132(1): 95-103.
- No COC** Rodefer, J. S. and Carroll, M. E. 1999. concurrent progressive-ratio schedules to compare reinforcing effectiveness of different phencyclidine (pcp) concentrations in rhesus monkeys. *Psychopharmacology* 144(2): 163-74.
- No COC** Rodriguez-Pichardo, A., Camacho, F., Rappe, C., Hansson, M., Smith A.G., and Greig J.B. 1991. chloracne caused by ingestion of olive oil contaminated with pcdds and pcdfs. *Hum. Exp. Toxicol* VOL. 10, NO. 5: pp. 311-322.
- No COC** Rogawski, M. A., Thurkauf, A., Yamaguchi, S., Rice, K. C., Jacobson, A. E., and Mattson, M. V.

1989. anticonvulsant activities of 1-phenylcyclohexylamine and its conformationally restricted analog 1,1-pentamethylenetetrahydroisoquinoline. *Journal of Pharmacology and Experimental Therapeutics* 249(3): 708-12.
- No COC** Ronsisvalle, G., Marrazzo, A., Prezzavento, O., Pasquinucci, L., Vittorio, F., Pittala, V., Pappalardo, M. S., Cacciaguerra, S., and Spampinato, S. 1998. (+)-cis-n-ethyleneamino-n-normetazocine derivatives. novel and selective sigma ligands with antagonist properties. *Journal of Medicinal Chemistry* 41(10): 1574-80.
- No COC** Ross-Canada, J., Chizzonite, R. A., and Meltzer, H. Y. 1983. retention of sarcoplasmic calcium inhibits development of the phencyclidine-restraint experimental myopathy. *Experimental Neurology* 79(1): 1-10.
- No COC** Rosse, R. B., Mastropaolo, J., Sussman, D. M., Koetzner, L., Morn, C. B., and Deutsch, S. I. 1995. computerized measurement of mk-801-elicited popping and hyperactivity in mice. *Clinical Neuropharmacology* 18(5): 448-57.
- No COC** Rothman, R. B. and Cadet, J. L. 1986. chronic iminodipropionitrile (idpn) causes no changes in the rat brain phencyclidine (pcp) receptor. *Neuropeptides* 7(3): 259-63.
- BioX** Roths, J. B., Smith, A. L., and Sidman, C. L. 1993. lethal exacerbation of pneumocystis carinii pneumonia in severe combined immunodeficiency mice after infection by pneumonia virus of mice. *Journal of Experimental Medicine* 177(4): 1193-8.
- Prim** Rozman, K., Mueller, W. F., Coulston, F., and Korte, F. chronic low dose exposure of rhesus monkeys to hexachlorobenzene (hcb). *Chemosphere (1978)* 7(2): 177-84.
- Prim** Rozman, T., Ballhorn, L., Rozman, K., Klaassen, C., and Greim, H. effect of cholestyramine on the disposition of pentachlorophenol in rhesus monkey. *J. Toxicol. Environ. Health (1982)* 10(2): 277-83.
- No COC** Ruffing, D. M. and Domino, E. F. 1st dose behavioral tolerance to phencyclidine on food rewarded bar pressing behavior in the rat. *Psychopharmacology*. 69 (1). 1980. 1-4.
- No COC** Rupniak, N. M. J., Duchnowski, M., Tye, S. J., Cook, G., and Iversen, S. D. failure of d cycloserine to reverse cognitive disruption induced by scopolamine or phencyclidine in primates. *Life Sciences*. 50 (25). 1992. 1959-1962.
- No Dose** Ryan, J. J. 1983. higher chlorinated dioxins implicated in the mortality of young pigs kept on a pentachlorophenol-treated wooden floor. *Canadian Veterinary Journal* 24(3): 72-75.
- No COC** Sagratella, S., Niglio, T., Ortolani, E., Scotti de Carolis, A., and Pezzola, A. 1985. phencyclidine-like effect of cyclazocine on pentylentetrazol-induced seizures in laboratory animals. *Pharmacology, Biochemistry, and Behavior* 22(4): 515-9.
- No COC** Sagratella, S., Passarelli, F., and De Carolis A S. an electro encephalographic investigation on the effects of phencyclidine on pentylene tetrazole convulsions in rats and rabbits. *Archives Internationales De Pharmacodynamie Et De Therapie*. 266 (2). 1983 (Recd. 1984). 294-307.
- No COC** Sagratella, S., Pezzola, A., Popoli, P., and Scotti de Carolis, A. S. 1992. different capability of n-methyl-d-aspartate antagonists to elicit eeg and behavioural phencyclidine-like effects in rats. *Psychopharmacology* 109(3): 277-82.
- No COC** Sagratella, S., Scotti de Carolis, A., Pezzola, A., and Popoli, P. 1991. behavioural and

electoencephalographic interactions between haloperidol and pcp/sigma ligands in the rat. *Psychopharmacology* 105(4): 485-91.

- No Oral** Sakamoto, T., Endo, M., Nagasaki, A., Nakamura, A., Watanabe, S., Tanaka, A., and Nakahara, Y. 1998. evaluation of hair root analysis for acute phencyclidine poisoning and behavior of phencyclidine metabolites in rat hair root. *Die Pharmazie* 53(5): 310-4.
- No Oral** Sakamoto, T., Tanaka, A., and Nakahara, Y. Incorporation of Phencyclidine and its Hydroxylated Metabolites into Hair. *Life Sciences*; 62 (6). 1998. 561-570.
- No COC** Sams Dodd, F. 1995. automation of the social interaction test by a video-tracking system: behavioural effects of repeated phencyclidine treatment. *Vol. 59, No. 2, Pp. 157-167 J. Neurosci. Methods*
- No COC** Sams-Dodd, F. 1995. distinct effects of d-amphetamine and phencyclidine on the social behaviour of rats. *Behavioural Pharmacology* 6(1): 55-65.
- No COC** Sams-Dodd, F. 1996. phencyclidine-induced stereotyped behaviour and social isolation in rats: a possible animal model of schizophrenia. *Behavioural Pharmacology* 7(1): 3-23.
- No COC** Sams-Dodd, F. 1997. effect of novel antipsychotic drugs on phencyclidine-induced stereotyped behaviour and social isolation in the rat social interaction test. *Behavioural Pharmacology* 8(2-3): 196-215.
- No COC** Sams-Dodd, F. 1998. effects of diazepam, citalopram, methadone and naloxone on pcp-induced stereotyped behaviour and social isolation in the rat social interaction test. *Neuroscience and Biobehavioral Reviews* 23(2): 287-93.
- No COC** Sams-Dodd, F. 1998. effects of dopamine agonists and antagonists on pcp-induced stereotyped behaviour and social isolation in the rat social interaction test. *Psychopharmacology* 135(2): 182-93.
- No COC** Sams-Dodd, F. 1998. a test of the predictive validity of animal models of schizophrenia based on phencyclidine and d-amphetamine. *Neuropsychopharmacology* 18(4): 293-304.
- No COC** Sams-Dodd, F. 1998. effects of continuous d-amphetamine and phencyclidine administration on social behaviour, stereotyped behaviour, and locomotor activity in rats. *Neuropsychopharmacology* 19(1): 18-25.
- No COC** Sams-Dodd, F. 1999. phencyclidine in the social interaction test: an animal model of schizophrenia with face and predictive validity. *Reviews in the Neurosciences* 10(1): 59-90.
- No COC** Sams-Dodd Frank(A). 1999. behavioural consequences of (+) mk-801 and pcp neurotoxicity in the rat. *Society for Neuroscience Abstracts*. 25(1-2): 1833.
- No COC** Sanger, D. J. and Jackson, A. 1989. effects of phencyclidine and other n-methyl-d-aspartate antagonists on the schedule-controlled behavior of rats. *Journal of Pharmacology and Experimental Therapeutics* 248(3): 1215-21.
- No COC** Saransaari P(A), Lillrank, S. M., and Oja, S. S. 1993. phencyclidine treatment in mice: effects on phencyclidine binding sites and glutamate uptake in cerebral cortex preparations. *Journal of Neural Transmission General Section* 93(1): 47-59.
- No COC** Sato, D., Umino, A., Kaneda, K., Takigawa, M., and Nishikawa, T. 1997. developmental changes

in distribution patterns of phencyclidine-induced c-fos in rat forebrain. *Neuroscience Letters* 239(1): 21-4.

- No COC** Sauer, D., Nuglisch, J., Rossberg, C., Mennel, H. D., Beck, T., Bielenberg, G. W., and Krieglstein, J. 1988. phencyclidine reduces posts ischemic neuronal necrosis in rat hippocampus without changing blood flow. *Neuroscience Letters* 91(3): 327-32 .
- No COC** Scalzo, F. M. developmental pcp exposure produces long-lasting decreased locomotor responses to pcp and mk-801. *Neurotoxicol Teratol* 1997 May/Jun;19(3):250
- No COC** Scalzo, F. M. developmental phencyclidine (pcp) exposure: sensorimotor effects. *Neurotoxicol Teratol* 1998 May/Jun;20(3):361
- No COC** Scalzo, F. M. 1996. developmental pcp exposure produces decreased locomotor responses to pcp and mk-801. *Society for Neuroscience Abstracts* 22(1-3): 167.
- No COC** Scalzo, F. M. P199, (REF). developmental phencyclidine exposure: in vivo model of nmda-mediated neurotoxicity . *Farm. Vestn. (Ljubljana)* 46 ISS Oct Suppl 1995
- No COC** Scalzo, F. M. and Burge, L. J. 1992. the ontogeny of phencyclidine-induced wall climbing and locomotor activity. *Developmental Psychobiology* 25(8): 597-612.
- No COC** Scalzo, F. M. and Burge, L. J. 1994. the role of nmda and sigma systems in the behavioral effects of phencyclidine in preweanling rats. *Neurotoxicology* 15(1): 191-200.
- No Oral** Scalzo, F. M., Burge, L. J., and Racey, F. D. effects of phencyclidine on spontaneous motor activity. *Neurotoxicol Teratol* 1994 May/Jun;16(3):323
- No COC** Scalzo, F. M. and Holson, R. R. the ontogeny of behavioral sensitization and tolerance to phencyclidine (pcp) and cocaine. *Teratology* 1990 May;41(5):616-7
- No COC** Scalzo, F. M. and Holson, R. R. 1992. the ontogeny of behavioral sensitization to phencyclidine. *Neurotoxicology and Teratology* 14(1): 7-14.
- No COC** Scalzo, F. M., Racey, F. R., and Ali, S. F. developmental effects of phencyclidine and mk-801 on monoamines in rats. *Neurotoxicol Teratol* 1995 May/Jun;17(3):384
- No COC** Scalzo, F. M(A). 1998. developmental phencyclidine (pcp) exposure: sensorimotor and locomotor effects. *Society for Neuroscience Abstracts* 24(1-2): 1971.
- No COC** Scalzo Frank M and Burge Lora J . 1992. the role of nmda receptor blockade in the behavioral effects of pcp in preweanling rats. *Neurotoxicology (Little Rock)* 13(4): 877.
- BioX** Schmatz, D. M., Powles, M., McFadden, D. C., Pittarelli, L. A., Liberator, P. A., and Anderson, J. W. 1991. treatment and prevention of pneumocystis carinii pneumonia and further elucidation of the p. carinii life cycle with 1,3-beta-glucan synthesis inhibitor l-671,329. *Journal of Protozoology* 38(6): 151S-153S.
- Unrel** Schmatz, D. M., Powles, M. A., McFadden, D. C., Pittarelli, L., Balkovec, J., Hammond, M., Zambias, R., Liberator, P., and Anderson, J. 1992. antipneumocystis activity of water-soluble lipopeptide l-693,989 in rats. *Antimicrobial Agents and Chemotherapy* 36(9): 1964-70.
- FL** Schmid, A. deposition kinetics of hexachlorobenzene in the hen's egg including its distribution between the egg white and egg yolk. *Spez. Ber. Kernforschungsanlage Juelich (1979)* : Volume

Date 1978, Juel-Spez-45, Organohalogenverbindungen Umwelt, 219-27.

- FL** Schmitt, H. J., Armstrong, D., and Bernard, E. 1990. [aerosol-pentamidine for pneumocystis carinii pneumonia: development and 4-year personal experiences]. <original> aerosol-pentamidin (ap) gegen die pneumocystis carinii pneumonie (pcp): entwicklung und eigene erfahrungen uber 4 jahre. *Pneumologie* 44(11): 1237-44.
- No COC** Schroeder, U., Schroeder, H., Darius, J., Grecksch, G., and Sabel, B. A. 1998. simulation of psychosis by continuous delivery of phencyclidine from controlled-release polymer implants. *Behavioural Brain Research* 97(1-2): 59-68.
- Unrel** Schwartz Harold L, Ross, M. Elizabeth, and Oppenheimer Jack H(A). 1997. lack of effect of thyroid hormone on late fetal rat brain development. *Endocrinology* 138(8): 3119-3124.
- Abstract** Schwetz, B. A. and Gehring, P. J. 1973. the effect of tetrachlorophenol and pentachlorophenol on rat embryonal and fetal development. *Toxicol. Appl. Pharmacol.* 25(3): 455.
- No COC** Schwetz, B. A., Keeler, P. A., and Gehring, P. J. Effect of Purified and Commercial Grade Tetrachlorophenol on Rat Embryonal and Fetal Development. *Toxicol Appl Pharmacol* 28:146-150,1974
- Dup** Schwetz, B. A., Keeler, P. A., and Gehring, P. J. the effect of purified and commerical grade pentachlorophenol on rat embryonal and fetal development. *Toxicol. Appl. Pharmacol.*28(1): 151-161; 1974(REF:5)
- Abstract** Schwetz, B. A., Quast, J. F., Keeler, P. A., Humiston, C. G., and Kociba, R. J. 1977. chronic toxicity and reproduction studies in rats given pentachlorophenol by dietary route .
- Unrel** Semproni, A. and Wu, J. M. 1983. developmental-changes in (2'-5')p3a43'-[p-32]pcp binding-protein activities in different tissues of mice. *Federation Proceedings* 42: 2051.
- In Vit** Semproni, A. R. and Wu, J. M. ontogeny of 2'-5' oligo adenylate 5' tri phosphate binding protein in mouse brain. *Biochimica Et Biophysica Acta.* 797 (2). 1984. 288-294.
- In Vit** Semproni, A. R. and Wu, J. M. 1984. ontogeny of ppp(a2'p)na-binding protein in mouse brain. *Biochimica Et Biophysica Acta* 797(2): 288-93.
- No COC** Sernagor, Evelyne, Kuhn, Duncan, Vyklicky, Ladislav Jr., and Mayer, Mark L. open channel block of nmda receptor responses evoked by tricyclic antidepressants. *Neuron* (1989) 2(3): 1221-7
- No COC** Shafik, R. M., Soliman, R., El-Hawash, S. A., El-Dardiry, S. A., and Sherby, S. racemic alpha phenyl-beta-3 4-dimethoxyphenethylamines and racemic alpha phenyl-beta-3 4-dihydroxyphenethylamines potential probes for nicotinic acetylcholine receptor-ion channel molecule from torpedo electric organ.. *Journal of Pharmaceutical Sciences.* 76 (10). 1987. 830-833.
- No COC** Shah, A. B., Poiletman, R. M., and Shah, N. S. 1983. the influence of nisoldipine--a "calcium entry blocker" on drug induced stereotyped behavior in rats. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 7(2-3)
- FL** Shamrai, P. F. and Prishchak, A. F. effect of some pesticides on healing of postoperative wounds. *Vrach. Delo* (12): 92-95 1979
- No COC** Shannon, H. E. evaluation of phencyclidine analogs on the basis of their discriminative stimulus properties in the rat. *J PHARMACOL EXP THER.* *Journal of Pharmacology and Experimental*

Therapeutics. 216 (3). 1981. 543-551.

- No COC** Shannon, H. E. pharmacological evaluation of n allyl normetazocine skf-10047 on the basis of its discriminative stimulus properties in the rat. *J PHARMACOL EXP THER. Journal of Pharmacology and Experimental Therapeutics. 225 (1). 1983. 144-152.*
- No COC** Shannon, H. E. 1982. pharmacological analysis of the phencyclidine-like discriminative stimulus properties of narcotic derivatives in rats. *Journal of Pharmacology and Experimental Therapeutics 222(1): 146-51.*
- No COC** Shannon, H. E., McQuinn, R. L., Vaupel, D. B., and Cone, E. J. 1983. effects of cycloalkyl ring analogs of phencyclidine on behavior in rodents. *Journal of Pharmacology and Experimental Therapeutics 224(2): 327-33.*
- In Vit** Shannon, R. D., Boardman, G. D., Dietrich, A. M., and Bevan, D. R. mitochondrial response to chlorophenols as a short-term toxicity assay. *ENVIRON TOXICOL CHEM. Environmental Toxicology and Chemistry. 10 (1). 1991. 57-66.*
- No COC** Sharma, S. 1975. effect of magnesium deficiency on oxidative phosphorylation, mitochondrial swelling and protein synthesis in weanling rats. *Proceedings of the Indian Academy of Sciences, B 82(2): 63-76.*
- No COC** Sharp Frank R, M. D. National Technical Information Service (Ntis). Drug Induced Neurotoxicity. *Fedrip Database*
- No Oral** Sharp, J. W. and Williams, D. S. 1996. effects of sigma ligands on the ability of rimcazole to inhibit pcp hsp70 induction. *Brain Research Bulletin 39(6): 359-66 .*
- Nut def** Shear, H. L., Valladares, G., and Narachi, M. A. 1990. enhanced treatment of pneumocystis carinii pneumonia in rats with interferon-gamma and reduced doses of trimethoprim/sulfamethoxazole. *Journal of Acquired Immune Deficiency Syndromes 3(10): 943-8.*
- No COC** Shelnutt, S. R., Badger, T. M., and Owens, S. M(A). 1996. phencyclidine metabolite irreversible binding in the rat: gonadal steroid regulation and cyp2c11. *Journal of Pharmacology and Experimental Therapeutics 277(1): 292-298.*
- No COC** Shiigi, Y. and Casey, D. E. 1999. behavioral effects of ketamine, an nmda glutamatergic antagonist, in non-human primates. *Psychopharmacology 146(1): 67-72.*
- No COC** Shimizu, E., Shirasawa, H., Kodama, K., Kuroyanagi, H., Shirasawa, T., Sato, T., and Simizu, B. 1997. glutamate dehydrogenase mrna is immediately induced after phencyclidine treatment in the rat brain. *Schizophrenia Research 25(3): 251-8.*
- Alt** Shin S-J(A), Wen J-D, Lee Y-J, Chen I-H, and Tsai J-H. 1998. increased c-type natriuretic peptide mrna expression in the kidney of diabetic rats. *Journal of Endocrinology 158(1): 35-42.*
- No COC** Shinohara, K., Nishikawa, T., Ishii, S., Yamazaki, K., and Takahashi, K. 1989. embryonic and postnatal development of n-(1-[2-thienyl]cyclohexyl)[3h]piperidine binding sites in rat forebrain homogenates and slices. *Neuroscience Letters 107(1-3): 307-12.*
- No Oral** Shore, R. F., Myhill, D. G., and Wright, J. 1996. a comparison of the toxicity to laboratory mice and pipistrelle bats pipistrellus pipistrellus of exposure to remedially-treated timber. *Environ. Toxicol. Chem. 2(2-3): 125-129.*

- No Oral** Shore, R. F. D. G. Myhill M. C. French D. V. Leach and R. E. Stebbings. toxicity and tissue distribution of pentachlorophenol and permethrin in pipistrelle bats experimentally exposed to treated timber. *Environmental Pollution*. 73: 101-118.
- No COC** Shukla, V. K., Bansinath, M., Dumont, M., and Lemaire, S. selective involvement of kappa opioid and phencyclidine receptors in the analgesic and motor effects of dynorphin-a-1-13-tyr-leu-phe-asn-gly-pro. *BRAIN RES. Brain Research*. 591 (1). 1992. 176-180.
- No COC** Shukla Vijay K, Lemaire Simon(A), Dumont Michel, and Merali Zul. 1995. n-methyl-d-aspartate receptor antagonist activity and phencyclidine-like behavioral effects of the pentadecapeptide, (ser-1)histogranin. *Pharmacology Biochemistry and Behavior* 50(1): 49-54.
- No Dose** Shull, L. R., Olson, B. A., Hughes, B. J., Mckenzie, R. M., and Kinzell, J. H. 1986. effect of pentachlorophenol on microsomal mixed-function oxidases in cattle. *Pesticide Biochemistry And Physiology* 25(1): 31-39.
- No COC** Sierocinska, J, Nikolaev, E., Danysz, W., and Kaczmarek, L. 1991. dextrorphan blocks long- but not short-term memory in a passive avoidance task in rats. *European Journal of Pharmacology* 205(1): 109-11.
- FL** Siklosi, V. C., Simon, N., and Koszo, F. die wirkung einiger hexachlorbenzol-katabolite auf den porphyrinstoffwechsel der ratte. [the effect of some hexachlorobenzene catabolites on the porphyrin metabolism of rats.]. *Dermatosen Beruf Umwelt* 29(2): 40-42 1981 (16 References)
- Mix** Silkworth, J. B., Tumasonis, C., Briggs, R. G., Narang, A. S., Narang, R. S., Rej, R., Stein, V., McMartin, D. N., and Kaminsky, L. S. the effects of love canal soil extracts on maternal health and fetal development in rats. *Fundam. Appl. Toxicol. (1986)* 7(3): 471-85.
- No COC** Sills, T. L., Azampanah, A., and Fletcher, P. J. 1999. the adenosine a1 receptor agonist n6-cyclopentyladenosine blocks the disruptive effect of phencyclidine on prepulse inhibition of the acoustic startle response in the rat. *European Journal of Pharmacology* 369(3): 325-9.
- CP** Simon, N., Siklosi, C., and Koszo, F. 1978. influence of environmental factors on porphyrin metabolism. *Diagn. Ther. Porphyrrias Lead Intox. Int. Symp. Clin. Biochem.* Meeting Date 1977, 145-50. Editor(s): Doss, Manfred. Publisher: Springer, Berlin, Fed. Rep. Ger.
- FL** Simon, N., Siklosi, C. s., and Koszo, F. 8454-8458. effect of environmental factors on prophyrin metabolism. *Therapiewoche* 28(44): 8452
- Ferrett** Simpson-Haidaris, P. J., Courtney, M. A., Wright, T. W., Goss, R., Harmsen, A., and Gigliotti, F. 1998. induction of fibrinogen expression in the lung epithelium duringpneumocystis carinii pneumonia. *Infection and Immunity* 66(9): 4431-4439.
- No Oral** Singh, L., Menzies, R., and Tricklebank, M. D. 1990. the discriminative stimulus properties of (+)-ha-966, an antagonist at the glycine/n-methyl-d-aspartate receptor. *European Journal of Pharmacology* 186(1): 129-32.
- No COC** Sircar, R. 1995. repeated postnatal phencyclidine administration in female juvenile rat delays onset of puberty but has no effect on pentylenetetrazol-induced seizure-susceptibility. *Brain Research* 694(1-2): 318-21.
- No COC** Sircar, R., Follesa, P., and Ticku, M. K. 1996. postnatal phencyclidine treatment differentially regulates n-methyl-d-aspartate receptor subunit mrna expression in developing rat cerebral cortex. *Brain Research. Molecular Brain Research* 40(2): 214-20.

- No COC** Sircar, R., He, H. J., and Li, C. S. 1995. chronic postnatal phencyclidine treatment on [3h](+) pentazocine binding in juvenile rat brain. *Brain Research. Developmental Brain Research* 88(2): 224-6.
- No COC** Sircar, R. and He, J. postnatal phencyclidine exposure alters nmda receptor distribution patterns. *Neurotoxicol Teratol* 1994 May/Jun; 16(3):322-3
- No COC** Sircar, R. and Li, C. S. 1994. pcp/nmda receptor-channel complex and brain development. *Neurotoxicology and Teratology* 16(4): 369-75.
- No COC** Sircar, R., Nichtenhauser, R., Ieni, J. R., and Zukin, S. R. characterization and autoradiographic visualization of tritiated dextro skf-10047 binding in rat and mouse brain further evidence for phencyclidine-sigma opiate receptor commonality. *Journal of Pharmacology and Experimental Therapeutics*. 237 (2). 1986. 681-688.
- Unrel** Sircar, R., Samaan, H., Nichtenhauser, R., Snell, L. D., Johnson, K. M., Rivier, J., Vale, W., Zukin, R. S., and Zukin, S. R. 1986. modulation of brain nmda receptors: common mechanism of sigma/pcp receptors and their exogenous and endogenous ligands. *NIDA Research Monograph* 75: 157-60 .
- No Oral** Sircar, R., Veliskova, J., and Moshe, S. L. 1994. chronic neonatal phencyclidine treatment produces age-related changes in pentylenetetrazol-induced seizures. *Brain Research. Developmental Brain Research* 81(2): 185-91.
- HHE** Sircar, R. and Zukin, S. R. 1983. characterization of specific sigma opiate/phencyclidine (pcp)-binding sites in the human brain. *Life Sciences* 33 Suppl 1: 259-62.
- No COC** Sircar, R. and Zukin, S. R. 1983. ontogeny of sigma opiate/phencyclidine-binding sites in rat brain. *Life Sciences* 33 Suppl 1: 255-8.
- No COC** Sisson, D. F., King, L. R., and Moreton, J. E. 1992. effects of polyamines on pcp-induced eeg and behavior in the rat. *Society for Neuroscience Abstracts* 18(1-2): 546.
- No COC** Slawson, M. H., Wilkins, D. G., Foltz, R. L., and Rollins, D. E. 1996. quantitative determination of phencyclidine in pigmented and nonpigmented hair by ion-trap mass spectrometry. *Journal of Analytical Toxicology* 20(6): 350-4.
- No COC** Slifer, B. L., Balster, R. L., and Woolverton, W. L. 1984. behavioral dependence produced by continuous phencyclidine infusion in rhesus monkeys. *Journal of Pharmacology and Experimental Therapeutics* 230(2): 399-406.
- No COC** Snell, L. D. and Johnson, K. M. 1985. antagonism of n-methyl-d-aspartate-induced transmitter release in the rat striatum by phencyclidine-like drugs and its relationship to turning behavior. *Journal of Pharmacology and Experimental Therapeutics* 235(1): 50-7.
- No COC** Snell, L. D., Johnson, K. M., Yi, S. J., Lessor, R. A., Rice, K. C., and Jacobson, A. E. 1987. phencyclidine (pcp)-like inhibition of n-methyl-d-aspartate-evoked striatal acetylcholine release, h-tcp binding and synaptosomal dopamine uptake by metaphit, a proposed pcp receptor acylator. *Life Sciences* 41(24): 2645-54.
- No COC** Soine, W. H., Balster, R. L., Berglund, K. E., Martin, C. D., and Agee, D. T. 1982. identification of a new phencyclidine analog, 1-(1-phenylcyclohexyl)-4-methylpiperidine, as a drug of abuse. *Journal of Analytical Toxicology* 6(1): 41-3.

- No COC** Solomon, R. E., Herling, S., and Woods, J. H. 1982. discriminative stimulus effects of monohydroxylated phencyclidine metabolites in rhesus monkeys. *European Journal of Pharmacology* 82(3-4): 233-7.
- No COC** Sorensen, R. G. and Blaustein, M. P. m azidophencyclidine covalently labels the rat brain pcp receptor a putative potassium channel. *J NEUROSCI. Journal of Neuroscience.* 6 (12). 1986. 3676-3681.
- No COC** Spain, J. W. and Klingman, G. I. 1985. continuous intravenous infusion of phencyclidine in unrestrained rats results in the rapid induction of tolerance and physical dependence. *Journal of Pharmacology and Experimental Therapeutics* 234(2): 415-24.
- No COC** Spain, J. W., Klingman, G. I., and Hruska, R. E. tritiated spiperone binding in the rat striatum during the development of physical dependence on phencyclidine and after withdrawal. *Neuroscience Letters.* 58 (1). 1985. 67-72.
- No COC** Spain, J. W., Klingman, G. I., and Hruska, R. E. 1985. [3h]spiperone binding in the rat striatum during the development of physical dependence on phencyclidine and after withdrawal. *Neuroscience Letters* 58(1): 67-72.
- Acu** St. Omer, Vincent E. V. and Gadusek, Frank. the acute oral ld50 of technical pentachlorophenol in developing rats. *Environ. Toxicol. Chem. (1987)* 6(2): 147-9.
- No COC** Stafford, I., Tomie, A., and Wagner, G. C. effects of skf-10047 racemic n allyl normetazocine in the phencyclidine dependent rat evidence for common receptor mechanisms. *Drug and Alcohol Dependence.* 12 (2). 1983. 151-156.
- No COC** Stafford, I., Tomie, A., and Wagner, G. C. 1983. effects of skf-10047 in the phencyclidine-dependent rat: evidence for common receptor mechanisms. *Drug and Alcohol Dependence* 12(2): 151-6.
- In Vit** Stanker, L. H., Watkins, B., Rogers, N., and Vanderlaan, M. 1987. monoclonal antibodies for dioxin: antibody characterization and assay development. *Toxicology* 45(3): 229-43.
- No COC** Steinfels, G. F., Alberici, G. P., Tam, S. W., and Cook, L. 1988. biochemical, behavioral, and electrophysiologic actions of the selective sigma receptor ligand (+)-pentazocine. *Neuropsychopharmacology* 1(4): 321-7.
- No COC** Steinfels, G. F., Tam, S. W., and Cook, L. 1987. discriminative stimulus properties of (+)-n-allylnormetazocine in the rat: correlations with (+)-n-allylnormetazocine and phencyclidine receptor binding. *Psychopharmacology* 91(1): 5-9.
- No COC** Steinpreis, R. E., Longyhore, C., and Salamone, J. D. behavioral characterization of pcp-induced changes in rat social behavior a possible model of schizophrenic Symptoms. *20th Annual Meeting of the Society for Neuroscience, St. Louis, Missouri, Usa, October 28-november 2, 1990. Soc Neurosci Abstr.* 16 (1). 1990. 582.
- No COC** Steinpreis, R. E., Mahan, K. J., Reser, D. J., and Salamone, J. D. pcp-induced abnormal social behavior possible relation to schizophrenic Pharmacology. *Ninety-ninth Annual Convention of the American Psychological Association, Division of Psychopharmacology and Substance Abuse (Division 28), San Francisco, California, Usa, August 16-20, 1991. Pharmacol Biochem Behav.* 39 (1). 1991. 246.
- No COC** Steinpreis, R. E. and Salamone, J. D. 1993. the role of nucleus accumbens dopamine in the

neurochemical and behavioral effects of phencyclidine: a microdialysis and behavioral study. *Brain Research* 612(1-2): 263-70.

- No COC** Steinpreis, R. E., Sokolowski, J. D., Papanikolaou, A., and Salamone, J. D. 1994. the effects of haloperidol and clozapine on pcp- and amphetamine-induced suppression of social behavior in the rat. *Pharmacology, Biochemistry, and Behavior* 47(3): 579-85.
- No COC** Steinpreis Rhea E(A), Anders Katie A, Branda Emily M, and Kruschel Catherine K. 1999. the effects of atypical antipsychotics and phencyclidine (pcp) on rotorod performance. *Pharmacology Biochemistry and Behavior* 63(3): 387-394.
- Gene** Stevens, K. E. genetic analysis of sensory gating. *Crisp Data Base National Institutes Of Health*
- In Vit** Stewart, Fraser P. and Smith, Andrew G. metabolism and covalent binding of hexachlorobenzene by isolated male and female rat hepatocytes. *Biochem. Pharmacol. (1987)* 36(13): 2232-4 .
- No COC** Stringer, J. L. and Guyenet, P. G. 1982. effect of phencyclidines on hippocampal pyramidal cells. *Brain Research* 252(2): 343-52.
- No COC** Sturgeon, R. D., Fessler, R. G., London, S. F., and Meltzer, H. Y. 1981. a comparison of the effects of neuroleptics on phencyclidine-induced behaviors in the rat. *European Journal of Pharmacology* 76(1): 37-53.
- No COC** Sturgeon, R. D., Fessler, R. G., London, S. F., and Meltzer, H. Y. 1982. behavioral effects of chronic phencyclidine administration in rats. *Psychopharmacology* 76(1): 52-6.
- No COC** Subramanyam, C., Mallamo, J. P., Dority, J. A. Jr, Earley, W. G., Kumar, V., Aimone, L. D., Ault, B., Miller, M. S., Luttinger, D. A., and DeHaven-Hudkins, D. L. 1995. discovery of 6,11-ethano-12,12-diaryl-6,11-dihydrobenzo[b]quinolininium cations, a novel class of n-methyl-d-aspartate antagonists. *Journal of Medicinal Chemistry* 38(1): 21-7.
- BioX** Sukura, A. 1995. trophozoite-to-cyst ratio increases during recovery from pneumocystis carinii pneumonia in rats. *APMIS* 103(4): 300-6.
- Diss** Sukura Antti and <Book> Sukura A: Author. 1995. pneumocystis carinii in a rat model. <Book> *Pneumocystis Carinii in a Rat Model* : 85p.
- Diss** Sun, X., Kovacs, K., and Larson, A. A. 1992. evidence that the n- but not the c-terminus of substance p (sp) potentiates non-nmda activity by an interaction with pcp receptors. *Society for Neuroscience Abstracts* 18(1-2): 271.
- No COC** Sun Xiaofeng and Larson Alice A(A). 1993. mk-801 inhibits the effects of capsaicin in the adult mouse by an action involving phencyclidine (pcp) sites not linked to nmda activity. *Neuroreport* 4(10): 1147-1150.
- No COC** Svensson L(A), Watson, J., Jackson, D. M., and Johansson, C. 1997. nitric oxide synthase (nos) inhibition blocks phencyclidine (pcp)-induced effects on prepulse inhibition of acoustic startle (ppi) and locomotor activity in rats. *Society for Neuroscience Abstracts* 23(1-2): 1497.
- No COC** Svensson, T. H., Mathe, J. M., Andersson, J. L., Nomikos, G. G., Hildebrand, B. E., and Marcus, M. 1995. mode of action of atypical neuroleptics in relation to the phencyclidine model of schizophrenia: role of 5-ht2 receptor and alpha 1-adrenoceptor antagonism [corrected] [published erratum appears in j clin psychopharmacol 1995 apr;15(2):154]. *Journal of Clinical Psychopharmacology* 15(1 Suppl 1): 11S-18S.

- No Oral** Swedberg Michael D B(A), Jacobsen Poul, and Honore Tage. 1995. anticonvulsant, anxiolytic and discriminative effects of the ampa antagonist 2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(f)quinoxaline (nbqx). *Journal of Pharmacology and Experimental Therapeutics* 274(3): 1113-1121.
- No COC** Swerdlow Neal R(A), Bakshi Vaishali, and Geyer Mark A. 1996. seroquel restores sensorimotor gating in phencyclidine-treated rats. *Journal of Pharmacology and Experimental Therapeutics* 279(3): 1290-1299.
- No COC** Szekely, J. I., Sharpe, L. G., and Jaffe, J. H. 1991. dextromethorphan inhibits but dextrorphan potentiates behavior induced by pcp and ketamine in rats. *NIDA Research Monograph* 105: 341-4.
- No COC** Szekely, J. I., Sharpe, L. G., and Jaffe, J. H. 1991. induction of phencyclidine-like behavior in rats by dextrorphan but not dextromethorphan. *Pharmacology, Biochemistry, and Behavior* 40(2): 381-6.
- No COC** Szekely, J. I., Sharpe, L. G., and Katz, J. L. 1994. effects of caramiphen and phencyclidine alone and in combination on behavior in the rat. *Pharmacology, Biochemistry, and Behavior* 47(3): 709-13.
- No Oral** Takeno, S. and Sakai, T. effects of pentachlorophenol on nitrazepam-induced teratogenicity in rats. *Teratology* 1991 Dec;44(6):36B
- Abstract** Takizawa, Y. law concerning the examination and registration of manufactures ect., chemical substances and its progressive state of the control chemicals in japan. *Mutat. Res.* 54(2): 228-229 1978
- No COC** Tamminga, C. A., Holcomb, H. H., Gao, X. M., and Lahti, A. C. 1995. glutamate pharmacology and the treatment of schizophrenia: current status and future directions. *International Clinical Psychopharmacology* 10 Suppl 3: 29-37.
- No COC** Tamminga, C. A., Tanimoto, K., Kuo, S., Chase, T. N., Contreras, P. C., Rice, K. C., Jackson, A. E., and O'Donohue, T. L. 1987. pcp-induced alterations in cerebral glucose utilization in rat brain: blockade by metaphit, a pcp-receptor-acylating agent. *Synapse* 1(5): 497-504.
- Herp** Tanaka, H. summary of the studies in fundamental research division. *SNAKE. Snake.* 10 (1). 1978 5-24.
- No COC** Tang, A. H., Cangelosi, A. A., Code, R. A., and Franklin, S. R. 1984. phencyclidine-like behavioral effects of 2-methyl-3,3-diphenyl-3-propanolamine (2-mdp). *Pharmacology, Biochemistry, and Behavior* 20(2): 209-13.
- No COC** Tang, A. H. and Franklin, S. R. 1983. disruption of brightness discrimination in a shock avoidance task by phencyclidine and its antagonism in rats. *Journal of Pharmacology and Experimental Therapeutics* 225(3): 503-8.
- No Oral** Tanii, Y., Nishikawa, T., Hashimoto, A., and Takahashi, K. 1994. stereoselective antagonism by enantiomers of alanine and serine of phencyclidine-induced hyperactivity, stereotypy and ataxia in the rat. *Vol. 269, No. 3, Pp. 1040-1048 J. Pharmacol. Exp. Ther.*
- No COC** Tanii, Y., Nishikawa, T., Umino, A., and Takahashi, K. phencyclidine increases extracellular dopamine metabolites in rat medial frontal cortex as measured by in-vivo dialysis. *Neuroscience Letters.* 12 (2-3). 1990. 318-323.

- No COC** Thomas, B. F., Lyddane, J. E., and Martin, B. R. 1986. modification of behavioral effects and biodisposition of phencyclidine in rats by ammonium chloride. *Journal of Pharmacology and Experimental Therapeutics* 239(1): 48-54.
- No COC** Thompson, D. M. and Moerschbaecher, J. M. phencyclidine in combination with dextro amphetamine differential effects on acquisition and performance of response chains in monkeys. *Pharmacology Biochemistry and Behavior*. 20 (4). 1984. 619-628.
- No COC** Thompson Lucien T(A) and Disterhoft John F. 1997. n-methyl-d-aspartate receptors in associative eyeblink conditioning: both mk-801 and phencyclidine produced task-and dose-dependent impairments. *Journal of Pharmacology and Experimental Therapeutics* 281(2): 928-940.
- No Oral** Tomic, M., Vukosavic, S., and Joksimovic, J. 1997. acute amphetamine and/or phencyclidine effects on the dopamine receptor specific binding in the rat brain. *European Neuropsychopharmacology* 7(4): 295-301.
- Diss** Tortella, F. C., Echevarria, E., and Robles, L. pretreatment with dextromethorphan antagonizes the anticonvulsant-proconvulsant actions of pcp-sigma-dm site Ligands. *20th Annual Meeting of the Society for Neuroscience, St. Louis, Missouri, Usa, October 28-november 2, 1990. Soc Neurosci Abstr.* 16 (2). 1990. 1324.
- Phys** Tortella, F. C., Robles, L., Witkin, J. M., and Newman, H. 1994. *Novel Anticonvulsant Analogs of Dextromethorphan: Improved Efficacy, Potency, Duration and Side-Effect Profile* : 8p.
- Acu** Toyama, T. and Takasawa, Y. 1971. cnp (mo). *Noyaku Seisan Gijutsu* 23: 1-14.
- No COC** Tricklebank, M. D., Singh, L., Oles, R. J., Preston, C., and Iversen, S. D. 1989. the behavioural effects of mk-801: a comparison with antagonists acting non-competitively and competitively at the nmda receptor. *European Journal of Pharmacology* 167(1): 127-35.
- No Oral** Tsutsumi, T., Hirano, M., Matsumoto, T., Nakamura, K., Hashimoto, K., Hondo, H., Yonezawa, Y., Tsukashima, A., Nakane, H., Uchimura, H., and et, a. l. 1995. involvement of dopamine d1 receptors in phencyclidine-induced behavioral stimulation in rats. *Clinical Neuropharmacology* 18(1): 64-71.
- No COC** Turgeon, S. M(A), Auerbach, E. A(A), and George, J. R(A). 1999. the delayed effects of the sigma receptor agonist dtg and the nmda receptor antagonist mk-801 on latent inhibition in a conditioned taste aversion paradigm. *Society for Neuroscience Abstracts* 25(1-2): 61.
- No COC** Turgeon Sarah M(A), Auerbach Eliza A, and Heller Michael A. 1998. the delayed effects of phencyclidine (pcp) disrupt latent inhibition in a conditioned taste aversion paradigm. *Pharmacology Biochemistry and Behavior* 60(2): 553-558.
- No COC** Tyler, C. B. and Miczek, K. A. 1982. effects of phencyclidine on aggressive behavior in mice. *Pharmacology, Biochemistry, and Behavior* 17(3): 503-10.
- FL** Umegaki, K. and Ichikawa, T. Influences of Food Restriction on Metabolism and Accumulation of Pentachlorobenzene, and on Hepatic Drug-metabolizing Enzymes in Rats. *J Food Hyg Soc Jpn*; 31 (3). 1990. 227-232.
- FL** Umegaki, K. and Ichikawa, T. Involvement of Adipose Tissue in Metabolism and in Accumulation of Pentachlorobenzene in Rats: Comparison with Young and Adult Rats. *J Food Hyg Soc Jpn*; 31 (6). 1990. 485-490.

- No COC** Umegaki, K. and Ichikawa, T. 1989. effects of cholesterol feeding on the distribution, metabolism, and accumulation of pentachlorobenzene in rats. *Journal of Nutritional Science and Vitaminology* 35(4): 291-301.
- No COC** Umegaki, Keizo and Ichikawa, Tomio. effects of cholesterol feeding on the distribution, metabolism, and accumulation of pentachlorobenzene in rats. *J. Nutr. Sci. Vitaminol. (1989)* 35(4): 291-301
- No COC** Umegaki, Keizo and Ikegami, Sachie. feeding fish oil to rats accelerates the metabolism of hexachlorobenzene. *J. Nutr. Sci. Vitaminol. (1998)* 44(2): 301-311.
- No COC** Umegaki, Keizo, Ikegami, Sachie, and Ichikawa, Tomio. effects of restricted feeding on the absorption, metabolism, and accumulation of pentachlorobenzene in rats. *J. Nutr. Sci. Vitaminol. (1993)* 39(1): 11-22.
- Metab** Umegaki, Keizo, Ikegami, Sachie, and Ichikawa, Tomio. fish oil enhances pentachlorobenzene metabolism and reduces its accumulation in rats. *J. Nutr. (1995)* 125(1): 147-53.
- Gene** Umemura, T., Sai-Kato, K., Takagi, A., Hasegawa, R., and Kurokawa, Y. 1996. oxidative dna damage and cell proliferation in the livers of b6c3f1 mice exposed to pentachlorophenol in their diet. *Fundamental and Applied Toxicology* 30(2): 285-9.
- No COC** Umino Asami, Takahashi Kiyoshia, and Nishikawa Toru(A). 1998. characterization of the phenicyclidine-induced increase in prefrontal cortical dopamine metabolism in the rat. *British Journal of Pharmacology* 124(2): 377-385.
- No COC** Vadlamani, N. L., Pontani, R. B., and Misra, A. L. 1982. effect of acute and chronic ethanol pretreatment on the disposition of phencyclidine (pcp) in the rat. *Pharmacology, Biochemistry, and Behavior* 16(5): 847-50.
- No COC** Valentine, J. L., Arnold, L. W., and Owens, S. M. 1994. anti-phencyclidine monoclonal fab fragments markedly alter phencyclidine pharmacokinetics in rats. *Journal of Pharmacology and Experimental Therapeutics* 269(3): 1079-85.
- No COC** Valentine, J. L., Mayersohn, M., Wessinger, W. D., Arnold, L. W., and Owens, S. M. 1996. antiphencyclidine monoclonal fab fragments reverse phencyclidine-induced behavioral effects and ataxia in rats. *Journal of Pharmacology and Experimental Therapeutics* 278(2): 709-16.
- No COC** Valentine, J. L. and Owens, S. M. 1996. antiphencyclidine monoclonal antibody therapy significantly changes phencyclidine concentrations in brain and other tissues in rats. *Journal of Pharmacology and Experimental Therapeutics* 278(2): 717-24.
- No COC** Valentine, J. L., Wessinger, W. D., and Owens, S. M. 1994. anti-phencyclidine monoclonal fab fragments dramatically decrease phencyclidine (pcp) neurotoxicity in sprague-dawley (sd) rats. *Society for Neuroscience Abstracts* 20(1-2): 1046.
- Acu** van Raaij, J. A. G. M., Frijters, C. M. G., Wong Yen Kong, L., van den Berg, K. J., and Notten, W. R. F. reduction of thyroxine uptake into cerebrospinal fluid and rat brain by hexachlorobenzene and pentachlorophenol. *Toxicology (1994)* 94(1-3): 197-208.
- BioX** Vargas, S. L., Hughes, W. T., Wakefield, A. E., and Oz, H. S. 1995. limited persistence in and subsequent elimination of pneumocystis carinii from the lungs after p. carinii pneumonia. *Journal of Infectious Diseases* 172(2): 506-10.

- No COC** Varty Geoffrey B(A), Bakshi Vaishali P, and Geyer Mark A. 1999. m100907, a serotonin 5-ht2a receptor antagonist and putative antipsychotic, blocks dizocilpine-induced prepulse inhibition deficits in sprague-dawley and wistar rats. *Neuropsychopharmacology* 20(4): 311-321.
- Unrel** Vassileva, G., Smeyne, R. J., and Morgan, J. I. 1997. absence of neuroanatomical and behavioral deficits in 17/pcp-2-null mice. *Brain Research. Molecular Brain Research* 46(1-2): 333-7.
- No COC** Vaupel, D. B. 1983. naltrexone fails to antagonize the sigma effects of pcp and skf 10,047 in the dog. *European Journal of Pharmacology* 92(3-4): 269-74.
- No COC** Vaupel, D. B., McCoun, D., and Cone, E. J. 1984. phencyclidine analogs and precursors: rotarod and lethal dose studies in the mouse. *Journal of Pharmacology and Experimental Therapeutics* 230(1): 20-7.
- No COC** Vaupel, D. B., Risner, M. E., and Shannon, H. E. 1986. pharmacologic and reinforcing properties of phencyclidine and the enantiomers of n-allylnormetazocine in the dog. *Drug and Alcohol Dependence* 18(2): 173-94.
- No COC** Verebey, K., Kogan, M. J., and Mule, S. J. 1981. phencyclidine-induced stereotype in rats: effects of methadone, apomorphine, and naloxone. *Psychopharmacology* 75(1): 44-7.
- Surv** Vermeer, Kees, Risebrough, Robert W., Spaans, Arie L., and Reynolds, Lincoln M. pesticide effects on fishes and birds in rice fields of surinam, south america. *Environ. Pollut. (1974)* 7(3): 217-36.
- No COC** Vignon, J., Privat, A., Chaudieu, I., Thierry, A., Kamenka J-M, and Chicheportiche, R. tritiated thienylphencyclidine binds to two different sites in rat brain localization by autoradiographic and biochemical techniques. *Brain Research.* 378 (1). 1986. 133-141.
- No COC** Vignon, J., Privat, A., Chaudieu, I., Thierry, A., Kamenka, J. M., and Chicheportiche, R. 1986. [3h]thienyl-phencyclidine ([3h]tcp) binds to two different sites in rat brain. localization by autoradiographic and biochemical techniques. *Brain Research* 378(1): 133-41.
- Prim** Vollner, L. and Korte, F. fingerprint analyses of plant and animal tissues with respect to the occurrence of foreign compounds. *Int. J. Environ. Anal. Chem. (1980)* 7(3): 191-204
- No COC** Wachi, M., Okuda, M., Togashi, S., Fuwano, S., and Miyashita, O. 1985. effects of phencyclidine administration on behavior and brain neurotensin-like immunoreactivity in rats. *Brain Research* 333(2): 393-6.
- No COC** Wagner, G. C., Franko, C. M., and Tomie, A. 1984. interactions of naloxone and haloperidol with phencyclidine: effects on milk intake. *Pharmacology, Biochemistry, and Behavior* 20(3): 379-82.
- BioX** Wakefield, A. E., Stringer, J. R., Tamburrini, E., and Dei-Cas, E. 1998. genetics, metabolism and host specificity of pneumocystis carinii. *Medical Mycology* 36 Suppl 1: 183-93.
- No Oral** Wang, C., Showalter, V. M., Hillman, G. R., and Johnson, K. M. 1999. chronic phencyclidine increases nmda receptor nr1 subunit mrna in rat forebrain. *Journal of Neuroscience Research* 55(6): 762-9.
- No COC** Wang Cheng and Johnson Kenneth M. 1997. age- and sex-dependency of phencyclidine-induced behavioral sensitization. *Society for Neuroscience Abstracts* 23(1-2): 1093.
- No COC** Wang Rex Y(A) and Liang Xiaofu. 1998. m100907 and clozapine, but not haloperidol or

raclopride, prevent phencyclidine-induced blockade of nmda responses in pyramidal neurons of the rat medial prefrontal cortical slice. *Neuropsychopharmacology* 19(1): 74-85.

- No COC** Wang, Y., Palmer, M., Freedman, R., Hoffer, B., Mattson, M. V., Lessor, R. A., Rice, K. C, and Jacobson, A. E. antagonism of phencyclidine action by metaphit in rat cerebellar purkinje neurons an electrophysiological study. *PROC NATL ACAD SCI U S A. Proceedings of the National Academy of Sciences of the United States of America.* 83 (8). 1986. 2724-2727.
- No COC** Wang, Y., Palmer, M. R., Freedman, R., Rice, K. C., Lessor, R. A., Jacobson, A. E., and Hoffer, B. J. 1986. electrophysiological interactions of isomers of cyclazocine with the phencyclidine antagonist metaphit in rat cerebellar purkinje neurons. *Journal of Neuroscience* 6(11): 3189-96.
- Gene** Wang, Y.-J. and Lin, J.-K. estimation of selected phenols in drinking water with in situ acetylation and study on the dna damaging properties of polychlorinated phenols. *Arch. Environ. Contam. Toxicol.* (1995) 28(4): 537-42
- No COC** Wardley-Smith, B. and Wann, K. T. 1989. the effects of non-competitive nmda receptor antagonists on rats exposed to hyperbaric pressure. *European Journal of Pharmacology* 165(1): 107-12.
- No COC** Weatherspoon John K, Gonzalez-Alvear Grace M, Frank Alison R, and Werling Linda L(A). 1996. regulation of (3h)dopamine release from mesolimbic and mesocortical areas of guinea pig brain by sigma receptors. *Schizophrenia Research* 21(1): 51-62.
- In Vit** Weik, R. R. and John, D. T. CS Dep. of Microbiol. MCV Station Box Richmond Virginia 23298 USA. 1979. preparation and properties of mitochondria from naegleria gruberi. *Journal of Protozoology* 26(2): 311-318.
- No COC** Weiner, I. and Feldon, J. 1992. phencyclidine does not disrupt latent inhibition in rats: implications for animal models of schizophrenia. *Pharmacology, Biochemistry, and Behavior* 42(4): 625-31.
- No COC** Weissman, A. D., Dam, M., and London, E. D. 1987. alterations in local cerebral glucose utilization induced by phencyclidine. *Brain Research* 435(1-2): 29-40.
- Unrel** Welsh, J. J., Collins, T. F. 10th, Black, T. N., Graham, S. L., and O'donnell, M. W. Jr. Teratogenic Potential of Purified Pcp and Pca in Subchronically Exposed Sprague-dawley Rats. *J Am Coll Toxicol* 4(6):372-373,1985
- No COC** Wenger, G. R. drugs of abuse and memory function--sites of action. *Crisp Data Base National Institutes Of Health*
- No COC** Wenger, G. R. tolerance to phencyclidine in pigeons cross tolerance to ketamine. *Journal of Pharmacology and Experimental Therapeutics.* 225 (3). 1983. 646-652.
- No COC** Wessinger, W. D. 1987. behavioral dependence on phencyclidine in rats. *Life Sciences* 41(3): 355-60.
- No COC** Wessinger, W. D. and Balster, R. L. 1987. interactions between phencyclidine and central nervous system depressants evaluated in mice and rats. *Pharmacology, Biochemistry, and Behavior* 27(2): 323-32.
- Abstract** Wessinger, W. D. and Healey, C. M. behavioral dependence in rats following 10-day iv infusions of low doses of phencyclidine Pcp. *73rd Annual Meeting of the Federation of American Societies for Experimental Biology, New Orleans, Louisiana, Usa, March 19-23, 1989. Faseb (Fed Am Soc Exp Biol) J.* 3 (3). 1989. A722.

- No COC** Wessinger, W. D. and Owens, S. M. 1991. phencyclidine dependence: the relationship of dose and serum concentrations to operant behavioral effects. *Journal of Pharmacology and Experimental Therapeutics* 258(1): 207-15.
- No COC** Wessinger William D. 1995. sexual dimorphic effects of chronic phencyclidine in rats. *European Journal of Pharmacology* 277(1): 107-112.
- No COC** White, I. M., Flory, G. S., Hooper, K. C., Speciale, J., Banks, D. A., and Rebec, G. V. 1995. phencyclidine-induced increases in striatal neuron firing in behaving rats: reversal by haloperidol and clozapine. *Journal of Neural Transmission* 102(2): 99-112.
- No COC** White, I. M., Flory, G. S., Speciale, L., and Rebec, G. V. 1994. both typical and atypical neuroleptics block phencyclidine (pcp)-induced striatal and behavioral excitation in freely moving rats. *Society for Neuroscience Abstracts* 20(1-2): 1622 .
- No COC** White, J. M. and Holtzman, S. G. further characterization of the 3 choice morphine cyclazocine and saline discrimination paradigm opioids with agonist and antagonist properties. *Journal of Pharmacology and Experimental Therapeutics*. 224 (1). 1983. 95-99.
- No COC** White, J. M. and Holtzman, S. G. 1983. three-choice drug discrimination: phencyclidine-like stimulus effects of opioids. *Psychopharmacology* 80(1): 1-9.
- Unrel** Whyzmuzis Carol A, Wu Joseph M(A), and Danishefsky Isidore. 1993. changes in proteoglycan core protein (pcp) mrna levels during hl-60 cell differentiation. *Biochemical and Biophysical Research Communications* 194(1): 118-125.
- No COC** Wiley, J. L. 1993. effect of repeated haloperidol administration on phencyclidine (pcp) discrimination in rats. *Society for Neuroscience Abstracts* 19(1-3): 1624 .
- No COC** Wiley, J. L. 1998. nitric oxide synthase inhibitors attenuate phencyclidine-induced disruption of prepulse inhibition. *Neuropsychopharmacology* 19(1): 86-94.
- No COC** Wiley, J. L. and Balster, R. L. 1994. effects of competitive and non-competitive n-methyl-d-aspartate (nmda) antagonists in squirrel monkeys trained to discriminate d-cppene (sdz eaa 494) from vehicle. *Psychopharmacology* 116(3): 266-72.
- No COC** Wiley, J. L(A), Kogut, C. P(A), and Witherell, J. R(A). 1999. effects of acute and repeated dosing with pcp on locomotion in nnos knockout mice. *Society for Neuroscience Abstracts*. 25(1-2): 946.
- No COC** Wiley Jenny L. 1994. clozapine's effects on phencyclidine-induced disruption of prepulse inhibition of the acoustic startle response. *Pharmacology Biochemistry and Behavior* 49(4): 1025-1028.
- No COC** Wiley Jenny L. 1995. effect of repeated haloperidol administration on phencyclidine discrimination in rats. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 19(4): 699-711.
- No COC** Wiley Jenny L(A), Li Hua, and Balster Robert L. 1997. discriminative stimulus effects of site-selective n-methyl-d-aspartate antagonists in npc 17742-trained rats and squirrel monkeys. *Psychopharmacology* 132(4): 382-388.
- No COC** Williams Keith L(A), Pakarinen Eric D, and Woods James H. 1999. quadazocine decreases responding reinforced by ethanol, sucrose, and phencyclidine fluid deliveries in rhesus monkeys: comparison to naltrexone's effects. *Psychopharmacology* 144(4): 316-322.

- No Oral** Winter, J. C., Helsley, S. E., and Rabin, R. A. 1998. the discriminative stimulus effects of ka 672, a putative cognitive enhancer: evidence for a 5-ht1a component. *Pharmacology, Biochemistry, and Behavior* 60(3): 703-7.
- No COC** Witkin, J. M., Steele, T. D., and Sharpe, L. G. 1997. effects of strychnine-insensitive glycine receptor ligands in rats discriminating dizocilpine or phencyclidine from saline. *Journal of Pharmacology and Experimental Therapeutics* 280(1): 46-52.
- No COC** Wlaz, P., Ebert, U., Potschka, H., and Loscher, W. 1998. electrical but not chemical kindling increases sensitivity to some phencyclidine-like behavioral effects induced by the competitive nmda receptor antagonist d-cppene in rats. *European Journal of Pharmacology* 353(2-3): 177-89.
- No COC** Woods, J. H., Koek, W., and Ornstein, P. a preliminary study of pcp-like behavioral effects of 2 amino-5-phosphonovalerate in rhesus monkeys. *Hicks, T. P., D. Lodge and H. McLennan (Ed.). Neurology and Neurobiology, Vol. 24. Excitatory Amino Acid Transmission; Satellite Symposium to the 30th Congress of the International Union of Physiological Sciences, Banff, Alberta, Canada, July 20-23, 1986. Xxv+426p. Alan R. Liss, Inc.: New York, New York, Usa. Illus. ISBN 0-8451-2726-8. 0 (0). 1987. 205-212.*
- Diss** Woods, J. H., Koek, W., and Weber, E. behavioral similarity of di-o-tolylguanidine dtg a selective ligand for a Haloperidol-sensitive Sigma Binding Site to Phencyclidine Pcp in Rats Pigeons and Rhesus Monkeys. *Second Usa-french Sponsored International Seminar on Sigma Opioid/phencyclidine-like Compounds as Molecular Probes in Biology, Ann Arbor, Michigan, Usa, June 29-july 2, 1987. Pharmacol Biochem Behav. 28 (1). 1987. 144.*
- No COC** Woodworth, J. R., Mayersohn, M., and Owens, S. M. 1984. quantitative analysis of phencyclidine and metabolites by capillary column gas chromatography. *Journal of Analytical Toxicology* 8(1): 2-6.
- No COC** Woodworth, J. R., Mayersohn, M., and Owens, S. M. 1986. disposition kinetics of the monohydroxy metabolites of phencyclidine in the dog. *Journal of Pharmacology and Experimental Therapeutics* 238(3): 900-4.
- No COC** Woodworth, J. R., Owens, S. M., and Mayersohn, M. phencyclidine disposition kinetics in dogs as a function of dose and route of administration. *Journal of Pharmacology and Experimental Therapeutics. 234 (3). 1985. 654-661.*
- No COC** Woolverton, W. L., Martin, B. R., and Balster, R. L. 1980. modification of the behavioral effects of phencyclidine by repeated drug exposure and body weight changes. *Pharmacology, Biochemistry, and Behavior* 12(5): 761-6.
- No COC** Wozniak, D. F(A), Dikranian, K., Ishimaru, M. J., Tenkova, T., Ikonomidou, C., and Olney, J. W. 1998. histological characterization of apoptotic neurodegeneration induced in the developing rat cns by alcohol and pcp. *Society for Neuroscience Abstracts* 24(1-2): 2168.
- No Oral** Wu, D., Otton, S. V., Kalow, W., and Sellers, E. M. 1995. effects of route of administration on dextromethorphan pharmacokinetics and behavioral response in the rat. *Vol. 274, No. 3, Pp. 1431-1437 J. Pharmacol. Exp. Ther.*
- No COC** Wyatt, L. M. and Norman, A. B. The Nmda Receptor Does Not Mediate the Behavioral Effects of Pcp. *21st Annual Meeting of the Society for Neuroscience, New Orleans, Louisiana, Usa, November 10-15, 1991. Soc Neurosci Abstr. 17 (1-2). 1991. 589.*
- No COC** Xu, X. and Domino, E. F. 1997. cross-sensitization between phencyclidine and (-) but not (+)

pentazocine. *Pharmacology, Biochemistry, and Behavior* 56(2): 205-10.

- No COC** Xu, Xiaojuan and Domino, E. F. 1994. phencyclidine-induced behavioral sensitization. *Vol. 47, No. 3, Pp. 603-608 Pharmacol. Biochem. Behav.*
- No COC** Yamaguchi, K., Nabeshima, T., Amano, M., Yoshida, S., Furukawa, H., and Kameyama, T. 1985. phencyclidine-induced dopamine-dependent behaviors in chronic haloperidol-treated rats. *Pharmacology, Biochemistry, and Behavior* 23(5): 803-9.
- No COC** Yamaguchi, K., Nabeshima, T., and Kameyama, T. 1986. potentiation of phencyclidine-induced dopamine-dependent behaviors in rats after pretreatments with serotonin-depletors. *Journal of Pharmacobio-Dynamics* 9(5): 479-89.
- No COC** Yamaguchi, K., Nabeshima, T., and Kameyama, T. 1986. role of dopaminergic and gabaergic mechanisms in discrete brain areas in phencyclidine-induced locomotor stimulation and turning behavior. *Journal of Pharmacobio-Dynamics* 9(12): 975-86.
- No COC** Yamaguchi, K., Nabeshima, T., and Kameyama, T. 1986. role of dopaminergic and serotonergic neuronal systems in the prefrontal cortex of rats in phencyclidine-induced behaviors. *Journal of Pharmacobio-Dynamics* 9(12): 987-96.
- No COC** Yamamoto, H., Sagi, N., Yamamoto, T., Goji, Y., Okuwa, M., Yoshii, M., and Moroji T(A). 1992. inhibitory effects of psychotomimetic sigma ligands on nicotine-induced potassium flux from differentiated pc12 cells. *Neuroscience Letters* 147(1): 97-100 .
- No COC** Yamamoto Jyunji. 1997. cortical and hippocampal eeg power spectra in animal models of schizophrenia produced with methamphetamine, cocaine, and phencyclidine. *Psychopharmacology* 131(4): 379-387.
- No COC** Yamamoto Yasuji, Kakigi Tatsuya, and Maeda Kiyoshi(A). 1999. intra-striatal phencyclidine inhibits n-methyl-d-aspartic acid-stimulated increase in glutamate levels of freely moving rats. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 23(1): 161-174.
- Method** Yamanaka, Sumie, Hashimoto, Masanori, Tobe, Masuo, Kobayashi, Kazuo, Sekizawa, Jun, and Nishimura, Masao. a simple method for screening assessment of acute toxicity of chemicals. *Arch. Toxicol. (1990)* 64(4): 262-8.
- Unrel** Yamazoe, Y., Manabe, S., Murayama, N., and Kato, R. 1987. regulation of hepatic sulfotransferase catalyzing the activation of n-hydroxyarylamide and n-hydroxyarylamine by growth hormone. *Molecular Pharmacology* 32(4): 536-41.
- No COC** Yanai, J., Avraham, Y., Levy, S., Maslaton, J., Pick, C. G., Rogel-Fuchs, Y., and Zahalka, E. A. 1992. alterations in septohippocampal cholinergic innervations and related behaviors after early exposure to heroin and phencyclidine. *Brain Research. Developmental Brain Research* 69(2): 207-14.
- No Oral** Yang, Q., Moroji, T., Takamatsu, Y., Hagino, Y., and Okuwa, M. the effects of intraperitoneally administered phencyclidine on the central nervous system behavioral and neurochemical studies. *Neuropeptides. 19 (2). 1991. 77-90.*
- Prim** Yang, R. S. H., Pittman, K. A., Rourke, D. R., and et, a. l. 1978. pharmacokinetics and metabolism of hexachlorobenzene in the rat and rhesus monkey. *Journal of Agricultural and Food Chemistry* 26(5): 1076-1083 .

- FL** Yershova L.K. and Khomenko N.R. 1981. effect of some organochlorine pesticides on central nervous system Function. *Fiziologich. Zh., Kiev* VOL. 27, NO. 4: pp. 557-560.
- No COC** Yonezawa Y(A), Hondo, H., Hashimoto, K., Matsumoto, T., Hirano, M., Uchimura, H., and Kuroki, T. 1993. effect of phencyclidine on endogenous excitatory amino acid release from the rat anterior cingulate cortex: an in vivo microdialysis study. *Journal of Neural Transmission General Section* 94(3): 235-240.
- No COC** Yonezawa Yuji(A), Kuroki Toshihide, Kawahara Takeshi, Tashiro Nobutada, and Uchimura Hideyuki. 1998. involvement of gamma-aminobutyric acid neurotransmission in phencyclidine-induced dopamine release in the medial prefrontal cortex. *European Journal of Pharmacology* 341(1): 45-56.
- Unrel** Yoshida, S., Numachi, Y., Matsuoka, H., Fuse, Y., and Sato, M. 1995. [reverse-tolerance phenomenon in methamphetamine-induced behavioral stereotypy and impairment of cliff avoidance reaction after subchronic methamphetamine administration in rats]. *Nihon Shinkei Seishin Yakurigaku Zasshi* 15(5): 397-403.
- No COC** Young, T., Lawson, G. W., and Gacono, C. B. 1987. clinical aspects of phencyclidine (pcp). *International Journal Of The Addictions* 22(1): 1-15.
- Food** Yuan, J. 1995. effects of drinking pattern on the peak/trough blood concentrations in drinking water studies. *Food And Chemical Toxicology : An International Journal Published For The British Industrial Biological Research Association.* 33(7): 565-571.
- Method** Yuan, Jinhua. modeling blood/plasma concentrations in dosed feed and dosed drinking water toxicology studies. *Toxicol. Appl. Pharmacol. (1993)* 119(1): 131-41.
- No Oral** Yukhananov, R. Yu. and Larson, A. A. 1994. morphine modulates excitatory amino acid-induced activity in the mouse spinal cord: short-term effects on n-methyl-d-aspartate (nmda) and long-term effects on kainic acid. *Vol. 646, No. 2, Pp. 194-200* Brain Res.
- Acu** Zbinden, G. and Flury-Roversi, M. significance of the ld50-test for the toxicological evaluation of chemical substances. *Arch. Toxicol.* 47(2): 77-99 1981 (52 References)
- No COC** Zerbe, R. L., Bayorh, M. A., Quirion, R., and Kopin, I. J. the role of vasopressin suppression in phencyclidine induced Diuresis. *Pharmacology (Basel).* 26 (2). 1983. 73-78.
- No Oral** Zhang, K., Tang, C., Rashed, M., Cui, D., Tombret, F., Botte, H., Lepage, F., Levy, R. H., and Baillie, T. A. 1994. metabolic chiral inversion of stiripentol in the rat. i. mechanistic studies. *Drug Metabolism and Disposition* 22(4): 544-53.
- No COC** Zimmerman, D. M., Schoepp, D. D., Leander, J. D., and Ornstein, P. L. the discovery and characterization of the competitive nmda antagonists ly274614 ly233536 and ly233053. *Mol Neuropharmacol.* 2 (1). 1992. 77-81.
- No COC** Zukin, S. R. 1982. differing stereospecificities distinguish opiate receptor subtypes. *Life Sciences* 31(12-13): 1307-10.
- Unrel** Zukin, S. R., Brady, K. T., Slifer, B. L., and Balster, R. L. 1984. behavioral and biochemical stereoselectivity of sigma opiate pcp receptors. *Brain Research* 294(1): 174-177.
- No COC** Zukin, S. R., Fitz-Syage, M. L., Nichtenhauser, R., and Zukin, R. S. specific binding of tritium labeled phencyclidine in rat central nervous tissue further characterization and technical

considerations.. *Brain Research*. 258 (2). 1983. 277-284.

- No COC** Zukin, S. R., Fitz Syage, M. L., Nichtenhauser, R., and Zukin, R. S. 1983. specific binding of (super(3)h)phencyclidine in rat central nervous tissue: further characterization and technical considerations. *Vol. 258, No. 2, Pp. 277-284 Brain Res.*
- No COC** Zukin, S. R., Fitz-Syage, M. L., Nichtenhauser, R., and Zukin, R. S. 1983. specific binding of [3h]phencyclidine in rat central nervous tissue: further characterization and technical considerations. *Brain Research* 258(2): 277-84.
- No COC** Zukin, S. R. and Zukin, R. S. specific tritium labeled phencyclidine binding in rat central nervous system. *PROC NATL ACAD SCI U S A. Proceedings of the National Academy of Sciences of the United States of America.* 76 (10). 1979. 5372-5381.

This Page Intentionally Left Blank

Literature Rejection Categories		
Rejection Criteria	Description	Receptor
ABSTRACT (Abstract)	Abstracts of journal publications or conference presentations.	Wildlife Plants and Soil Invertebrates
ACUTE STUDIES (Acu)	Single oral dose or exposure duration of three days or less.	Wildlife
AIR POLLUTION (Air P)	Studies describing the results for air pollution studies.	Wildlife Plants and Soil Invertebrates
ALTERED RECEPTOR (Alt)	Studies that describe the effects of the contaminant on surgically-altered or chemically-modified receptors (e.g., right nephrectomy, left renal artery ligation, hormone implant, etc.).	Wildlife
AQUATIC STUDIES (Aquatic)	Studies that investigate toxicity in aquatic organisms.	Wildlife Plants and Soil Invertebrates
ANATOMICAL STUDIES (Anat)	Studies of anatomy. Instance where the contaminant is used in physical studies (e.g., silver nitrate staining for histology).	Wildlife
BACTERIA (Bact)	Studies on bacteria or susceptibility to bacterial infection.	Wildlife Plants and Soil Invertebrates
BIOACCUMULATION SURVEY (Bio Acc)	Studies reporting the measurement of the concentration of the contaminant in tissues.	Wildlife Plants and Soil Invertebrates
BIOLOGICAL PRODUCT (BioP)	Studies of biological toxicants, including venoms, fungal toxins, <i>Bacillus thuringiensis</i> , other plant, animal, or microbial extracts or toxins.	Wildlife Plants and Soil Invertebrates
BIOMARKER (Biom)	Studies reporting results for a biomarker having no reported association with an adverse effect and an exposure dose (or concentration).	Wildlife
CARCINOGENICITY STUDIES (Carcin)	Studies that report data only for carcinogenic endpoints such as tumor induction. Papers that report systemic toxicity data are retained for coding of appropriate endpoints.	Wildlife Plants and Soil Invertebrates
CHEMICAL METHODS (Chem Meth)	Studies reporting methods for determination of contaminants, purification of chemicals, etc. Studies describing the preparation and analysis of the contaminant in the tissues of the receptor.	Wildlife Plants and Soil Invertebrates
CONFERENCE PROCEEDINGS (CP)	Studies reported in conference and symposium proceedings.	Wildlife Plants and Soil Invertebrates
DEAD (Dead)	Studies reporting results for dead organisms. Studies reporting field mortalities with necropsy data where it is not possible to establish the dose to the organism.	Wildlife Plants and Soil Invertebrates
DISSERTATIONS (Diss)	Dissertations are excluded. However, dissertations are flagged for possible future use.	Wildlife
DRUG (Drug)	Studies reporting results for testing of drug and therapeutic effects and side-effects. Therapeutic drugs include vitamins and minerals. Studies of some minerals may be included if there is potential for adverse effects.	Wildlife Plants and Soil Invertebrates
DUPLICATE DATA (Dup)	Studies reporting results that are duplicated in a separate publication. The publication with the earlier year is used.	Wildlife Plants and Soil Invertebrates

Literature Rejection Categories		
Rejection Criteria	Description	Receptor
ECOLOGICAL INTERACTIONS (Ecol)	Studies of ecological processes that do not investigate effects of contaminant exposure (e.g., studies of “silver” fox natural history; studies on ferrets identified in iron search).	Wildlife Plants and Soil Invertebrates
EFFLUENT (Effl)	Studies reporting effects of effluent, sewage, or polluted runoff.	Wildlife Plants and Soil Invertebrates
ECOLOGICALLY RELEVANT ENDPOINT (ERE)	Studies reporting a result for endpoints considered as ecologically relevant but is not used for deriving Eco-SSLs (e.g., behavior, mortality).	Plants and Soil Invertebrates
CONTAMINANT FATE/METABOLISM (Fate)	Studies reporting what happens to the contaminant, rather than what happens to the organism. Studies describing the intermediary metabolism of the contaminant (e.g., radioactive tracer studies) without description of adverse effects.	Wildlife Plants and Soil Invertebrates
FOREIGN LANGUAGE (FL)	Studies in languages other than English.	Wildlife Plants and Soil Invertebrates
FOOD STUDIES (Food)	Food science studies conducted to improve production of food for human consumption.	Wildlife
FUNGUS (Fungus)	Studies on fungus.	Wildlife Plants and Soil Invertebrates
GENE (Gene)	Studies of genotoxicity (chromosomal aberrations and mutagenicity).	Wildlife Plants and Soil Invertebrates
HUMAN HEALTH (HHE)	Studies with human subjects.	Wildlife Plants and Soil Invertebrates
IMMUNOLOGY (IMM)	Studies on the effects of contaminants on immunological endpoints.	Wildlife Plants and Soil Invertebrates
INVERTEBRATE (Invert)	Studies that investigate the effects of contaminants on terrestrial invertebrates are excluded.	Wildlife
IN VITRO (In Vit)	<i>In vitro</i> studies, including exposure of cell cultures, excised tissues and/or excised organs.	Wildlife Plants and Soil Invertebrates
LEAD SHOT (Lead shot)	Studies administering lead shot as the exposure form. These studies are labeled separately for possible later retrieval and review.	Wildlife
MEDIA (Media)	Authors must report that the study was conducted using natural or artificial soil. Studies conducted in pore water or any other aqueous phase (e.g., hydroponic solution), filter paper, petri dishes, manure, organic or histosoils (e.g., peat muck, humus), are not considered suitable for use in defining soil screening levels.	Plants and Soil Invertebrates
METHODS (Meth)	Studies reporting methods or methods development without usable toxicity test results for specific endpoints.	Wildlife Plants and Soil Invertebrates
MINERAL REQUIREMENTS (Mineral)	Studies examining the minerals required for better production of animals for human consumption, unless there is potential for adverse effects.	Wildlife
MIXTURE (Mix)	Studies that report data for combinations of single toxicants (e.g. cadmium and copper) are excluded. Exposure in a field setting from contaminated natural soils or waste application to soil may be coded as Field Survey.	Wildlife Plants and Soil Invertebrates

Literature Rejection Categories		
Rejection Criteria	Description	Receptor
MODELING (Model)	Studies reporting the use of existing data for modeling, i.e., no new organism toxicity data are reported. Studies which extrapolate effects based on known relationships between parameters and adverse effects.	Wildlife Plants and Soil Invertebrates
NO CONTAMINANT OF CONCERN (No COC)	Studies that do not examine the toxicity of Eco-SSL contaminants of concern.	Wildlife Plants and Soil Invertebrates
NO CONTROL (No Control)	Studies which lack a control or which have a control that is classified as invalid for derivation of TRVs.	Wildlife Plants and Soil Invertebrates
NO DATA (No Data)	Studies for which results are stated in text but no data is provided. Also refers to studies with insufficient data where results are reported for only one organism per exposure concentration or dose (wildlife).	Wildlife Plants and Soil Invertebrates
NO DOSE or CONC (No Dose)	Studies with no usable dose or concentration reported, or an insufficient number of doses/concentrations are used based on Eco-SSL SOPs. These are usually identified after examination of full paper. This includes studies which examine effects after exposure to contaminant ceases. This also includes studies where offspring are exposed in utero and/or lactation by doses to parents and then after weaning to similar concentrations as their parents. Dose cannot be determined.	Wildlife Plants and Soil Invertebrates
NO DURATION (No Dur)	Studies with no exposure duration. These are usually identified after examination of full paper.	Wildlife Plants and Soil Invertebrates
NO EFFECT (No Efect)	Studies with no relevant effect evaluated in a biological test species or data not reported for effect discussed.	Wildlife Plants and Soil Invertebrates
NO ORAL (No Oral)	Studies using non-oral routes of contaminant administration including intraperitoneal injection, other injection, inhalation, and dermal exposures.	Wildlife
NO ORGANISM (No Org) or NO SPECIES	Studies that do not examine or test a viable organism (also see in vitro rejection category).	Wildlife Plants and Soil Invertebrates
NOT AVAILABLE (Not Avail)	Papers that could not be located. Citation from electronic searches may be incorrect or the source is not readily available.	Wildlife Plants and Soil Invertebrates
NOT PRIMARY (Not Prim)	Papers that are not the original compilation and/or publication of the experimental data.	Wildlife Plants and Soil Invertebrates
NO TOXICANT (No Tox)	No toxicant used. Publications often report responses to changes in water or soil chemistry variables, e.g., pH or temperature. Such publications are not included.	Wildlife Plants and Soil Invertebrates
NO TOX DATA (No Tox Data)	Studies where toxicant used but no results reported that had a negative impact (plants and soil invertebrates).	Plants and Soil Invertebrates
NUTRIENT (Nutrient)	Nutrition studies reporting no concentration related negative impact.	Plants and Soil Invertebrates
NUTRIENT DEFICIENCY (Nut def)	Studies of the effects of nutrient deficiencies. Nutritional deficient diet is identified by the author. If reviewer is uncertain then the administrator should be consulted. Effects associated with added nutrients are coded.	Wildlife
NUTRITION (Nut)	Studies examining the best or minimum level of a chemical in the diet for improvement of health or maintenance of animals in captivity.	Wildlife
OTHER AMBIENT CONDITIONS (OAC)	Studies which examine other ambient conditions: pH, salinity, DO, UV, radiation, etc.	Wildlife Plants and Soil Invertebrates

Literature Rejection Categories		
Rejection Criteria	Description	Receptor
OIL (Oil)	Studies which examine the effects of oil and petroleum products.	Wildlife Plants and Soil Invertebrates
OM, pH (OM, pH)	Organic matter content of the test soil must be reported by the authors, but may be presented in one of the following ways; total organic carbon (TOC), particulate organic carbon (POC), organic carbon (OC), coarse particulate organic matter (CPOM), particulate organic matter (POM), ash free dry weight of soil, ash free dry mass of soil, percent organic matter, percent peat, loss on ignition (LOI), organic matter content (OMC). With the exception of studies on non-ionizing substances, the study must report the pH of the soil, and the soil pH should be within the range of \$4 and #8.5. Studies that do not report pH or report pH outside this range are rejected.	Plants and Soil Invertebrates
ORGANIC METAL (Org Met)	Studies which examine the effects of organic metals. This includes tetraethyl lead, triethyl lead, chromium picolinate, phenylarsonic acid, roxarsone, 3-nitro-4-phenylarsonic acid, zinc phosphide, monomethylarsonic acid (MMA), dimethylarsinic acid (DMA), trimethylarsine oxide (TMAO), or arsenobetaine (AsBe) and other organo metallic fungicides. Metal acetates and methionines are not rejected and are evaluated.	Wildlife
LEAD BEHAVIOR OR HIGH DOSE MODELS (Pb Behav)	There are a high number of studies in the literature that expose rats or mice to high concentrations of lead in drinking water (0.1, 1 to 2% solutions) and then observe behavior in offspring, and/or pathology changes in the brain of the exposed dam and/or the progeny. Only a representative subset of these studies were coded. Behavior studies examining complex behavior (learned tasks) were also not coded.	Wildlife
PHYSIOLOGY STUDIES (Phys)	Physiology studies where adverse effects are not associated with exposure to contaminants of concern.	Wildlife
PLANT (Plant)	Studies of terrestrial plants are excluded.	Wildlife
PRIMATE (Prim)	Primate studies are excluded.	Wildlife
PUBL AS (Publ as)	The author states that the information in this report has been published in another source. Data are recorded from only one source. The secondary citation is noted as Publ As.	Wildlife Plants and Soil Invertebrates
QSAR (QSAR)	Derivation of Quantitative Structure-Activity Relationships (QSAR) is a form of modeling. QSAR publications are rejected if raw toxicity data are not reported or if the toxicity data are published elsewhere as original data.	Wildlife Plants and Soil Invertebrates
REGULATIONS (Reg)	Regulations and related publications that are not a primary source of data.	Wildlife Plants and Soil Invertebrates
REVIEW (Rev)	Studies in which the data reported in the article are not primary data from research conducted by the author. The publication is a compilation of data published elsewhere. These publications are reviewed manually to identify other relevant literature.	Wildlife Plants and Soil Invertebrates

Literature Rejection Categories		
Rejection Criteria	Description	Receptor
SEDIMENT CONC (Sed)	Studies in which the only exposure concentration/dose reported is for the level of a toxicant in sediment.	Wildlife Plants and Soil Invertebrates
SCORE (Score)	Papers in which all studies had data evaluation scores at or lower than the acceptable cut-off (#10 of 18) for plants and soil invertebrates).	Plants and Soil Invertebrates
SEDIMENT CONC (Sed)	Studies in which the only exposure concentration/dose reported is for the level of a toxicant in sediment.	Wildlife Plants and Soil Invertebrates
SLUDGE	Studies on the effects of ingestion of soils amended with sewage sludge.	Wildlife Plants and Soil Invertebrates
SOIL CONC (Soil)	Studies in which the only exposure concentration/dose reported is for the level of a toxicant in soil.	Wildlife
SPECIES	Studies in which the species of concern was not a terrestrial invertebrate or plant or mammal or bird.	Plants and Soil Invertebrates Wildlife
STRESSOR (QAC)	Studies examining the interaction of a stressor (e.g., radiation, heat, etc.) and the contaminant, where the effect of the contaminant alone cannot be isolated.	Wildlife Plants and Soil Invertebrates
SURVEY (Surv)	Studies reporting the toxicity of a contaminant in the field over a period of time. Often neither a duration nor an exposure concentration is reported.	Wildlife Plants and Soil Invertebrates
REPTILE OR AMPHIBIAN (Herp)	Studies on reptiles and amphibians. These papers flagged for possible later review.	Wildlife Plants and Soil Invertebrates
UNRELATED (Unrel)	Studies that are unrelated to contaminant exposure and response and/or the receptor groups of interest.	Wildlife
WATER QUALITY STUDY (Wqual)	Studies of water quality.	Wildlife Plants and Soil Invertebrates
YEAST (Yeast)	Studies of yeast.	Wildlife Plants and Soil Invertebrates

This Page Intentionally Left Blank



Appendix 5-1

*Avian Toxicity Data Extracted and Reviewed for Wildlife Toxicity
Reference Value (TRV) - Pentachlorophenol*

March 2005

Revised April 2007

This page intentionally left blank

**Appendix 5.1 Avian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)
Pentachlorophenol
Page 1 of 1**

Result #	Ref		Chemical Form	MW%	Test Species	Exposure														Effects						Exposure			Result		Data Evaluation Score													
	Ref N.	Reference				Phase #	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Test Location	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg/day or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total
Pathology																																												
1	6573	Stedman et al, 1980	PCP - Purified	100	Chicken (<i>Gallus domesticus</i>)	1	5	0/1/10/100/1000	mg/kg diet	N	na	ADL	U	FD	8	w	1	d	JV	NR	C	Lab	ORW	ORWT	KI	10.0	100	Y	1.889	N	0.0881	0.466	4.66	10	10	5	10	6	4	8	10	10	4	77
2	6439	Prescott et al, 1982	PCP - Purified (Dowicide E-7)	88	Chicken (<i>Gallus domesticus</i>)	1	4	0/600/1200/2400	mg/kg diet	N	na	ADL	U	FD	8	w	1	d	JV	NR	V	Lab	ORW	SMIX	KI		600	Y	2.44	N	0.1040		22.5	10	10	5	10	6	4	4	10	10	4	73
Growth																																												
3	6573	Stedman et al, 1980	PCP - Purified	100	Chicken (<i>Gallus domesticus</i>)	1	5	0/1/10/100/1000	mg/kg diet	N	na	ADL	U	FD	1	w	1	d	JV	NR	C	Lab	GRO	BDWT	WO	100	1000	Y	0.6584	N	0.04434	6.73	67.3	10	10	5	10	6	8	8	10	10	4	81
4	5520	Nebeker et al, 1994	PCP - Reagent grade	100	Duck (<i>Anas platyrhynchos</i>)	1	7	0/25.0/54.2/105.0/233.2/423.2/961.0	ug/g diet	N	na	DLY	M	FD	11	d	4	d	JV	NR	C	Lab	GRO	BDWT	WO	423.2	961	Y	0.2337	N	0.02259	40.9	92.9	10	10	10	10	6	8	10	10	10	4	88
5	6439	Prescott et al, 1982	PCP - Purified (Dowicide E-7)	88	Chicken (<i>Gallus domesticus</i>)	1	4	0/600/1200/2400	mg/kg diet	N	na	ADL	U	FD	1	w	1	d	JV	NR	V	Lab	GRO	BDWT	WO		600	Y	2.44	N	0.1040		22.5	10	10	5	10	6	8	4	10	10	4	77
Survival																																												
6	6439	Prescott et al, 1982	PCP - Purified (Dowicide E-7)	88	Chicken (<i>Gallus domesticus</i>)	1	4	0/600/1200/2400	mg/kg diet	N	na	ADL	U	FD	8	w	1	d	JV	NR	V	Lab	MOR	MORT	WO	2400		Y	2.44	N	0.1040	90.0		10	10	5	10	6	9	4	10	10	4	78
7	5520	Nebeker et al, 1994	PCP - Reagent grade	100	Duck (<i>Anas platyrhynchos</i>)	1	7	0/25.0/54.2/105.0/233.2/423.2/961.0	ug/g diet	N	na	DLY	M	FD	11	d	4	d	JV	NR	C	Lab	MOR	MORT	WO	961		Y	0.1419	N	0.01633	111		10	10	10	10	6	9	4	10	10	4	83

All abbreviations and definitions are used in coding studies are available from Attachment 4-3 of the Eco-SSL guidance (U.S. EPA 2003).



Appendix 6-1

*Mammalian Toxicity Data Extracted and Reviewed for Wildlife
Toxicity Reference Value (TRV) - Pentachlorophenol*

March 2005
Revised April 2007

This page intentionally left blank

**Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)
Pentachlorophenol
Page 1 of 2**

Result #	Ref N.	Author	Chemical Form	MW%	Test Species	Phase #	# of Conc/ Doses	Exposure																						Effects							Conversion to mg/kg bw/day			Result		Data Evaluation Score											
								Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Test Location	Endpoint Number	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Reported Body Weight	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)*	LOAEL Dose (mg/kg/day)*	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total								
Biochemical																																																					
1	20229	Knudsen et al, 1974	PCP - Not Purified	100	Rat (<i>Rattus norvegicus</i>)	1	4	0/25/50/200	mg/kg diet	N	na	ADL	U	FD	6	w	NR	NR	JV	M	C	Lab	3	CHM	HMCT	BL	25.0	50.0	Y	0.2590	Y	0.0177	1.71	3.42	10	10	5	10	7	1	10	10	10	4	77								
2	20023	Schwetz et al, 1978	PCP - Purified	90.4	Rat (<i>Rattus norvegicus</i>)	2	5	0/1/3/10/30	mg/kg/bw/d	N	na	ADL	U	FD	22	mo	NR	NR	NR	B	V	Lab	2	ENZ	GPTR	SR	10.0	30.0	Y	0.3780	N	0.03088	9.04	27.1	10	10	5	10	10	1	10	10	10	4	80								
3	20124	Rawlings et al, 1998	PCP - Purified	99.9	Sheep (<i>Ovis aries</i>)	1	2	0/2	mg/kg bw/d	N	na	2 per w	U	OR	36	d	1-4	yr	GE	F	C	Lab	2	HRM	THYR	SR		2.0	Y	54.7	N	1.843		0.571	10	8	10	10	10	1	4	10	10	4	77								
4	20024	Beard et al, 1999	PCP - Purity not specified	100	Sheep (<i>Ovis aries</i>)	1	2	0/1	mg/kg bw/d	N	na	DLY	U	FD	34	w	1-3	yr	GE	F	V	FieldA	2	HRM	THYR	SR		1.0	Y	70.0	N	0.00772		1.0	10	10	5	10	10	1	4	10	10	4	74								
5	20093	Jekat et al, 1994	PCP - Purified	100	Rat (<i>Rattus norvegicus</i>)	1	3	0/3/30	mg/kg bw/d	N	na	2 per d	U	GV	28	d	NR	NR	JV	F	V	Lab	1	HRM	THYR	SR		3.0	Y	0.2000	N	0.01830		3.0	10	8	10	10	10	1	4	10	10	4	77								
6	20093	Jekat et al, 1994	Sodium pentachlorophenolate	100	Rat (<i>Rattus norvegicus</i>)	2	3	0/3	mg/kg bw/d	N	na	2 per d	U	GV	28	d	NR	NR	JV	F	V	Lab	1	HRM	THYR	SR		3.0	Y	0.2000	N	0.01830		3.0	10	8	10	10	10	1	4	10	10	4	77								
7	19997	Renner et al, 1987	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	1	2	0/53.27	mg/kg bw/d	N	na	DLY	U	GV	28	d	3.5	mo	JV	F	V	Lab	3	CHM	PCLV	BL		52.7	Y	0.2710	N	0.02349		52.7	10	8	10	10	10	1	4	10	10	7	80								
8	19990	Umemura et al, 1999	PCP - Purified	98.6	Mouse (<i>Mus musculus</i>)	1	3	0/600/1200	mg/kg diet	N	na	DLY	U	FD	8	w	6	w	JV	M	C	Lab	1	ENZ	GENZ	LI		600	N	0.0316	N	0.004015		75.2	10	10	5	10	5	1	4	10	10	4	69								
Behavior																																																					
9	20813	Welsh et al, 1987	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	1	4	0/4/13/43	mg/kg bw/d	N	na	ADL	U	FD	201	d	32	d	GE	F	C	Lab	2	FDB	FCNS	WO	13.0	43.0	Y	0.3214	Y	0.02320	12.9	42.6	10	10	5	10	10	4	10	10	10	4	83								
10	20197	Kimbrough and Linder, 1978	PCP - Technical	84.6	Rat (<i>Rattus norvegicus</i>)	1	4	0/0.9/5/28	mg/kg bw/d	N	na	ADL	U	FD	220	d	NR	NR	JV	B	C	Lab	2	FDB	FCNS	WO	28.0		Y	0.5340	Y	0.07491	23.7		10	10	5	10	10	4	4	1	10	4	68								
11	20197	Kimbrough and Linder, 1978	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	2	4	0/0.9/5/28	mg/kg bw/d	N	na	ADL	U	FD	220	d	NR	NR	JV	B	C	Lab	2	FDB	FCNS	WO	28.0		Y	0.4950	Y	0.08081	27.7		10	10	5	10	10	4	4	1	10	4	68								
Pathology																																																					
12	20229	Knudsen et al, 1974	PCP - Not Purified	100	Rat (<i>Rattus norvegicus</i>)	1	4	0/25/50/200	mg/kg diet	N	na	ADL	U	FD	12	w	NR	NR	JV	F	C	Lab	4	ORW	SMIX	LI	25.0	50.0	Y	0.2010	Y	0.0094	1.17	2.34	10	10	5	10	7	4	10	10	10	4	80								
13	20093	Jekat et al, 1994	PCP - Purified	100	Rat (<i>Rattus norvegicus</i>)	1	3	0/3/30	mg/kg bw/d	N	na	2 per d	U	GV	28	d	NR	NR	JV	F	V	Lab	2	ORW	ORWT	LI	3.0	30.0	Y	0.2000	N	0.01830	3.0	30.0	10	8	10	10	10	4	8	10	10	4	81								
14	20197	Kimbrough and Linder, 1978	PCP - Technical	84.6	Rat (<i>Rattus norvegicus</i>)	1	4	0/0.9/5/28	mg/kg bw/d	N	na	ADL	U	FD	8	mo	NR	NR	JV	B	C	Lab	4	ORW	ORWT	LI	5.0	28.0	Y	0.5340	Y	0.07491	4.23	23.7	10	10	5	10	10	4	8	10	10	4	81								
15	20129	Kerkvliet et al, 1982	PCP - Technical	86	Mouse (<i>Mus musculus</i>)	1	4	0/50/250/500	mg/kg diet	N	na	ADL	U	FD	8	w	6	w	JV	F	V	Lab	2	ORW	SMIX	LI	50.0	250	Y	0.0343	N	0.004295	5.38	26.9	10	10	5	10	6	4	8	10	10	4	77								
16	20129	Kerkvliet et al, 1982	PCP - Technical	86	Mouse (<i>Mus musculus</i>)	2	4	0/50/100/250	mg/kg diet	N	na	ADL	U	FD	8	w	8	w	JV	F	V	Lab	2	ORW	SMIX	LI	50.0	100	Y	0.0290	N	0.003742	5.55	11.1	10	10	5	10	6	4	10	10	4	79									
17	20023	Schwetz et al, 1978	PCP - Purified	90.4	Rat (<i>Rattus norvegicus</i>)	2	5	0/1/3/10/30	mg/kg/bw/d	N	na	ADL	U	FD	12	mo	NR	NR	NR	F	V	Lab	1	GRS	BDWT	WO	10.0	30.0	Y	0.3780	N	0.03088	9.04	27.1	10	10	5	10	10	4	10	10	4	83									
18	20813	Welsh et al, 1987	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)		4	0/4/13/43	mg/kg bw/d	N	na	ADL	U	FD	181	d	32	d	GE	F	C	Lab	4	PTH	HEMR	VA	13.0	42.6	Y	0.3214	Y	0.02320	13.0	42.6	10	10	5	10	10	4	8	10	10	4	81								
19	20197	Kimbrough and Linder, 1978	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	2	4	0/0.9/5/28	mg/kg bw/d	N	na	ADL	U	FD	8	mo	NR	NR	JV	B	C	Lab	4	ORW	ORWT	LI	28.0		Y	0.4950	Y	0.08081	27.7		10	10	5	10	10	4	4	10	10	4	77								
20	20333	Courtney et al, 1976	PCP - Analytical	99	Rat (<i>Rattus norvegicus</i>)	1	2	0/75	mg/kg bw/d	N	na	DLY	U	GV	9	d	NR	NR	GE	F	V	Lab	2	ORW	SMIX	LI	75.0		Y	0.3846	N	0.03132	74.3		10	8	10	10	10	4	4	1	10	4	71								
21	20024	Beard et al, 1999	PCP - Purity not specified	100	Sheep (<i>Ovis aries</i>)	1	2	0/1	mg/kg bw/d	N	na	DLY	U	FD	36	w	1-3	yr	GE	F	V	FieldA	1	HIS	GHIS	TY		1.0	Y	70.0	N	0.00772		1.0	10	10	5	10	10	4	4	10	10	4	77								
22	20686	Kerkvliet et al, 1985	PCP - Technical	86	Mouse (<i>Mus musculus</i>)	1	4	0/100/250/500	mg/kg diet	N	na	ADL	U	FD	8	w	6-7	w	JV	F	V	Lab	2	ORW	ORWT	LI	100		Y	0.0242	N	0.003224		11.5	10	10	5	10	6	4	4	10	10	4	73								
23	19997	Renner et al, 1987	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	1	2	0/53.27	mg/kg bw/d	N	na	DLY	U	GV	28	d	3.5	mo	JV	F	V	Lab	2	ORW	SMIX	LI	52.7		Y	0.2710	N	0.02349		52.7	10	8	10	10	10	4	4	10	10	7	83								
24	19990	Umemura et al, 1999	PCP - Purified	98.6	Mouse (<i>Mus musculus</i>)	2	2	0/600	mg/kg diet	N	na	DLY	U	FD	25	w	23	w	JV	M	C	Lab	3	ORW	ORWT	LI	600		Y	0.0445	N	0.005320		70.7	10	10	5	10	6	4	4	10	10	4	73								
25	19990	Umemura et al, 1999	PCP - Purified	98.6	Mouse (<i>Mus musculus</i>)	1	3	0/600/1200	mg/kg diet	N	na	DLY	U	FD	8	w	6	w	JV	M	C	Lab	2	HIS	GHIS	LI		600	N	0.0316	N	0.004015		75.2	10	10	5	10	5	4	4	10	10	4	72								
26	20129	Kerkvliet et al, 1982	PCP - Analytical	99	Mouse (<i>Mus musculus</i>)	3	2	0/1000	mg/kg diet	N	na	ADL	U	FD	8	w	NR	NR	NR	F	C	Lab	2	ORW	SMIX	LI		1000	Y	0.0380	N	0.004672		122	10	10	5	10	6	4	4	10	10	4	73								
Reproduction																																																					
27	19985	Beard and Rawlings, 1998	PCP - Purity not specified	100	Mink (<i>Mustela vison</i>)	1	2	0/1	mg/kg/d	N	na	NR	U	FD	162	d	NR	NR	GE	F	C	Lab	1	REP	PRWT	WO	1.0		N	0.5960	N	0.04490	0.0753		10	10	5	10	5	10	4	1	10	4	69								
28	20024	Beard et al, 1999	PCP - Purity not specified	100	Sheep (<i>Ovis aries</i>)	1	2	0/1	mg/kg bw/d	N	na	DLY	U	FD	36	w	1-3	yr	GE	F	V	FieldA	3	REP	PRWT	WO	1.0		Y	70.0	N	0.00772	1.0		10	10	5	10	10	10	4	6	10	4	79								
29	20229	Knudsen et al, 1974	PCP - Not Purified	100	Rat (<i>Rattus norvegicus</i>)	1	4	0/25/50/200	mg/kg diet	N	na	ADL	U	FD	12	w	NR	NR	JV	F	C	Lab	5	REP	GREP	OV	50.0	200	Y	0.2010	Y	0.0095	2.36	9.45	10	10	5	10	7	10	8	10	10	4	84								
30	20023	Schwetz et al, 1978	PCP - Purified	90.4	Rat (<i>Rattus norvegicus</i>)	1	3	0/3/30	mg/kg/bw/d	N	na	ADL	U	FD	89	d	NR	NR	GE	F	V	Lab	2	REP	PROG	WO	3.00	30.0	Y	0.3340	N	0.02789	2.71	27.1	10	10																	

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Pentachlorophenol

Page 2 of 2

Result #	Ref N.	Chemical Form	MW%	Test Species	Phase #	Exposure																		Effects					Conversion to mg/kg bw/day			Result		Data Evaluation Score											
						Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Test Location	Endpoint Number	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Reported Body Weight	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)*	LOAEL Dose (mg/kg/day)*	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total		
45	20197	Kimbrough and Linder, 1978	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	2	4	0/0.9/5/28	mg/kg bw/d	N	na	ADL	U	FD	220	d	NR	NR	JV	M	C	Lab	3	GRO	BDWT	WO	5.0	28.0	Y	0.5580	Y	0.07168	4.95	27.7	10	10	5	10	10	8	8	10	10	4	85
46	20813	Welsh et al, 1987	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	1	4	0/4/13/43	mg/kg bw/d	N	na	ADL	U	FD	181	d	32	d	GE	F	C	Lab	1	GRO	BDWT	WO	13.0	43.0	Y	0.3252	Y	0.02250	12.9	42.6	10	10	5	10	10	8	8	10	10	4	85
47	20203	Schwetz et al, 1974	PCP - Commercial	88.4	Rat (<i>Rattus norvegicus</i>)	2	5	0/5.8/15/34.7/50	mg/kg bw/d	N	na	DLY	U	GV	10	d	NR	NR	GE	F	V	Lab	1	GRO	BDWT	WO	15.0	34.7	Y	0.3940	N	0.03195	13.3	30.7	10	8	5	10	10	8	10	10	4	85	
48	20203	Schwetz et al, 1974	PCP - Purified	98	Rat (<i>Rattus norvegicus</i>)	1	4	0/15/30/50	mg/kg bw/d	N	na	DLY	U	GV	10	d	NR	NR	GE	F	V	Lab	1	GRO	BDWT	WO	15.0	30.0	Y	0.4020	N	0.03248	14.7	29.4	10	8	10	10	10	8	10	10	4	90	
49	20129	Kerkvliet et al, 1982	PCP - Technical	86	Mouse (<i>Mus musculus</i>)	2	4	0/50/100/250	mg/kg diet	N	na	ADL	U	FD	8	w	8	w	JV	F	V	Lab	1	GRO	BDWT	WO	250		Y	0.0286	N	0.003699	27.8		10	10	5	10	6	8	4	10	10	4	77
50	20203	Schwetz et al, 1974	PCP - Purified	98	Rat (<i>Rattus norvegicus</i>)	5	2	0/30	mg/kg bw/d	N	na	DLY	U	GV	4	d	NR	NR	GE	F	V	Lab	1	GRO	BDWT	WO	30.0		Y	0.4080	N	0.03288	29.4		10	8	10	10	10	8	4	10	10	4	84
51	20203	Schwetz et al, 1974	PCP - Commercial	88.4	Rat (<i>Rattus norvegicus</i>)	6	2	0/34.7	mg/kg bw/d	N	na	DLY	U	GV	4	d	NR	NR	GE	F	V	Lab	1	GRO	BDWT	WO	34.7		Y	0.4220	N	0.03380	30.7		10	8	10	10	10	8	4	10	10	4	84
52	20454	Exon and Koller, 1982	PCP - Purified	100	Rat (<i>Rattus norvegicus</i>)	1	4	0/4.8/71.4/411.5	mg/kg diet	N	na	ADL	M	FD	10	w	21	d	JV	F	C	Lab	1	GRO	BDWT	WO	411.5		N	0.5230	N	0.0403	31.7		10	10	10	10	5	8	4	1	10	4	72
53	19997	Renner et al, 1987	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	1	2	0/53.27	mg/kg bw/d	N	na	DLY	U	GV	28	d	3.5	mo	JV	F	V	Lab	1	GRO	BDWT	WO	52.7		Y	0.2710	N	0.02349	52.7		10	8	10	10	10	8	4	1	10	7	78
54	20129	Kerkvliet et al, 1982	PCP - Technical	86	Mouse (<i>Mus musculus</i>)	1	4	0/50/250/500	mg/kg diet	N	na	ADL	U	FD	8	w	6	w	JV	F	V	Lab	1	GRO	BDWT	WO	500		Y	0.0312	N	0.003973	54.8		10	10	5	10	6	8	4	10	10	4	77
55	20686	Kerkvliet et al, 1985	PCP - Technical	86	Mouse (<i>Mus musculus</i>)	1	4	0/100/250/500	mg/kg diet	N	na	ADL	U	FD	8	w	6-7	w	JV	F	V	Lab	1	GRO	BDWT	WO	500		Y	0.0234	N	0.003137	57.6		10	10	5	10	6	8	4	10	10	4	77
56	19990	Umemura et al, 1999	PCP - Purified	98.6	Mouse (<i>Mus musculus</i>)	2	2	0/600	mg/kg diet	N	na	DLY	U	FD	25	w	23	w	JV	M	C	Lab	2	GRO	BDWT	WO	600		Y	0.0445	N	0.005320	70.7		10	10	5	10	6	8	4	10	10	4	77
57	20129	Kerkvliet et al, 1982	PCP - Analytical	99	Mouse (<i>Mus musculus</i>)	3	2	0/1000	mg/kg diet	N	na	ADL	U	FD	8	w	NR	NR	NR	NR	C	Lab	1	GRO	BDWT	WO	1000		Y	0.0380	N	0.004672	122		10	10	5	10	6	8	4	10	10	4	77
58	20203	Schwetz et al, 1974	PCP - Purified	98	Rat (<i>Rattus norvegicus</i>)	3	2	0/30	mg/kg bw/d	N	na	DLY	U	GV	4	d	NR	NR	GE	F	V	Lab	1	GRO	BDWT	WO		30.0	Y	0.2980	N	0.02540		29.4	10	8	10	10	10	8	4	10	10	4	84
59	20203	Schwetz et al, 1974	PCP - Commercial	88.4	Rat (<i>Rattus norvegicus</i>)	4	2	0/34.7	mg/kg bw/d	N	na	DLY	U	GV	4	d	NR	NR	GE	F	V	Lab	1	GRO	BDWT	WO		34.7	Y	0.3030	N	0.02575		30.7	10	8	10	10	10	8	4	10	10	4	84
60	20333	Courtney et al, 1976	PCP - Analytical	99	Rat (<i>Rattus norvegicus</i>)	1	2	0/75	mg/kg bw/d	N	na	DLY	U	GV	9	d	NR	NR	GE	F	V	Lab	1	GRO	BDWT	WO		75.0	N	0.3846	N	0.03132		74.3	10	8	10	10	10	8	4	10	10	4	84
Survival																																													
61	19985	Beard and Rawlings, 1998	PCP - Purity not specified	100	Mink (<i>Mustela vison</i>)	1	2	0/1	mg/kg/d	N	na	NR	U	FD	162	d	NR	NR	GE	F	C	Lab	2	MOR	MORT	WO	1.0		N	0.5960	N	0.04490	0.0753		10	10	5	10	5	9	4	10	10	4	77
62	20197	Kimbrough and Linder, 1978	PCP - Technical	84.6	Rat (<i>Rattus norvegicus</i>)	1	4	0/0.9/5/28	mg/kg bw/d	N	na	ADL	U	FD	8	mo	NR	NR	JV	B	C	Lab	1	MOR	MORT	WO	28.0		Y	0.5340	Y	0.07491	23.7		10	10	5	10	10	9	4	10	10	4	82
63	20197	Kimbrough and Linder, 1978	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	2	4	0/0.9/5/28	mg/kg bw/d	N	na	ADL	U	FD	8	mo	NR	NR	JV	B	C	Lab	1	MOR	MORT	WO	28.0		Y	0.4950	Y	0.08081	27.7		10	10	5	10	10	9	4	10	10	4	82
64	20813	Welsh et al, 1987	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	1	4	0/4/13/43	mg/kg bw/d	N	na	ADL	U	FD	181	d	32	d	GE	F	C	Lab	4	MOR	MORT	WO	43.0		Y	0.3214	Y	0.02320	42.6		10	10	5	10	10	9	4	10	10	4	82
65	19990	Umemura et al, 1999	PCP - Purified	98.6	Mouse (<i>Mus musculus</i>)	2	2	0/600	mg/kg diet	N	na	DLY	U	FD	25	w	23	w	JV	M	C	Lab	1	MOR	SURV	WO	600		Y	0.0445	N	0.005320	70.7		10	10	5	10	6	9	4	10	10	4	78
66	19997	Renner et al, 1987	PCP - Purified	99	Rat (<i>Rattus norvegicus</i>)	1	2	0/53.27	mg/kg bw/d	N	na	DLY	U	GV	28	d	3.5	mo	JV	F	V	Lab	4	MOR	MORT	WO		52.7	Y	0.2710	N	0.02349		52.7	10	8	10	10	10	9	4	10	10	7	88
Data Not Used to Derive Wildlife Toxicity Reference Value																																													
67	20229	Knudsen et al, 1974	PCP - Not Purified	100	Rat (<i>Rattus norvegicus</i>)	1	4	0/25/50/200	mg/kg diet	N	na	ADL	U	FD	12	w	NR	NR	JV	B	C	Lab	2	FDB	FCNS	WO	200		Y	0.3400	Y	0.0161	9.47		10	10	5	10	7	4	4	1	10	4	65
68	20044	Savolainen and Pekari, 1979	Sodium pentachlorophenol	86.1	Rat (<i>Rattus norvegicus</i>)	1	2	0/20	mg/L	N	na	DLY	U	DR	3	w	NR	NR	JV	M	C	Lab	1	ENZ	GENZ	BR		20.0	Y	0.2070	N	0.02399		2.00	10	5	5	10	6	1	4	10	10	4	65

All abbreviations and definitions used in coding studies are available from Attachment 4-3 of the *Eco-SSL guidance* (U.S. EPA 2003).

*Duplicate values for NOAELs and LOAELs for the same reference represent results from different experimental designs and are identified by different Phase numbers.