

Ecological Soil Screening Levels for Lead

Interim Final

OSWER Directive 9285.7-70



**U.S. Environmental Protection Agency
Office of Solid Waste and Emergency Response
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460**

March 2005

This page intentionally left blank

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	SUMMARY OF ECO-SSLs FOR LEAD	1
3.0	ECO-SSL FOR TERRESTRIAL PLANTS	4
4.0	ECO-SSL FOR SOIL INVERTEBRATES	4
5.0	ECO-SSL FOR AVIAN WILDLIFE	4
5.1	Avian TRV	4
5.2	Estimation of Dose and Calculation of the Eco-SSL	9
6.0	ECO-SSL FOR MAMMALIAN WILDLIFE	11
6.1	Mammalian TRV	11
6.2	Estimation of Dose and Calculation of the Eco-SSL	11
7.0	REFERENCES	20
7.1	General Lead References	20
7.2	References for Plants and Soil Invertebrates	20
7.3	References Rejected for Use in Deriving Plant and Soil Invertebrate Eco-SSLs ..	22
7.4	References Used in Deriving Wildlife TRVs	56
7.5	References Rejected for Use in Derivation of Wildlife TRV	72

LIST OF TABLES

Table 2.1	Lead Eco-SSLs (mg/kg dry weight in soil)	3
Table 3.1	Plant Toxicity Data - Lead	5
Table 4.1	Invertebrate Toxicity Data - Lead	6
Table 5.1	Avian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV) ..	7
Table 5.2	Calculation of the Avian Eco-SSLs for Lead	9
Table 6.1	Mammalian Toxicity Data Used to Derive TRV - Lead	12
Table 6.2	Calculation of the Mammalian Eco-SSLs for Lead	19

LIST OF FIGURES

Figure 2.1	Typical Background Concentrations of Lead in U.S. Soils	3
Figure 5.1	Avian TRV Derivation for Lead	10
Figure 6.1	Mammalian TRV Derivation for Lead	18

LIST OF APPENDICES

Appendix 5-1	Avian Toxicity Data Extracted and Reviewed for Wildlife Toxicity Reference Value (TRV) - Lead
Appendix 6-1	Mammalian Toxicity Data Extracted and Reviewed for Wildlife Toxicity Reference Value (TRV) - Lead

1.0 INTRODUCTION

Ecological Soil Screening Levels (Eco-SSLs) are concentrations of contaminants in soil that are protective of ecological receptors that commonly come into contact with and/or consume biota that live in or on soil. Eco-SSLs are derived separately for four groups of ecological receptors: plants, soil invertebrates, birds, and mammals. As such, these values are presumed to provide adequate protection of terrestrial ecosystems. Eco-SSLs are derived to be protective of the conservative end of the exposure and effects species distribution, and are intended to be applied at the screening stage of an ecological risk assessment. These screening levels should be used to identify the contaminants of potential concern (COPCs) that require further evaluation in the site-specific baseline ecological risk assessment that is completed according to specific guidance (U.S. EPA, 1997, 1998, and 1999). The Eco-SSLs are not designed to be used as cleanup levels and the United States (U.S.) Environmental Protection Agency (EPA) emphasizes that it would be inappropriate to adopt or modify the intended use of these Eco-SSLs as national cleanup standards.

The detailed procedures used to derive Eco-SSL values are described in separate documentation (U.S. EPA, 2003). The derivation procedures represent the collaborative effort of a multi-stakeholder team consisting of federal, state, consulting, industry, and academic participants led by the U.S. EPA, Office of Solid Waste and Emergency Response.

This document provides the Eco-SSL values for lead and the documentation for their derivation. This document provides guidance and is designed to communicate national policy on identifying lead concentrations in soil that may present an unacceptable ecological risk to terrestrial receptors. The document does not, however, substitute for EPA's statutes or regulations, nor is it a regulation itself. Thus, it does not impose legally-binding requirements on EPA, states, or the regulated community, and may not apply to a particular situation based upon the circumstances of the site. EPA may change this guidance in the future, as appropriate. EPA and state personnel may use and accept other technically sound approaches, either on their own initiative, or at the suggestion of potentially responsible parties, or other interested parties. Therefore, interested parties are free to raise questions and objections about the substance of this document and the appropriateness of the application of this document to a particular situation. EPA welcomes public comments on this document at any time and may consider such comments in future revisions of this document.

2.0 SUMMARY OF ECO-SSLs FOR LEAD

Lead is a naturally occurring element which can be found in all environmental media: air, soil, sediment, and water. The extent of occurrence of lead in the earth's crust is about 15 g/ton, or 0.002%. Lead occurs chiefly as a sulfide in galena. Other lead minerals include anglesite (PbSO_4), cerussite (PbCO_3), mimetite ($\text{PbCl}_2 \cdot 3\text{Pb}_3(\text{AsO}_4)_2$), and pyromorphite [$\text{PbCl}_2 \cdot 3\text{Pb}_3(\text{PO}_4)_2$] (Budavari, 1996). Lead is released to the environment from coal-fired power

plants, ceramic manufacturing, mining, ore processing, smelting of lead ores, refining, the production and use of lead alloys and compounds, recycling, combustion processes, industrial processes, and from disposal. Lead may also be deposited on land as slag, dust, sludge, and water treatment residues from manufacturing and waste treatment processes (NRCC, 1978, U.S. EPA, 1979).

Lead in soil is relatively immobile and persistent whether added to the soil as halides, hydroxides, oxides, carbonates, or sulfates (U.S. EPA, 1979). When released to soil, lead is normally converted from soluble lead compounds to relatively insoluble sulfate or phosphate derivatives. It also forms complexes with organic matter and clay minerals which limits its mobility. The efficient fixation of lead in soils limits the transfer of lead to aquatic systems. However, leaching of lead can be relatively rapid from some soils, especially at highly contaminated sites or landfills (Kayser et al., 1982). Lead is most available from acidic sandy soils which contain little material capable of binding lead (NRCC, 1978). Concentrations of lead in soil solution reach a minimum between pH 5 and 6 because metal-organic complexes form in this pH range. Only a small fraction of lead in lead-contaminated soil appears to be in water-soluble form (0.2-1%) (<http://toxnet.nlm.nih.gov>). The uptake of lead by plants also depends on other factors including cation exchange capacity, soil composition (e.g., organic matter content, calcium content), metal concentrations, precipitation, light, and temperature. Lead uptake by plants is favored at lower pH values and in soils with low organic carbon content (DeMayo et al, 1982).

Lead may also be found in soils as stable organic compounds or metallic lead or lead alloys from the use of lead shot or fishing weights. The Eco-SSLs are derived for the inorganic forms of lead found in soils and are not derived for either organic lead compounds or metallic lead shot. If these waste sources are suspected to be present or are present, then a site-specific evaluation of risks associated with these forms of lead will be required outside of the use of the Eco-SSL values.

Lead is not considered to be an essential element for plant growth and development. Lead inhibits growth, reduces photosynthesis (by inhibiting enzymes unique to photosynthesis), interferes with cell division and respiration, reduces water absorption and transpiration, accelerates abscission or defoliation and pigmentation, and reduces chlorophyll and ATP synthesis (U.S. EPA, 1979).

Lead is also not considered an essential element for birds or mammals. Clinical signs of lead toxicity in domestic animals are manifested differently for different species, but the overall signs are of encephalopathy preceded and accompanied by gastrointestinal malfunction (Booth and MacDonald, 1982). Behavioral signs of poisoning include anxiety, apprehension, hyperexcitability, vocalization, rolling of eyes, apparent fear or terror, possible belligerence, pressing of the head against a wall or post, attempts to climb a wall, sudden jumping into the air, frenzied or manical behavior (Booth and MacDonald, 1982). Locomotor disturbances of lead poisoning range from a stiff, stilted gait with ataxia and incoordination to rigidity of all postural muscles, swaying, and posterior weakness to compulsive hypermotility (circling, pacing, running). (Booth and MacDonald, 1982).

Lead can interfere with the synthesis of heme, thereby altering the urinary or blood concentration of enzymes and intermediates in heme synthesis or their derivatives. Thus, lead poisoning can lead to accumulation of non-heme iron and protoporphyrin-IX in red cells, an increase in delta-aminolevulinic acid (ALA) in blood and urine, an increase in urinary coproporphyrin, proporphyrin, and porphobilinogen, inhibition of blood ALA-dehydratase (ALA-D), and an increased proportion of immature red cells in the blood (reticulocytes and basophilic stippled cells (NIOSH, 1978). One of the characteristic cellular metabolic reactions in lead intoxication is the formation of intranuclear inclusion bodies, a discrete, dense-staining mass found in the liver parenchyma and in the tubular lining cells of the kidney (Clayton and Clayton, 1994). The intranuclear inclusion bodies are a lead protein complex that may have adaptive function in excessive lead exposure (NIOSH, 1978). Other signs of lead poisoning in domestic animals include rapid labored breathing, anorexia, weight loss, decreased milk production, dehydration, emaciation, fetal death with either resorption or abortion of the fetus, general weakness (Booth and MacDonald, 1982), paraplegia (WHO, 1977), mortality and impaired postnatal growth (Rattner et al., 1975), reduced pregnancy rate (Kennedy et al., 1975), and interference with resistance to infectious disease (Gainer, 1974) (<http://toxnet.nlm.nih.gov>).

The Eco-SSL values derived to date for lead are summarized in Table 2.1.

Table 2.1 Lead Eco-SSLs (mg/kg dry weight in soil)			
Plants	Soil Invertebrates	Wildlife	
		Avian	Mammalian
120	1,700	11	56

Eco-SSL values for lead were derived for all receptor groups. The Eco-SSLs range from 11 mg/kg dry weight (dw) for avian wildlife to 1,700 mg/kg dw for soil invertebrates. The Eco-SSL values for lead for plants, soil invertebrates, and mammalian wildlife are higher than the 95th percentiles of reported background concentrations for both eastern and western U.S. soils (Figure 2.1) (at 38 and 32 mg/kg, respectively). The Eco-SSL value for lead for avian wildlife is, however, lower than the 50th percentile for reported background concentrations in eastern and western U.S. soils (Figure 2.1). Background concentrations reported for many metals in U.S. soils are described in Attachment 1-4 of the Eco-SSL guidance (U.S. EPA, 2003).




Figure 2.1 Typical Background Concentrations of Lead in U.S. Soils

3.0 ECO-SSL FOR TERRESTRIAL PLANTS

Of the papers identified from the literature search process, 439 were selected for acquisition for further review. Of those papers acquired, 28 met all 11 Study Acceptance Criteria (U.S. EPA, 2003; Attachment 3-1). Each of these papers were reviewed and the studies were scored according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 3-2). Thirty studies received an Evaluation Score greater than ten. These studies are listed in Table 3.1.

The data in Table 3.1 are sorted by bioavailability score. There are eleven studies eligible for Eco-SSL derivation. There are four studies eligible for Eco-SSL derivation with a bioavailability score of 2 and all were used to derive the plant Eco-SSL for lead (U.S. EPA, 2003; Attachment 3-2). The Eco-SSL is the geometric mean of the maximum acceptable toxicant concentration (MATC) values for four test species under three different test conditions (pH and % organic matter (OM)) and is equal to 120 mg/kg dw.

4.0 ECO-SSL FOR SOIL INVERTEBRATES

Of the papers identified from the literature search process, 179 were selected for acquisition for further review. Of those papers acquired, 13 met all 11 Study Acceptance Criteria (U.S. EPA, 2003; Attachment 3-1). Each of these papers were reviewed and the studies were scored according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 3-2). Eighteen studies received an Evaluation Score greater than ten. These studies are listed in Table 4.1.

The data in Table 4.1 are sorted by bioavailability score. There are four studies eligible for Eco-SSL derivation and all were used to derive the soil invertebrate Eco-SSL for lead (U.S. EPA, 2003; Attachment 3-2). The Eco-SSL is the geometric mean of the MATC values for one test species under three different test conditions (pH) and is equal to 1,700 mg/kg dw.

5.0 ECO-SSL FOR AVIAN WILDLIFE

The derivation of the Eco-SSL for avian wildlife was completed as two parts. First, the toxicity reference values (TRV) was derived according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-5). Second, the Eco-SSL (soil concentration) was back-calculated for each of three surrogate species based on the wildlife exposure model and the TRV (U.S. EPA, 2003).

5.1 Avian TRV

The literature search completed according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-2) identified 2,429 papers with possible toxicity data for lead for either avian or mammalian species. Of these papers, 2,157 were rejected for use as described in Section 7.5. Of the remaining papers, 54 contained data for avian test species. These papers were reviewed and the data were extracted and scored according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-3 and 4-4). The results of the data extraction and review are summarized in Table 5.1. The complete results are included as Appendix 5-1.

Table 3.1 Plant Toxicity Data - Lead

Reference	Study ID	Test Organism		Soil pH	OM %	Bio-availability Score	ERE	Tox Parameter	Tox Value (Soil Conc. mg/kg dw)	Total Evaluation Score	Eligible for Eco-SSL Derivation?	Used for Eco-SSL?
Davis and Barnes, 1973	a	Loblolly pine	<i>Pinus taeda</i>	4	2.5	2	GRO	MATC	144	12	Y	Y
Davis and Barnes, 1973	b	Red maple	<i>Acer rubrum</i>	4	2.5	2	GRO	MATC	144	12	Y	Y
Marques Dos Santos et al., 1993	b	Berseem clover	<i>Trifolium alexandrium</i>	6.3	0.94	2	GRO	MATC	316	14	Y	Y
Marques Dos Santos et al., 1993	a	Berseem clover	<i>Trifolium alexandrium</i>	6.7	3.11	1	GRO	MATC	141	13	Y	N
Singh and Jeng, 1993		Ryegrass	<i>Lolium rigidum</i>	5.6	0.1	2	GRO	MATC	22	14	Y	Y
Geometric Mean									115			
Data Not Used to Derive Eco-SSL												
Chappelka et al., 1991		Loblolly pine	<i>Pinus taeda</i>	5.5	3.4	2	GRO	NOAEC	480	12	N	N
Dixon, 1988		Red Oak	<i>Quercus rubras</i>	6	1.5	2	GRO	LOAEC	100	19	N	N
Gaweda, 1991	a	Spinach	<i>Spinacia oleracea</i>	6.7	0.0	2	GRO	NOAEC	600	14	N	N
Taylor, 1974		Alfalfa	<i>Medicago sativa</i>	6.4	1.0	2	GRO	NOAEC	250	11	N	N
Taylor and Allinson, 1981	h	Alfalfa	<i>Medicago sativa</i>	6.9	1.7	2	GRO	NOAEC	250	15	N	N
Taylor and Allinson, 1981	I	Alfalfa	<i>Medicago sativa</i>	6.9	1.7	2	GRO	NOAEC	250	15	N	N
Zaman and Zereen, 1998	a	Radish	<i>Raphanus sativus</i>	6.9	1.0	2	GRO, BIO	LOAEC	500	14	N	N
Zaman and Zereen, 1998	b	Radish	<i>Raphanus sativus</i>	6.9	1.0	2	GRO	LOAEC	100	14	N	N
Zaman and Zereen, 1998	c	Radish	<i>Raphanus sativus</i>	6.9	1.0	2	GRO	LOAEC	100	14	N	N
Balba et al., 1991	b	Tomato	<i>Lycopersicum esculentum</i>	7.73	1.70	1	REP	MATC	71	15	Y	N
Balba et al., 1991	c	Tomato	<i>Lycopersicum esculentum</i>	8.20	0.86	1	REP	MATC	71	15	Y	N
Dang et al., 1990	g	Fenugreek	<i>Trigonella foenum</i>	8.3	0.5	1	GRO	MATC	283	11	Y	N
Gaweda, 1991	b	Spinach	<i>Spinacia oleracea</i>	6.7	3.0	1	GRO	MATC	424	13	Y	N
Hassett et al., 1976		Corn	<i>Zea mays</i>	6.5	2.1	1	GRO	MATC	158	15	Y	N
Xiong, 1997		Sow thistle	<i>Sonchus oleraceus</i> L.	7.23	1.6	1	GRO	MATC	2263	14	Y	N
Dang et al., 1990	d	Onion	<i>Allium cepa</i>	8.3	0.5	1	GRO	LOAEC	50	11	N	N
Gaweda and Capecka, 1995	a	Radish	<i>Raphanus sativus</i>	5.1	8.0	1	GRO	NOAEC	600	13	N	N
Kadar and Morvai, 1998	a	Carrot	<i>Daucus carota</i>	7.0	0.6	1	GRO	NOAEC	85	11	N	N
Kadar and Morvai, 1998	b	Peas	<i>Pisum sativum</i>	7.0	0.6	1	GRO	NOAEC	85	11	N	N
Patel et al., 1977		Barley	<i>Hordeum vulgare</i>	6.0	2.5	1	GRO	NOAEC	1000	12	N	N
Taylor and Allinson, 1981	g	Alfalfa	<i>Medicago sativa</i>	6.9	4.8	1	GRO	NOAEC	250	14	N	N
Balba et al., 1991	a	Tomato	<i>Lycopersicum esculentum</i>	7.45	2.06	0	REP	MATC	35	14	N	N
Gaweda, 1991	c	Spinach	<i>Spinacia oleracea</i>	6.7	8.0	0	GRO	NOAEC	600	12	N	N
Gaweda and Capecka, 1995	b	Radish	<i>Raphanus sativus</i>	6.2	8.0	0	GRO	NOAEC	600	13	N	N
Gaweda and Capecka, 1995	c	Radish	<i>Raphanus sativus</i>	7.1	8.0	0	GRO	NOAEC	600	13	N	N

BIO = Biomass

ERE = Ecologically relevant endpoint

GRO = Growth

LOAEC = Lowest observed adverse effect concentration

MATC = Maximum acceptable toxicant concentration. Geometric mean of NOAEC and LOAEC.

N = No

REP = Reproduction

NOAEC = No observed adverse effect concentration

OM = Organic matter content

Y = Yes

Bioavailability Score described in *Guidance for Developing Eco-SSLs* (U.S. EPA, 2003)

Total Evaluation Score described in *Guidance for Developing Eco-SSLs* (U.S. EPA, 2003)

Table 4.1 Invertebrate Toxicity Data - Lead

Reference	Study ID	Test Organism		Soil pH	OM %	Bio-availability Score	ERE	Tox Parameter	Tox Value (Soil Conc. mg/kg dw)	Total Evaluation Score	Eligible for Eco-SSL Derivation?	Used for Eco-SSL?
Sandifer and Hopkin, 1996	a	Collembola	<i>Folsomia candida</i>	6.0	10.0	1	REP	MATC	3162	16	Y	Y
Sandifer and Hopkin, 1996	c	Collembola	<i>Folsomia candida</i>	4.5	10.0	1	REP	MATC	3162	16	Y	Y
Sandifer and Hopkin, 1996	b	Collembola	<i>Folsomia candida</i>	5.0	10.0	1	REP	MATC	894	15	Y	Y
Sandifer and Hopkin, 1997		Collembola	<i>Folsomia candida</i>	6.0	10.0	1	REP	MATC	894	15	Y	Y
Geometric Mean									1682			
Data Not Used to Derive Eco-SSL												
Peredney and Williams, 2000b	s	Nematode	<i>Caenorhabditis elegans</i>	4	1.14	2	MOR	LC ₅₀	285	13	N	N
Peredney and Williams, 2000b	t	Nematode	<i>Caenorhabditis elegans</i>	4	1.14	2	MOR	LC ₅₀	297	13	N	N
Peredney and Williams, 2000b	u	Nematode	<i>Caenorhabditis elegans</i>	4	4.2	2	MOR	LC ₅₀	847	13	N	N
Peredney and Williams, 2000b	v	Nematode	<i>Caenorhabditis elegans</i>	4	4.2	2	MOR	LC ₅₀	1341	13	N	N
Donkin and Dusenbery, 1994	a	Nematode	<i>Caenorhabditis elegans</i>	6.2	1.7	2	MOR	LC ₅₀	1554	14	N	N
Donkin and Dusenbery, 1994	b	Nematode	<i>Caenorhabditis elegans</i>	5.1	3.0	2	MOR	LC ₅₀	891	14	N	N
Spurgeon et al., 1994		Earthworm	<i>Eisenia fetida</i>	6.3	10.0	1	REP	EC ₅₀	1940	15	N	N
Spurgeon and Hopkin, 1995		Earthworm	<i>Eisenia fetida</i>	6.1	10.0	1	REP	EC ₅₀	1629	15	N	N
Neuhauser et al., 1985a; 1985b	b	Earthworm	<i>Eisenia fetida</i>	6.0	10.0	1	MOR	LC ₅₀	3716	13	N	N
Conder and Lanno, 2000		Earthworm	<i>Eisenia fetida</i>	6.5	10.0	1	MOR	ILL	1.16	16	N	N
Peredney and Williams, 2000a; 2000b	w	Nematode	<i>Caenorhabditis elegans</i>	4	10	1	MOR	LC ₅₀	1434	12	N	N
Peredney and Williams, 2000b	x	Nematode	<i>Caenorhabditis elegans</i>	4	10	1	MOR	NOAEC	2235	12	N	N
Donkin and Dusenbery, 1994	c	Nematode	<i>Caenorhabditis elegans</i>	6.1	3.4	1	MOR	LC ₅₀	13.9	13	N	N
Donkin and Dusenbery, 1994	d	Nematode	<i>Caenorhabditis elegans</i>	6.2	2.2	1	MOR	LC ₅₀	11.6	13	N	N

EC₅₀ = Effect concentration for 50% of test population

ERE = Ecologically relevant endpoint

ILL = Incipient lethal level

LC₅₀ = Concentration lethal to 50% of test population

LOAEC = Lowest observed adverse effect concentration

OM = Organic matter content

REP = Reproduction

MATC = Maximum acceptable toxicant concentration = geometric mean of NOAEC and LOAEC

MOR = Mortality

N = No

NOAEC = No observed adverse effect concentration

Y = Yes

Bioavailability Score described in *Guidance for Developing Eco-SSLs* (USEPA, 2003)

Total Evaluation Score described in *Guidance for Developing Eco-SSLs* (USEPA, 2003)

Table 5.1 Avian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 1 of 2

Result #	Reference	Ref No.	Test Organism	# of Conc/Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose (mg/kg bw/day)	LOAEL Dose (mg/kg bw/day)	Data Evaluation Score
Biochemical																		
1	Scheuhammer, 1987	2860	Zebra finch (<i>Poephila guttata</i>)	7	U	FD	35	d	NR	NR	AD	M	ENZ	ALAD	BL	0.0584	0.292	69
2	Edens and Garlich, 1983	2608	Japanese quail (<i>Coturnix japonica</i>)	4	U	FD	5	w	6	w	JV	F	CHM	CALC	BL	0.194	1.94	68
3	Edens and Garlich, 1983	2608	Japanese quail (<i>Coturnix japonica</i>)	4	U	FD	5	w	6	d	JV	F	CHM	CALC	BL	0.194	1.94	70
4	Finley et al., 1976	2624	Mallard (<i>Anas platyrhynchos</i>)	4	M	FD	12	w	1	yr	AD	M	ENZ	ALAD	BL	0.201	0.586	78
5	Edens and Garlich, 1983	2608	Chicken (<i>Gallus domesticus</i>)	5	U	FD	2	w	NR	NR	AD	F	CHM	CALC	BL	6.24	12.5	72
6	Morgan et al., 1975	2779	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	5	w	6	d	JV	NR	CHM	HMGL	BL	12.6	126	69
7	Morgan et al., 1975	2779	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	5	w	1	d	JV	NR	CHM	HMGL	BL	13.5	67.4	69
8	Stone et al., 1981	6463	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	14	d	1	d	JV	B	CHM	HMGL	BL	34.5		69
9	Edens et al., 1976	2606	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	12	w	0	d	JV	F	CHM	CALC	BL		0.111	67
10	Franson et al., 1983	2636	American kestrel (<i>Falco sparverius</i>)	3	M	FD	6	mo	1-6	yr	AD	B	ENZ	ALAD	BL		2.52	71
11	Kendall and Scanlon, 1982	14770	Ringed Turtle Dove (<i>Streptopelia risoria</i>)	4	U	GV	7	d	NR	NR	AD	M	ENZ	ALAD	BL		25.0	68
12	Hoffman et al., 1985	11651	American kestrel (<i>Falco sparverius</i>)	4	U	GV	10	d	1	d	JV	NR	CHM	HMGL	BL		26.3	77
13	Edens and Melvin, 1989	2609	Japanese quail (<i>Coturnix japonica</i>)	2	U	FD	7	w	14	w	JV	F	CHM	CALC	PL		93.1	66
Behavior																		
14	Finley et al., 1976	2624	Mallard (<i>Anas platyrhynchos</i>)	4	M	FD	12	w	1	yr	AD	M	FDB	FCNS	WO	2.47		66
15	Edens and Garlich, 1983	2608	Chicken (<i>Gallus domesticus</i>)	5	U	FD	10	w	NR	NR	AD	F	FDB	FCNS	WO	3.26	6.52	75
16	Damron et al., 1969	14768	Chicken (<i>Gallus domesticus</i>)	4	U	FD	4	w	4	w	JV	NR	FDB	FEFF	WO	7.10	71.0	72
17	Pattec 1984	2809	American kestrel (<i>Falco sparverius</i>)	3	M	FD	6	mo	1 - 6	yr	AD	B	FDB	FCNS	WO	12.0		75
18	Damron et al., 1969	14768	Chicken (<i>Gallus domesticus</i>)	4	U	FD	4	w	4	w	JV	NR	FDB	FEFF	WO	61.4	123	74
19	Donaldson and McGowan, 1989	1285	Chicken (<i>Gallus domesticus</i>)	5	U	FD	20	d	1	d	JV	M	FDB	FEFF	WO	163		68
20	Bafundo et al., 1984	2517	Chicken (<i>Gallus domesticus</i>)	4	U	FD	14	d	8	d	JV	M	BEH	FEFF	WO	304	456	73
21	Edens and Garlich, 1983	2608	Japanese quail (<i>Coturnix japonica</i>)	4	U	FD	5	w	1	d	JV	F	FDB	FCNS	WO	1.94	19.4	71
22	Barthalmus et al., 1977	2526	Pigeon (<i>Columba livia</i>)	4	U	GV	17	d	NR	NR	AD	M	BEH	NMVM	WO		6.25	71
23	Stone and Soares, 1976	2898	Japanese quail (<i>Coturnix japonica</i>)	3	U	FD	32	d	NR	NR	AD	F	FDB	FCNS	WO		64.3	68
24	Edens and Melvin, 1989	2609	Japanese quail (<i>Coturnix japonica</i>)	2	U	FD	7	w	14	w	JV	F	FDB	FCNS	WO		93.1	69
25	Bafundo et al., 1984	2517	Chicken (<i>Gallus domesticus</i>)	4	U	FD	14	d	8	d	JV	M	BEH	FEFF	WO		456	67
Physiology																		
26	Edens and Garlich, 1983	2608	Chicken (<i>Gallus domesticus</i>)	5	U	FD	10	w	NR	NR	AD	F	PHY	SKIR	FE	6.24	12.5	75
Pathology																		
27	Finley et al., 1976	2624	Mallard (<i>Anas platyrhynchos</i>)	4	M	FD	12	w	1	yr	AD	M	GRS	BDWT	WO	2.33		66
28	Stone and Fox, 1984	6291	Japanese quail (<i>Coturnix japonica</i>)	3	U	FD	14	d	1	d	JV	B	ORW	ORWT	LI	2.77		68
29	Stone et al., 1977	2897	Japanese quail (<i>Coturnix japonica</i>)	2	U	FD	2	w	1	d	JV	NR	ORW	SMIX	KI	4.64		66
30	Edens and Garlich, 1983	2608	Chicken (<i>Gallus domesticus</i>)	5	U	FD	10	w	NR	NR	AD	F	GRS	BDWT	WO	6.24	12.5	75
31	Edens et al., 1976	2606	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	12	w	0	d	JV	M	ORW	ORWT	LI	11.89	119	75
32	Pattec 1984	2809	American kestrel (<i>Falco sparverius</i>)	3	M	FD	6	mo	1 - 6	yr	AD	B	GRS	BDWT	WO	12.0		84
33	Franson et al., 1983	2636	American kestrel (<i>Falco sparverius</i>)	3	M	FD	6	mo	1-6	yr	AD	B	ORW	SMIX	MT	14.1		70
34	Barthalmus et al., 1977	2526	Pigeon (<i>Columba livia</i>)	4	U	GV	55	d	NR	NR	AD	M	GRS	BDWT	WO	12.5	25.0	77
35	Cory-Slechta et al., 1980	2576	Pigeon (<i>Columba livia</i>)	4	U	GV	35	d	NR	NR	NR	M	ITX	GITX	WO	18.0	53.0	77
36	Hoffman et al., 1985	2696	American kestrel (<i>Falco sparverius</i>)	4	U	GV	10	d	1	d	JV	NR	ORW	ORWT	BR	25.0	125	84
37	Morgan et al., 1975	2779	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	5	w	1	d	JV	M	ORW	SMIX	AR	67.4	135	74
38	Kendall and Scanlon, 1982	14770	Ringed Turtle Dove (<i>Streptopelia risoria</i>)	4	U	GV	7	d	NR	NR	AD	M	GRS	BDWT	WO	75.0		69
39	Edens and Melvin, 1989	2609	Japanese quail (<i>Coturnix japonica</i>)	2	U	FD	7	w	14	w	JV	F	ORW	SMIX	FM	93.1		67
40	Edens, 1985	2605	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	12	w	1	w	JV	F	ORW	SMIX	BR	118		68
41	Vengris and Mare, 1974	14384	Chicken (<i>Gallus domesticus</i>)	7	U	GV	35	d	6	w	JV	B	ITX	ANR	WO	160	320	81
42	Rao et al., 1989	818	Duck (<i>Anas platyrhynchos</i>)	2	U	FD	12	w	7	mo	JV	F	HIS	GLBM	KI		1.71	67
43	Rao et al., 1989	817	Duck (<i>Anas platyrhynchos</i>)	2	U	FD	13	w	7	mo	JV	F	HIS	GHIS	KI		2.46	67
44	Anders et al., 1982	2513	Pigeon (<i>Columba livia</i>)	2	U	GV	5	w	NR	NR	AD	M	HIS	GHIS	KI		6.25	68
45	Donaldson and McGowan, 1989	1285	Chicken (<i>Gallus domesticus</i>)	5	U	FD	20	d	1	d	JV	M	ORW	ORWT	LI		38.2	67
46	Stone and Soares, 1976	2898	Japanese quail (<i>Coturnix japonica</i>)	3	U	FD	32	d	NR	NR	AD	F	ORW	SMIX	LI		64.3	68
47	Cupo and Donaldson, 1987	2579	Chicken (<i>Gallus domesticus</i>)	2	U	FD	21	d	1	d	JV	M	ORW	ORWT	AR		194	68
48	Johnsen and Damron 1982	2724	Goose (<i>Anser cygnides</i>)	5	U	FD	12	w	26	w	JV	NR	HIS	GHIS	LI		196	68
49	Stone and Soares, 1976	2898	Japanese quail (<i>Coturnix japonica</i>)	2	U	FD	27	d	NR	NR	AD	F	ORW	SMIX	TB		377	68
Reproduction																		
50	Edens and Garlich, 1983	2608	Japanese quail (<i>Coturnix japonica</i>)	4	U	FD	5	w	6	w	LB	F	REP	PROG	WO	0.194	1.94	77
51	Edens and Garlich, 1983	2608	Chicken (<i>Gallus domesticus</i>)	3	U	FD	4	w	NR	NR	LB	F	REP	PROG	WO	1.63	3.26	79
52	Meluzzi et al., 1996	2771	Chicken (<i>Gallus domesticus</i>)	4	U	FD	30	d	22	w	LB	F	EGG	ALWT	EG	2.69	4.04	81
53	Haegle et al., 1974	2668	Mallard (<i>Anas platyrhynchos</i>)	2	U	FD	76	d	NR	NR	SM	F	EGG	ESTH	EG	5.63		71
54	Pattec 1984	2809	American kestrel (<i>Falco sparverius</i>)	3	M	FD	6	mo	1-6	yr	AD	F	REP	RSUC	WO	12.0		90
55	Morgan et al., 1975	2779	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	5	w	6	d	JV	M	REP	TEWT	TE	12.6	126	78
56	Morgan et al., 1975	2779	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	5	w	1	d	JV	M	REP	TEWT	TE	67.4	135	80
57	Stone and Soares, 1976	2898	Japanese quail (<i>Coturnix japonica</i>)	3	U	FD	32	d	NR	NR	AD	F	REP	PROG	WO	125		67
58	Edens et al., 1976	2606	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	12	w	0	d	LB	B	REP	EGPN	EG		0.110	77

Table 5.1 Avian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 2 of 2

Result #	Reference	Ref No.	Test Organism	# of Conc/Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose (mg/kg bw/day)	LOAEL Dose (mg/kg bw/day)	Data Evaluation Score
59	Edens and Garlich, 1983	2608	Japanese quail (<i>Coturnix japonica</i>)	4	U	FD	12	w	NR	NR	LB	F	REP	PROG	WO		0.194	75
60	Edens and Garlich, 1983	2608	Chicken (<i>Gallus domesticus</i>)	5	U	FD	10	w	NR	NR	LB	F	REP	PROG	WO		3.26	75
61	Kendall and Scanlon, 1981	2734	Ringed Turtle Dove (<i>Streptopelia risoria</i>)	2	U	DR	11	w	NR	NR	AD	M	REP	TEWT	TE		11.8	68
62	Edens and Melvin, 1989	2609	Japanese quail (<i>Coturnix japonica</i>)	2	U	FD	1	w	14	w	JV	F	REP	TPRD	WO		93.1	75
63	Stone and Soares, 1976	2898	Japanese quail (<i>Coturnix japonica</i>)	2	U	FD	27	d	NR	NR	AD	F	REP	PROG	WO		377	74
Growth																		
64	Edens and Garlich, 1983	2608	Japanese quail (<i>Coturnix japonica</i>)	3	U	FD	5	w	1	d	JV	F	GRO	BDWT	WO	1.56	15.6	77
65	Stone and Fox, 1984	6291	Japanese quail (<i>Coturnix japonica</i>)	3	U	FD	2	w	1	d	JV	B	GRO	BDWT	WO	2.77		72
66	Stone et al., 1977	2897	Japanese quail (<i>Coturnix japonica</i>)	2	U	FD	2	w	1	d	JV	NR	GRO	BDWT	WO	4.64		70
67	Edens and Melvin, 1989	2609	Japanese quail (<i>Coturnix japonica</i>)	3	U	FD	4	w	0	d	JV	F	GRO	BDWT	WO	5.93	59.3	76
68	Damron et al., 1969	14768	Chicken (<i>Gallus domesticus</i>)	4	U	FD	4	w	4	w	JV	NR	GRO	BDWT	WO	6.14	61.4	76
69	Damron et al., 1969	14768	Chicken (<i>Gallus domesticus</i>)	4	U	FD	4	w	4	w	JV	NR	GRO	BDWT	WO	7.10	71.0	76
70	Edens et al., 1976	2606	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	12	w	0	d	JV	F	GRO	BDWT	WO	11.1	111	79
71	Edens, 1985	2605	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	12	w	1	w	JV	F	GRO	BDWT	WO	11.2	112	76
72	Morgan et al., 1975	2779	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	2	w	6	d	JV	NR	GRO	BDWT	WO	12.6	126	76
73	Morgan et al., 1975	2779	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	1	w	1	d	JV	NR	GRO	BDWT	WO	13.5	67.4	76
74	Howell and Hill, 1978	1387	Chicken (<i>Gallus domesticus</i>)	2	U	FD	21	d	1	d	JV	B	GRO	BDWT	WO	14.2		67
75	Jeng et al., 1979	2718	Duck (<i>Anas platyrhynchos</i>)	3	U	GV	3	mo	24	w	MA	F	GRO	BDWT	WO	20.0		87
76	Hoffman et al., 1985	2696	American kestrel (<i>Falco sparverius</i>)	4	U	GV	10	d	1	d	JV	NR	GRO	BDWT	WO	25.0	125	88
77	Howell and Hill, 1978	1387	Chicken (<i>Gallus domesticus</i>)	2	U	FD	20	d	1	d	JV	B	GRO	BDWT	WO	28.4		67
78	Stone et al., 1981	6463	Japanese quail (<i>Coturnix japonica</i>)	5	U	FD	14	d	1	d	JV	B	GRO	BDWT	WO	34.5		77
79	Custer et al., 1984	2581	American kestrel (<i>Falco sparverius</i>)	4	M	FD	60	d	1-2	yr	AD	B	GRO	BDWT	WO	54.3		68
80	Berg et al., 1980	2534	Chicken (<i>Gallus domesticus</i>)	5	U	FD	2	w	1	d	JV	M	GRO	BDWT	WO	61.3	123	83
81	Frederick, 1976	2638	Mallard (<i>Anas platyrhynchos</i>)	4	U	FD	8	d	9	d	JV	NR	GRO	BDWT	WO	66.9		67
82	Donaldson and McGowan, 1989	1285	Chicken (<i>Gallus domesticus</i>)	5	U	FD	20	d	1	d	JV	M	GRO	BDWT	WO		38.2	72
83	Latta and Donaldson, 1986	2744	Chicken (<i>Gallus domesticus</i>)	2	U	FD	3	w	1	d	JV	M	GRO	BDWT	WO		53.1	71
84	Stone and Soares, 1976	2898	Japanese quail (<i>Coturnix japonica</i>)	3	U	FD	32	d	NR	NR	AD	F	GRO	BDWT	WO		64.3	72
85	Leeming and Donaldson, 1984	2748	Chicken (<i>Gallus domesticus</i>)	2	U	FD	19	d	1	d	JV	M	GRO	BDWT	WO		76.3	71
86	Berg et al., 1980	2534	Chicken (<i>Gallus domesticus</i>)	3	U	FD	2	w	1	d	JV	M	GRO	BDWT	WO		124	77
87	Bafundo et al. 1984	2517	Chicken (<i>Gallus domesticus</i>)	4	U	FD	14	d	8	d	JV	M	GRO	BDWT	WO		152	71
88	Donaldson, 1986	2600	Chicken (<i>Gallus domesticus</i>)	2	U	FD	20	d	1	d	JV	M	GRO	BDWT	WO		163	72
89	Khan, et al, 1993	5507	Chicken (<i>Gallus domesticus</i>)	2	U	OR	4	w	NR	NR	JV	B	GRO	BDWT	WO		200	74
90	Cupo and Donaldson, 1987	2579	Chicken (<i>Gallus domesticus</i>)	2	U	FD	7	d	1	d	JV	M	GRO	BDWT	WO		262	72
91	Berg et al., 1980	2534	Chicken (<i>Gallus domesticus</i>)	2	U	FD	2	w	1	d	JV	M	GRO	BDWT	WO		270	77
92	Franson and Custer, 1982	2635	Chicken (<i>Gallus domesticus</i>)	2	U	FD	7	d	1	d	IM	NR	GRO	BDWT	WO		273	72
93	Bafundo et al. 1984	2517	Chicken (<i>Gallus domesticus</i>)	2	U	FD	14	d	8	d	JV	M	GRO	BDWT	WO		282	71
Survival																		
94	Finley et al., 1976	2624	Mallard (<i>Anas platyrhynchos</i>)	4	M	FD	12	w	1	yr	AD	M	MOR	MORT	WO	2.47		80
95	Bartholmew et al., 1977	2526	Pigeon (<i>Columba livia</i>)	4	U	GV	40	d	NR	NR	AD	M	MOR	MORT	WO	12.5	25.0	82
96	Howell and Hill, 1978	1387	Chicken (<i>Gallus domesticus</i>)	2	U	FD	21	d	1	d	JV	B	MOR	MORT	WO	14.2		77
97	Howell and Hill, 1978	1387	Chicken (<i>Gallus domesticus</i>)	2	U	FD	20	d	1	d	JV	B	MOR	MORT	WO	28.4		77
98	Custer et al., 1984	2581	American kestrel (<i>Falco sparverius</i>)	4	M	FD	60	d	1-2	yr	AD	B	MOR	MORT	WO	54.3		78
99	Frederick, 1976	2638	Mallard (<i>Anas platyrhynchos</i>)	4	U	FD	8	d	9	d	JV	NR	MOR	MORT	WO	66.9		77
100	Hoffman et al., 1985	2696	American kestrel (<i>Falco sparverius</i>)	4	U	GV	10	d	1	d	JV	NR	MOR	SURV	WO	125	625	89
101	Vengris and Mare, 1974	14384	Chicken (<i>Gallus domesticus</i>)	7	U	GV	35	d	6	w	JV	B	MOR	MORT	WO	160	320	86
102	Donaldson and McGowan, 1989	1285	Chicken (<i>Gallus domesticus</i>)	5	U	FD	20	d	1	d	JV	M	MOR	MORT	WO	163		66
103	Johnsen and Damron 1982	2724	Goose (<i>Anser cygnides</i>)	5	U	FD	12	w	26	w	JV	NR	MOR	MORT	WO	196		73
104	Anders et al., 1982	2513	Pigeon (<i>Columba livia</i>)	2	U	GV	4	w	NR	NR	AD	M	MOR	MORT	WO		6.25	73
105	Cupo and Donaldson, 1987	2579	Chicken (<i>Gallus domesticus</i>)	2	U	FD	21	d	1	d	JV	M	MOR	MORT	WO		194	73
106	Khan et al, 1993	1415	Chicken (<i>Gallus domesticus</i>)	2	U	GV	7	d	43	d	JV	F	MOR	MORT	WO		400	80

AD = adult; ALAD = (delta) -aminolevulinic acid dehydrogenase; ALWT = albumin weight; ANR = anorexia; AR = adrenal; B = both; BEH = behavior; BDWT = body weight changes; BEH = behavior; BL = blood; BR = brain; CALC = calcium; CHM = chemical changes; d = days; DR = Drinking water; EG = egg; EGG = effects on eggs; EGPN = egg production; ENZ = enzyme changes; ESTH = eggshell thinning; F = female; FCNS = food consumption; FD = food; FDB = feeding behavior; FE = feathers; FEFF = feed efficiency; FM = femur; GE = gestation; GHIS = general histology; GITX = general intoxication; GLBM = glomerular basement membrane; GRO = growth; GRS = gross body weight changes (not growth); GV = gavage; HIS = histology; HMCT = hematocrit; HMGL = hemoglobin; IM = immature; INTX = intoxication; ITX = intoxication; JV = juvenile; KI = kidney; LB = laying bird; LI = liver; MA = mature; M = male; M = measured; mo = months; MOR = effects on survival; MORT = mortality; NMVM = number of movements; NR = Not reported; OR = other oral; ORW = organ weight changes; ORWT = organ weight; PHY = physiology; PL = plasma; PROG = progeny counts or numbers; REP = reproduction; RSUC = reproductive success; SKIR = skin irritation; SM = sexually mature; SMIX = weight relative to body weight; SURV = survival; TB = tibia; TE = testes; TEDG = testes degeneration; TEWT = testes weight; TPRD = total production; U = unmeasured; w = weeks; WO = whole organism; yr = years.

Within the reviewed papers, there are 106 results for biochemical (BIO), behavioral (BEH), physiology (PHY), pathology (PTH), reproduction (REP), growth (GRO), and survival (MOR) effects that meet the Data Evaluation Score of > 65 for use to derive the TRV (U.S. EPA, 2003; Attachment 4-4). These data are plotted in Figure 5.1 and correspond directly with the data presented in Table 5.1. The no-observed adverse effect level (NOAEL) results for growth and reproduction are used to calculate a geometric mean NOAEL. This mean NOAEL is examined in relationship to the lowest bounded lowest-observed adverse effect level (LOAEL) for reproduction, growth, and survival to derive the TRV according to procedures in the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-5).



A geometric mean of the NOAEL values for reproduction and growth was calculated at 10.9 mg lead/kg bw/day. However, this value is higher than the lowest bounded LOAEL for reproduction, growth, or survival (Figure 5.1). Therefore, the TRV is equal to the highest bounded NOAEL, lower than the lowest bounded LOAEL for reproduction, growth, or survival, and is equal to 1.63 mg lead/kg bw/day.

5.2 Estimation of Dose and Calculation of the Eco-SSL

Three separate Eco-SSL values were calculated for avian wildlife, one each for three receptor groups representing different trophic levels. The avian Eco-SSLs were calculated according to the Eco-SSL guidance (U.S. EPA, 2003) and are summarized in Table 5.2.

Table 5.2 Calculation of the Avian Eco-SSLs for Lead					
Surrogate Receptor Group	TRV for Lead (mg dw/kg bw/d) ¹	Food Ingestion Rate (FIR) ² (kg dw/kg bw/d)	Soil Ingestion as Proportion of Diet (P _s) ²	Concentration of Lead in Biota Type (i) ^{2,3} (B _i) (mg/kg dw)	Eco-SSL (mg/kg dw) ⁴
Avian herbivore (dove)	1.63	0.190	0.139	$\ln(B_i) = 0.561 * \ln(\text{Soil}_i) - 1.328$ where i = plants	46
Avian ground insectivore (woodcock)	1.63	0.214	0.164	$\ln(B_i) = 0.807 * \ln(\text{Soil}_i) - 0.218$ where i = earthworms	11
Avian carnivore (hawk)	1.63	0.0353	0.057	$\ln(B_i) = 0.4422 * \ln(\text{Soil}_i) + 0.0761$ where i = mammals	510
¹ The process for derivation of wildlife TRVs is described in Attachment 4-5 of U.S. EPA (2003). ² Parameters (FIR, P _s , B _i values, regressions) are provided in U.S. EPA (2003) Attachment 4-1 (revised February 2005). ³ B _i = Concentration in biota type (i) which represents 100% of the diet for the respective receptor. ⁴ HQ = FIR * (Soil _i * P _s + B _i) / TRV solved for HQ=1 where Soil _i = Eco-SSL (Equation 4-2; U.S. EPA, 2003). NA = Not Applicable					

Figure 5.1 Avian TRV Derivation for Lead



Wildlife TRV Derivation Process

- 1) There are at least three results available for two test species within the growth, reproduction, and mortality effect groups. There are enough data to derive a TRV.
- 2) There are three NOAEL results available for calculation of a geometric mean.
- 4) The geometric mean is equal to 10.9 mg/kg bw/d but is higher than the lowest bounded LOAEL within the reproduction, growth, and survival R effect groups.
- 5) The avian wildlife TRV for lead is equal to 1.63 mg lead/kg bw/day which is the highest bounded NOAEL below the lowest bounded LOAEL for effects on growth, reproduction, and survival.

6.0 ECO-SSL FOR MAMMALIAN WILDLIFE

The derivation of the Eco-SSL for mammalian wildlife was completed as two parts. First, the TRV was derived according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-5). Second, the Eco-SSL (soil concentration) was back-calculated for each of three surrogate species based on the wildlife exposure model and the TRV (U.S. EPA, 2003).

6.1 Mammalian TRV

The literature search was completed according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-2) and identified 2,429 papers with possible toxicity data for lead for either avian or mammalian species. Of these studies, 2,157 were rejected for use as described in Section 7.5. Of the remaining papers, 219 contained data for mammalian test species. These papers were reviewed and the data were extracted and scored according to the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-3). The results of the data extraction and review are summarized in Table 6.1. The complete results are provided in Appendix 6-1.

Within the 219 papers there were 343 results for biochemical (BIO), behavioral (BEH), physiology (PHY), pathology (PTH), reproduction (REP), growth (GRO), and survival (MOR) endpoints with a total Data Evaluation Score >65 that were used to derive the TRV (U.S. EPA, 2003; Attachment 4-4). These data are plotted in Figure 6.1 and correspond directly with the data presented in Table 6.1. The NOAEL results for growth and reproduction are used to calculate a geometric mean NOAEL. This mean NOAEL is examined in relationship to the lowest bounded LOAEL for reproduction, growth, and survival to derive the TRV according to procedures in the Eco-SSL guidance (U.S. EPA, 2003; Attachment 4-5).

A geometric mean of the NOAEL values for reproduction and growth was calculated at 40.7 mg lead/kg bw/day. However, this value is higher than the lowest bounded LOAEL for reproduction, growth or mortality results. Therefore, the TRV is equal to the highest bounded NOAEL below the lowest bounded LOAEL for reproduction, growth, or survival and is equal to 4.70 mg lead/kg bw/day.

6.2 Estimation of Dose and Calculation of the Eco-SSL

Three separate Eco-SSL values are calculated for mammalian wildlife, one each for three receptor groups representing different trophic levels. The mammalian Eco-SSLs derived for lead are calculated according to the Eco-SSL guidance (U.S. EPA 2003) and are summarized in Table 6.2.

Table 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 1 of 6

Result #	Reference	Ref No.	Test Organism	# of Conc/ Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose (mg/kg bw/day)	LOAEL Dose (mg/kg bw/day)	Data Evaluation Score
Biochemical																		
1	Kimmel et al., 1980	2737	Rat (<i>Rattus norvegicus</i>)	4	U	DR	10	w	21	d	JV	F	ENZ	ALAD	UR	0.920	4.70	71
2	Horwitt and Cowgill, 1937	3873	Dog (<i>Canis familiaris</i>)	3	M	FD	7	mo	NR	NR	JV	NR	CHM	HMGL	BL	1.18	4.45	74
3	Azar et al., 1973	3747	Rat (<i>Rattus norvegicus</i>)	5	M	FD	2	yr	NR	NR	NR	B	ENZ	ALAD	BL	1.39	4.80	73
4	Carson et al., 1973	3830	Sheep (<i>Ovis aries</i>)	3	U	FD	27	w	NR	NR	GE	F	CHM	PCLV	BL	2.30	4.50	74
5	Azar et al., 1973	3747	Dog (<i>Canis familiaris</i>)	5	M	FD	2	yr	NR	NR	NR	B	ENZ	ALAD	BL	2.45	6.66	75
6	Jessup and Shott, 1969	11831	Rat (<i>Rattus norvegicus</i>)	5	U	FD	12	mo	70	d	LC	B	ENZ	G6PD	BL	4.29	8.58	71
7	Hammond et al., 1989	2675	Rat (<i>Rattus norvegicus</i>)	4	U	DR	23	d	22	d	JV	F	CHM	SOMC	BL	5.8	29.0	66
8	Mahaffey et al., 1973	2756	Rat (<i>Rattus norvegicus</i>)	7	U	DR	10	w	NR	NR	JV	M	CHM	HMCT	BL	5.9	12.9	70
9	Gupta et al., 1995	2666	Mouse (<i>Mus musculus</i>)	4	U	GV	52	d	2	mo	GE	F	ENZ	ALAD	KI	13.7	27.3	71
10	Logner et al., 1984	3889	Cattle (<i>Bos taurus</i>)	4	U	FD	6	w	74	d	JV	M	CHM	PCLV	BL	16.0	43.0	80
11	Barratt et al., 1989	2524	Rat (<i>Rattus norvegicus</i>)	4	U	GV	9	w	10	w	JV	M	CHM	PRTL	LI	18.0	180	76
12	Fick et al., 1976	3704	Sheep (<i>Ovis aries</i>)	5	U	FD	84	d	NR	NR	JV	M	CHM	HMGL	BL	32.7		66
13	Agodi et al., 1990	2507	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	2	d	JV	B	ENZ	SCDH	BR	50.0		70
14	Kempinas et al. 1988	2733	Rat (<i>Rattus norvegicus</i>)	3	U	DR	90	d	NR	NR	AD	M	CHM	HMCT	BL	61.2	122	66
15	Vyskocil et al., 1995	2923	Rat (<i>Rattus norvegicus</i>)	3	U	DR	1	mo	9-10	w	SM	F	CHM	GBCM	UR	81.3	320	68
16	Petrusz et al., 1979	2815	Rat (<i>Rattus norvegicus</i>)	4	U	GV	18	d	2	d	JV	F	HRM	Other	PI	100	200	78
17	Harry et al., 1985	2680	Rat (<i>Rattus norvegicus</i>)	2	U	GV	29	d	2	d	JV	B	CHM	PRTL	BR	200		72
18	Vyskocil et al., 1989	2922	Rat (<i>Rattus norvegicus</i>)	4	U	DR	1	mo	8	w	JV	M	CHM	B2MG	UR	320	640	66
19	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	18	d	JV	NR	CHM	PCLV	BL	400	800	78
20	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	5	U	GV	14	d	14	d	JV	NR	CHM	PCLV	BL	800	1600	78
21	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	3	U	GV	14	d	20	d	JV	NR	CHM	PCLV	BL	2400	3200	78
22	Lynch et al., 1975	14380	Cattle (<i>Bos taurus</i>)	4	U	OR	7	w	1	w	JV	M	ENZ	ALAD	BL		0.496	77
23	Singh and Ashraf, 1989	2877	Rat (<i>Rattus norvegicus</i>)	2	U	GV	10	w	5	d	JV	B	HRM	NORE	BR		1.00	72
24	Nehru and Kaushal, 1991	2789	Rat (<i>Rattus norvegicus</i>)	4	U	GV	15	d	NR	NR	NR	F	ENZ	SCDH	KI		1.37	72
25	Lassen and Buck, 1979	3709	Pig (<i>Sus scrofa</i>)	5	U	DR	1	w	6	w	JV	NR	ENZ	ALAD	BL		3.77	69
26	Lynch et al., 1976	3711	Cattle (<i>Bos taurus</i>)	3	U	OR	42	d	NR	NR	JV	M	ENZ	ALAD	BL		4.16	77
27	Lorenzo et al., 1978	2751	Rabbit (<i>Oryctolagus cuniculus</i>)	5	U	GV	30	d	1	d	JV	F	CHM	Other	BL		7.20	72
28	Kelliher, et al. 1973	14377	Cattle (<i>Bos taurus</i>)	2	U	FD	133	d	7	mo	JV	M	ENZ	ALAD	BL		15.0	69
29	Cerklewski and Forbes, 1977	2625	Rat (<i>Rattus norvegicus</i>)	2	U	FD	1	w	21	d	GE	M	ENZ	ALAD	UR		15.3	66
30	Mahaffey et al., 1977	14580	Rat (<i>Rattus norvegicus</i>)	2	UX	FD	10	w	NR	NR	JV	M	CHM	RBCE	BL		15.4	72
31	Rader et al., 1981	2830	Rat (<i>Rattus norvegicus</i>)	2	U	OR	6	w	NR	NR	JV	M	ENZ	ALAD	UR		15.5	67
32	Gelman and Michaelson, 1979	14821	Rat (<i>Rattus norvegicus</i>)	4	U	GV	19	d	2	d	JV	B	CHM	HMCT	BL		25.0	72
33	Singh et al., 1994	21095	Rat (<i>Rattus norvegicus</i>)	3	U	GV	1	mo	NR	NR	JV	F	CHM	POTA	BL		50.0	72
34	Batra et al., 1998	2528	Rat (<i>Rattus norvegicus</i>)	2	U	GV	3	mo	8	w	SM	M	ENZ	ALAD	TE		50.0	72
35	White, 1977	2929	Dog (<i>Canis familiaris</i>)	3	U	OR	1	w	<1	yr	JV	NR	ENZ	DHYD	KI		50.0	77
36	Azar et al., 1973	3747	Rat (<i>Rattus norvegicus</i>)	3	M	FD	2	yr	NR	NR	NR	B	ENZ	ALAD	BL		87.5	69
37	Rudra Pal et al., 1975	2806	Rat (<i>Rattus norvegicus</i>)	2	U	FD	4	w	NR	NR	NR	M	CHM	HMGL	BL		100	69
38	Shailesh Kumar and Desiraju, 1990	2870	Rat (<i>Rattus norvegicus</i>)	3	U	GV	58	d	2	d	JV	B	HRM	DOPA	BR		100	72
39	Hsu et al., 1975	14376	Pig (<i>Sus scrofa</i>)	2	U	FD	2	w	4	w	JV	NR	CHM	CALC	SR		173	66
40	Yagminas et al., 1990	3937	Rat (<i>Rattus norvegicus</i>)	2	U	GV	91	d	NR	NR	JV	M	CHM	BUNT	BL		200	72
41	Toews et al., 1983	2911	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	2	d	JV	M	CHM	PRTL	BR		400	72
42	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	24	d	JV	NR	CHM	PCLV	BL		400	72
43	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	16	d	JV	NR	CHM	PCLV	BL		1600	72
Behavior																		
44	Dilts and Ahokas, 1979	2593	Rat (<i>Rattus norvegicus</i>)	6	U	DR	21	d	NR	NR	GE	F	FDB	FCNS	WO	1.00	5.0	68
45	Sawicka-Kapusta et al., 1987	820	Bank vole (<i>Clethrionomys glareolus</i>)	3	M	FD	20	d	NR	NR	AD	B	FDB	FCNS	WO	1.10	34.6	80
46	Morris et al., 1938	15125	Rat (<i>Rattus norvegicus</i>)	3	U	FD	339	d	26-27	d	JV	B	FDB	FCNS	WO	2.50	18.3	74
47	Hammond et al., 1989	2675	Rat (<i>Rattus norvegicus</i>)	4	U	DR	23	d	22	d	JV	F	FDB	WCON	WO	5.80	29.0	69
48	Lynch et al., 1976	3711	Cattle (<i>Bos taurus</i>)	3	U	OR	84	d	NR	NR	JV	M	FDB	FCNS	WO	7.79		73
49	Mahaffey et al., 1977	14580	Rat (<i>Rattus norvegicus</i>)	2	UX	FD	10	w	NR	NR	JV	M	FDB	FCNS	WO	15.4		75
50	Mahaffey et al., 1973	2756	Rat (<i>Rattus norvegicus</i>)	7	U	DR	10	w	NR	NR	JV	M	FDB	FCNS	WO	24.3		67
51	Logner et al., 1984	3889	Cattle (<i>Bos taurus</i>)	4	U	FD	7	w	74	d	JV	M	FDB	FCNS	WO	43.0		70
52	Sourgens et al., 1987	2889	Rat (<i>Rattus norvegicus</i>)	4	U	DR	30	d	52	d	JV	B	FDB	WCON	WO	56.0	285	67
53	Vyskocil et al., 1995	2923	Rat (<i>Rattus norvegicus</i>)	3	U	DR	2	mo	9-10	w	SM	F	FDB	WCON	WO	81.3	320	71
54	Shailesh Kumar and Desiraju, 1990	2870	Rat (<i>Rattus norvegicus</i>)	3	U	GV	58	d	2	d	JV	B	FDB	FCNS	WO	100	400	79
55	Maker et al., 1973	2758	Mouse (<i>Mus musculus</i>)	7	U	FD	28	d	NR	NR	LC	F	AVO	FOOD	WO	101	202	73
56	Maker et al., 1973	2758	Mouse (<i>Mus musculus</i>)	7	U	FD	28	d	NR	NR	LC	F	AVO	FOOD	WO	101	202	73
57	Sokol et al., 1985	2888	Rat (<i>Rattus norvegicus</i>)	3	U	DR	30	d	52	d	JV	M	FDB	WCON	WO	169	508	70

Table 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 2 of 6

Result #	Reference	Ref No.	Test Organism	# of Conc/ Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifespan	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose (mg/kg bw/day)	LOAEL Dose (mg/kg bw/day)	Data Evaluation Score
58	Yagminas et al., 1990	3937	Rat (<i>Rattus norvegicus</i>)	2	U	GV	91	d	NR	NR	JV	M	FDB	FCNS	WO	200		66
59	Lockett and Leary, 1986	633	Rat (<i>Rattus norvegicus</i>)	2	UX	DR	16	mo	NR	NR	JV	M	BEH	ACTV	WO		0.577	66
60	Wolfe et al., 1996	2502	Rat (<i>Rattus norvegicus</i>)	5	M	DR	1	w	94	d	JV	M	FDB	WCON	WO		23	72
61	Hammond et al., 1993	2677	Rat (<i>Rattus norvegicus</i>)	2	U	DR	26	d	22	d	JV	F	FDB	WCON	WO		29.5	66
62	Hammond et al., 1993	2677	Rat (<i>Rattus norvegicus</i>)	2	U	DR	14	d	26	d	JV	F	FDB	WCON	WO		29.9	66
63	Kishi et al., 1983	12025	Rat (<i>Rattus norvegicus</i>)	4	U	GV	18	d	3	d	JV	M	BEH	RRSP	WO		45.0	75
64	Nation et al., 1990	617	Rat (<i>Rattus norvegicus</i>)	2	U	FD	61	d	50	d	JV	M	BEH	ACTP	WO		45.7	68
65	Pankakoski et al., 1994	2807	Shrew (<i>Sorex araneus</i>)	4	M	FD	31	d	NR	NR	JV	B	FDB	FCNS	WO		61.5	72
66	Wolfe et al., 1996	2502	Rat (<i>Rattus norvegicus</i>)	2	M	DR	1	w	99	d	JV	M	FDB	WCON	WO		194	72
67	Hallen et al., 1995	2669	Rat (<i>Rattus norvegicus</i>)	2	U	DR	13	w	NR	NR	GE	F	FDB	WCON	WO		200	67
68	Piasekand Kostial, 1987	2817	Rat (<i>Rattus norvegicus</i>)	4	U	DR	18	w	NR	NR	JV	M	FDB	WCON	WO		216	67
69	Barrett and Livesey, 1983	10239	Rat (<i>Rattus norvegicus</i>)	4	U	FD	10	d	NR	NR	LC	F	BEH	ACTV	WO		323	74
70	Piasek and Kostial 1991	2818	Rat (<i>Rattus norvegicus</i>)	2	U	DR	20	w	10	w	GE	F	FDB	WCON	WO		750	67
71	Gulati et al., 1985	2837	Mouse (<i>Mus musculus</i>)	4	M	DR	1	w	11	w	JV	F	FDB	WCON	WO		775	69
72	Michaelson and Sauerhoff, 1974	2774	Rat (<i>Rattus norvegicus</i>)	2	U	FD	18	d	NR	NR	LC	F	FDB	FCNS	WO		6170	68
Physiology																		
73	Boscolo et al., 1992	21113	Rat (<i>Rattus norvegicus</i>)	4	U	DR	14	mo	NR	NR	JV	M	PHY	BLPR	WO	1.69	3.39	68
74	Sawicka-Kapusta et al., 1987	820	Bank vole (<i>Clethrionomys glareolus</i>)	3	M	FD	20	d	NR	NR	AD	B	PHY	GPYH	WO	34.6		69
75	Logner et al., 1984	3889	Cattle (<i>Bos taurus</i>)	4	U	FD	7	w	74	d	JV	M	PHY	BTMP	WO	43.0		75
76	Rader et al., 1981	2829	Rat (<i>Rattus norvegicus</i>)	2	U	DR	5	w	NR	NR	JV	M	PHY	EXCR	UR		16.1	67
77	Rudra Pal et al., 1975	2806	Rat (<i>Rattus norvegicus</i>)	2	U	FD	4	w	NR	NR	JV	M	PHY	EXCR	UR		100	72
Pathology																		
78	Horwitt and Cowgill, 1937	3873	Dog (<i>Canis familiaris</i>)	3	U	FD	2	mo	NR	NR	JV	NR	HIS	GHIS	BL	1.18	4.45	77
79	Nehru and Kaushal, 1991	2789	Rat (<i>Rattus norvegicus</i>)	4	U	GV	3	mo	NR	NR	NR	F	HIS	GHIS	KI	1.37	2.73	81
80	Morris et al., 1938	15125	Rat (<i>Rattus norvegicus</i>)	3	U	FD	339	d	26-27	d	JV	B	ORW	ORWT	KI	2.49	18.3	72
81	Jessup and Shott, 1969	11831	Rat (<i>Rattus norvegicus</i>)	5	U	FD	92	w	3	d	JV	B	ORW	SMIX	HE	3.75	7.49	74
82	Lorenzo et al., 1978	2751	Rabbit (<i>Oryctolagus cuniculus</i>)	3	U	GV	30	d	1	d	JV	F	HIS	NCRO	KI	6.08	28.4	79
83	Sierra and Tiffany-Castiglioni, 1992	2876	Guinea pig (<i>Cavia porcellus</i>)	3	U	DR	40	d	NR	NR	GE	F	ORW	ORWT	BR	11.0		67
84	Rader et al., 1981	2830	Rat (<i>Rattus norvegicus</i>)	2	U	DR	6	w	NR	NR	JV	M	ORW	ORWT	BR	15.1		67
85	Logner et al., 1984	3889	Cattle (<i>Bos taurus</i>)	4	U	FD	32	d	74	d	JV	M	ITX	PARL	WO	16.0	43.0	83
86	Rader et al., 1981	2829	Rat (<i>Rattus norvegicus</i>)	2	U	DR	7	w	NR	NR	JV	M	ORW	ORWT	BR	16.1		72
87	Wolfe et al., 1996	2502	Rat (<i>Rattus norvegicus</i>)	5	M	DR	4	w	94	d	JV	F	ORW	ORWT	KI	21.3	43.0	78
88	Goyer et al., 1970	14799	Rat (<i>Rattus norvegicus</i>)	6	U	DR	10	w	NR	NR	LC	M	HIS	IIBD	KI	40.0	68.6	69
89	Agodi et al., 1990	2507	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	2	d	JV	B	ORW	ORWT	BR	50.0		75
90	Vyskocil et al., 1995	2923	Rat (<i>Rattus norvegicus</i>)	3	U	DR	1	mo	9-10	w	SM	F	ORW	SMIX	KI	81.3	320	71
91	Petrusz et al., 1979	2815	Rat (<i>Rattus norvegicus</i>)	4	U	GV	18	d	2	d	JV	B	ORW	ORWT	PI	200		66
92	Alfano and Petit, 1982	2511	Rat (<i>Rattus norvegicus</i>)	3	U	FD	25	d	NR	NR	LC	F	GRS	BDWT	WO	258	2580	76
93	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	16	d	JV	NR	HIS	ENCP	BR	400	800	81
94	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	5	U	GV	14	d	18	d	JV	NR	HIS	ENCP	BR	400	800	81
95	Gerber et al., 1978	14822	Rat (<i>Rattus norvegicus</i>)	2	U	FD	14	mo	0	d	JV	NR	ORW	ORWT	BR	431		68
96	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	18	d	JV	NR	HIS	ENCP	BR	2400		75
97	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	3	U	GV	14	d	14	d	JV	NR	HIS	ENCP	BR	3200		66
98	Schroeder and Mitchener, 1975	1858	Mouse (<i>Mus musculus</i>)	2	U	DR	520	d	19-20	d	JV	F	HIS	EDMA	WO		3.39	68
99	Nehru et al., 1997	2788	Rat (<i>Rattus norvegicus</i>)	2	U	GV	8	w	NR	NR	JV	F	ORW	ORWT	BR		10.0	67
100	Mahaffey et al., 1977	14580	Rat (<i>Rattus norvegicus</i>)	2	UX	FD	10	w	NR	NR	JV	M	ORW	SMIX	KI		15.4	75
101	Rader et al., 1981	2830	Rat (<i>Rattus norvegicus</i>)	2	U	OR	6	w	NR	NR	AD	M	ORW	ORWT	BR		15.5	70
102	Wells, et al., 1986	14803	Cattle (<i>Bos taurus</i>)	2	U	DR	8	d	3	mo	JV	M	HIS	GLSN	BR		20.0	67
103	Karmakar et al., 1986	3879	Rat (<i>Rattus norvegicus</i>)	2	U	GV	30	d	NR	NR	AD	B	HIS	GHIS	MT		44.0	75
104	Al-Omar et al., 2000	20974	Mouse (<i>Mus musculus</i>)	2	M	GV	5	w	NR	NR	JV	M	HIS	USTR	SV		46.4	80
105	White, 1977	2929	Dog (<i>Canis familiaris</i>)	2	U	OR	5	w	<1	yr	JV	NR	HIS	GHIS	LI		50.0	80
106	Pankakoski et al., 1994	2807	Shrew (<i>Sorex araneus</i>)	4	M	FD	31	d	NR	NR	JV	B	HIS	GHIS	KI		61.5	72
107	Rudra Pal et al., 1975	2806	Rat (<i>Rattus norvegicus</i>)	2	U	FD	4	w	NR	NR	JV	M	ORW	SMIX	KI		100	72
108	Shailesh Kumar and Desiraju, 1990	2870	Rat (<i>Rattus norvegicus</i>)	3	U	GV	58	d	2	d	JV	B	ORW	ORWT	BR		100	75
109	Brown, 1974	2548	Rabbit (<i>Oryctolagus cuniculus</i>)	2	U	FD	5	mo	5	mo	JV	B	HIS	GHIS	EY		153	68
110	Wolfe et al., 1996	2502	Rat (<i>Rattus norvegicus</i>)	2	M	DR	4	w	99	d	JV	M	PTH	BDWT	WO		171	72
111	Harry et al., 1985	2680	Rat (<i>Rattus norvegicus</i>)	2	U	GV	29	d	2	d	JV	F	ORW	ORWT	BR		200	75
112	Yagminas et al., 1990	3937	Rat (<i>Rattus norvegicus</i>)	2	U	GV	91	d	NR	NR	JV	M	ORW	ORWT	KI		200	75
113	Press 1975	2827	Rat (<i>Rattus norvegicus</i>)	2	U	GV	7	d	1	d	JV	B	ITX	PARL	WO		328	75
114	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	20	d	JV	NR	HIS	ENCP	BR		400	75
115	Toews et al., 1983	2911	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	2	d	JV	M	ORW	ORWT	BR		400	75
116	Brashear et al., 1978	2546	Rat (<i>Rattus norvegicus</i>)	2	U	GV	18	d	2	d	JV	B	ORW	ORWT	BR		1000	80
117	Gerber et al., 1978	14822	Rat (<i>Rattus norvegicus</i>)	2	U	FD	1	mo	0	d	JV	NR	ORW	ORWT	BR		1220	68

Table 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 3 of 6

Result #	Reference	Ref No.	Test Organism	# of Conc/ Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifespan	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose (mg/kg bw/day)	LOAEL Dose (mg/kg bw/day)	Data Evaluation Score
118	Dyck et al., 1980	2604	Rat (<i>Rattus norvegicus</i>)	2	U	FD	12	w	NR	NR	AD	NR	HIS	GHIS	NE		2730	66
119	Myers et al., 1979	2782	Rat (<i>Rattus norvegicus</i>)	2	U	FD	7	w	NR	NR	AD	B	HIS	GHIS	NE		3620	72
120	Michaelson and Sauerhoff, 1974	2774	Rat (<i>Rattus norvegicus</i>)	2	U	FD	17	d	NR	NR	LC	F	GRS	BDWT	WO		6170	68
Reproduction																		
121	Grant et al., 1980	2658	Rat (<i>Rattus norvegicus</i>)	5	U	DR	62	d	21	d	GE	F	REP	PRWT	WO	0.710	7.00	77
122	Dilts and Ahokas, 1979	2593	Rat (<i>Rattus norvegicus</i>)	6	U	DR	21	d	NR	NR	GE	F	REP	PRWT	WO	1.00	5.00	74
123	Gandley et al., 1999	2642	Rat (<i>Rattus norvegicus</i>)	3	U	DR	35	d	NR	NR	AD	M	REP	RSUC	WO	2.60	26.0	72
124	Grant et al., 1980	2658	Rat (<i>Rattus norvegicus</i>)	4	U	DR	62	d	21	d	GE	B	REP	PRWT	WO	3.00	6.0	79
125	Carson et al., 1973	3830	Sheep (<i>Ovis aries</i>)	3	U	FD	27	w	NR	NR	GE	F	REP	RSUC	WO	4.50		68
126	Dilts and Ahokas, 1980	2592	Rat (<i>Rattus norvegicus</i>)	6	U	DR	21	d	NR	NR	GE	F	REP	PRWT	WO	5.00	10.0	76
127	Sierra and Tiffany-Castiglioni, 1992	2876	Guinea pig (<i>Cavia porcellus</i>)	3	U	DR	40	d	NR	NR	GE	F	REP	PRWT	WO	5.50		73
128	Jessup and Shott, 1969	11831	Rat (<i>Rattus norvegicus</i>)	5	U	FD	92	w	21	d	JV	M	REP	TEWT	TE	7.50	74.9	78
129	Kimmel et al., 1980	2737	Rat (<i>Rattus norvegicus</i>)	4	U	DR	23.8	d	21	d	LC	F	REP	Other	WO	8.90		76
130	Kimmel et al., 1980	2737	Rat (<i>Rattus norvegicus</i>)	5	U	DR	23.8	d	21	d	GE	F	REP	Other	WO	9.10	45.0	73
131	McMurry et al., 1995	2770	Cotton rat (<i>Sigmodon hispidus</i>)	3	U	DR	7	w	NR	NR	AD	M	REP	RHIS	RT	12.4	170	67
132	Barratt et al., 1989	2524	Rat (<i>Rattus norvegicus</i>)	4	U	GV	9	w	10	w	JV	M	REP	SPCV	TE	18.0	180	85
133	Zenick et al., 1979	2943	Rat (<i>Rattus norvegicus</i>)	3	U	DR	100	d	21	d	GE	F	REP	PRWT	WO	25.4		68
134	Cerklewski, 1980	10607	Rat (<i>Rattus norvegicus</i>)	2	U	FD	35	d	70	d	LC	F	REP	PRWT	WO	27.5		66
135	Chowdhury et al., 1984	3721	Rat (<i>Rattus norvegicus</i>)	4	U	DR	60	d	NR	NR	SM	M	REP	TEWT	TE	31.6	63.2	71
136	Bull, et al., 1978	14812	Rat (<i>Rattus norvegicus</i>)	4	U	DR	56	d	70	d	LC	F	REP	PROG	WO	32.5		69
137	Winder et al., 1984	2934	Rat (<i>Rattus norvegicus</i>)	3	U	DR	31	d	NR	d	LC	F	REP	PRWT	WO	33.3	111	72
138	Miller et al., 1982	2775	Rat (<i>Rattus norvegicus</i>)	4	U	GV	41	d	NR	NR	GE	F	REP	PRWT	WO	41.0	54.6	87
139	Wolfe et al., 1996	2502	Rat (<i>Rattus norvegicus</i>)	5	U	DR	1	w	94	d	JV	M	REP	SPCL	SM	47.3	82.0	84
140	Sourgens et al., 1987	2889	Rat (<i>Rattus norvegicus</i>)	4	U	DR	30	d	NR	NR	SM	M	REP	Other	SV	56.0	285	73
141	Carpenter, 1982	2565	Hamster (<i>Mesocricetus auratus</i>)	2	U	DR	51	d	15	w	GE	F	REP	PROG	WO	64.8		69
142	Carpenter, 1982	2565	Hamster (<i>Mesocricetus auratus</i>)	2	U	DR	14	d	11	w	GE	F	REP	PROG	WO	64.9		67
143	Ronis et al., 1998	2847	Rat (<i>Rattus norvegicus</i>)	4	U	DR	37	d	NR	NR	GE	F	REP	PRWT	WO	90.1	270	74
144	Wardell et al., 1982	748	Rat (<i>Rattus norvegicus</i>)	5	U	GV	12	d	NR	NR	GE	F	REP	RSEM	EM	100	150	87
145	Hamilton and O'Flaherty, 1994	2670	Rat (<i>Rattus norvegicus</i>)	3	U	DR	68	d	25	d	GE	F	REP	PRWT	WO	115		72
146	Hamilton et al., 1994	2671	Rat (<i>Rattus norvegicus</i>)	4	U	DR	77	d	25	d	GE	F	REP	PRWT	WO	116		68
147	Fox et al., 1977	2633	Rat (<i>Rattus norvegicus</i>)	2	U	DR	21	d	NR	NR	LC	F	REP	PRWT	WO	120		68
148	Eyden et al., 1978	2618	Mouse (<i>Mus musculus</i>)	3	U	FD	8	w	2	mo	GE	M	REP	SPCV	TE	144	1440	78
149	Maker et al., 1973	2758	Mouse (<i>Mus musculus</i>)	7	U	FD	30	d	NR	NR	LC	F	REP	PRWT	WO	202	506	79
150	Maker et al., 1973	2758	Mouse (<i>Mus musculus</i>)	7	U	FD	30	d	NR	NR	LC	F	REP	PRWT	WO	202	506	79
151	Cramer et al., 1980	14816	Rat (<i>Rattus norvegicus</i>)	4	U	DR	21	d	NR	NR	GE	F	REP	DEYO	WO	276	552	74
152	Nathan et al., 1992	2785	Rat (<i>Rattus norvegicus</i>)	5	U	DR	10	w	NR	NR	AD	M	REP	TEWT	MT	294	587	71
153	Brady, et al., 1975	14795	Rat (<i>Rattus norvegicus</i>)	2	U	GV	102	d	30	d	GE	F	REP	PRWT	WO	441		69
154	Wenda-Rozewicka et al., 1996	2928	Rat (<i>Rattus norvegicus</i>)	2	U	DR	9	mo	NR	NR	SM	M	REP	RHIS	TE	600		66
155	Barrett and Livesey, 1983	10239	Rat (<i>Rattus norvegicus</i>)	4	U	FD	4	d	NR	NR	LC	F	REP	PRWT	WO	601	1500	86
156	Piasekand Kostial, 1987	2817	Rat (<i>Rattus norvegicus</i>)	4	U	DR	13	w	NR	NR	JV	M	REP	FERT	WO	639		66
157	Junaid et al., 1997	2725	Mouse (<i>Mus musculus</i>)	4	U	GV	60	d	NR	NR	AD	F	REP	RPRD	OV		2.00	77
158	Morris et al., 1938	15125	Rat (<i>Rattus norvegicus</i>)	3	U	FD	339	d	26-27	d	JV	B	REP	PRWT	WO		2.49	74
159	Schroeder and Mitchener, 1971	66	Rat (<i>Rattus norvegicus</i>)	2	U	DR	9	mo	21	d	JV	F	REP	DEYO	WO		2.94	67
160	Schroeder and Mitchener, 1971	66	Mouse (<i>Mus musculus</i>)	2	U	DR	6	mo	21	d	JV	F	REP	DEYO	WO		3.62	67
161	Gupta et al., 1995	2666	Mouse (<i>Mus musculus</i>)	4	U	GV	52	d	2	mo	GE	F	REP	PROG	EM		5.50	81
162	Saxena et al., 1989	2857	Rat (<i>Rattus norvegicus</i>)	2	U	DR	120	d	1	d	GE	M	REP	SPCL	TE		6.76	69
163	Cernochova and Kamarad, 1992	2568	Mouse (<i>Mus musculus</i>)	2	U	DR	5	w	NR	NR	AD	M	REP	TEDG	TE		16.6	66
164	Al-Omar et al., 2000	20974	Mouse (<i>Mus musculus</i>)	2	M	GV	2	w	NR	NR	JV	M	REP	SPCL	SM		46.4	86
165	Winneke et al., 1977	3935	Rat (<i>Rattus norvegicus</i>)	2	U	FD	102	d	NR	NR	GE	F	REP	PROG	WO		49.6	78
166	Batra et al., 1998	2528	Rat (<i>Rattus norvegicus</i>)	2	U	GV	3	mo	8	w	SM	M	REP	TEDG	TE		50.0	81
167	Hayashi, 1983	3864	Rat (<i>Rattus norvegicus</i>)	2	U	DR	18	d	NR	NR	GE	F	REP	PRWT	WO		55.5	68
168	Kempinas et al., 1988	2733	Rat (<i>Rattus norvegicus</i>)	3	U	DR	90	d	NR	NR	AD	M	REP	SPCL	SM		61.2	69
169	Donald et al., 1981	2598	Mouse (<i>Mus musculus</i>)	2	U	DR	23	d	NR	NR	GE	F	REP	PRWT	WO		78.6	69
170	Donald et al., 1986	2599	Mouse (<i>Mus musculus</i>)	2	U	DR	62	d	NR	NR	GE	F	REP	PRWT	WO		99.8	69
171	Talcott and Koller, 1983	2906	Mouse (<i>Mus musculus</i>)	2	U	DR	18	w	6-8	w	LC	F	REP	PRWT	WO		137	69
172	Johansson and Wide, 1986	2723	Mouse (<i>Mus musculus</i>)	2	U	DR	12	w	9	w	SM	M	REP	PRFM	WO		139	74
173	Jacquet et al., 1997	2713	Mouse (<i>Mus musculus</i>)	4	U	FD	18	d	NR	NR	GE	F	REP	PRWT	WO		154	72
174	Wolfe et al., 1996	2502	Rat (<i>Rattus norvegicus</i>)	2	M	DR	4	w	99	d	JV	M	REP	SPCL	SM		171	78
175	Blanusa, et al., 1989	14750	Rat (<i>Rattus norvegicus</i>)	5	U	DR	6	w	4	mo	GE	F	REP	RHIS	WO		175	69
176	Cramer et al., 1980	14816	Rat (<i>Rattus norvegicus</i>)	2	U	DR	22	d	NR	NR	GE	F	REP	PRWT	WO		178	69
177	Sokol et al., 1985	2888	Rat (<i>Rattus norvegicus</i>)	3	U	DR	30	d	52	d	JV	M	REP	GREP	PG		198	71
178	Hallen et al., 1995	2669	Rat (<i>Rattus norvegicus</i>)	2	U	DR	13	w	NR	NR	GE	F	REP	PRWT	WO		200	73

Table 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 4 of 6

Result #	Reference	Ref No.	Test Organism	# of Conc/ Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifespan	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose (mg/kg bw/day)	LOAEL Dose (mg/kg bw/day)	Data Evaluation Score
179	Rabe et al., 1985	13216	Rat (<i>Rattus norvegicus</i>)	2	U	DR	21	d	80	d	JV	F	REP	PRWT	WO		218	70
180	Mykkanen et al., 1980	2783	Rat (<i>Rattus norvegicus</i>)	4	U	FD	3	w	NR	NR	LC	F	REP	PRWT	WO		221	73
181	Hsu, 1980	2704	Rat (<i>Rattus norvegicus</i>)	2	U	FD	1	w	19	w	LC	F	REP	PRWT	WO		222	73
182	Mykkanen et al., 1980	2783	Rat (<i>Rattus norvegicus</i>)	4	U	FD	3	w	NR	NR	LC	F	REP	PRWT	WO		230	73
183	Alfano and Petit, 1982	2511	Rat (<i>Rattus norvegicus</i>)	3	U	FD	25	d	NR	NR	LC	F	REP	PRWT	WO		258	78
184	Yu et al., 1996	3939	Rat (<i>Rattus norvegicus</i>)	2	U	DR	21	d	NR	NR	LC	F	REP	PRWT	WO		330	68
185	Sokol, 1989	2887	Rat (<i>Rattus norvegicus</i>)	2	U	DR	30	d	52	d	JV	M	REP	SPCL	SM		354	69
186	Ronis et al., 1998	2845	Rat (<i>Rattus norvegicus</i>)	2	U	DR	17	d	NR	NR	GE	F	REP	PRWT	WO		360	68
187	Ronis et al., 1998	2845	Rat (<i>Rattus norvegicus</i>)	2	U	DR	24	d	NR	NR	LC	F	REP	PRWT	WO		360	68
188	Ronis et al., 1996	2846	Rat (<i>Rattus norvegicus</i>)	2	U	DR	12	d	NR	NR	GE	F	REP	PRWT	WO		362	69
189	Sokol, 1989	2887	Rat (<i>Rattus norvegicus</i>)	2	U	DR	30	d	27	d	JV	M	REP	SPCL	SM		364	69
190	Pinon-Lataillade et al., 1995	2821	Mouse (<i>Mus musculus</i>)	2	U	DR	44	d	NR	NR	GE	F	REP	PRWT	WO		381	68
191	Draski et al., 1989	3719	Mouse (<i>Mus musculus</i>)	2	U	DR	14	d	NR	NR	LC	F	REP	PRWT	WO		381	68
192	Ronis et al., 1996	2846	Rat (<i>Rattus norvegicus</i>)	2	U	DR	50	d	24	d	JV	F	REP	RBEH	WO		381	69
193	Rasile et al., 1995	2836	Mouse (<i>Mus musculus</i>)	2	U	DR	45	d	50-100	d	GE	F	REP	ODVP	WO		404	69
194	Thoreux-Manlay et al., 1995	2909	Rat (<i>Rattus norvegicus</i>)	2	U	DR	22	d	NR	NR	GE	F	REP	PRWT	WO		420	68
195	Donald et al., 1987	2597	Mouse (<i>Mus musculus</i>)	2	U	DR	48	d	NR	NR	GE	F	REP	PRWT	WO		437	70
196	Marchlewicz et al., 1993	2760	Rat (<i>Rattus norvegicus</i>)	2	U	DR	9	mo	3	mo	SM	M	REP	SPCL	TE		579	69
197	Piasecka et al., 1995	2816	Rat (<i>Rattus norvegicus</i>)	2	U	DR	9	mo	NR	NR	SM	M	REP	TEDG	TE		600	69
198	Piasek et al., 1988	14751	Rat (<i>Rattus norvegicus</i>)	2	U	DR	3	w	14	w	LC	F	REP	PRWT	WO		635	69
199	Jacquet, 1977	2711	Mouse (<i>Mus musculus</i>)	2	U	FD	7	d	NR	NR	GE	F	REP	RSUC	EM		646	73
200	Selvin-Testa et al., 1997	2869	Rat (<i>Rattus norvegicus</i>)	2	U	DR	126	d	1	d	GE	F	REP	PROG	WO		651	66
201	Piasek and Kostial 1991	2818	Rat (<i>Rattus norvegicus</i>)	2	U	DR	20	w	10	w	GE	F	REP	PRWT	WO		750	73
202	Epstein, et al., 1991	2614	Mouse (<i>Mus musculus</i>)	2	U	DR	4	d	NR	NR	LC	F	REP	PRWT	WO		762	68
203	Holtzman et al., 1981	2698	Rat (<i>Rattus norvegicus</i>)	2	U	FD	2	w	NR	NR	LC	F	REP	PRWT	WO		828	78
204	Holtzman et al., 1978	2699	Rat (<i>Rattus norvegicus</i>)	2	U	FD	7	d	NR	NR	LC	F	REP	PRWT	WO		833	78
205	Barlow et al., 1977	2523	Rat (<i>Rattus norvegicus</i>)	2	U	FD	21	d	NR	NR	LC	F	REP	PRWT	WO		991	74
206	Gulati et al., 1985	2837	Mouse (<i>Mus musculus</i>)	4	M	DR	18	w	11	w	JV	F	REP	TEWT	WO		1370	75
207	McConnell and Berry, 1979	2767	Rat (<i>Rattus norvegicus</i>)	2	U	FD	30	d	NR	NR	LC	F	REP	PRWT	WO		1770	73
208	Sharma and Kanwar, 1985	2871	Mouse (<i>Mus musculus</i>)	2	U	DR	14	w	NR	NR	GE	B	REP	PROG	WO		1990	70
209	Goldstein et al., 1974	14824	Rat (<i>Rattus norvegicus</i>)	2	U	FD	16	d	NR	NR	LC	F	REP	PROG	WO		2570	78
210	Holtzman et al., 1980	14827	Rat (<i>Rattus norvegicus</i>)	2	U	FD	7	d	NR	NR	LC	F	REP	PRWT	WO		2570	78
211	Krigman et al., 1974	2741	Rat (<i>Rattus norvegicus</i>)	2	U	FD	25	d	NR	NR	LC	F	REP	PRWT	WO		2570	78
212	Pentschew and Garro 1966	2811	Rat (<i>Rattus norvegicus</i>)	M	FD	27	d	NR	NR	LC	F	C	REP	PROG	WO		2840	78
213	Sharma and Kanwar, 1985	2871	Mouse (<i>Mus musculus</i>)	2	U	DR	14	w	21	d	JV	B	REP	PROG	WO		3630	70
214	Michaelson and Sauerhoff, 1974	2774	Rat (<i>Rattus norvegicus</i>)	2	U	FD	17	d	NR	NR	LC	F	REP	PRWT	WO		6170	74
Growth																		
215	Willoughby et al., 1972	14386	Horse (<i>Equus caballus</i>)	2	U	FD	15	w	20 to 21	w	JV	M	GRO	BDWT	WO	0.150		68
216	Fox et al., 1982	2634	Rat (<i>Rattus norvegicus</i>)	2	U	FD	21	d	0	d	JV	F	GRO	BDWT	WO	0.500		67
217	Dilts and Ahokas, 1979	2593	Rat (<i>Rattus norvegicus</i>)	6	U	DR	21	d	NR	NR	GE	F	GRO	BDWT	WO	1.00	5.00	72
218	Kimmel et al., 1980	2737	Rat (<i>Rattus norvegicus</i>)	5	U	DR	7	d	50	d	AD	F	GRO	BDWT	WO	1.27	13.0	73
219	Lynch et al., 1975	14380	Cattle (<i>Bos taurus</i>)	4	U	OR	7	w	1	w	JV	M	GRO	BDWT	WO	1.99		75
220	Wiebe and Barr, 1988	2930	Rat (<i>Rattus norvegicus</i>)	3	U	DR	14	d	21	d	JV	F	GRO	BDWT	WO	2.40		72
221	Schroeder et al., 1963	14446	Rat (<i>Rattus norvegicus</i>)	2	U	DR	332	d	28	d	JV	B	GRO	BDWT	WO	2.98		66
222	Kimmel et al., 1980	2737	Rat (<i>Rattus norvegicus</i>)	4	U	DR	7	w	21	d	GE	F	GRO	BDWT	WO	4.70	8.90	80
223	Horwitt and Cowgill, 1937	3873	Dog (<i>Canis familiaris</i>)	3	M	FD	7	mo	NR	NR	JV	NR	GRO	BDWT	WO	4.71		68
224	Zheng et al., 1996	2944	Rat (<i>Rattus norvegicus</i>)	3	U	DR	30	d	22-24	d	JV	M	GRO	BDWT	WO	5.64	28.2	71
225	Hammond et al., 1989	2675	Rat (<i>Rattus norvegicus</i>)	4	U	DR	23	d	22	d	JV	F	GRO	BDWT	WO	5.80	29.0	73
226	Lynch et al., 1976	3711	Cattle (<i>Bos taurus</i>)	3	U	OR	84	d	NR	NR	JV	M	GRO	BDWT	WO	7.79		80
227	Rader et al., 1981	2830	Rat (<i>Rattus norvegicus</i>)	2	U	OR	6	w	NR	NR	AD	M	GRO	BDWT	WO	9.10		67
228	Nehru et al., 1997	2788	Rat (<i>Rattus norvegicus</i>)	2	U	GV	8	w	NR	NR	JV	F	GRO	BDWT	WO	10.0		78
229	Gruber et al., 1997	2660	Rat (<i>Rattus norvegicus</i>)	3	U	DR	6	mo	NR	NR	AD	M	GRO	BDWT	WO	10.6	532	69
230	Lorenzo et al., 1978	2751	Rabbit (<i>Oryctolagus cuniculus</i>)	3	U	GV	10	d	1	d	JV	F	GRO	BDWT	WO	10.7	50.4	78
231	El-Gazzar et al., 1978	21143	Rat (<i>Rattus norvegicus</i>)	2	U	DR	140	d	21	d	JV	M	GRO	BDWT	WO	10.7		67
232	Rader et al., 1981	2830	Rat (<i>Rattus norvegicus</i>)	2	U	DR	6	w	NR	NR	JV	M	GRO	BDWT	WO	15.1		71
233	Mahaffey et al., 1977	14580	Rat (<i>Rattus norvegicus</i>)	2	UX	FD	10	w	NR	NR	JV	M	GRO	BDWT	WO	15.4		79
234	Rader et al., 1981	2830	Rat (<i>Rattus norvegicus</i>)	2	U	OR	6	w	NR	NR	AD	M	GRO	BDWT	WO	15.5		74
235	Rader et al., 1981	2829	Rat (<i>Rattus norvegicus</i>)	2	U	DR	7	w	NR	NR	JV	M	GRO	BDWT	WO	16.1		71
236	Gerber et al., 1978	14822	Mouse (<i>Mus musculus</i>)	3	U	DR	14	d	0	d	JV	NR	GRO	BDWT	WO	16.3	163	71
237	Barratt et al., 1989	2524	Rat (<i>Rattus norvegicus</i>)	4	U	GV	9	w	10	w	JV	M	GRO	BDWT	WO	18.0	180	83
238	Morris et al., 1938	15125	Rat (<i>Rattus norvegicus</i>)	3	U	FD	339	d	26-27	d	JV	B	GRO	BDWT	WO	18.3		72
239	Tafelski and Lamperti, 1975	2905	Rat (<i>Rattus norvegicus</i>)	4	U	GV	29	d	NR	NR	SM	F	GRO	BDWT	WO	18.9		71

Table 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 5 of 6

Result #	Reference	Ref No.	Test Organism	# of Conc/ Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose (mg/kg bw/day)	LOAEL Dose (mg/kg bw/day)	Data Evaluation Score
240	Mahaffey et al., 1973	2756	Rat (<i>Rattus norvegicus</i>)	7	U	DR	10	w	NR	NR	JV	M	GRO	BDWT	WO	24.3		71
241	Bull, et., al., 1978	14812	Rat (<i>Rattus norvegicus</i>)	4	U	DR	56	d	70	d	LC	F	GRO	BDWT	WO	32.5		67
242	Fick et al., 1976	3704	Sheep (<i>Ovis aries</i>)	5	U	FD	84	d	NR	NR	JV	M	GRO	BDWT	WO	32.7		66
243	Bankowska and Hine, 1985	14852	Rat (<i>Rattus norvegicus</i>)	2	U	DR	10	w	NR	NR	JV	M	GRO	BDWT	WO	38.5		67
244	Logner et al., 1984	3889	Cattle (<i>Bos taurus</i>)	4	U	FD	7	w	16	w	JV	M	GRO	BDWT	WO	43.0		72
245	Agodi et al., 1990	2507	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	2	d	JV	B	GRO	BDWT	WO	50.0		79
246	Wolfe et al., 1996	2502	Rat (<i>Rattus norvegicus</i>)	5	M	DR	4	w	94	d	JV	M	GRO	BDWT	WO	71.5	178	82
247	Gelman and Michaelson, 1979	14821	Rat (<i>Rattus norvegicus</i>)	4	U	GV	12	d	2	d	JV	B	GRO	BDWT	WO	75.0	225	85
248	Rudra Pal et al., 1975	2806	Rat (<i>Rattus norvegicus</i>)	2	U	FD	4	w	NR	NR	JV	M	GRO	BDWT	WO	100		67
249	Goyer et al., 1970	14799	Rat (<i>Rattus norvegicus</i>)	6	U	DR	10	w	NR	NR	JV	M	GRO	BDWT	WO	120	383	71
250	Eyden et al., 1978	2618	Mouse (<i>Mus musculus</i>)	3	U	FD	4	w	3	mo	JV	B	GRO	BDWT	WO	136	1360	76
251	Talcott and Koller, 1983	2906	Mouse (<i>Mus musculus</i>)	2	U	DR	18	w	6-8	w	LC	F	GRO	BDWT	WO	137		67
252	Johansson and Wide, 1986	2723	Mouse (<i>Mus musculus</i>)	2	U	DR	12	w	NR	NR	GE	M	GRO	BDWT	WO	139		72
253	Sokol et al., 1985	2888	Rat (<i>Rattus norvegicus</i>)	3	U	DR	30	d	52	d	JV	M	GRO	BDWT	WO	169	508	74
254	Wolfe et al., 1996	2502	Rat (<i>Rattus norvegicus</i>)	2	M	DR	4	w	99	d	JV	B	GRO	BDWT	WO	171		76
255	Kishi et al., 1983	12025	Rat (<i>Rattus norvegicus</i>)	4	U	GV	18	d	3	d	JV	M	GRO	BDWT	WO	180		79
256	Wadi and Ahmad, 1999	2924	Mouse (<i>Mus musculus</i>)	3	U	DR	6	w	7	w	SM	M	GRO	BDWT	WO	187	373	69
257	Petrusz et al., 1979	2815	Rat (<i>Rattus norvegicus</i>)	4	U	GV	18	d	2	d	JV	B	GRO	BDWT	WO	200		70
258	Yagminas et al., 1990	3937	Rat (<i>Rattus norvegicus</i>)	2	U	GV	91	d	NR	NR	JV	M	GRO	BDWT	WO	200		79
259	Rabe et al., 1985	13216	Rat (<i>Rattus norvegicus</i>)	2	U	DR	21	d	80	d	JV	F	GRO	BDWT	WO	218		68
260	Mykkanen et al., 1980	2783	Rat (<i>Rattus norvegicus</i>)	4	U	FD	1	w	NR	NR	LC	F	GRO	BDWT	WO	230	460	77
261	Sourgens et al., 1987	2889	Rat (<i>Rattus norvegicus</i>)	4	U	DR	30	d	NR	NR	JV	M	GRO	BDWT	WO	285		67
262	Exon et al., 1979	3847	Mouse (<i>Mus musculus</i>)	5	U	DR	10	w	NR	NR	JV	M	GRO	BDWT	WO	362		67
263	Sokol, 1989	2887	Rat (<i>Rattus norvegicus</i>)	2	U	DR	30	d	52	d	JV	M	GRO	BDWT	WO	364		67
264	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	14	d	JV	NR	GRO	BDWT	WO	400	800	85
265	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	5	U	GV	14	d	20	d	JV	NR	GRO	BDWT	WO	400	800	85
266	Gerber et al., 1978	14822	Rat (<i>Rattus norvegicus</i>)	2	U	FD	14	mo	0	d	JV	NR	GRO	BDWT	WO	431		70
267	Brady, et al., 1975	14795	Rat (<i>Rattus norvegicus</i>)	2	U	GV	102	d	30	d	LC	F	GRO	BDWT	WO	441		67
268	Stewart et al., 1998	2896	Mouse (<i>Mus musculus</i>)	4	U	GV	12	d	6	d	JV	M	GRO	BDWT	WO	534		79
269	Maker et al., 1973	2758	Mouse (<i>Mus musculus</i>)	7	U	FD	30	d	NR	NR	LC	F	GRO	BDWT	WO	632	1264	77
270	Selvin-Testa et al. 1997	2869	Rat (<i>Rattus norvegicus</i>)	2	U	DR	126	d	1	d	GE	F	GRO	BDWT	WO	651		66
271	Piasek and Kostial 1991	2818	Rat (<i>Rattus norvegicus</i>)	2	U	DR	20	w	10	w	GE	F	GRO	BDWT	WO	750		71
272	Maker et al., 1973	2758	Mouse (<i>Mus musculus</i>)	7	U	FD	28	d	NR	NR	LC	F	GRO	BDWT	WO	1260	2530	77
273	Barrett and Livesey, 1983	10239	Rat (<i>Rattus norvegicus</i>)	4	U	FD	18	d	NR	NR	LC	F	GRO	BDWT	WO	1500		71
274	Schroeder et al., 1970	252	Rat (<i>Rattus norvegicus</i>)	2	U	DR	9	d	21	d	JV	M	GRO	BDWT	WO		3.30	72
275	Kelliher, et al. 1973	14377	Cattle (<i>Bos taurus</i>)	2	U	FD	283	d	7	mo	JV	M	GRO	BDWT	WO		15.0	76
276	Hamilton and O'Flaherty, 1994	2670	Rat (<i>Rattus norvegicus</i>)	3	U	DR	92	d	25	d	GE	F	MPH	GMPH	TB		28.7	70
277	Hamilton et al., 1994	2671	Rat (<i>Rattus norvegicus</i>)	4	U	DR	7	d	25	d	GE	F	GRO	BDWT	WO		29.0	66
278	Hammond and Succop, 1995	2678	Rat (<i>Rattus norvegicus</i>)	2	U	DR	5	d	26	d	JV	F	GRO	BDWT	WO		29.0	66
279	Hammond et al., 1993	2677	Rat (<i>Rattus norvegicus</i>)	2	U	DR	26	d	22	d	JV	F	GRO	BDWT	WO		29.5	70
280	Hammond et al., 1993	2677	Rat (<i>Rattus norvegicus</i>)	2	U	DR	14	d	26	d	JV	F	MPH	Other	TA		29.9	69
281	Minnema and Hammond, 1994	2776	Rat (<i>Rattus norvegicus</i>)	2	U	DR	10	d	26	d	JV	F	GRO	BDWT	WO		30.4	67
282	Al-Omar et al., 2000	20974	Mouse (<i>Mus musculus</i>)	2	M	GV	3	w	NR	NR	JV	M	GRO	BDWT	WO		46.4	84
283	White, 1977	2929	Dog (<i>Canis familiaris</i>)	2	U	OR	5	w	<1	yr	JV	NR	GRO	BDWT	WO		50.0	84
284	Pankakoski et al., 1994	2807	Shrew (<i>Sorex araneus</i>)	4	M	FD	31	d	NR	NR	JV	B	GRO	BDWT	WO		61.5	76
285	Shailesh Kumar and Desiraju, 1990	2870	Rat (<i>Rattus norvegicus</i>)	3	U	GV	58	d	2	d	JV	B	GRO	BDWT	WO		100	79
286	Hsu et al., 1975	14376	Pig (<i>Sus scrofa</i>)	2	U	FD	13	w	4	w	JV	NR	GRO	BDWT	WO		173	73
287	Harry et al., 1985	2680	Rat (<i>Rattus norvegicus</i>)	2	U	GV	29	d	2	d	JV	F	GRO	BDWT	WO		200	79
288	Lessler and Wright, 1976	2750	Rat (<i>Rattus norvegicus</i>)	2	U	FD	5	w	NR	NR	MA	NR	GRO	BDWT	WO		272	72
289	Press 1975	2827	Rat (<i>Rattus norvegicus</i>)	2	U	GV	6	d	1	d	JV	B	GRO	BDWT	WO		328	79
290	Sokol, 1989	2887	Rat (<i>Rattus norvegicus</i>)	2	U	DR	30	d	27	d	JV	M	GRO	BDWT	WO		354	67
291	Ronis et al., 1996	2846	Rat (<i>Rattus norvegicus</i>)	2	U	DR	50	d	24	d	JV	M	GRO	BDWT	WO		371	67
292	Toews et al., 1983	2911	Rat (<i>Rattus norvegicus</i>)	2	U	GV	28	d	2	d	JV	M	GRO	BDWT	WO		400	79
293	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	18	d	JV	NR	GRO	BDWT	WO		400	79
294	Rasile et al. 1995	2836	Mouse (<i>Mus musculus</i>)	2	U	DR	45	d	50-100	d	GE	F	GRO	BDWT	WO		404	67
295	Mykkanen et al., 1980	2783	Rat (<i>Rattus norvegicus</i>)	4	U	FD	1	w	NR	NR	LC	F	GRO	BDWT	WO		442	71
296	Piasek et al., 1988	14751	Rat (<i>Rattus norvegicus</i>)	2	U	DR	6	w	14	w	LC	F	GRO	BDWT	WO		638	67
297	Gulati et al., 1985	2837	Mouse (<i>Mus musculus</i>)	4	M	DR	10	w	11	w	JV	F	GRO	BDWT	WO		748	73
298	Barlow et al., 1977	2523	Rat (<i>Rattus norvegicus</i>)	2	U	FD	21	d	NR	NR	LC	F	GRO	BDWT	WO		991	72
299	Brashear et al., 1978	2546	Rat (<i>Rattus norvegicus</i>)	2	U	GV	18	d	2	d	JV	B	GRO	BDWT	WO		1000	79
300	Gerber et al., 1978	14822	Rat (<i>Rattus norvegicus</i>)	2	U	FD	2	w	0	d	JV	NR	GRO	BDWT	WO		1430	72
301	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	24	d	JV	NR	GRO	BDWT	WO		1600	79



Table 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 6 of 6

Result #	Reference	Ref No.	Test Organism	# of Conc/ Doses	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Effect Type	Effect Measure	Response Site	NOAEL Dose (mg/kg bw/day)	LOAEL Dose (mg/kg bw/day)	Data Evaluation Score
302	Holtzman et al., 1981	2698	Rat (<i>Rattus norvegicus</i>)	2	U	FD	2	w	60-80	d	JV	M	GRO	BDWT	WO		2390	69
303	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	3	U	GV	14	d	16	d	JV	NR	GRO	BDWT	WO		2400	79
304	Holtzman et al., 1980	14827	Rat (<i>Rattus norvegicus</i>)	2	U	FD	14	d	60	d	JV	M	GRO	BDWT	WO		2650	77
Survival																		
305	Schroeder and Mitchener, 1975	1858	Mouse (<i>Mus musculus</i>)	2	U	DR	669	d	19-20	d	JV	B	MOR	LFSP	WO	3.50		68
306	Junaid et al., 1997	2725	Mouse (<i>Mus musculus</i>)	4	U	GV	60	d	NR	NR	AD	F	MOR	MORT	WO	4.00	8.00	82
307	Lynch et al., 1976	3711	Cattle (<i>Bos taurus</i>)	3	U	OR	84	d	NR	NR	JV	M	MOR	SURV	WO	7.79		85
308	Lorenzo et al., 1978	2751	Rabbit (<i>Oryctolagus cuniculus</i>)	5	U	GV	30	d	1	d	JV	F	MOR	MORT	WO	10.7	50.4	84
309	Azar et al., 1973	3747	Rat (<i>Rattus norvegicus</i>)	5	M	FD	2	yr	NR	NR	NR	M	MOR	MORT	WO	10.9	42.4	81
310	Logner et al., 1984	3889	Cattle (<i>Bos taurus</i>)	4	U	FD	10	d	74	d	JV	M	MOR	MORT	WO	16.0	43.0	88
311	Azar et al., 1973	3747	Dog (<i>Canis familiaris</i>)	5	M	FD	2	yr	NR	NR	NR	B	MOR	MORT	WO	24.7		68
312	Jessup, 1967	2720	Rabbit (<i>Oryctolagus cuniculus</i>)	3	U	FD	10	d	NR	NR	GE	F	MOR	MORT	WO	29.2		72
313	Lassen and Buck, 1979	3709	Pig (<i>Sus scrofa</i>)	5	U	DR	13	w	6	w	JV	NR	MOR	MORT	WO	30.2		68
314	Bankowska and Hine, 1985	14852	Rat (<i>Rattus norvegicus</i>)	2	U	DR	4	w	NR	NR	JV	M	MOR	MORT	WO	40.3		68
315	Al-Omar et al., 2000	20974	Mouse (<i>Mus musculus</i>)	2	M	GV	5	w	NR	NR	JV	M	MOR	MORT	WO	46.4		85
316	Carpenter, 1982	2565	Hamster (<i>Mesocricetus auratus</i>)	2	U	DR	51	d	15	w	GE	F	MOR	MORT	WO	64.8		68
317	Carpenter, 1982	2565	Hamster (<i>Mesocricetus auratus</i>)	2	U	DR	14	d	11	w	GE	F	MOR	MORT	WO	64.9		68
318	Jessup and Shott, 1969	11831	Rat (<i>Rattus norvegicus</i>)	5	U	FD	92	w	21	d	JV	M	MOR	SURV	WO	74.9		73
319	Jessup, 1969	2721	Rat (<i>Rattus norvegicus</i>)	4	U	FD	8	w	NR	NR	GE	B	MOR	SURV	WO	78.9		73
320	Azar et al., 1973	3747	Rat (<i>Rattus norvegicus</i>)	3	M	FD	2	yr	NR	NR	NR	M	MOR	MORT	WO	87.5	163	83
321	Wolfe et al., 1996	2502	Rat (<i>Rattus norvegicus</i>)	5	U	DR	24	w	94	d	JV	B	MOR	MORT	WO	104		77
322	Lessler and Wright, 1976	2750	Rat (<i>Rattus norvegicus</i>)	2	U	FD	24	w	NR	NR	YO	M	MOR	MORT	WO	170		73
323	Lessler and Wright, 1976	2750	Rat (<i>Rattus norvegicus</i>)	2	U	FD	8	w	NR	NR	MA	M	MOR	MORT	WO	170		66
324	Petrusz et al., 1979	2815	Rat (<i>Rattus norvegicus</i>)	4	U	GV	18	d	2	d	JV	B	MOR	MORT	WO	200		80
325	Ogilvie and Martin, 1981	2799	Mouse (<i>Mus musculus</i>)	2	U	DR	10	mo	NR	NR	AD	M	MOR	MORT	WO	379		68
326	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	5	U	GV	14	d	20	d	JV	NR	MOR	MORT	WO	400	800	86
327	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	24	d	JV	NR	MOR	MORT	WO	400	800	86
328	Rasile et al., 1995	2836	Mouse (<i>Mus musculus</i>)	2	U	DR	98	d	50-100	d	GE	F	MOR	MORT	WO	404		68
329	Piasekand Kostial, 1987	2817	Rat (<i>Rattus norvegicus</i>)	4	U	DR	18	w	NR	NR	JV	M	MOR	MORT	WO	639		72
330	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	24	d	JV	NR	MOR	MORT	WO	2000	2400	86
331	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	3	U	GV	14	d	14	d	JV	NR	MOR	MORT	WO	3200		80
332	Kanisawa and Schroeder, 1969	3701	Rat (<i>Rattus norvegicus</i>)	2	U	DR	727	d	30	d	JV	F	MOR	LFSP	WO		0.569	67
333	Zmudski et al., 1983	3940	Cattle (<i>Bos taurus</i>)	4	U	DR	21	d	10	w	JV	M	MOR	MORT	WO		2.70	72
334	Schroeder et al., 1963	14446	Rat (<i>Rattus norvegicus</i>)	2	U	DR	6	mo	28	d	JV	B	MOR	SURV	WO		2.87	67
335	Schroeder et al., 1964	14447	Mouse (<i>Mus musculus</i>)	2	U	DR	21	mo	21	d	JV	M	MOR	SURV	WO		3.10	73
336	Wells, et al., 1986	14803	Cattle (<i>Bos taurus</i>)	2	U	DR	8	d	3	mo	JV	M	MOR	MORT	WO		20.0	72
337	Pankakoski et al., 1994	2807	Shrew (<i>Sorex araneus</i>)	4	M	FD	31	d	NR	NR	JV	B	MOR	MORT	WO		61.5	77
338	Press 1975	2827	Rat (<i>Rattus norvegicus</i>)	2	U	GV	14	d	1	d	JV	B	MOR	MORT	WO		328	80
339	Shailesh Kumar and Desiraju, 1990	2870	Rat (<i>Rattus norvegicus</i>)	2	U	GV	58	d	2	d	JV	B	MOR	MORT	WO		400	84
340	Holtzman et al., 1982	2697	Rat (<i>Rattus norvegicus</i>)	4	U	GV	14	d	16	d	JV	NR	MOR	MORT	WO		400	80
341	Eyden et al., 1978	2618	Mouse (<i>Mus musculus</i>)	6	U	FD	115	d	NR	NR	AD	B	MOR	SURV	WO		635	72
342	Gulati et al., 1985	2837	Mouse (<i>Mus musculus</i>)	4	M	DR	18	w	11	w	JV	B	MOR	MORT	WO		670	74
343	Lamb et al., 1997	2505	Mouse (<i>Mus musculus</i>)	4	U	DR	105	d	6	w	JV	B	MOR	MORT	WO		670	72

ACTP = accuracy of learned behavior; ACTV = activity level; AD = adult; ALAD = (delta) -aminolevulinic acid dehydrogenase; AVO = avoidance; B = both; B2MG = beta2-microglobulin; BL = blood; BLPR = blood pressure; BDWT = body weight changes; BEH = behavior; BR = brain; BTMP = body temperature; BUNT = blood urea nitrogen; CALC = calcium; CHM = chemical changes; d = days; DEYO = death of young; DHYD = dehydration; DOPA = dopamine; DR = Drinking water; EDMA = edema; EM = embryo; ENCP = encephalopathy; ENZ = enzyme level changes; EXCR = excretion; EY = eye; F = female; FCNS = food consumption; FD = food; FDB = feeding behavior; FERT = fertility; FOOD = food avoidance; G6PD = glucose-6-phosphate dehydrogenase; GBCM = general biochemical; GE = gestation; GHIS = general histology; GLSN = gross lesions; GMPPH = general morphology; GPHY = general physiology; GREP = general reproductive effect; GRO = growth; GRS = gross body weight changes; GV = gavage; HE = heart; HIS = histological changes; HMCT = hematocrit; HMGL = hemoglobin; HRM = hormone changes; IIBD = intranuclear inclusion bodies; ITX = intoxication; JV = juvenile; kg = kilograms; KI = kidney; L = liter; LC = lactation; LFSP = lifespan; LI = liver; LOAEL = lowest observed adverse effect level; mo = months; M = male; M = measured; MA = mature; MOR = effects on mortality and survival; MORT = mortality; MT = multiple tissues/organs; NCRO = necrosis; NE = nervous tissue; NOAEL = No Observed Adverse Effect Level; NORE = norepinephrine; NR = Not reported; ODVP = offspring development; OR = other oral; ORW = organ weight changes; ORWT = organ weight changes; OV = ovaries; PARL = paralysis; PCLV = packed cell volume; PG = prostate gland; PHY = physiology; PI = pituitary gland; POTA = potassium; PRFM = sexual performance; PROG = progeny numbers/counts; PRTL = total protein; PRWT = progeny weight; PTH = pathology; RBCE = red blood cell count; RBEH = reproductive behavior; REP = reproduction; RHIS = reproductive organ histology; RPRD = reproductive capacity; RRSP = righting response; RSEM = resorbed embryos; RSUC = reproductive success (general); RT = reproductive tissue; SCDH = succinate dehydrogenase; SM = sperm; SMX = sexually mature; SMIX = weight relative to body weight; SOMC = somatomedin C; SPCL = sperm cell counts; SPCV = sperm cell viability; SR = serum; SURV = survival; SV = seminal vesicle; TA = tail; TB = tibia; TE = testes; TEDG = testes degeneration; TEWT = testes weight; U = unmeasured; UR = urine; USTR = ultrastructural changes; UX = measured but values not reported; w = weeks; WCON = water consumption; WO = whole organism; YO = young; y = year.

Figure 6.1 Mammalian TRV Derivation for Lead



Wildlife TRV Derivation Process

- 1) There are at least three results available for two test species within the growth, reproduction, and mortality effect groups. There are enough data to derive a TRV.
- 2) There are three NOAEL results available for calculation of a geometric mean.
- 4) The geometric mean is equal to 40.7 mg/kg bw/d but is higher than the lowest bounded LOAEL for results within the reproduction, growth, and survival effect groups.
- 5) The mammalian wildlife TRV for lead is equal to 4.70 mg lead/kg bw/day which is the highest bounded NOAEL below the lowest bounded LOAEL for results in the growth, reproduction, and survival effect groups.

Table 6.2 Calculation of the Mammalian Eco-SSLs for Lead					
Surrogate Receptor Group	TRV for Lead (mg dw/kg bw/d) ¹	Food Ingestion Rate (FIR) ² (kg dw/kg bw/d)	Soil Ingestion as Proportion of Diet (P _s) ²	Concentration of Lead in Biota Type (i) ^{2,3} (B _i) (mg/kg dw)	Eco-SSL (mg/kg dw) ⁴
Mammalian herbivore (vole)	4.70	0.0875	0.032	$\ln(B_i) = 0.561 * \ln(\text{Soil}_i) - 1.328$ where i = plants	1200
Mammalian ground insectivore (shrew)	4.70	0.209	0.030	$\ln(B_i) = 0.807 * \ln(\text{Soil}_i) - 0.218$ where i = earthworms	56
Mammalian carnivore (weasel)	4.70	0.130	0.043	$\ln(B_i) = 0.4422 * \ln(\text{Soil}_i) + 0.0761$ where i = mammals	460
¹ The process for derivation of wildlife TRVs is described in Attachment 4-5 of U.S. EPA (2003). ² Parameters (FIR, P _s , B _i values, regressions) are provided in U.S. EPA (2003) Attachment 4-1 (revised February 2005). ³ B _i = Concentration in biota type (i) which represents 100% of the diet for the respective receptor. ⁴ HQ = FIR * (Soil _i * P _s + B _i) / TRV solved for HQ=1 where Soil _i = Eco-SSL (Equation 4-2; U.S. EPA, 2003). NA = Not Applicable					

This Page Intentionally Left Blank

7.0 REFERENCES

7.1 General Lead References

Booth, N.H., L.E. McDonald (eds.). 1982. *Veterinary Pharmacology and Therapeutics*. 5th ed. Ames, Iowa: Iowa State University Press, 1982

Budavari, S. (ed.). 1996. *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Whitehouse Station, NJ: Merck and Co., Inc., 922

Clayton, G.D., F.E. Clayton (eds.) 1993-1994, *Patty's Industrial Hygiene and Toxicology*. Volumes 2A, 2B, 2C, 2D, 2E, 2F: Toxicology. 4th ed. New York, NY: John Wiley & Sons Inc., 1993-1994. 2073

Doull, J., C.D.Klassen, and M.D. Amdur (eds.). 1986. Inorganic lead compounds/ *Casarett and Doull's Toxicology*. 3rd ed., New York: Macmillan Co., Inc., 1986. 599

Gainer JH. 1974. *Environ Health Perspect* Exp 7: 113-9 (1974) as cited in U.S. EPA; Ambient Water Quality Criteria Doc: Lead p.C-71 (1980) EPA 440/5-80-057]

Kayser, R., D. Sterling, D. Viviani (eds.). 1982. *Intermedia Priority Pollutant Guidance Documents*. Washington, DC: U.S.Environmental Protection Agency, July 1982.

NIOSH. 1978. *Criteria Document: Inorganic Lead* p.III-4 (1978) DHEW Pub. NIOSH 78-158.

National Research Council of Canada (NRCC). 1978. Inorganic lead. Effects of Lead in the Canadian Envir p.271. NRCC No.16736

United States Environmental Protection Agency (U.S. EPA). 2003. *Guidance for Developing Ecological Soil Screening Levels (Eco-SSLs)*. November. Office of Emergency and Remedial Response, Washington, DC. OSWER Directive 9285.7-55.

United States Environmental Protection Agency (U.S. EPA). 1999. *Ecological Risk Assessment and Risk Management Principles for Superfund Sites*. Office of Emergency and Remedial Response, Washington, DC. OSWER Directive 9285.7-28.P.

United States Environmental Protection Agency (U.S. EPA). 1998. *Guidelines for Ecological Risk Assessment*. Risk Assessment Forum. U.S. Environmental Protection Agency, Washington DC. EPA/630/R-95/002F. April. May 14, 1998 Federal Register 63(93): 26846-26924.

United States Environmental Protection Agency (U.S. EPA). 1997. *Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risk Assessments*. Interim Final. U.S. Environmental Protection Agency, Environmental Response Team (Edison, NJ). June 5, 1997.

World Health Organization (WHO). 1995. *Environ Health Criteria: Lead* p. 26.

7.2 References for Plants and Soil Invertebrates

Balba, A. M., El Shibiny, G., and El Khatib, S. 1991. Effect of Lead Increments on the Yield and Lead Content of Tomato Plants. *Water Air Soil Pollut.* 57-58, 93-99

Chappelka, A. H., Kush, J. S., Runion, G. B., Meier, S., and Kelley, W. D. 1991. Effects of soil-applied lead on seedling growth and ectomycorrhizal colonization of loblolly pine. *Environ.Pollut.* 72[4], 307-316

- Conder, J. M. and Lanno, R. P. 2000. Evaluation of Surrogate Measures of Cadmium, Lead, and Zinc Bioavailability to *Eisenia fetida*. *Chemosphere* 41, 1659-1668
- Dang, Y. P., Chhabra, R., and Verma, K. S. 1990. Effect of Cd, Ni, Pb and Zn on Growth and Chemical Composition of Onion and Fenugreek. *Commun.Soil Sci.Plant Anal.* 21[9/10], 717-735
- Davis, J. B. and Barnes, R. L. 1973. Effects of Soil-Applied Fluoride and Lead on Growth of Loblolly Pine and Red Maple. *Environ.Pollut.* 5, 35-44
- Dixon, R. K. 1988. Response of Ectomycorrhizal *Quercus rubra* to Soil Cadmium, Nickel and Lead. *Soil Biol Biochem* 20[4], 555-559
- Donkin, S. G. and Dusenbery, D. B. 1994. Using the *Caenorhabditis elegans* Soil Toxicity Test to Identify Factors Affecting Toxicity to Identify Factors Affecting Toxicity of Four Metal Ions in Intact Soil. *Water Air Soil Pollut.* 78, 359-373
- Gaweda, M. 1991. The uptake of lead by spinach *spinacia-oleracea* l. And radish *raphanus-raphanistrum*-subvar-radicula pers. As affected by organic matter in soil. *Acta Physiol.Plant.* 13[3], 167-174
- Gaweda, Maria and Capecka, Ewa. 1995. Effect of substrate ph on the accumulation of lead in radish (*Raphanus sativus* l. Subvar. Radicula) and spinach (*Spinacia oleracea* l.). *Acta Physiol.Plant.* 17[4], 333-340
- Hassett, J. J., Miller, J. E., and Koeppe, D. E. 1976. Interaction of Lead and Cadmium on Maize Root Growth and Uptake of Lead and Cadmium by Roots. *Environ.Pollut.* 11, 297-302
- Kadar, I. and Morvai, B. 1998. Effect of Micropollutants on Soil and Crop on Calcareous Sandy Soil. *Agrokem.Talajtan* 47[1-4], 207-214
- Kennedy G.L. et al. 1975. *Food Cosmet Toxicol* 13: 629-32 (1975) as cited in U.S. Dept Health & Human Services/Agency for Toxic Substances & Disease Registry; Toxicological Profile for Lead (Update) p.94 (1993) ATSDR/TP-92/12.
- Marques Dos Santos, C., Neto, M. M. P., and DeVarennes, A. 1993. Some Effects of Different Levels of Lead on Berseem. In: M.A.C.Fragoso and M.L.vanBeuxichen, (Eds.), *Developments in Plant and Soil Sciences, Optimization of Plant Nutrition* , 517-521
- Neuhauser, E. F., Loehr, R. C., and Malecki, M. R. 1985. Contact and Artificial Soil Tests Using Earthworms to Evaluate the Impact of Wastes in Soil. In: J.K.Petros,Jr., W.J.Lacy, and R.A.Conway (Eds.), *Hazardous and Industiral Solid Waste Testing: 4th Symposium, ASTM STP 886, Philadelphia, PA 886*, 192-203
- Neuhauser, E. F., Loehr, R. C., Milligan, D. L., and Malecki, M. R. 1985. Toxicity of Metals to the Earthworm *Eisenia fetida*. *Biol.Fertil.Soils* 1[3], 149-152
- Patel, P. M., Wallace, A., and Romney, E. M. 1977. Effect of Chelating Agents on Phytotoxicity of Lead and Lead Transport. *Comm.Soil Sci.Plant Anal.* 8[9], 733-740
- Peredney, C. L. and Williams, P. L. 2000. Utility of *Caenorhabditis elegans* for Assessing Heavy Metal Contamination in Artificial Soil. *Arch.Environ.Contam.Toxicol.* 39[1], 113-118
- Peredney, C. L. and Williams, P. L. 2000. Comparison of the Toxicological Effects of Nitrate Versus Chloride Metallic Salts on *Caenorhabditis elegans* in Soil. In: F.T.Price, K.V.Brix, and N.K.Lane (Eds.), *Recent Achievements in Environmental Fate and Transport, 9th Volume, ASTM STP 1381, West Conshohocken, PA* , 256-268
- Sandifer, R. D. and Hopkin, S. P. 1997. Effects of Temperature on the Relative Toxicities of Cd, Cu, Pb, and Zn to

Folsomia candida (Collembola). *Ecotoxicol.Environ.Saf.* 37, 125-130

Sandifer, R. D. and Hopkin, S. P. 1996. Effects Of Ph On The Toxicity Of Cadmium, Copper, Lead And Zinc To Folsomia Candida Willem, 1902 (Collembola) In A Standard Laboratory Test System. *Chemosphere* 33[12], 2475-2486

Singh, B. R. and Jeng, A. S. 1993. Uptake of Zinc, Cadmium, Mercury, Lead, Chromium and Nickel by Ryegrass Grown in a Sandy Soil. *Norw.J.Agric.Sci.* 7[2], 147-157

Spurgeon, D. J. and Hopkin, S. P. 1995. Extrapolation of the Laboratory-Based OECD Earthworm Toxicity Test to Metal Contaminated Field Sites. *Ecotoxicology* 4[3], 190-205

Spurgeon, D. J., Hopkin, S. P., and Jones, D. T. 1994. Effects of Cadmium, Copper, Lead and Zinc on Growth, Reproduction and Survival of the Earthworm Eisenia Fetida (Savigny): Assessing the Environmental Impact of Point-Source Metal Contamination in Terrestrial Ecosystems. *Environ.Pollut.* 84[2], 123-130

Taylor, R. W. 1974. Presence and Influence of Certain Heavy Metals on the Yield and Utilization of *Medicago sativa* L. M.S.Thesis, Univ.of Connecticut, Storrs, CN , -113 p.

Taylor, R. W. and D. W. Allinson. 1981. Influence of Lead, Cadmium and Nickel on the Growth of *Medicago sativa* (L.). *Plant Soil* 60, 223-236

Xiong, Z. T. 1997. Bioaccumulation and Physiological Effects of Excess Lead in a Roadside Pioneer Species *Sonchus oleraceus* L. *Environ.Pollut.* 97[3], 275-279

Zaman, M. S. and Zereen, F. 1998. Growth Responses of Radish Plants to Soil Cadmium and Lead Contamination. *Bull.Environ.Contam.Toxicol.* 61[1], 44-50

Zheng, C. and Chen, H. 1996. Interaction of Pb and Cd in Soil-Water-Plant System and Its Mechanism. I. Pb-Cd Interaction in Red Soil-Plant System. *Pedosphere* 6[1], 63-72 IP 13139 - Chur*g and Huaiman, 1996

7.3 References Rejected for Use in Deriving Plant and Soil Invertebrate Eco-SSLs

These references were reviewed and rejected for use in derivation of the Eco-SSL. The definition of the codes describing the basis for rejection is provided at the end of the reference sections.

Score	Aery, N. C. and Jagetiya, B. L. 1997. Relative Toxicity of Cadmium, Lead and Zinc on Barley. <i>Commun.Soil Sci.Plant Anal.</i> 28[11/12], 949-960
Score	Baumhardt, G. R. and Welch, L. F. 1972. Lead Uptake and Corn Growth with Soil-Applied Lead. <i>J.Environ.Qual.</i> 1[1], 92-94
Score	Bengtsson, G., Gunnarsson, T., and Rundgen, S. 1986. Effects of Metals Pollution on the Earthworm <i>Dendrobaena rubida</i> (Sav.) in Acidified Soils. <i>Water Air Soil Pollut.</i> 28, 361-383
No Dose	Berg, M. H. 1970. Lead Absorption from Soil into Legumes. <i>J Minn Acad Sci</i> 36[2-3], 96
Media	Bersenyi, A., Fekete, S., Hullar, I., Kadar, I., Szilagyi, M., Glavits, R., Kulcsar, M., Mezes, M., and Zoldag, L. 1999. Study of the Soil-Plant (Carrot)-Animal Cycle of Nutritive and Hazardous Minerals in a Rabbit Model. <i>Acta Vet.Hung.</i> 47[2], 181-190
FL	Bertels, C., Ruether, P., Kahle, H., and Breckle, S. W. 1989. Root System Growth of Beech

Seedlings in Cadmium and Cadmium-Lead Contaminated Soils (Die Entwicklung des Wurzelsystems von Buchenkeimlingen bei Cadmium- und Kombiniertes Cadmium-/Bleibelastung). *Verh.Ges.Oekol.* 18, 367-371

Media	Beyer, W. N. and Anderson, A. 1985. Toxicity to Woodlice of Zinc and Lead Oxides Added to Soil Litter. <i>Ambio</i> 14[3], 172-174
Media	Bharti, N. and Singh, R. P. 1993. Growth and Nitrate Reduction by <i>Sesamum indicum</i> cv PB-I Respond Differentially to Lead. <i>Phytochemistry</i> 33[3], 531-534
No Dose	Bhuiya, M. R. H. and Cornfield, A. H. 1972. Effects of Addition of 1000 ppm Cu, Ni, Pb and Zn on Carbon Dioxide Release During Incubation of Soil Alone and After Treatment with Straw. <i>Environ.Pollut.</i> 3, 173-177
No Dose	Bhuiya, M. R. H. and Cornfield, A. H. 1974. Incubation Study on Effect of pH on Nitrogen Mineralisation and Nitrification in Soils Treated with 1000 ppm Lead and Zinc, as Oxides. <i>Environ.Pollut.</i> 7, 161-164
No Control	Bhuiya, M. R. H. and Cornfield, A. H. 1976. Effect of Addition of Cu, Cr, Pb and Zn on Nitrogen Mineralisation and Nitrification During Incubation of Sandy Soils. <i>Bangladesh J.Biol.Sci.</i> 5[1], 18-20
Mix	Bisessar, S. 1982. Effect of Heavy Metals on Microorganisms in Soils near a Secondary Lead Smelter. <i>Water Air Soil Pollut</i> 17[3], 305-308
Media	Bittell, J., Koeppel, D. E., and Miller, R. J. 1974. Sorption of Heavy Metals Cations by corn Mitochondria and the Effects on Electron and Energy Transfer Reactions. <i>Physiol Plant</i> 30, 226-230
Mix	Blair, C. W., Scanlon, P. F., and Hiller, A. L. 1978. Lead, Cadmium, Nickel, and Zinc Levels in Earthworms and Mammals Recovered near Highways of Different Traffic Volumes. <i>Va.J.Sci.</i> 29[2], 57 (ABS)
No Dose	Blaylock, Michael J., Salt, David E., Dushenkov, Slavik, Zakharova, Olga, Gussman, Christopher, Kapulnik, Yoram, Ensley, Burt D., and Raskin, Ilya. 1997. Enhanced accumulation of Pb in indian mustard by soil-applied chelating agents. <i>Environ.Sci.Technol.</i> 860-865
Mix	Boisson, J., Ruttens, A., and Vangronsveld, J. 1999. Evaluation of Hydroxyapatite as a Metal Immobilizing Soil Additive for the Remediation of Polluted Soils. Part I. Influence of Hydroxyapatite on Metal Exchangeability in Soil, Plant Growth and Plant Metal Accumulation. <i>Environ Pollut</i> 104[2], 225-233
No Dur	Boon, D. Y. and Soltanpour, P. N. 1992. Lead, cadmium and zinc contamination of aspen garden soils and vegetation. <i>J Environ Qual</i> 21[1], 82-86
No Dur	Boruvka, L., Kozak, J., and Kristoufkova, S. 1997. Distribution of cadmium, lead, and zinc in plants grown on heavily polluted soils. <i>Rostl.Vyroba</i> 43[6], 249-256
Mix	Bradshaw, A. D. 1952. Populations of <i>Agrostis tenuis</i> Resistant to Lead and Zinc Poisoning. <i>Nature (London)</i> 169, 1098-1110
Rev	Breckle, S. W. and Kahle, H. 1992. Effects of Toxic Heavy Metals Cadmium Lead on Growth and Mineral Nutrition of Beech (<i>Fagus sylvatica</i> L.). <i>Vegetario</i> 101[1], 43-53
Rev	Brennan, M. A. and Shelley, M. L. 1999. A Model of the Uptake, Translocation, and

Accumulation of Lead (Pb) by Maize for the Purpose of Phytoextraction. *Ecol.Eng.* 12[3/4], 271-297

Rev	Brewer, R. F. 1966. Lead. In: H.D.Chapman (Ed.), <i>Diagnostic Criteria for Plants and Soils</i> , University of California, Berkeley, CA , 213, 216
Media	Brown, B. E. 1977. Uptake of Copper and Lead by a Metal Tolerant Isopod <i>Asellus meridianus</i> Rac. <i>Freshwater Biol</i> 7[3], 235-244
No Dur	Brown, D. H. and Slingsby, D. R. 1972. The Cellular Location of Lead and Potassium in the Lichen <i>Cladonia rangiformis</i> (L.) Hoffm. <i>New Phytol</i> 71, 297-305
Mix	Brown, G. 1995. The Effects of Lead and Zinc on the Distribution of Plant Species at Former Mining Areas of Western Europe. <i>Flora (Jena)</i> 190[3], 243-249
FL	Brown, Gary. 1990. Ecological study of the vegetation in the former lead-mining area near Mechernich (Eifel Mountains). <i>Angew.Bot.</i> 64[5-6], 457-488
OM, pH	Cadmium, Copper, and Lead. <i>Environ Sci & Technol</i> 7[2], 131-135
Media	Buckles, V. P. 1999. Can the Pattern of the Leucage venusto Webs be Used to Indicate Environmental Contamination? <i>Bull Environ Contam Toxicol</i> 62[5], 563-569
Media	Burzynski, M. and Jakob, M. 1983. Influence of Lead on Auxin-Induced Cell Elongation. <i>Acta Soc.Bot.Pol.</i> 52[3/4], 231-239
Media	Burzynski, M. and Grabowski, A. 1984. Influence of Lead on Nitrate Uptake and Reduction in Cucumber Seedlings. <i>Acta Soc.Bot.Pollut.</i> 53[1], 77-86
Media	Burzynski, M. 1985. Influence of Lead on the Chlorophyll Content and on Initial Steps of Its Synthesis in Greening Cucumber Seedlings. <i>Acta Soc.Bot.Pol.</i> 54[1], 95-105
Media	Burzynski, M. 1987. The Uptake and Transpiration of Water and the Accumulation of Lead by Plants Growing on Lead Chloride Solutions. <i>Acta Soc.Bot.Pol.</i> 56[2], 271-280
No Dose	Cancio, I., Gwynn, I., Ireland, M. P., and Cajaraville, M. P. 1995. The Effect of Sublethal Lead Exposure on the Ultrastructure and on the Distribution of Acid Phosphatase Activity in Chloragocytes of Earthworms (Annelida, Oligochaeta). <i>Histochem J</i> 27[12], 965-973
Media	Carlson, R. W., Bazzaz, F. A., and Rolfe, G. L. 1975. The Effect of Heavy Metals on Plants: Part II. Net Photosynthesis and Transpiration of Whole Corn and Sunflower Plants Treated with Pb, Cd, Ni, and Ti. <i>Environ Research</i> 10, 113-120
OM, pH	Carlson, R. W. and Bazzaz, F. A. 1977. Growth Reduction of American Sycamore (<i>Plantanus occidentalis</i> L.) Caused by Pb-Cd Interaction40295. <i>Environ Pollut</i> 12[4], 243-253
OM, pH	Carlson, R. W. and Bazzaz, F. A. 1977. Growth Reduction in American Sycamore (<i>Plantanus occidentalis</i> L.) Caused by Pb-Cd Interaction 40294. <i>Environ Pollut</i> 12, 243-253
No ERE	Carlson, R. W. and Rolfe, G. L. 1979. Growth of Rye Grass and Fescue as Affected by Lead-Cadmium-Fertilizer Interaction. <i>J Environ Qual</i> 8[3], 348-352
Species	Cartwright, B. and Tiller, K. G. 1976. Heavy Metal Contamination of Soils Around a Lead Smelter at Port Pirie, South Australia. <i>Aust.J.Soil Res.</i> 15, 69-81

OM, pH	Cast. 1976. Application of Sewage Sludge to Cropland: Appraisal of Potential Hazards of the Heavy Metals to Plants and Animals. Rep.No.64, Counc Agric Sci Technol, Ames, IA , 63
No Dose	Cataldo, D. A. and Wildung, R. E. 1978. Soil and Plant Factors Influencing the Accumulation of Heavy Metals by Plants. Environ.Health Perspect. 27, 149-159
FL	Celardin, F. and Landry, J. C. 1988. Bioindicators of pollution earthworms and heavy metals in soil. ARCH SCI (GENEVA).Archives des Sciences (Geneva).41 (2).1988.225-228. 41[2], 225-228
No Dur	Chambers, J. C. and Sidle, R. C. 1991. Fate of heavy metals in an abandoned lead zinc tailings pond I. Vegetation. J Environ Qual 20[4], 745-751
Abstract	Chaney, R. and Ryan, J. 1995. Risk Based Standards For Arsenic, Lead And Cadmium In Urban Soils. Summary Of Information And Methods Developed To Estimate Standards For Cd, Pb And As In Urban Soils 6615. Govt-Reports-Announcements-&-Index-(GRA&I) [19]
Media	Chaney, W. R. and Strickland, R. C. 1984. Relative toxicity of heavy metals to red pine pinus-resinosa pollen germination and germ tube elongation. J Environ Qual 13[3], 391-394
Not Avail	Chang, L. W., Meier, J. R., and Smith, M. K. 1996. Evaluation of Remediation of Lead Contaminated Soil Using Plant Toxicity and Genotoxicity Assays 11470. Environ.Molec.Mutagen. 27[Suppl. 27], 13 (ABS)
No Dose	Chang, L. W., Meier, J. R., and Smith, M. K. 1997. Application of Plant and Earthworm Bioassays to Evaluate Remediation of a Lead-Contaminated Soil. Arch.Environ.Contam.Toxicol. 32[2], 166-171
Media	Chen, Huaiman, Lin, Qi, and Zheng, Chunrong. 1998. Interaction of Pb and Cd in soil-water-plant system and its mechanism: II. Pb-Cd interaction in rhizosphere. Pedosphere 8[3], 237-244
No Dose	Chen, J., Huang, J. W., Caspar, T., and Cunningham, S. D. 1996. Using arabidopsis to study lead accumulation and tolerance in plants. Abstracts of Papers American Chemical Society , AGRO
No Control	Chen, J., Huang, J. W., Caspar, T., and Cunningham, S. D. 1997. Arabidopsis thaliana as a Model System for Studying Lead Accumulation and Tolerance in Plants. In: E.L.Kruger, T.A.Anderson, and J.R.Coats (Eds.), Phytoremediation of Soil and Water Contaminants, Chapter 19, ACS Symp.Ser.No.664 , 264-273
No Dose	Chen, Z. S. 1991. Cadmium and Lead Contamination of Soils Near Plastic Stabilizing Materials Producing Plants in Northern Taiwan. Int.Conf.on Metals in Soils, Waters, Plants and Animals, Orlando, FL, April 30-May 3, 1990, Water Air Soil Pollut. 57/58, 745-754
Media	Cheng-nong, Y., Yi, L., Tian-zhi, W., Zhi-qun, T., Song-sheng, Q., and Ping, S. 1999. Thermochemical Studies of the Toxic Actions of Heavy Metal Ions on Rhizopus nigricans. Chemosphere 38[4], 891-898
No Dur	Chernykh, N. A. 1991. Alteration of the concentrations of certain elements in plants by heavy metals in the soil. Sov Soil Sci (Engl Transl Pochvovedenie).Soviet Soil Science (English Translation of Pochvovedenie) 23[6], 45-53
No Dur	Chettri, M. K., Sawidis, T., and Karataglis, S. 1997. Lichens As A Tool For Biogeochemical Prospecting. Ecotoxicol-Environ-Saf 38[3], 322-335
Media	Cheung, Y. H., Wong, M. H., and Tam, N. F. Y. 1989. Root and Shoot Elongation as an

Assessment of Heavy Metal Toxicity and 'Zn Equivalent Value' of Edible Crops. *Hydrobiologia* 188/189, 377-383

OM, pH	Chisholm, D. 1972. Lead, Arsenic, and Copper Content of Crops Grown on Lead Arsenate-Treated and Untreated Soils. <i>Can J Plant Sci</i> 52, 583-588
No ERE	Chlopecka, A. and Adriano, D. C. 1997. Influence of Zeolite, Apatite and Fe-oxide on Cd and Pb Uptake by Crops. <i>Sci.Total Environ.</i> 207(2-3):195-206 207[2-3], 195-206
No ERE	Chlopecka, Anna. 1993. Forms of Trace Metals from Inorganic Sources in Soils and Amounts Found in Spring Barley. <i>Water Air and Soil Pollution</i> 69[1-2], 127-134
No ERE	Chlopecka, Anna. 1997. Copper and lead species in soil and their uptake by plants when applied as carbonates. <i>Dev.Plant Soil Sci.</i> 71, 459-468
FL	Chrenekova, Eva, Lahucky, Ladislav, and Vollmannova, Alena. 1991. Root absorption of lead and cadmium by spring barley. <i>Pol'nohospodarstvo</i> 37[2], 137-144
Mix	Chukwuma, Chrysanthus. 1993. Comparison of the accumulation of cadmium, lead and zinc in cultivated and wild plant species in the derelict Enyigba lead-zinc mine. <i>Toxicol.Environ.Chem.</i> 38[3-4], 167-173
No Dur	Chukwuma, Chrysanthus, Sr. 1994. Evaluating Baseline Data for Lead and Cadmium in Rice, Yam, Cassava and Guinea Grass from Cultivated Soils in Nigeria (Erratum to document cited in CA122:74215). <i>Toxicol.Environ.Chem.</i> 46[1-2], 135
No Dur	Chukwuma, Chrysanthus, Sr. 1994. Evaluating baseline data for lead (Pb) and cadmium (Cd) in rice, yam, cassava and guinea grass from cultivated soils in Nigeria. <i>Toxicol.Environ.Chem.</i> 45[1-2], 45-56
Mix	Chumbley, C. G. and Unwin, R. J. 1982. Cadmium and Lead Content of Vegetable Crops Grown on Land with a History of Sewage Sludge Application. <i>Environ.Pollut.</i> 4B, 231-237
Media	Clark, R. B., Pier, P. A., Knudsen, D., and Maranville, J. W. 1981. Effect of Trace Element Deficiencies and Excesses on Mineral Nutrients in Sorghum. <i>J.Plant Nutr.</i> 3[1-4], 357-374
No Toxicant	Clevenger, T. E. and Rao, D. 1996. Mobility of Lead in Mine Tailings Due to Landfill Leachate. <i>Water Air Soil Pollut.</i> 91[3/4], 197-207
Mix	Cook, C. M., Sgardelis, S. P., Pantis, J. D., and Lanaras, T. 1994. Concentrations of Pb, Zn, and Cu in <i>Taraxacum</i> spp. in relation to urban pollution. <i>Bulletin of Environmental Contamination and Toxicology</i> 53[2], 204-210
Rev	Cook, N. and Hendershot, W. H. 1996. The Problem of Establishing Ecologically Based Soil Quality Criteria. The Case of Lead. <i>Can J Soil Sci</i> 76, 335-342
No Dose	Cooper, E. M., Sims, J. T., Cunningham, S. D., Huang, J. W., and Berti, W. R. 1999. Chelate-Assisted Phytoextraction of Lead from Contaminated Soils. <i>J Environ Qual</i> 28[6], 1709-1719
No Dose	Corp, N. and Morgan, A. J. 1991. Accumulation Of Heavy Metals From Polluted Soils By The Earthworm, <i>Lumbricus Rubellus</i> : Can Laboratory Exposure Of 'Control' Worms Reduce Biomonitoring Problems? <i>Environ Pollut</i> 74[1], 39-52
Media	Coughtrey, P. J. and Martin, M. H. 1979. Cadmium, Lead and Zinc Interactions and Tolerance in Two Populations of <i>Holcus lanatus</i> L. Grown in Solution Culture. <i>Environ.Exp.Bot.</i> 19, 285-290

No COC	Cox, W. J. and Rains, D. W. 1972. Effect of Lime on Lead Uptake by Five Plant Species. <i>J Environ Qual</i> 1[2], 167-169
Species	Crecelius, E. A., Johnson, C. J., and Hofer, G. C. 1974. Contamination of soils Near a Copper Smelter by Arsenic, Antimony, and Lead. <i>Water Air Soil Pollut</i> 3, 337-342
Mix	Cunha Bustamante, M. Biomonitoring Of Heavy Metals Using Higher Plants Growing At Former Mining Sites. <i>Govt-Reports-Announcements-&-Index-(GRA&I)</i> , -Issue-01,-1995
Mix	Czuba, M. and Hutchinson, T. C. 1980. Copper and Lead Levels in Crops and Soils of the Holland Marsh Area-Ontario. <i>J Environ Qual</i> 9[4], 566-575
Media	D'souza, T. J. and Mitry, K. B. 1970. Comparative Uptake of Thorium-230, Radium-226, Lead-210 and Polonium-210 by Plants. <i>Radiat.Bot.</i> 10, 293-295
Media	Dallinger, R. and Wieser, W. 1984. Patterns of Accumulation, Distribution and Liberation of Zn, Cu, Cd and Pb in Different Organs of the Land Snail <i>Helix pomatia</i> , L. <i>Comp Biochem Physiol</i> 79C, 117-124
Mix	Davies, B. E. and Roberts, L. J. 1975. Heavy Metals in Soils and Radish in a Mineralised Limestone Area of Wales, Great Britain. <i>Sci.Total Environ.</i> 4, 249-261
No Dur	Davies, B. E. 1992. Interrelationships between soil properties and the uptake of cadmium, copper, lead and zinc from contaminated soils by radish <i>Raphanus-sativus</i> L. <i>Water Air Soil Pollut</i> 63[3/4], 331-342
Score	De Haan, S. 1985. Acceptable Levels of Heavy Metals (Cd, Cr, Cu, Ni, Pb, Zn) in Soils. Hren (Gr), The Netherlands (Rapport 9-85) (Cited in Janus and Krajnc 1989)
Mix	De Pieri L.A., Buckley, W. T., and Kowalenko, C. G. 1997. Cadmium and Lead Concentrations of Commercially Grown Vegetables and of Soils in the Lower Fraser Valley of British Columbia. <i>Can.J.Soil Sci.</i> 77[1], 51-57
Score	De Varennes, A., Torres, M. O., Coutinho, J. F., Rocha, M. M. G. S., and Neto, M. M. P. M. 1996. Effects of Heavy Metals on the Growth and Mineral Composition of a Nickel Hyperaccumulator. <i>J.Plant Nutr.</i> 19[5], 669-676
No Dur	De, Nava C. C. 1988. Environmental lead contamination in Mexico. Third Chemical Congress of North America Held at the 195Th American Chemical Society Meeting, Toronto, Ontario, Canada, June 5-10, 1988.Abstr Pap Chem Congr North Am.3 (1).1988.Envr 182. 3[1], 182
No Dur	Dedollph, R., Haar, G. T., Holtzman, R., and Lucas, H. 1970. Sources of Lead in Perennial Ryegrass and Radishes. <i>Environ Sci & Technol</i> 4[3], 217-223
Mix	Denduluri, S. 1994. Ameliorative effects of ethylenediamine tetraacetic acid and nitrilo triacetic acid on lead toxicity in okra (<i>abelmoschus esculentus</i> l.) grown in sewage-irrigated soil. <i>Bulletin of Environmental Contamination and Toxicology</i> 52[4], 516-522
Mix	Denduluri, Srinivas. 1993. Reduction of lead accumulation by ethylenediamine tetraacetic acid and nitrilo triacetic acid on okra (<i>Abelmoschus esculentus</i> l.) grown in sewage-irrigated soil. <i>Bulletin of Environmental Contamination and Toxicology</i> 51[1], 40-45
OM, pH	Denneman, C. A. J. and Van Straalen, N. M. 1991. The Toxicity of Lead and Copper in Reproduction Toxicity Tests Using the Oribatide Mite <i>Platynothrus peltifer</i> . <i>Pedobiologia</i> 35, 305-311

Mix	Descamps, M., Fabre, M. C., Grelle, C., and Gerard, S. 1996. Cadmium and Lead Kinetics During Experimental Contamination and Decontamination of the Centipede <i>Lithobius forficatus</i> L. <i>Arch.Environ.Contam.Toxicol.</i> 31[3], 350-353
No Dur	DeShields, B. R., Meredith, R. W., Griffin, D., Laughlin, T., and Collins, W. 1998. The Use of Field Methods to Evaluate the Toxicity of Lead to Plants at a Small Arms Firing Range. In: E.E.Little, A.J.DeLonay, B.M.Greenberg (Eds.), <i>Environmental Toxicology and Risk Assessment</i> , Volume 7, ASTM STP 1333, Philadelphia, PA , 166-183
Media	Devkota, B. and Schmidt, G. H. 1999. Effects of Heavy Metals (Hg ²⁺ , Cd ²⁺ , Pb ²⁺) During the Embryonic Development of Acridid Grasshoppers (Insecta, Caelifera). <i>Arch.Environ.Contam.Toxicol.</i> 36[4], 405-414
OM	Diab, G. S., Emara, M. D., El Sokkary, E. H., and El Kouny, H. M. 1991. Cadmium and Lead Distribution in Oil-Water System and in Oil Plants Grown in Sandy Soils Irrigated with Cd and Pb Polluted Water. <i>Alexandria Sci.Exch.</i> 12[3], 557-577
OM, pH	Diaz, G., Azcon-Aguilar, C., and Honrubia, M. 1996. Influence of Arbuscular Mycorrhizae on Heavy Metal (Zn and Pb) Uptake and Growth of <i>Lygeum spartum</i> and <i>Anthyllis cytisoides</i> . <i>Plant Soil</i> 180[2], 241-249
pH	Doelman, P. and Haanstra, L. 1979. Effects of Lead on the Decomposition of Organic Matter. <i>Soil Biol Biochem</i> 11, 481-485
Media	Doelman, P., Nieboer, G., Schroote, J., and Visser, M. 1984. Antagonistic and Synergistic Toxic Effects of Pb and Cd in a Simple Foodchain - Nematodes Feeding on Bacteria or Fungi. <i>Bull Environ Contam Toxicol</i> 32[6], 717-723
Rev	Donkin, Steven G. 1997. Graphical determination of metal bioavailability to soil invertebrates utilizing the Langmuir sorption model. <i>ASTM Spec.Tech.Publ., VSTP 1317, Environmental Toxicology and Risk Assessment: Modeling and Risk Assessment</i> 6, 28-43
Mix	Dorn, C. R., Pierce, J. O., Chase, G. R., and Phillips, P. E. 1975. Environmental Contamination by Lead, Cadmium, Zinc, and Copper in a New Lead-Producing Area. <i>Environ Res</i> 9, 159-172
FL	Drabent, Z., Radecka, H., and Radecki, J. 1988. Effect of Fertilization on Magnesium, Manganese, and Zinc Uptake by Corn Growing on Soil Polluted by Tetraethyllead (Wplyw Skazenia Gleby Czteroetyloolowiem na Zawartosc Mg, Mn i Zn w Kukurydzy). <i>Acta Acad.Agric.Tech.Olstenensis</i> [46], 49-58
Mix	Dragland, S. 1996. Content of Cadmium and Lead in Chamomile (<i>Chamomilla recutita</i> L.) and Feverfew (<i>Tanacetum parthenium</i> L.) Grown in Different Parts of Norway (Innhold av Kadmium og bly i Kamille (<i>Chamomilla recutita</i> L.) og Matrem (<i>Tanacetum parthenium</i> L.) Dyrket på Ulike Steder i Norge). <i>Norsk.Landbruksforskning</i> 10[3/4], 181-188
Mix	Dudka, S., Piotrowska, M., and Terelak, H. 1997. Transfer of cadmium, lead, and zinc from industrially contaminated soil to crop plants: a field study. <i>Environ.Pollut.</i> 94[2], 181-188
No Dur	Dugdale, P. J. 1978. Cadmium in the Lead Smelter at Belledune: Its Association with Heavy Metals in the Ecosystem. In: <i>Proc.1st Int.Cadmium Conf., Cadmium 77, Jan.31-Feb.2, 1977, San Francisco, CA</i> , 53-75
No Toxicant	Dusenbery, D. B. 1988. Avoided Temperature Leads To The Surface: Computer Modeling Of Slime Mold And Nematode Thermotaxis. <i>Behav.Ecol.Sociobiol.</i> 22[3], 219-223

Mix	Dushenko, William T., Grundy, Stephen L., and Reimer, Kenneth J. 1996. Vascular plants as sensitive indicators of lead and pcb transport from local sources in the canadian arctic. <i>Science of the Total Environment</i> 188[1], 29-38
Media	Dushenkov, V., Kumar, P. B. A. N., Motto, H., and Raskin, I. 1995. Rhizofiltration: The Use of Plants to Remove Heavy Metals From Aqueous Streams. <i>Environ Sci Technol</i> 29[5], 1239-1245
FL	Duwensee, H. A. 1992. Anthocyanin Coloration in <i>Agrostis stolonifera</i> L. on Heavy-Metal-Containing Soils (Lead, Zinc) in the Harz (Zur Anthocyanfarbung bei <i>Agrostis stolonifera</i> L. auf Schwermetallboden (Pb, Zn) im Harz). <i>Florist.Rundbriefe</i> 26[1], 48-49 (GER)
FL	Dzeletovic, Zeljko, Filipovic, Radoslav, Djurdjevic, Melanija, and Jakovljevic, Miodrag. 1991. Influence of elevated lead content in arable land on the uptake of specific elements and the formation of oats biomass. <i>Arh.Poljopr.Nauke</i> 52[187], 229-236
Media	Ebert, Georg and Dimerski, Christian. 1998. Influence of lead application to roots and shoots of 'Elsanta' strawberry plants on growth, gas exchange, and lead partitioning. <i>Gesunde Pflanz.</i> 50[6], 157-161
Meth	Egorov, Yu L. and Kirillov, V. F. 1996. Ecologic significance and hygienic regulation of lead and cadmium in various media (review of literature). <i>Medsitsina Truda i Promyshlennaya Ekologiya</i> 0[10], 18-25
Rev	Eisler, R. 1988. Lead Hazards To Fish, Wildlife, And Invertebrates: A Synoptic Review. <i>Biological Report</i> 85 (1.14), Govt Reports Announcements & Index (GRA&I) [14]
No Dur	Eklund, Mats. 1995. Cadmium and lead deposition around a swedish battery plant as recorded in oak tree rings. <i>Journal of Environmental Quality</i> 24[1], 126-131
OM, pH	El Demerdashe, S., Dahdoh, M. S. A., Foda, M. S. A., and El Kassas, H. 1996. Charcoal as a Controlling Material for Soil Pb Pollution. <i>Egypt.J.Soil Sci.</i> 36[1-4], 257-268
No Dose	Elkhatib, E. A., Elshebiny, G. M., and Mohamed, A. A. 1993. Extractability and availability of lead from calcareous egyptian soils. <i>Arid Soil Res.Rehabil.</i> 7[2], 113-124
Media	Ellender, G. and Ham, K. N. 1987. Connective-Tissue Responses to Some Heavy-Metals. 2. Lead - Histology and Ultrastructure. <i>Br J Exp Pathol</i> 68[3], 291-307
OM	Eltrop, L., Brown, G., Joachim, O., and Brinkmann, K. 1991. Lead tolerance of betula and salix in the mining area of Mechernich Germany. <i>Plant Soil</i> 131[2], 275-286
No Dur	Emerson, R. Results Of Phytotoxicology Survey, Former Sanderson-Hearld Property, Paris, 1995. <i>Govt-Reports-Announcements-&-Index-(GRA&I)</i> , -Issue-11, -1997
Mix	Emerson, R. 1997. Phytotoxicology Vegetation Assessment Survey: Tonolli Company Of Canada Ltd., Mississauga (1992). <i>Govt-Reports-Announcements-&-Index-(GRA&I)</i> , -Issue-18, -1997 [18]
Mix	Emerson, R. N. 1993. Phytotoxicology Soil And Vegetation Lead Assessment Surveys In The Vicinity Of Highway 401, Toronto, 1972, 1979 And 1990. <i>Govt-Reports-Announcements-&-Index-(GRA&I)</i> [11]
Meth	Emmerling, C., Krause, K., and Schroeder, D. 1997. The Use Of Earthworms In Monitoring Soil Pollution By Heavy Metals. <i>Zeitschrift Fuer Pflanzenernaehrung Und Bodenkunde</i> 160[1], 33-39
Media	Ensley, Burt D., Blaylock, Michael J., Dushenkov, Slavik, Kumar, Nanda P. B. A., Kapulnik,

	Yoram, and Huang, Jianwei. 1997. Hyperaccumulation of metals in plant shoots, useful for soil phytoremediation. 67
No Control	Entry, J. A. and Emmingham, W. H. 1996. Accumulation of lead and zinc in contaminated potting soil by tree seedlings. Abstracts of Papers American Chemical Society , AGRO
No ERE	Environmental Research Branch, Whiteshell Nuclear Research Est. Atomic Energy of Canada Limited. 1992. Effect of Soil Type on Radionuclides in Plants. Field Study. Govt Reports Announcements & Index (GRA&I) 6, 39 p.
No Control	Epstein, A. L., Gussman, C. D., Blaylock, M. J., Yermiyahu, U., Huang, J. W., Kapulnik, Y., and Orser, C. S. 1999. EDTA and Pb-EDTA Accumulation in Brassica juncea Grown in Pb-Amended Soil. Plant Soil 208[1], 87-94
Media	Fargasova, A. 1994. Effect of Pb, Cd, Hg, As, and Cr on Germination and Root Growth of Sinapis alba Seeds. Bull Environ Contam Toxicol 52, 452-456
No Dose	Feng, J. and Barker, A. V. 1992. Ethylene evolution and ammonium accumulation by nutrient-stressed tomatoes grown with inhibitors of ethylene synthesis or action. Journal Of Plant Nutrition. 15[2], 155-167
Mix	Ferrari, B., Radetski, C. M., Veber, A. M., and Ferard, J. F. 1999. Ecotoxicological Assessment of Solid Wastes: A Combined Liquid- and Solid-Phase Testing Approach Using a Battery of Bioassays and Biomarkers. Environ Toxicol Chem 18[6], 1195-1202
FL	Fiussello, N. and Molinari, M. T. 1973. Effect of Lead on Plant Growth (Azione del Piombo Sull'Accrescimento dei Vegetali). Allionia 19, 89-96
Media	Fleming, T. P. and Richards, K. S. 1982. Localization Of Adsorbed Heavy Metals On The Earthworm Body Surface And Their Retrieval By Chelation. Pedobiologia 23[6], 415-418
Media	Fodor, Ferenc, Sarvari, Eva, Lang, Ferenc, Szigeti, Zoltan, and Cseh, Edit. 1996. Effects of Pb and Cd on cucumber depending on the Fe-complex in the culture solution. J.Plant Physiol. 148[3/4], 434-439
Media	Forge, T. A., Berrow, M. L., Darbyshire, J. F., and Warren, A. 1993. Protozoan bioassays of soil amended with sewage sludge and heavy metals, using the common soil ciliate Colpoda steinii. Biol.Fertil.Soils 16, 282-286
Rev	Fowler, B. A. and Mahaffey, K. R. 1978. Interactions Among Lead, Cadmium, and Arsenic in Relation to Porphyrin Excretion Patterns. Environ Health Perspect 25, 87-90
No Dur	Franson, J. C., Petersen, M. R., Meteyer, C. U., and Smith, M. R. 1995. Lead Poisoning of Spectacled Eiders (Somateria fischeri) and of a Common Eider (Somateria mollissima) in Alaska. J Wildl Dis 31[2], 268-271
No Dose	Gelinas, Y. and Schmit, J. P. 1997. Extending the Use of the Stable Lead Isotope Ratios as a Tracer in Bioavailability Studies. Environ.Sci.Technol. 31[7], 1968-1972
Media	Gigliotti, G., Businelli, D., and Giusquiani, P. L. 1996. Trace Metals Uptake and Distribution in Corn Plants Grown on a 6-Year Urban Waste Compost Amended Soil. Agric.Ecosyst.Environ. 58[2/3], 199-206
No Dose	Gill, B. S. and Sandhu, S. S. 1992. Application of the tradescantia micronucleus assay for the genetic evaluation of chemical mixtures in soil and aqueous media. Mutation Research 270[1], 65-

Species	Gimeno-Garcia, E., Andreu, V., and Boluda, R. 1995. Distribution of heavy metals in rice farming soils. Archives of Environmental Contamination and Toxicology 29[2], 476-483
Mix	Gingell, S. M., Campbell, R., and Martin, R. 1976. The Effect of Zinc, Lead, and Cadmium Pollution on the Leaf Surface Microflora. Environ Pollut 11[1], 25-37
Species	Gintenreiter, S., Ortel, J., and Nopp, H. J. 1993. Effects of different dietary levels of cadmium, lead, copper, and zinc on the vitality of the forest pest insect <i>Lymantria dispar</i> L. (Lymantriidae, Lepid). Archives of Environmental Contamination and Toxicology , 62-66
Mix	Gintenreiter, S., Ortel, J., and Nopp, H. J. 1993. Bioaccumulation of Cadmium, Lead, Copper, and Zinc in Successive Developmental Stages of <i>Lymantria dispar</i> L. (Lymantriidae, Lepid): A Life Cycle Study. Archives of Environmental Contamination and Toxicology 25[1], 55-61
No Dur	Gish, C. D. and Christensen, R. E. 1973. Cadmium nickel lead and zinc in earthworms from roadside soil. Environ Sci Technol 7[11], 1060-1062
Media	Godbold, D. L., Schlegel, H., and Hutterman, S. 1985. Heavy metals - a possible factor in spruce decline. VDI Berichte 560, 703-716
Media	Godbold, D. L. and A.Huttermann. 1986. The Uptake and Toxicity of Mercury and Lead to Spruce (<i>Picea abies</i> Karst.) Seedlings. Water Air Soil Pollut. 31[3-4], 509-515
Media	Godbold, D. L., Tischner, R., and Huttermann, A. 1987. Effects of Heavy Metals and Aluminum on the Root Physiology of Spruce (<i>Picea abies</i> Karst.) Seedlings. In: T.C.Hutchinson and K.M.Meema (Eds.), Proc.of the NATO Advanced Research Workshop on Effects of Acidic Deposition on Forests, Wetlands, and Agricultural Ecosystems, Held at Toronto, Canada, May 12-17, 1985, Springer-Verlag, NY , 387-400
Media	Godbold, D. L. and Kettner, C. 1991. Use of Root Elongation Studies to Determine Aluminum and Lead Toxicity in <i>Picea abies</i> Seedlings. J.Plant Physiol. 138, 231-235
No Dur	Goldsmith, C. D. J. 1976. Lead Concentrations in Soil and Vegetation Associated with Highways of Different Traffic Densities. Bull Environ Contam Toxicol 16, 66-70
FL	Goren, A. and Wanner, H. 1971. The Absorption of Lead and Copper by Roots of <i>Hordeum vulgare</i> (Die Absorption von Blei und Kupfer durch Wurzeln von <i>Hordeum vulgare</i>). Ber.Schweig.Bot.Gaz. 80, 334-339 (GER) (ENG ABS)
Media	Graff, S., Berkus, M., Alberti, G., and Kohler, H. R. 1997. Metal Accumulation Strategies In Saprophagous And Phytophagous Soil Invertebrates: A Quantitative Comparison. Biometals 10[1], 45-53
No Dur	Gratani, L., Taglioni, S., and Crescente, M. F. 1992. The accumulation of lead in agricultural soil and vegetation along a highway. Chemosphere 24[7], 941-949
Mix	Gray, N. F. 1988. Ecology of nematophagous fungi: effect of the soil nutrients nitrogen, phosphorus, and potassium and seven major metals on distribution. Plant Soil 108[2], 286-290
Media	Gregory, R. P. G. and Bradshaw, A. D. 1965. Heavy Metal Tolerance in Populations of <i>Agrostis tenuis</i> Sibth. and Other Grasses. New Phytol 64, 131-143
No Dur	Grobecker, K. 1995. Schwermetallbelastung Durch Blei Und Quecksilber In Zwei Terrestrischen

Und Einem Aquatischen Oekosystem. (Heavy Metal Pollution Of Two Terrestrial Ecosystems And One Aquatic System Through Lead And Mercury). Govt-Reports-Announcements-&-Index-(GRA&I) [17]

FL	Gu, Shuhua, Xu, Jun, Zhu, Zhongjing, Gu, Zonglian, Wang, Zuqiang, and Luo, Zongyan. 1989. Lead environmental capacity of paddy soil derived from red earth. <i>Huanjing Kexue Xuebao</i> 9[1], 27-36
No Dose	Guenther, A. and Greven, H. 1990. Increase Of The Number Of Epidermal Gland Cells: An Unspecific Response Of <i>Lumbricus Terrestris</i> L. (Lumbricidae: Oligochaeta) To Different Environmental Stressors. <i>Zool Anz</i> 225[5-6], 278-286
Score	Gunnarsson, T. and Rundgren, S. 1986. Nematode Infestation and Hatching Failure of Lumbricid Cocoons in Acidified and Metal Polluted Soils. <i>Pedobiologia</i> 29[3], 165-173
FL	Guo, Y., Wang, Z., Lai, Q., Zhang, Y., Xia, W., Yan, H., and Deng, J. 1995. Soil Heavy Metal Pollution And Earthworm Isozymes. <i>Yingyong Shengtai Xuebao</i> 6[3], 317-322
No Dose	Guyette, Richard P., Cutter, Bruce E., and Henderson, Gray S. 1991. Long-term correlations between mining activity and levels of lead and cadmium in tree-rings of eastern red-cedar. <i>J.Environ.Qual.</i> 20[1], 146-150
No Control	Gworek, B. 1992. Lead inactivation in soils by zeolites. <i>Plant Soil</i> 143[1], 71-74
No COC	Gworek, Barbara. 1992. Use of synthetic zeolites of 3a and 5a type for lead immobilization in anthropogenic soils. <i>Polish Journal of Soil Science</i> 25[1], 35-39
FL	Gworek, Barbara. 1993. Effect of zeolites on the lead uptake by plants from soils with simulated contamination. <i>Rocz.Glebozn.</i> 44[1-2], 19-26
Mix	Gzyl, J. 1990. Lead and Cadmium Contamination of Soil and Vegetables in the Upper Silesia Region of Poland. <i>Sci.Total Environ.</i> 96[1/2], 199-209
No Dur	Haagvar, S. and Abrahamsen, G. 1990. Microarthropoda And Enchytraeidae (Oligochaeta) In Naturally Lead-Contaminated Soil: A Gradient Study. <i>Environ Entomol</i> 19[5], 1263-1277
OM	Hagemeyer, J. and Weinand, T. 1996. Radial Distribution of Pb in Stems of Young Norway Spruce Trees Grown in Pb-Contaminated Soil. <i>Tree Physiol.</i> 16[6], 591-594
OM	Hagemeyer, J. and Hubner, C. 1999. Radial Distributions of Pb in Stems of 6-Year-Old Spruce Trees (<i>Picea abies</i> (L.) Karst.) Grown for 2 Years in Pb-Contaminated Soil. <i>Water Air Soil Pollut</i> 111[1-4], 215-224
Media	Hager, A., Moser, I., and Berthold, W. 1987. Organolead Toxicity in Plants: Triethyl Lead (Et ₃ Pb ⁺) Acts as a Powerful Transmembrane Cl/OH Exchanger Dissipating H ⁺ -Gradients at Nano-Molar Levels. <i>Z.Naturforsch.Sect C Biosci.</i> 42, 1116-1120
No ERE	Hahne, H. C. H. and Kroontje, W. 1973. Significance of pH and Chloride Concentration on Behaviour of Heavy Metal Pollutants: Mercury (II), Cadmium (II), Zinc (II) and Lead (II) 42379. <i>J Environ Qual</i> 2, 444-450
Species	Hahne, H. C. H. and Kroontje, W. 1973. Significance of pH and Chloride Concentration on Behavior of Heavy Metal Pollutants: Mercury (II), Cadmium (II), Zinc (II), and Lead (II) 42380. <i>J Environ Qual</i> 2[4], 444-450

Media	Hammett, F. S. 1928. Studies in the Biology of Metals. I. The Localization of Lead by Growing Roots. <i>Protoplasma</i> 4, 183-186
Media	Hampp, R., Ziegler, H., and Ziegler, I. 1973. Influence of Lead Ions on the Activity of Enzymes of the Reductive Pentose Phosphate Pathway. <i>Biochem.Physiol.Pflanz (BPP)</i> 164, 588-595
Media	Hampp, R. and Lenzian, K. 1974. Effect of Lead Ions on Chlorophyll Synthesis. <i>Naturwissenschaften</i> 61, 218
Mix	Han, D. H. and Lee, J. H. 1996. Effects of liming on uptake of lead and cadmium by <i>Raphanus sativa</i> . <i>Archives Of Environmental Contamination And Toxicology</i> . 31[4], 488-493
Mix	Hardiman, R. T., Jacoby, B., and Banin, A. 1984. Factors Affecting the Distribution of Cadmium, Copper and Lead and Thier Effect upon Yield and Zinc Content in Bush Bean (<i>Phaseolus vulgaris</i> L.). <i>Plant Soil</i> 81, 17-27
Media	Hartenstein, R., Neuhauser, E. F., and Collier, J. 1980. Accumulation of Heavy Metals in the Earthworm, <i>Eisenia foetida</i> 42541. <i>J Environ Qual</i> 9[1], 23-26
Media	Hasnain, S., Yasmin, S., and Yasmin, A. 1993. The effects of lead-resistant <i>Pseudomonads</i> on the growth of <i>Triticum aestivum</i> seedlings under lead stress. <i>Environmental Pollution</i> 81[2], 179-184
No Control	Hassett, J. J. and Miller, J. E. 1977. Uptake of Lead by Corn from Roadside Samples. <i>Commun Soil Sci Plant Anal</i> 8, 49-55
Media	Hellmuth, U. and Schmidt, W. 1991. Lead Tolerance of Annuals at Roadsides. In: G.Esser and D.Overdieck (Eds.), <i>Modern Ecology</i> , Elsevier Science Publ., The Netherlands , 844
No Dose	Hemphill, D. D., Marienfeld, C. J., Reddy, R. S., Heidlage, W. D., and Pierce, J. O. 1973. Toxic Heavy metals in Vegetables and Forage Grasses in Missouri's Lead Belt 42664. <i>J Assoc Off Anal Chem</i> 56[4], 994-998
No Dose	Hemphill, D. D., Marienfeld, C. J., Reddy, R. S., Heilage, W. D., and Pierce, J. O. 1973. Toxic Heavy Metals in Vegetables and Forage Grasses in the Missouri Lead Belt 42663. <i>J Assoc Off Anal Chem</i> 56, 994-998
No Control	Hemphill, D. D. and Rule, J. H. 1975. Foliar Uptake and Translocation of Pb210 and Cd109 by Plants. In: <i>Intl Conf on Heavy Metals in the Environ, Symp.Proc.</i> , Vol.2(2), University of Toronto, Ont., Canada 2[2], 77-86
Media	Herstein, U. and Jager, H. J. 1986. Tolerances of Different Populations of Three Grass Species to Cadmium and Other Metals. <i>Environ.Exp.Bot.</i> 26[4], 309-319
Mix	Hetrick, B. A. D., Wilson, G. W. T., and Figge, D. A. H. 1994. The influence of mycorrhizal symbiosis and fertilizer amendments on establishment of vegetation in heavy metal mine spoil. <i>Environmental Pollution</i> 86[2], 171-179
Media	Hevesy, G. 1923. The Absorption and Translocation of Lead by Plants. A Contribution to the Application of the Method of Radioactive Indicators in the Investigation of the Change of Substance in Plants. <i>Biochem.J.</i> 17, 439-445
Media	Hooper, M. C. 1937. An Investigation of the Effect of Lead on Plants. <i>Ann.Appl.Biol.</i> 24, 690-695
No Dur	Hopkin, S. P. and Martin, M. H. 1982. The Distribution of Zinc, Cadmium, Lead and Copper Within the Hepatopancreas of a Woodlouse. <i>Tissue & Cell</i> 14[4], 703-715

No Dur	Hopkin, S. P. and Martin, M. H. 1982. The Distribution of Zinc, Cadmium, Lead and Copper Within the Woodlouse <i>Oniscus asellus</i> (Crustacea, Isopoda). <i>Oecologia</i> (Berlin) 54, 227
Mix	Hopkin, S. P. and Martin, M. H. 1984. Assimilation of Zinc, Cadmium, Lead and Copper by the Centipede, <i>Lithobius variegatus</i> (Chilopoda). <i>J Appl Ecol</i> 21, 535-546
Mix	Hopkin, S. P. and Martin, M. H. 1985. Assimilation of Zinc, Cadmium, Lead, Copper and Iron by the Spider <i>Dysdera crocata</i> , a Predator of Woodlice. <i>Bull Environ Contam Toxicol</i> 34, 183-187
No Dur	Hopkin, S. P., Hardisty, G., and Martin, M. H. 1986. The Woodlouse <i>Porcellio scaber</i> as a Biological Indicator of Zinc, Cadmium, Lead and Copper Pollution. <i>Environ Pollut</i> 11, 271-290
Mix	Hopkin, S. P. 1990. Species-specific differences in the net assimilation of zinc cadmium lead copper and iron by the terrestrial isopods <i>Oniscus-asellus</i> and <i>Porcellio-scaber</i> . <i>J APPL ECOL</i> . <i>Journal of Applied Ecology</i> . 27[1], 460-474
Media	Hopkin, S. P. and Hames, C. A. C. 1994. Zinc, among a 'cocktail' of metal pollutants, is responsible for the absence of the terrestrial isopod <i>Porcellio scaber</i> from the vicinity of a primary smelting works. <i>Ecotoxicology</i> 3[1], 68-78
Media	Hoxha, Y., Jablanovic, M., Abdullai, K., and Filipovic, R. 1985. Catalase Activity in Plant Exposed to Contamination with Heavy Metals. <i>Acta Biol.Med.Exp.</i> 10, 23-26
Media	Hsu, Fu Hsing and Lin, H. S Ed. 1993. Studies on seed germination of miscanthus species. <Book> taichung district agricultural improvement station special publication; crop genetics, breeding, physiology and cultivation. Taichung District Agricultural Improvement Station Special Publication , 205-217
OM, pH	Huang, C. Y., Bazzaz, F. A., and Vanderhoef, L. N. 1974. The Inhibition of Soybean Metabolism by Cadmium and Lead. <i>Plant Physiol</i> 54, 122-124
Abstract	Huang, J. 1997. Mechanisms of Synthetic Chelate Triggered Lead Hyperaccumulation in Plants. <i>Plant Physiol.(Rockville)</i> 114[Suppl. 3], 122-123
Media	Huang, J. W., Cunningham, S. D., and Chen, J. 1996. Phytoextraction of lead from lead-contaminated soils. <i>Abstracts of Papers American Chemical Society , AGRO</i>
Media	Huang, J. W. and Cunningham, S. D. 1996. Lead Phytoextraction: Species Variation in Lead Uptake and Translocation. <i>New Phytol.</i> 134[1], 75-84
Rev	Huang, J. W., Chen, J., and Cunningham, S. D. 1997. Phytoextraction of Lead from Contaminated Soils. In: E.L.Kruger, T.A.Anderson, and J.R.Coats (Eds.), <i>Phytoremediation of Soil and Water Contaminants</i> , Chapter 21, ACS Symp.Ser.No.664 , 283-298
Abstract	Huang, J. W., Shaff, J. E., and Kochian, L. V. 1997. Measurement of Lead Fluxes in Corn Roots Using a Lead-Selective Vibrating Microelectrode. <i>Plant Physiol.(Rockville)</i> 114[Suppl. 3], 198
No Control	Huber, M. C., Winter, R. E. K., and Bolla, R. I. 1989. Effect of copper sulfate and lead acetate on infection of pines with <i>Bursaphelenchus-xylophilus</i> . <i>J Nematol</i> 21[1], 1-9
Rev	Humphreys, D. J. 1991. Effects of Exposure to Excessive Quantities of Lead on Animals. <i>Br Vet J</i> 147, 18-30
FL	Igoshina, T. I. and Kositsin, A. V. 1990. Lead tolerance of carbonic anhydrase in <i>Melica nutans</i> (Poaceae). <i>Bot.Zh.</i> 75[8], 1144-1150

FL	Ikeda, A. and Imaizumi, M. 1991. Establishment of Diagnosis Standard for Soil Pollution by Heavy Metals: 1. Effect of Lead in Soil on Upland Crops. Res.Bull.Aichi-ken Agric.Res.Ctr. 0[23], 289-296
No Dur	Ingram, E. M. and Eaton, J. M. 1991. Release Investigation Report For Underground Storage Tank 2305-U At Building 9998, Oak Ridge Y-12 Plant, Oak Ridge, Tennessee. Govt-Reports-Announcements-&-Index-(GRA&I),-Issue-19,-1991 [19]
Species	Ireland, M. P. 1977. Lead Retention in Toads <i>Xenopus laevis</i> Fed Increasing Levels of Lead-Contaminated Earthworms. Environ Pollution 12, 85-92
Media	Ireland, M. P. 1984. Effect of Chronic and Acute Lead Treatment in the Slug <i>Arion ater</i> on calcium and Delta-Aminolaevulinic Acid Dehydratase Activity. Comp Biochem Physiol 79C, 287-290
FL	Ishchenko, G. S., Butnik, A. S., and Afanasyeva, T. F. 1992. Evaluation of simultaneous contamination of wheat crops by lead, cadmium, strontium-90, and cesium-137. Agrokhimiya [6], 99-103
FL	Ishchenko, G. S., Butnik, A. S., and Afanas'eva, T. F. 1992. Evaluation of combined contamination of wheat yield by lead, cadmium, strontium-90, and cesium-137. Agrokhimiya [6], 99-103
Mix	Jackson, D. R. and Watson, A. P. 1977. Disruption of Nutrient Pools and Transport of Heavy Metals in a Forested Watershed near a Lead Smelter. J Environ Qual 6[4], 331-338
OM, pH	Jackson, D. R., Selvidge, W. J., and Ausmus, B. S. 1978. Behavior of Heavy Metals in Forest Microcosms: II. Effects on Nutrient Cycling Processes. Water Air Soil Pollut 10, 13-18
No Dur	Janssen, H. H. 1989. Heavy Metal Analysis In Earthworms From An Abandoned Mining Area. Zool Anz 222[5-6], 306-321
Media	Jaworska, M., Gorczyca, A., Sepiol, J., and Tomasik, P. 1997. Effect of Metal Ions on the Entomopathogenic Nematode <i>Heterohabditis bacteriophora</i> poinar (Nematode: Heterohabditidae) Under Laboratory Conditions. Water Air Soil Pollut 93, 157-166
Media	Jentschke, G., Schlegel, H., and Godbold, D. L. 1991. The Effect of Aluminium on Uptake and Distribution of Magnesium and Calcium in Roots of Mycorrhizal Norway Spruce Seedlings 38505. Physiol.Plant. 82, 266-270
Media	Jentschke, G., Fritz, E., and Godbold, D. L. 1991. Distribution of Lead in Mycorrhizal and Non-Mycorrhizal Norway Spruce Seedlings. Physiol.Plant. 81, 417-422
No Dose	John, M. K. and Van Laerhoven, C. 1972. Lead Uptake by Lettuce and Oats as Affected by Lime, Nitrogen, and Sources of Lead. J Environ Qual 1[2], 169-171
Species	John, M. K., VanLaerhoven, C. J., and Bjerring, J. H. 1976. Effect of a Smelter Complex on the Regional Distribution of Cadmium, Lead, and Zinc in Litters and Soil Horizons. Arch.Environ.Contam.Toxicol. 4[4], 456-468
No Toxicant	Johnson, C. E., Siccama, T. G., Driscoll, C. T., Likens, G. E., and Moeller, R. E. 1995. Changes in lead biogeochemistry in response to decreasing atmospheric inputs. Ecological Applications : A Publication Of The Ecological Society Of America. 5[3], 813-822
No ERE	Johnson, M. S., McNeilly, T., and Putwain, P. O. 1977. Revegetation of Metalliferous Mine Spoil

Contaminated by Lead and Zinc. Environ Pollut 12[4], 261-277

Mix	Johnson, W. R. and Proctor, J. 1977. A Comparative Study of Metal Levels in Plants from Two Contrasting Lead-Mine Sites. Plant Soil 46, 251-257
Mix	Jones, J. S. and Hatch, M. B. 1945. Spray Residues and Crop Assimilation of Arsenic and Lead. Soil Sci 60, 277-288
Media	Jones, L. H. P. and Clement, C. R. 1972. Lead Uptake by Plants and Its Significance for Animals. In: P.Hepple (Ed.), Lead in the Environment, Applied Science Publ.Ltd., Barking, England , 29-33
OM, pH	Jones, L. H. P., Clement, C. R., and Hopper, M. J. 1973. Lead Uptake from Solution by Perennial Ryegrass and Its Transport from Roots to Shoots. Plant Soil 38[2], 403-414
No Control	Jones, L. H. P., Jarvis, S. C., and Cowling, D. W. 1973. Lead Uptake from Soils by Perennial Ryegrass and Its Relation to the to the Supply of an Essential Element (Sulphur). Plant Soil 38[3], 605-619
Media	Joosse, E. N. G. and Buker, J. B. 1979. Uptake and Excretion of Lead by Litter-Dwelling Collembola. Environ Pollut 18, 235-240
Media OM	Joosse, E. N. G. and Verhoef, S. C. 1983. Lead Tolerance in Collembola. Pedobiologia 25, 11-18 Jopony, M. and Young, S. 1993. Assessment of Lead Availability in Soils Contaminated by Mine Spoil. Plant Soil 151[2], 273-278
No Dur	Kabata-Pendias, A. and Dudka, S. Baseline data for cadmium and lead in soils and some cereals of poland. International Conference on Metals in Soils, Waters, Plants and Animals, Orlando, Florida, Usa, April 30-May 3, 1990. Water Air Soil Pollut.57-58 (0).1991.723-732.
Rev	Kagi, J. H. R. and Hapke, H. J. 1984. Biochemical Interactions of Mercury, Cadmium, and Lead. In: J.O.Nriagu (Ed.), Changing Metal Cycles and Human Health, Dahlem Konferenzen, Berlin , 237-250
Mix	Kahle, H. and Breckle, S. W. 1989. Single and Combined Effects of Lead and Cadmium on Young Beech Trees (Fagus silvatica L.). In: J.B.Bucher and I.Bucher-Wallin (Eds.), Proc.14th Int.JUFRO Meeting for Specialists in Air Pollution Effects on Forest Ecosystems, Oct.2-8, 1988, Birmensdorf, Switzerland , 442-444
No Control	Kalbasi, M., Peryea, F. J., Lindsay, W. L., and Drake, S. R. 1995. Measurement of Divalent Lead Activity in Lead Arsenate Contaminated Soils. Soil Sci.Soc.Am.J. 59[5], 1274-1280
Mix	Kanabo, I. A. K. and Gilkes, R. J. 1992. Low-contaminant jarosite waste as a fertilizer amendment. Journal of Environmental Quality 21[4], 679-684
Media	Kannan, S. and Keppel, H. 1976. Absorption and Transport of Pb ²⁺ in Young Pea Seedlings. Z Naturforsch Teil C Biochem Biophys Biol 31, 393-396
No Control	Karamanos, R. E., Bettany, J. R., and Stewart, J. W. B. 1976. The Uptake of Native and Applied Lead by Alfalfa and Bromegrass from Soil. Can.J.Soil Sci. 56, 485-494
FL	Kastori, R., Petrovic, N., Gasic, O., and Janjatovic, V. 1991. Effect of Lead on the Accumulation and Distribution of Mineral Substances in Soybean (Glycine max. (L.) Merr.). Zb.Matrice Srp.Prir.Nauke (SER) (ENG ABS) 80, 55-65
OM, pH	Keaton, C. M. 1937. The Influence of Lead Compounds on the Growth of Barley. Soil Sci. 43[6],

- OM** Khan, D. H. and Frankland, B. 1983. Effects of Cadmium and Lead on Radish Plants with Particular Reference to Movement of Metals Through Soil Profile and Plant. *Plant Soil* 70, 335-345
- pH** Khan, S. and Khan, N. 1983. Influence of Lead and Cadmium on the Growth and Nutrient Concentration of Tomato (*Lycopersicum esculentum*) and Egg-Plant (*Solanum melangena*). *Plant Soil* 74, 387-394
- Dup** Khan, S. and Khan, N. N. 1983. Influence of Lead and Cadmium on the Growth and Nutrient Concentration of Tomato (*Lycopersicum esculentum*) and Egg-Plant (*Solanum melongena*) 38390. *Plant Soil* 74, 387-394
- No Dose** Kim, N. D. and Fergusson, J. E. 1994. Seasonal variations in the concentrations of cadmium, copper, lead and zinc in leaves of the horse chestnut (*Aesculus hippocastanum* L.). *Environmental Pollution*. 86[1], 89-97
- Rev** Kiss, Tibor and Osipenko, Oleg. 1994. Metal ion-induced permeability changes in cell membranes: a minireview. *Cellular and Molecular Neurobiology* 14[6], 781-789
- FL** Klose, S. and Machulla, G. 1993. Influence of Cadmium and Lead on Selected Parameters of Soil-Microbial Activity. *Mengen- Spurenelem., Arbeitstag., 13th* , 43-51
- No Dose** Kock, M., Sixl, W., and Mose, J. R. 1989. Lead, Cadmium, Mercury and Insecticide Residue Control of Fresh Vegetables. *Geogr.Med.Suppl.* 2, 91-100
- OM, pH** Koehler, H. and Triebkorn, R. 1998. Assessment Of The Cytotoxic Impact Of Heavy Metals On Soil Invertebrates Using A Protocol Integrating Qualitative And Quantitative Components. *Biomarkers* 3[2], 109-127
- Media** Koehler, H. R., Storch, V., and Alberti, G. 1992. The Impact Of Lead On The Assimilation Efficiency Of Laboratory-Held Diplopoda (Arthropoda) Preconditioned In Different Environmental Situations. *Oecologia* 90[1], 113-119
- Media** Koehler, H. R., Triebkorn, R., Stoecker, W., Kloetzel, P. M., and Alberti, G. 1992. The 70 Kd Heat Shock Protein (Hsp 70) In Soil Invertebrates: A Possible Tool For Monitoring Environmental Toxicants. *Arch.Enviroin.Contam.Toxicol.* 22[3], 334-338
- Rev** Koeppe, D. E. 1977. The Uptake, Distribution, and Effect of Cadmium and Lead in Plants. *Sci.Total Environ.* 7[3/4], 197-206
- Rev** Koeppe, D. E., Bazzaz, F. A., Boggess, S., Carlson, R., Hassett, J. J., Koeppe, D. E., Cole, M., Rolfe, G. L., and Stevenson, F. J. 1977. Environmental Contamination by Lead and Other Heavy Metals. Volume IV: Soil-Water-Air-Plant Studies 49569. In: G.L.Krolfe and K.A.Reinbold (Eds.), Final Rep.National Science Foundation RANN Program, Inst.Enviroin.Stud., University of Illinois at Urbana-Champaign, Urbana, IL , 143 p.
- Rev** Koeppe, D. E. 1981. Lead: Understanding the Minimal Toxicity of Lead in Plants. In: N.W.Lepp (Ed.), Effects of Heavy Metal Pollution on Plants, Volume 1, Effects of Trace Metals on Plant Function, Applied Science Publ., NJ , 55-76
- No Dose** Kong, L. S., Gao, P., Ren, T. X., and Hong, H. J. Characteristics of plant communities and element contents in plants at mengentaoligai silver lead zinc mine area in inner mongolia. *Acta Bot.Sin.*

No Toxicant	Kort, H. S., Schober, G., Koren, L. G., and Scharringa, J. 1997. Mould-Devouring Mites Differ In Guanine Excretion From Dust-Eating Acari, A Possible Error Source In Mite Allergen Exposure Studies. Clin-Exp-Allergy; VOL 27, ISS 8, 1997, P921-5 27[8], 921-925
Mix	Kowalska Pylka, H., Kot, A., Wiercinski, J., Kurska, K., Walkuska, G., and Cybulski, W. 1995. Lead, Cadmium, Copper and Zinc Content in Vegetables, Gooseberry Fruits and Soils from Gardening Plots of Lublin (Zawartosc Olowiu, Kadmu, Miedzi i Cynku w Warzywach, Owocach Agrestu Oraz Glebie Ogrodow Dzialkowych Lublina). Roczn.Panstw.Zakl.Hig. 46[1], 3-12 (CZE) (ENG ABS)
Mix	Kralovec, J. and Slavik, L. 1997. Transfer of lead, cadmium, and mercury in the system soil-plant-animal. Rostl.Vyroba 43[6], 257-262
Mix	Kronshage, J. 1993. Freiland- Und Laboruntersuchungen Zur Wirkung Von Bleiverbindungen, Saeuren Und Kalk Auf Collembolen. (Investigations In The Field And Laboratory On The Effect Of Lead Compounds, Acids And Lime On Collembola). Govt-Reports-Announcements-&-Index-(GRA&I) [19]
Mix	Krupinska, I. 1976. Influence of Lead Tetraethyl on the Growth of Funaria hygrometrica L. and Marchantia polymorpha L. Acta Soc.Bot.Pol. 45[4], 421-428
FL	Kryukov, V. I., Shishkin, V. A., and Sokolenko, S. F. 1996. Chorinical Influence of Radiation and Lead on Mutation Rates in Plants of Arabidopsis thaliana (L.) hyenh. Radiat.Biol.Radioecol. 36[2], 209-218 (RUS)
FL	Kulich, J. 1987. Basic Nutrition and Phytotoxicity Caused by Arsenic and Lead. Part II 38890. Agriculture 33[10], 907-919 (RUS)
FL	Kulich, Jozef. 1988. The response of cereals to arsenic and lead. Rostl.Vyroba 34[5], 491-498
Score	Kulich, J. and Kulichova, R. 1984. Comparison of the Phytotoxicity of Arsenic and Lead (Porovnanie Fytotoxicity Arzenu a Olova). Agriculture 30[2], 109-117 (RUS)
Media	Kumar, G., Singh, R. P., and Sushila. 1993. Nitrate Assimilation and Biomass Production in Sesamum indicum L. Seedlings in a Lead Enriched Environment. Water Air Soil Pollut. 66[1/2], 163-171
No Dose	Kumar, P. B. A. N., Dushenkov, Viatcheslav, Motto, Harry, and Raskin, Ilya. 1995. Phytoextraction: the use of plants to remove heavy metals from soils. Environ.Sci.Technol. 1232-1238
pH	Kundu, Sharmila, Singh, Arvind, and De, S. K. 1998. Effects of chlorides of Cd, Pb and Hg on true and crude proteins in wheat seeds (Triticum aestivum L.). Indian J.Agric.Chem. 31[2], 106-110
No Dur	Kunguru, K. and Tole, P. M. 1994. Contamination of Soils, Maize, Wheat and Milk with Lead from Motor Vehicle Emissions in Uasin Gishu District, Kenya. Discov.Innov. 6[3], 261-264
FL	Labii, Yu. 1989. The effect of plants on lead migration in soil. Biol.Nauki (Moscow) [9], 86-88
Media	Labrot, F., Narbonne, J. F., Ville, P., Saint Senis, M., and Ribera, D. 1999. Acute Toxicity, Toxicokinetics, and Tissue Target of Lead and Uranium in the Clam Corbicula fluminea and the Worm Eisenia fetida: Comparison with the Fish Brachydanio rerio. Arch.Environ.Contam.Toxicol. 36[2], 167-178
Media	Labrot, F., Narbonne, J. F., Ville, P., Saint Denis, M., and Ribera, D. 1999. Acute Toxicity,

Toxicokinetics, and Tissue Target of Lead and Uranium in the Clam *corbicula fluminea* and the Worm *Eisenia fetida*: Comparison with the Fish *Brachydanio rerio* 43973.
Arch.Environ.Contam.Toxicol. 36[2], 167-178

No Dur	Lagerwerff, J. V. and Specht, A. W. 1970. Contamination of Roadside Soil and Vegetation with Cadmium, Copper, Lead, and Zinc in Soil and Vegetation in the Proximity of a Smelter. Environ Sci & Technol 4[7], 583-586
OM	Lagerwerff, J. V. 1971. Uptake of Cadmium, Lead and Zinc by Radish from Soil and Air. Soil Sci 111, 129-133
Rev	Lagerwerff, J. V. 1972. Lead, Mercury, and Cadmium as Environmental Contaminants. Micronutrients in Agriculture 23, 593, 628-593, 636
No Control	Lagerwerff, J. V., Armiger, W. H., and Specht, A. W. 1973. Uptake of Lead by Alfalfa and Corn from Soil and Air. Soil Sci. 115[6], 455-460
FL	Lahner, Gabriele and Streit, Bruno. 1989. Variation of lead concentration and accumulation in earthworms. Verh.Ges.Oekol. 18, 415-418
Media	Lamersdorf, N. P., Godbold, D. L., and Knoche, D. Risk assessment of some heavy metals for the growth of norway spruce 44005. INTERNATIONAL CONFERENCE ON METALS IN SOILS, WATERS, PLANTS AND ANIMALS, ORLANDO, FLORIDA, USA, APRIL 30-MAY 3, 1990.WATER AIR SOIL POLLUT.57-58 (0).1991.535-544.
Media	Lamersdorf, N. P., Godbold, D. L., and Knoche, D. 1991. Risk Assessment of Some Heavy Metals for the Growth of Norway Spruce 44006. Water Air Soil Pollut 57/58, 535-543
Mix	Lamersdorf, Norbert P. 1989. The behavior of lead and cadmium in the intensive rooting zone of acid spruce forest soils. Toxicol.Environ.Chem. 18[4], 239-247
Mix	Lan, C. Y., Shu, W. S., and Wong, M. H. 1997. Revegetation of Lead/Zinc Mine Tailings at Shaoguan, Guangdong Province, China: Phytotoxicity of the Tailings. Global Environ.Biotechnol. 119-130
Media	Lane, I. and Puckett, K. J. 1979. Responses of the Phosphatase Activity of the Lichen <i>Cladonia rangiferina</i> to Various Environmental Factors Including Metals. Can.J.Bot. 57, 1534-1540
Media	Lane, S. D., Martin, E. S., and Garrod, J. P. 1978. Lead Toxicity Effect on Indole-3-Ylactic Acid-Induced Cell Elongation. Planta 144, 79-84
Media	Lane, S. D. and Martin, E. S. 1980. An Evaluation of the Effect of Lead on the Gross Morphology of <i>Raphanus sativus</i> . Z.Pflanzenphysiol.Bodenkd. 98, 437-452
Mix	Laperche, Valerie, Logan, Terry J., Gaddam, Pranitha, and Traina, Samuel J. 1997. Effect of apatite amendments on plant uptake of lead from contaminated soil. Environ.Sci.Technol. 2745-2753
Species	Laskowski, R. and Hopkin, S. P. 1996. Accumulation of Zn, Cu, Pb, and Cd in the Garden Snail (<i>Helix aspersa</i>): Implications for Predators. Environ Pollut 91[3], 289-297
Media	Lee, C. R., Sturgis, T. C., and Landin, M. C. 1976. A Hydroponic Study of Heavy Metal Uptake by Selected Marsh Plant Species. U.S.Army Eng Waterways Exp Stn Tech Rep.No.D-76-5 , 63

Media	Lee, K. C., Cunningham, B. A., Chung, K. H., Paulsen, G. M., and Liang, G. H. 1976. Lead Effect on Several Enzymes and Nitrogenous Compounds in Soybean Leaf. J.Environ.Qual. 5[4], 357-359
Media	Lee, K. C., Cunningham, B. A., Chung, K. H., Paulsen, G. M., and Liang, G. H. 1976. Effect of Cadmium on the Root and Nodule Ultrastructure of <i>Alnus rubra</i> . J Environ Qual 5[4], 357-359
FL	Lee, Yahn Chir and Wang, Yin Po. 1997. Relationships between extraction ratio of lead and concentrations in crops in contaminated soils. Huanjing Baohu (Taipei) (CHI) 20[2], 78-91
Media	Lemaistre, V. 1985. Influence of Automobile Exhaust and Lead on the Oxygen Exchange of Two Lichens Measured by a New Oxygen Electrode Method. In: D.H.Brown (Ed.), Lichen Physiology and Cell Biology, Plenum Press, NY , 173-183
No Dur	Little, P. and Martin, M. H. 1972. A Survey of Zinc, Lead, and Cadmium in Soil and Natural Vegetation Around a Smelting Complex. Environ Pollut 3, 241-243
Media	Liu, D., Jiang, W., Wang, W., Zhao, F., and Lu, C. 1994. Effects of Lead on Root Growth, Cell Division, and Nucleolus of <i>Allium cepa</i> . Environ Pollut 86, 1-4
Media	Lui, Donghua, Jiang, Wusheng, Wang, Wei, and Zhai, Lin. 1995. Evaluation of metal ion toxicity on root tip cells by the allium test. Israel Journal of Plant Sciences 43, 125-133
Mix	Lutynski, R. 1996. The Role Of Lead As An Environmental Pollutant In The Period Of Growing Ecological Consciousness. Przegl-Lek 53[4], 371-374
No Toxicant	Luwe, Michael W. F., Nilsson, L. O., Huttli, R. F., and Johansson, U. T Eds. 1995. Distribution of nutrients and phytotoxic metal ions in the soil and in two forest floor plant species of a beech (<i>fagus sylvatica</i> l.) Stand. <Book> developments in plant and soil sciences; nutrient uptake and cycling in forest ecosystems. Developments in Plant and Soil Sciences 168-169, 195-202
Mix	Ma, W., Edelman, T., Beersum, I., and Van and, Jans. 1983. Uptake of Cadmium, Zinc, Lead, and Copper by Earthworms near a Zinc-Smelting Complex: Influence of Soil pH and Organic Matter. Bull Environ Contam Toxicol 30[4], 424-427
Score	Ma, W. C. 1982. The Influence of Soil Properties and Worm-Related Factors on the Concentrations of Heavy Metals in Earthworms. Pedobiologia 24, 109-119
Media	Maboeta, M. S., Reinecke, A. J., and Reinecke, S. A. 1999. Effects of Low Levels of Lead on Growth and Reproduction of the Asian Earthworm <i>Perionyx excavatus</i> (<i>Oligochaeta</i>). Ecotoxicol Environ Saf 44[3], 236-240
No Dose	Macpherson, S. A. and Martin, M. H. 1994. Effects of phosphate additions to soil on lead and phosphate concentrations of <i>holcus lanatus</i> grown on lead amended soil. Chemosphere 29[12], 2571-2581
Rev	Mahaffey, K. R. 1984. Toxicity of Lead, Cadmium, and Mercury: Considerations for Total Parenteral Nutritional Support. Bull NY Acad Med 60[2], 196-209
FL	Maier, R. 1978. Studies on the Effect of Lead on Acid Phosphatase in <i>Zea mays</i> L. (Untersuchungen zur Wirkung von Blei auf die Saure Phosphatase in <i>Zea mays</i> L.). Z.Pflanzenphysiol. 87, 347-354
Mix	Majdi, Hooshang and Persson, Hans. 1989. Effects of road-traffic pollutants (lead and cadmium) on tree fine-roots along a motor road. Plant Soil 119[1], 1-5

No Dose	Majid, A., Sparks, B. D., Khan, A. A., and Xu, J. G. 1999. Treatment of Used Diesel Invert Drilling Mud to Remove Hydrocarbons, Fix Lead, and Leach Brine. <i>J. Soil Contam.</i> 8[2], 255-283
OM, pH	Malecki, M. R., Neuhauser, E. F., and Lehr, R. C. 1982. The Effect Of Metals On The Growth And Reproduction Of <i>Eisenia Foetida</i> (Oligochaeta, Lumbricidae) 44578. <i>Pedobiologia</i> 24[3], 129-137
No Data	Malone, C., Koeppe, D. E., and Miller, R. J. 1974. Localization of Lead Accumulated by Corn Plants. <i>Plant Physiol</i> 53, 388-394
Species	Marigomez, J. A., Angulo, E., and Saez, V. 1986. Feeding and Growth Responses to Copper, Zinc, Mercury and Lead in the Terrestrial Gastropod <i>Arion ater</i> (Linne). <i>J. Mollusc Stud</i> 52, 68-78
No Dur	Marino, F., Ligerio, A., and Diaz Cosin, D. J. 1994. Heavy Metals In Several Earthworm Species Living In Serpentine Soils. <i>Nova-Acta-Cient.-Compostel.-(Biol.)</i> 5, 245-250
No Dur	Marino, F., Ligerio, A., and Diaz, C. 1996. Heavy Metals In Earthworms And Soils Around To A Thermic Power Station At As Pontes (La Coruna, Nw Spain). <i>Boletin De La Real Sociedad Espanola De Historia Natural Seccion Biologica</i> 92[1-4], 65-73
No ERE	Marinussen, M. P. J. C. and Van der Zee, S. E. A. T. 1996. Conceptual Approach To Estimating The Effect Of Home-Range Size On The Exposure Of Organisms To Spatially Variable Soil Contamination. <i>Ecol.-Model.</i> 87[1-3], 83-89
Mix	Marinussen, M. P. J. C., Van der Zee, S. E. A. T., De Haan, F. A. M., Bouwman, L. M., and Hefting, M. M. 1997. Heavy Metal (Copper, Lead, and Zinc) Accumulation and Excretion by the Earthworm, <i>Dendrobaena veneta</i> . <i>J. Environ Qual</i> 26[1], 278-284
No Control	Marinussen, M. P. J. C., Van der Zee, S. E. A. T., and De Haan, F. A. M. 1997. Effect of Cd or Pb Addition to Cu-Contaminated Soil on Tissue Cu Accumulation in the Earthworm, <i>Dendrobaena veneta</i> . <i>Ecotoxicol Environ Saf</i> 38[3], 309-315
No Toxicant	Marr, K., Fyles, H., and Hendershot, W. 1999. Trace Metals in Montreal Urban Soils and the Leaves of <i>Taraxacum officinale</i> . <i>Can. J. Soil Sci.</i> 79[2], 385-387
Media	Marschner, P., Godbold, D. L., and Jentschke, G. 1996. Dynamics of Lead Accumulation in Mycorrhizal and Non-Mycorrhizal Norway Spruce (<i>Picea abies</i> (L.) Karst). <i>Plant Soil</i> 178[2], 239-245
Media	Marschner, P., Jentschke, G., and Godbold, D. L. 1998. Cation exchange capacity and lead sorption in ectomycorrhizal fungi. <i>Plant Soil</i> 205[1], 93-98
Media	Marschner, P., Klam, A., Jentschke, G., and Godbold, D. L. 1999. Aluminium and Lead Tolerance in Ectomycorrhizal Fungi. <i>J. Plant Nutr. Soil Sci./Z. Pflanzenernahr. Bodenk.</i> 162[3], 281-286
OM, pH	Marten, G. C. and Hammond, P. B. 1966. Lead Uptake by Bromegrass from Contaminated Soils. <i>Agron. J.</i> 58, 553-554
Media	McCreight, J. D. and Schroeder, D. B. 1982. Inhibition of Growth of Nine Ectomycorrhizal Fungi by Cadmium, Lead, and Nickel In Vitro. <i>Environ. Exp. Bot.</i> 22[1], 1-7
NO OM	McKenzie, R. M. 1978. The Effect of Two Manganese Dioxides on the Uptake of Lead, Cobalt, Nickel, Copper and Zinc by Subterranean Clover. <i>Aust. J. Soil Res.</i> 16[2], 209-214
OM, pH	Mclean, H. C., Weber, A. L., and Joffe, J. S. 1944. Arsenic Content of Vegetables Grown in Soils

Treated with Lead Arsenate. J Econ Entomol 37[3], 315-316

No Dur	Merry, R. H. and Tiller, K. G. Distribution and budget of cadmium and lead in an agricultural region near adelaide south australia. International Conference on Metals in Soils, Waters, Plants and Animals, Orlando, Florida, Usa, April 30-May 3, 1990. Water Air Soil Pollut. 57-58 (0). 1991. 171-180.
Mix	Merry, R. H., Tiller, K. G., and Alston, A. M. 1986. the Effects of Soil Contamination with Copper, Lead and Arsenic on the Growth and Composition of Plants. II. Effects of Source of Contamination, Varying soil pH, and Prior Waterlogging. Plant Soil 95, 255-269
No Control	Merry, R. H., Tiller, K. G., and Alston, A. M. 1986. The Effects of Contamination of Soil with Copper, Lead and Arsenic on the Growth and Composition of Plants. I. Effects of Season, Genotype, Soil Temperature and Fertilizers. Plant Soil 91, 115-128
Mix	Merwin, I., Pruyne, P. T., Ebel, J. G. J., Manzell, K. L., and Lisk, D. J. 1994. Persistence, phytotoxicity, and management of arsenic, lead and mercury residues in old orchard soils of New York state. Chemosphere 29[6], 1361-1367
Media	Migula, P., Kafel, A., Kedzierski, M., and Makonieczny, M. 1989. Combined and Separate Effects of Cadmium, Lead and Zinc on Growth and Feeding in the House Cricket (<i>Acheta domesticus</i>). Biologia (Bratisl) 44[10], 911-921
OM, pH	Mikula, W. and Indeka, L. 1997. Heavy metals in allotment gardens close to an oil refinery in plock. Water Air Soil Pollut. 96[1/4], 61-71
No Dose	Miles, L. J. and Parker, G. R. 1979. Heavy Metal Interaction for <i>Andropogon scoparius</i> and <i>Rudbeckia hirta</i> Grown on Soil from Urban and Rural Sites with Heavy Metals Additions. J Environ Qual 8[4], 443-449
OM	Miller, J. E., Hassett, J. J., and Koeppe, D. E. 1975. The Effect of Soil Properties and Extractable Lead Levels on Lead Uptake by Soybeans. Commun Soil Sci Plant Anal 6[4], 339-347
OM	Miller, J. E., Hassett, J. J., and Koeppe, D. E. 1975. The Effect of Soil Lead Soil Capacity on the Uptake of Lead by. Commun Soil Sci Plant Anal 6[4], 349-358
OM	Miller, J. E., Hassett, J. J., and Koeppe, D. E. 1977. Interactions of Lead and Cadmium on Metal Uptake and Growth of Corn Plants. J Environ Qual 6[1], 18-20
No Control	Miller, J. E., Hassett, J. J., and Koeppe, D. E. 1977. Interactions of Lead and Cadmium on Metal Uptake and Growth of Corn Plants 45056. J Environ Qual 6[1], 18-20
OM, pH	Miller, R. J. and Koeppe, D. E. 1970. Accumulation and Physiological Effects of Lead in Corn. In: D.D.Hemphill (Ed.), 4th Annu.Conf.on the Proc.of Trace Substances in Environmental Health - IV, University of Missouri, Columbia, MO , 186-193
OM	Miller, R. L., Bassett, I. P., and Yothers, W. W. 1933. Effect of Lead Arsenate Insecticides on Orange Trees in Florida. U.S.Dep of Agriculture Technical Bulletin 350, Washington, DC: U.S.Dep of Agriculture , 20
Media	Mishra, A. and Choudhuri, M. A. 1999. Monitoring of Phytotoxicity of Lead and Mercury from Germination and Early Seedling Growth Indices in Two Rice Cultivars. Water Air Soil Pollut 114[3/4], 339-346
FL	Misra, S. G. and Misra, Uma Shanker. 1996. Effect of adding soluble form of heavy metals on the

numbers of earthworms at different depths. *Vijnana Parishad Anusandhan Patrika* 39[2], 79-83

- FL** Mochizuki, Takeo, Chiba, Shigeo, Hanada, Satoshi, and Saitoh, Hiroshi. 1975. Apple orchard soils contaminated by inorganic agricultural chemicals. I. Effects of the contents of residual copper, lead, and arsenate on the soil macrofauna on an apple orchard in the Tsugaru district of Aomori Prefecture, Japan. *Nippon Dojo-Hiryogaku Zasshi* 46[2], 45-50
- No Dur** Morgan, A. J. and Morris, B. 1982. The Accumulation And Intracellular Compartmentation Of Cadmium, Lead, Zinc And Calcium In 2 Earthworm Species (*Dendrobaena rubida* And *Lumbricus rubellus*) Living In Highly Contaminated Soil. *Histochemistry* 75[2], 269-286
- Mix** Morgan, J. E. and Morgan, A. J. 1988. Earthworms As Biological Monitors Of Cadmium Copper Lead And Zinc In Metalliferous Soils. *Environ Pollut* 54[2], 123-138
- OM** Morgan, J. E. and Morgan, A. J. 1988. Calcium-Lead Interactions Involving Earthworms. Part 1: The Effect of Exogenous Calcium on Lead Accumulation by Earthworms Under Field and Laboratory Conditions. *Environ. Pollut* 54[1], 41-53
- Media** Morgan, J. E. and Morgan, A. J. 1988. Calcium-Lead Interactions Involving Earthworms. II. The Effect of Accumulated Lead on Endogenous Calcium in *Lumbricus rubellus*. *Environ Pollut* 55[1], 41-54
- No Dur** Morgan, J. E. and Morgan, A. J. 1989. The Effect Of Lead Incorporation On The Elemental Composition Of Earthworm (Annelida, Oligochaeta) Chloragosome Granules. *Histochemistry* 92[3], 237-241
- No Dur** Morgan, J. E. and Morgan, A. J. 1990. The Distribution Of Cadmium, Copper, Lead, Zinc And Calcium In The Tissues Of The Earthworm *Lumbricus Rubellus* Sampled From One Uncontaminated And Four Polluted Soils. *Oecologia* 84[4], 559-566
- Mix** Morgan, J. E. and Morgan, A. J. 1993. Seasonal Changes In The Tissue-Metal (Cadmium, Zinc, And Lead) Concentrations In Two Ecophysiologically Dissimilar Earthworm Species: Pollution-Monitoring Implications. *Environ Pollut* 82[1], 1-7
- No Dur** Morris, B. and Morgan, A. J. 1986. Calcium-Lead Interactions In Earthworms Observations On *Lumbricus-Terrestris* Sampled From A Calcareous Abandoned Lead Mine Site. *Bull Environ Contam Toxicol* 37[2], 226-233
- No Control** Mosbaek, Hans, Tjell, J. C., and Hovmand, Mads F. 1989. Atmospheric lead input to agricultural crops in Denmark. *Chemosphere* 19[10/11], 1787-1799
- No Dose** Motto, H. L., Daines, R. H., Chilko, D. M., and Motto, C. K. 1970. Lead in Soils and Plants: Its Relationship to Traffic Volume and Proximity to Highways. *Environ Sci & Technol* 4, 231-238
- Media** Mukherji, S. and Maitra, P. 1976. Toxic Effects of Lead on Growth & Metabolism of Germinating Rice (*Oryza sativa* L.) Seeds & on Mitosis of Onion (*Allium cepa* L.) Root Tip Cells. *Ind.J.Exp.Biol.* 14, 519-521
- Mix** Mungur, A. S., Shutes, R. B. E., Revitt, D. M., House, M. A., and Haberl, R. 1997. An Assessment Of Metal Removal By A Laboratory Scale Wetland. 35[5], 125-133
- No Dur** Muskett, C. J. and Jones, M. P. 1980. The dispersal of lead cadmium and nickel from motor vehicles and effects on roadside invertebrate macro fauna. *Environ Pollut Ser A Ecol Biol* 23[3], 231-242

Mix	Nakos, G. 1979. Lead Pollution: Fate of Lead in the Soil and Its Effect on <i>Pinus halepensis</i> . <i>Plant Soil</i> 53, 427-443
Mix	Nan, Z. R., Zhao, C. Y., Li, J. J., Chen, F. H., and Liu, Y. 1999. Field survey of cd and pb contents in spring wheat (<i>triticum aestivum</i> L.) Grain grown in baiyin city, gansu province, people's republic of china. <i>Bulletin of Environmental Contamination & Toxicology</i> 63[4], 546-552
Rev	Natural Research Council of Canada. 1973. Lead in the Canadian Environment. NRCC 13682, Ottawa, Ontario, Canada , 116
Rev	Neathery, M. W. and Miller, W. J. 1975. Metabolism and Toxicity of Cadmium, Mercury, and Lead in Animals: A Review. <i>J Dairy Sci</i> 58[12], 1767-1781
FL	Neite, H., Wittig, R., and Kuttler (Ed.), W. 1989. Lead and Zinc Contents in Soil and Plants of Beech Forests from North Rhine-westphalia (Blei-und Zinkgehalte in Boden und Pflanzen einiger Buchenwalder Nordrhein-Westfalens). <i>Verh.Ges.Oekol.</i> 18, 425-429
Media	Neto, M. M. P. M. and DeVarennnes, A. 1993. Determination of Lead in White Lupin by Anodic Stripping Voltammetry. In: M.A.C.Fragoso and M.L.Van Beusichem (Eds.), <i>Optimization of Plant Nutrition</i> , Kluwer Acad.Publ., Netherlands , 19-23
Media	Neuhauser, E. F., Malecki, M. R., and Loehr, R. C. 1983. Methods Using Earthworms for the Evalution of Potentially toxic Materials in Siols. In: R.A.Conway and W.P.Gulledge (Eds.), <i>Hazardous and Industrial Solid Waste Testing</i> , Volume 2, ASTM STP 805, Philadelphia, PA , 313-320
OM, pH	Neuhauser, E. F., Malecki, M. R., and Loehr, R. C. 1984. Growth and Reproduction of the Earthworm <i>Eisenia fetida</i> After Exposure to Sublethal Concentrations of Metals. <i>Pedobiologia</i> 27, 89-97
Media	Ngu, M., Moya, E., and Magan, N. 1998. Tolerance and uptake of cadmium, arsenic and lead by <i>Fusarium</i> pathogens of cereals. <i>International Biodeterioration & Biodegradation</i> 42[1], 55-62
Score	Nicholas, D. J. D. 1950. Some Effects of Metals in Excess on Crop Plants Grown in Soil Culture. I. Effects of Copper, Zinc, Lead, Cobalt, Nickel and Manganese on Tomato Grown in an Acid Soil. <i>Bristol Agric.Hortic.Res.Stn.Annu.Rep.</i> 1950 , 96-108
OM	Nicklow, C. W., Comaws-Haezelbrouck, P. H., and Feder, W. A. 1983. Influence of Varying Soil Lead Levels on Lead Uptake by Leafy and Root Vegetables. <i>J.Am.Soc.Hortic.Sci.</i> 108[2], 193-195
FL	Noack, Gritli and Breckle, Siegm. Walter. 1989. Effect of lead on the root development of beech seedlings in a Rhizotron. <i>Verh.- Ges.Oekol.</i> 17, 563-566
OM, pH	Noweir, K. H. 1990. Study Of The Role Of Airborne Lead In Food Chain Of Crops Grown Around A Main Highway In Egypt. <i>J-Egypt-Public-Health-Assoc</i> ; 65[3/4], 427-435
FL	Nuess, D. 1993. Outdoor Experiments With Monitor-Systems: Effects Of Acid Rain, Liming And Heavy Metals On Decomposition And Collembola. <i>Zoologische Beitrage</i> 35[2], 121-183
FL	Nustorova, M. and Plugchieva, M. 1991. The influence of lead upon the development of soil microflora. <i>Nauka Gorata</i> 28[2], 46-50
Mix	Nwosu, J. U., Harding, A. K., and Linder, G. 1995. Cadmium and lead uptake by edible crops grown in a silt loam soil. <i>Bulletin Of Environmental Contamination And Toxicology.</i> 54[4], 570-578

pH	Nyarai-Horvath, F., Szalai, T., Kadar, I., and Csatho, P. 1997. Germination characteristics of pea seeds originating from a field trial treated with different levels of harmful elements. <i>Acta Agron.Hung.</i> 452[147-154]
Media	Odendaal, J. P. and Reinecke, A. J. 1999. The Toxicity of Sublethal Lead Concentrations for the Woodlouse, <i>Porcellio laevis</i> (Crustacea, Isopoda). <i>Biol.Fert.Soils</i> 29[2], 146-151
Media	Okamoto, K., Suzuki, M., Fukanim, M., Toda, S., and Fuwa, K. 1977. Heavy Metal Tolerance of <i>Penicillium Ochro-Chloron</i> II. Uptake of Heavy Metals by Copper Tolerant Fungus <i>Penicillium Ochro-Chloron</i> . <i>Agric.Biol.Chem.</i> 41, 17-22
OM	Osuji, G. O., Haby, V. A., Beyene, A., Madu, W. C., and Mangaroo, A. S. 1998. The Isomerization of Glutamate Dehydrogenase in Response to Lead Toxicity in Maize. <i>Biol.Plant.</i> 40[3], 389-398
Mix	Ozores-Hampton, M., Hanlon, E., Bryan, H., and Schaffer, B. 1997. Cadmium, Copper, Lead, Nickel and Zinc Concentrations in Tomato and Squash Grown in MSW Compost-Amended Calcareous Soil. <i>Compost Sci.Util.</i> 5[4], 40-45
Media	Paivoke, A. 1983. Anatomical Response of the Roots of Pea Seedlings to Lead and Arsenate Ions. <i>Ann.Bot.Fenn.</i> 20, 307-315
No Dur	Pandit, B. R., Prasannakumar, P. G., and Jana, Chandran Kumar. 1997. Seasonal variations in lead content in dangs forest, gujarat. <i>Adv.Plant Sci.</i> 10[2], 145-148
Species	Pankakoski, E., Koivisto, I., Hyvaerinen, H., Terhivuo, J., and Taehkae, K. M. 1994. Experimental Accumulation Of Lead From Soil Through Earthworms To Common Shrews. <i>Chemosphere</i> 29[8], 1639-1649
Media	Pawert, M., Triebskorn, R., Graff, S., Berkus, M., Schulz, J., and Koehler, H. 1996. Cellular Alterations In Collembolan Midgut Cells As A Marker Of Heavy Metal Exposure: Ultrastructure And Intracellular Metal Distribution. <i>Science of the Total Environment</i> 181[3], 187-200
No Dose	Peles, J. D., Brewer, S. R., and Barrett, G. W. 1996. Metal uptake by agricultural plant species grown in sludge-amended soil following ecosystem restoration practices. <i>Bulletin of Environmental Contamination and Toxicology</i> 57[6], 917-923
Mix	Peraemaeki, P., Itaemies, J., Karttunen, V., Lajunen, L. H. J., and Pulliainen, E. 1992. Influence Of pH On The Accumulation Of Cadmium And Lead In Earthworms (<i>Aporrectodea Caliginosa</i>) Under Controlled Conditions. <i>Ann.Zool.Fenn.</i> 29[2], 105-111
Species	Peryea, F. J. 1991. Phosphate-induced release of arsenic from soils contaminated with lead arsenate. <i>Soil Sci Soc Am J</i> 55[5], 1301-1306
Rev	Petering, H. G. 1978. Some Observations on the Interaction of Zinc, Copper, and Iron Metabolism in Lead and Cadmium Toxicity. <i>Environ Health Perspect</i> 25, 141-145
No Dose	Peters, M. S. and Afton, A. D. 1993. Effects of Deep Tillage on Redistribution of Lead Shot and Chufa Flatsedge at Catahoula Lake, Louisiana. <i>Wildl.Soc.Bull.</i> 21[4], 471-479
Media	Phuong, D. Dao Thi, Tatar, E., Varga, I., Zaray, G., Cseh, E., and Fodor, F. 1995. Accumulation and translocation of lead in cucumber plants monitored by graphite furnace atomic absorption spectrometry. <i>Microchemical Journal</i> 51[1/2], 145-150
No Dur	Pierzynski, Gary M. and Schwab, A. Paul. 1993. Bioavailability of zinc, cadmium, and lead in a

metal-contaminated alluvial soil. *Journal of Environmental Quality* 22[2], 247-254

Mix	Piha, M. I., Vallack, H. W., Reeler, B. M., and Michael, N. 1995. A low input approach to vegetation establishment on mine and coal ash wastes in semi-arid regions. I. Tin mine tailings in Zimbabwe. <i>Journal of Applied Ecology</i> , 372-381
Mix	Pilgrim, W. 1995. Lead, Cadmium, Arsenic, And Zinc In The Ecosystem Surrounding The Belledune Lead Smelter. <i>Govt-Reports-Announcements-&-Index-(GRA&I)</i> [24]
No Dur	Piotrowska, M., Dudka, S., Ponce-Hernandez, R., and Witek, T. 1994. The Spatial Distribution of Lead Concentrations in the Agricultural Soils and Main Crop Plants in Poland. <i>Sci.Total Environ.</i> 158[1-3], 147-155
FL	Piotrowska, Maria, Dudka, Stanislaw, and Bolibrzuch, Edward. 1992. Effect of different doses of trace metals on yields and concentrations of these elements in corn (<i>Zea mays</i> L.). Part II. Copper and lead. <i>Arch.Ochr.Srodowiska</i> [2], 145-152
No Control	Pizl, V. and Sterzynska, M. 1991. The Influence Of Urbanization On The Earthworm Infection By Monocystid Gregarines. <i>Fragm Faun (Warsaw)</i> 35[9-14], 203-212
OM, pH	Polivka, J. B. 1951. Effect of Insecticides on Earthworm Populations. <i>Ohio J Sci</i> 51, 195-196
Media	Popham, J. D. and Webster, J. M. 1976. Comparative toxicity of heavy metals with special reference to cadmium on <i>caenorhabditis-elegans</i> . <i>Proc Int Colloq Invertebr Pathol</i> , 372-373
Species	Pouyat, Richard V., Mcdonnell, Mark J., and Pickett, S. T. A. 1995. Soil characteristics of oak stands along an urban-rural land-use gradient. <i>Journal of Environmental Quality</i> 24[3], 516-526
Media	Prasad, D. D. K. and Prasad, A. R. K. 1987. Effect of Lead and Mercury on Chlorophyll Synthesis in Mung Bean Seedlings. <i>Phytochemistry</i> 26[4], 881-883
Media	Puckett, K. J., Nieboer, E., Gorzynski, M. J., and Richardson, D. H. S. 1973. The Uptake of Metal Ions by Lichens: A Modified Ion-Exchange Process. <i>New Phytol</i> 72, 329-342
Media	Puckett, K. J. 1976. The Effect of Heavy Metals on Some Aspects of Lichen Physiology. <i>Can J Bot</i> 54, 2695-2703
Media	Qureshi, J. A., Hardwick, K., and Collin, H. A. 1986. Intracellular Localization of Lead in a Lead Tolerant and Sensitive Clone of <i>Anthoxanthum odoratum</i> . <i>J.Plant Physiol.</i> 122, 357-364
No Control	Rabinowitz, M. 1972. Plant Uptake of Soil and Atmospheric Lead in Southern California. <i>Chemosphere</i> 4, 175-180
No Dur	Rabitsch, W. B. 1995. Metal Accumulation In Arthropods Near A Lead/Zinc Smelter In Arnoldstein, Austria. I. <i>Environ Pollut</i> 90[2], 221-237
Mix	Rabitsch, W. B. 1995. Metal Accumulation in Arthropods near a Lead/Zinc Smelter in Arnoldstein, Austria. II. Formicidae. <i>Environ Pollut</i> 90[2], 239-247
No Dur	Rabitsch, W. B. 1995. Metal Accumulation in Arthropods near a Lead/Zinc Smelter in Arnoldstein, Austria. III. Arachnida. <i>Environ Pollut</i> 90[2], 249-257
No Dose	Rains, D. W. 1971. Lead Accumulation by Wild Oats (<i>Avena fatua</i>) in a Contaminated Area. <i>Nature</i> 233, 210-211

FL	Rauta, C., Ionescu, Ariana, Carstea, S., and Neata, Gabriela. 1988. Effects on crops of soil pollution by lead. <i>An.Inst.Cercet.Pedol.Agrochim., Acad.Stiinte Agric.Silvice</i> 48, 257-267
No Dur	Rebele, F. 1989. The Lead Contents in Goldenrod Leaves (<i>Solidago canadensis</i> L.) in the Vicinity of the Sonnenschein Lead Battery Factory in Berlin-Mariendorf (Der Bleigehalt von Goldrutenblättern (<i>Solidago canadensis</i> L.) in der Umgebung der Akkumulatorenfabrik Sonnenschein in Berlin-Mariendorf). <i>Verh.Ges.Oekol.</i> 18, 437-442
No Control	Reboredo, F., Ferreira, F., Ferreira, A., Simoes, M. C., Astruc, M., and Lester, John Norman. 1988. Accumulation of copper and lead by <i>Halimione portulacoides</i> (L.) Aellen: a seasonal study. <i>Heavy Met.Hydrol.Cycle</i> , 173-180
No Dose	Reboredo, F. 1997. Some Observations on the Effects of Iron on the Leaf Ultrastructure of <i>Halimione portulacoides</i> . <i>J Plant Physiol</i> 115, 581-589
Media	Reinecke, A. J. and Reinecke, S. A. 1996. The Influence Of Heavy Metals On The Growth And Reproduction Of The Compost Worm <i>Eisenia fetida</i> (Oligochaeta). <i>Pedobiologia</i> 40[5], 439-448
Media	Reinecke, A. J., Maboeta, M. S., and Reinecke, S. A. 1997. Stimulating Effects Of Low Lead Concentrations On Growth And Cocoon Production Of <i>Eisenia fetida</i> (Oligochaeta). <i>S.Afr.J.Zool.</i> 32[3], 72-75
Media	Reinecke, S. A. and Reinecke, A. J. 1997. The influence of lead and manganese on spermatozoa of <i>Eisenia fetida</i> (Oligochaeta). <i>Soil Biology & Biochemistry</i> 29[3/4], 737-742
Mix	Richards, K. S. and Ireland, M. P. 1978. Glycogen-Lead Relationship in the Earthworm <i>Dendrobaena rubida</i> from a Heavy Metal Site. <i>Histochemie</i> 56, 55-64
Mix	Rida, A. and Bouche, M. B. 1997. Heavy Metal Linkages With Mineral, Organic And Living Soil Compartments. <i>Soil Biol Biochem</i> 29[3-4], 649-655
No Dur	Roberts, R. D., Johnson, M. S., and Hutton, M. 1978. Lead contamination of small mammals from abandoned metalliferous mines. <i>Environ Pollut</i> 15[1], 61-70
Mix	Robinson, B. H., Leblanc, M., Petit, D., Brooks, R. R., Kirkman, J. H., and Gregg, P. E. H. 1998. The potential of <i>Thlaspi caerulescens</i> for phytoremediation of contaminated soils. <i>Plant Soil</i> 203[1], 47-56
OM	Roeder, U. and Breckle, S. W. 1989. Effect of Lead and Cadmium on the Growth and Cation Content of Beech Seedlings on Forest Soil. <i>Verh.- Ges.Oekol.</i> 17, 557-562
OM, pH	Rolfe, G. L. and Bazzaz, F. A. 1975. Effect of Lead Contamination on Transpiration and Photosynthesis of Loblolly Pine and Autumn Olive. <i>For.Sci.</i> 21[1], 33-35
Score	Sadana, U. S. and Singh, B. 1987. Yield and Uptake of Cadmium, Lead and Zinc by Wheat Grown in a Soil Polluted with Heavy Metals. <i>J.Plant Sci.Res.</i> 3, 11-17
Mix	Sadiq, M. 1985. Uptake of Cadmium, Lead, and Nickel by Corn Grown in Contaminated Soils. <i>Water Air Soil Pollut</i> 26, 185-190
FL	Salama, F. S. A., Abuzid, M. M., and Obukhov, A. I. 1993. Effect of Organic Fertilizers on the Lead Mobility in Soils and on Its Uptake by Plants. <i>Vestn.Mosk.Univ.Ser.17 Pochvoved.</i> 45-51
OM, pH	Salim, R., Hagemeyer, J., Al Subu, M. M., Atallah, A., and Chenavier, L. 1992. Effects, on Growth and Uptake Distribution, of Root and Foliar Treatments of Marrow Plants with Cadmium

and Lead Solutions. J.Environ.Sci.Health 27A[8], 2173-2190

OM, pH	Salim, R., Al-Subu, M. M., Douleh, A., Chenavier, L., and Hagemeyer, J. 1992. Effects of Root and Foliar Treatments of Carrot Plants with Lead and Cadmium on the Growth Uptake and the Distribution of Uptake of Metals in Treated Plants. J.Environ.Sci.Health Part A Environ.Sci.Eng. 27[7], 1739-1758
pH	Salim, R., Isa, M., Al Subu, M. M., Sayrafi, S. A., and Sayrafi, O. 1995. Effect of Irrigation With Lead and Cadmium on the Growth and on the Metal Uptake of Cauliflower, Spinach and Parsley. J Environ Sci Health Part A A30[4], 831-849
Mix	Sanchez, A. G., Moyano, A., and Munez, C. 1999. Forms of Cadmium, Lead, and Zinc in Polluted Mining Soils and Uptake by Plants (Soria province, Spain). Commun.Soil Sci.Plant Anal. 30[9/10], 1385-1402
Species	Sanok, William J., Ebel, Joseph G. J., Manzell, Kerry L., Gutenmann, Waltherh, and Lisk, Donald J. 1995. Residues of arsenic and lead in potato soils on Long Island. Chemosphere 30[4], 803-806
No Dur	Santos, P. L., Gouvea, R. C., and Dutra, I. R. 1993. Lead-210 in Vegetables and Soils from an Area of High Natural Radioactivity in Brazil. Sci.Total Environ. 138[1-3], 37-46
OM	Scaps, P., Grelle, C., and Descamps, M. 1997. Cadmium And Lead Accumulation In The Earthworm Eisenia fetida (Savigny) And Its Impact On Cholinesterase And Metabolic Pathway Enzyme Activity. Comp Biochem Physiol 116C[3], 233-238
Mix	Schaefer, J., Hannker, D., Eckhardt, J. D., and Stueben, D. 1998. Uptake of traffic-related heavy metals and platinum group elements (PGE) by plants. Science of the Total Environment 215[1/2], 59-67
Media	Schaeffer, H. J. and Walton, J. D. 1990. Aluminum Ions Induce Oat Protoplasts to Produce an Extracellular (1 Leads to 3) Beta-d-Glucan. Plant Physiology. 94[1], 13-19
Rev	Scheuhammer, A. M. 1991. Acidification-Related Changes in the Biogeochemistry and Ecotoxicology of Mercury, Cadmium, Lead and Aluminum: Overview. Environ Pollut 71, 87-90
FL	Schlote, F. 1990. Beteiligung Von Schwermetallen, Bes. Cadmium Und Blei, An Der Entstehung Der 'neuartigen' Waldschaeden. (Are Immitted Heavy Metals, Is Lead Another Reason For Forest Decline - Investigations By Means Of Multielement Analysis). Govt-Reports-Announcements-&-Index-(GRA&I) [24]
Media	Schmidt, G. H., N.M.M.Ibrahim, and Abdallah, M. D. 1992. Long-Term Effects of Heavy Metals in Food on Developmental Stages of Aiolopus thalassinus (Saltatoria: Acrididae). Arch.Environ.Contam.Toxicol. 23[3], 375-382
Media	Schulman, R. N., Salt, D. E., and Raskin, I. 1999. Isolation and Partial Characterization of a Lead-Accumulating Brassica juncea Mutant. Theor.Appl.Genet. 99[3/4], 398-404
Media	Schwab, A. P., Tomecek, M. B., and Ohlenbusch, P. D. 1991. Plant availability of lead, cadmium and boron in amended coal ash. Water Air Soil Pollut. 57-58, 297-306
Score	Seiler, J. R. and Paganelli, D. 1987. Photosynthesis and Growth Response of Red Spruce and Loblolly Pine to Soil-Applied Lead and Simulated Acid Rain. For Sci 33[3], 668-675
OM, pH	Sharaf, Abd El-Monem. 1996. Effects of Cadmium and Lead on Cabbage Plants Grown in Soils Treated with Cyanobacteria. Al-Azhar Bull.Sci. 7[1], 423-433

No Dur	Sheppard, S. C. and Sheppard, M. I. Lead in boreal soils and food plants. International Conference on Metals in Soils, Waters, Plants and Animals, Orlando, Florida, Usa, April 30-May 3, 1990. <i>Water Air Soil Pollut.</i> 57-58 (0). 1991. 79-92.
Mix	Shetty, K. G., Hetrick, B. A. D., Figge, D. A. H., and Schwab, A. P. 1994. Effects of mycorrhizae and other soil microbes on revegetation of heavy metal contaminated mine spoil. <i>Environmental Pollution</i> 86[2], 181-188
In Vit	Siegel, S. M. 1977. The Cytotoxic Response of Nicotiana Protoplast to Metal Ions: A Survey of the Chemical Elements. <i>Water Air Soil Pollut</i> 8[1-4], 293-304
Media	Siepel, H. 1995. Are Some Mites More Ecologically Exposed To Pollution With Lead Than Others? <i>Exp Appl Acarol</i> 19[7], 391-398
Media	Simon, E. 1977. Cadmium Tolerance in Populations of <i>Agrostis tenuis</i> and <i>Festuca ovina</i> . <i>Nature</i> 265, 328-330
No Control	Simon, S. L. and Fraley, L., Jr. 1986. Uptake by Sagebrush of Uranium Progeny Injected In Situ. <i>J Environ Qual</i> 15[4], 345-350
No Conc	Singh, S. K. and Singh, V. 1993. Influence of Soil Pb on Yield and Pb Accumulation by Radish and Wheat. <i>Model., Meas. Control</i> 37[4], 59-64
No Conc	Singh, S. K. and Singh, R. S. 1992. Effect of Soil Pb on Yield and Pb Content in Carrot (<i>Daucus carota</i> L. Sativa) and Barley (<i>Hordeum vulgare</i> L.). <i>Model., Meas. Control</i> 33[1], 55-63
OM, pH	Singh, B. R. and Steinnes, E. 1976. Uptake of Trace Elements by Barley in Zinc-Polluted Soils: 2. Lead, Cadmium, Mercury, Selenium, Arsenic, Chromium, and Vanadium in Barley. <i>Soil Sci.</i> 121[1], 38-43
Mix	Singh, N., Pandey, V., Misra, J., Yunus, M., and Ahmad, K. J. 1997. Atmospheric lead pollution from vehicular emissions. Measurements in plants, soil and milk samples. <i>Environmental Monitoring and Assessment</i> 45[1], 9-19
Media	Singh, R. P., Maheshwari, R., and Sinha, S. K. 1994. Recovery of Lead Caused Decrease in Biomass Accumulation of Mungbean (<i>Vigna radiata</i> L.) Seedlings of K ₂ HPO ₄ and CaCl ₂ . <i>Indian J. Exp. Biol.</i> 32, 507-510
Media	Singh, R. P., Bharti, N., and Kumar, G. 1994. Differential Toxicity of Heavy Metals to Growth and Nitrate Reductase Activity of <i>Sesamum indicum</i> Seedlings. <i>Phytochemistry</i> 35[5], 1153-1156
Rev	Singh, R. P., Tripathi, R. D., Maheshwari, R., and Srivastava, H. S. 1997. Response of Higher Plants to Lead Contaminated Environment 9961. <i>Chemosphere</i> 34[11], 2467-2493
Media	Singh, Rana P., Dabas, Sushila, and Choudhary, Anil. 1996. Recovery of Pb ²⁺ caused inhibition of chlorophyll biosynthesis in leaves of <i>Vigna radiata</i> (L.) Wilczek by inorganic salts. <i>Indian J. Exp. Biol.</i> 34[11], 1129-1132
Media	Singh, S. K., Singh, R. P., and Singh, V. 1993. Influence of Exchangeable Pb on Yield and Pb Accumulation by Cabbage and Spinach. <i>Model., Meas. Control</i> 36[1], 13-18
Media	Sinha, S. K., Srivastava, H. S., and Mishra, S. N. 1988. Nitrate Assimilation in Intact and Excised Maize Leaves in the Presence of Lead. <i>Bull. Environ. Contam. Toxicol.</i> 41[3], 419-426
Media	Sinha, S. K., Srivastava, H. S., and Mishra, S. N. 1988. Effect of Lead on Nitrate Reductase

Activity and Nitrate Assimilation in Pea Leaves. *Acta Soc.Bot.Pol.* 57[4], 457-463

Media	Sinha, S. K., Srivastava, H. S., and Tripathi, R. D. 1993. Influence of some growth regulators and cations on inhibition of chlorophyll biosynthesis by lead in maize. <i>Bulletin of Environmental Contamination and Toxicology</i> 51[2], 241-246
Media	Sinha, S. K., Srivastava, H. S., and Tripathi, R. D. 1994. Influence of Some Growth Regulators Divalent Cations on the Inhibition of Nitrate Reductase Activity by Lead in Maize Leaves. <i>Chemosphere</i> 29[8], 1775-1782
No Toxicant	Sloof, J. E., Woittiez, J. R. W., and Woroniecka, U. 1996. Determination of Lead in Phosphate Ore and Phosphogypsum. <i>Fresenius' J.Anal.Chem.</i> 354[1], 16-20
Species	Smith, C. J., Hopmans, P., and Cook, F. J. 1996. Accumulation of Cr, Pb, Cu, Ni, Zn and Cd in soil following irrigation with treated urban effluent in Australia. <i>Environmental Pollution</i> 94[3], 317-323
Media	Sobotik, M., Ivanov, V. B., Obroucheva, N. V., Seregin, I. V., Martin, M. L., Antipova, O. V., and Bergmann, H. 1998. Barrier Role of Root System in Lead-Exposed Plants. <i>Angew.Bot.</i> 72[3/4], 144-147
OM, pH	Spittler, T. M. and Feder, W. A. 1979. A Study of Soil Contamination and Plant Lead Uptake in Boston Urban Gardens. <i>Commun.Soil Sci.Plant Anal.</i> 10[9], 1195-1210
Mix	Stefanov, K., Seizova, K., Yanishlieva, N., Marinova, E., and Popov, S. 1995. Accumulation of lead, zinc and cadmium in plant seeds growing in metalliferous habitats in bulgaria. <i>Food Chemistry</i> 54[3], 311-313
Species	Stevenson, F. J. and Welch, L. F. 1979. Migratin of Applied Lead in a Field Soil. <i>Environ Sci & Technol</i> 13[10], 1255-1259
No Dur	Stijve, T. and Besson, R. 1976. Mercury, Cadmium, Lead and Selenium Content of Mushroom Species Belonging to the Genus <i>Agaricus</i> . <i>Chemosphere</i> 5[2], 151-158
OM	Sudhakar, C., Syamalabai, L., and Veeranjanyulu, K. 1992. Lead Tolerance of Certain Legume Species Grown on Lead Ore Tailings. <i>Agric.Ecosyst.Environ.</i> 41[3/4], 253-261
Species	Tao, Shu. 1995. Spatial structures of copper, lead and mercury contents in surface soil in the shenzhen area. <i>Water Air and Soil Pollution</i> 82[3-4], 583-591
FL	Tasev, Hr, Georgieva, V., and Sengalevich, G. 1997. Effect of single and combined soil pollution with lead, zinc and cadmium on the productivity and their content in some cultivated plants. II. Zinc. <i>Pochvozn., Agrokhim.Ekol.</i> , V32, N1, P20-28
FL	Tasev, Hr, Georgieva, V., and Sengalevich, G. 1997. Effect of single and combined soil pollution with lead, zinc and cadmium on the productivity and their content in some cultivated plants. I. Lead. <i>Pochvozn., Agrokhim.Ekol.</i> , V32, N1, P3-11
FL	Teissedre, P. L., Cabanis, M. T., Champagnol, F., and Cabanis, J. C. 1993. Study of the Lead Content of Leaves and Some Organs of Vine Plant (Etude de la Teneur en Plomb des Feuilles et de Quelques Organes du cep de Vigne). <i>Bull.O.I.V.</i> 66, 843-854
Media	Ter Haar, G. 1970. Air as a Source of Lead in Edible Crops. <i>Environ Sci & Technol</i> 4[3], 226-229
No Dose	Ter Haar, G. L., Dedolph, R. R., Holtzman, R. B., and Lucas, H. F. 1969. The Lead Uptake by

Perennial Ryegrass and Radishes from Air, Water and Soil. Environ.Res. 2, 267-271

No Dose	Terhivuo, J., Pankakoski, E., Hyvaerinen, H., and Koivisto, I. 1994. Pb Uptake By Ecologically Dissimilar Earthworm (Lumbricidae) Species Near A Lead Smelter In South Finland. Environ Pollut 85[1], 87-96
Not Avail	Thapa, D., Srivastava, H. S., and Ormrod, D. P. 1988. Physiological and Biochemical Effect of Lead on Higher Plants 49593. Vegetas 1, 107-109
No ERE	Thomson, W. 1972. The Problem of Lead. Nurs Times , 104-105
Media	Titov, A. F., Talanova, V. V., Boeba, N. P., Minaeva, S. V., and Soldatov, S. E. 1995. The effect of lead ions on the growth of wheat, barley, and cucumber seedlings. Russ.J.Plant Physiol.(Transl.of Fiziol.Rast.(Moscow)) 42[3], 403-407
Mix	Tlustos, P., Balik, J., Pavlikova, D., and Szakova, J. 1997. The uptake of cadmium, zinc, arsenic and lead by chosen crops. Rostl.Vyroba 43[10], 487-494
Media	Toker, M. Cihat. 1988. Uptake of lead by barley (Hordeum distichon L.) roots and its relation to potassium. Doga: Turk Biyol.Derg 12[2], 128-133
Mix	Tolle, Duane A., Arthur, Mickey F., Chesson, Jean, and Van Voris, Peter. 1985. Comparison of pots versus microcosms for predicting agroecosystem effects due to waste amendment. Environ.Toxicol.Chem. 4[4], 501-509
OM	Triebskorn, R. and Kohler, H. R. 1996. The impact of heavy metals on the grey garden slug, Deroceras reticulatum (Muller): metal storage, cellular effects and semi-quantitative evaluation of metal toxicity 48094. Environmental Pollution. 93[3], 327-343
No COC	Tsao, R., Lee, S., Rice, P. J., Jensen, C., and Coats, J. R. Monoterpenoids and Their Synthetic Derivatives as Lead for New Insect Control Agents. To be Published in: ACS Symp.Ser.No.584, Synthesis and Chemistry of Agrochemicals, Chapter 28 , 15
Media	Tso, T. C., Sorokin, T. P., and Engelhaupt, M. E. 1973. Effects of Some Rare Elements on Nicotine Content of the Tobacco Plant. Plant Physiol 51, 805-806
Media	Tung, G. and Temple, P. J. 1996. Histochemical Detection of Lead in Plant Tissues. Environmental Toxicology and Chemistry 15[6], 906-914
Mix	Turcsanyi, Gabor and Fangmeier, Andreas. 1990. Lead and cadmium content of beech (Fagus silvatica) roots in the stem and interstem areas. Z.Pflanzenernahr.Bodenkd. 153[3], 197-200
Media	Turner, A. P., Dickinson, N. M., and Lepp, N. W. Indices of metal tolerance in trees. International Conference on Metals in Soils, Waters, Plants and Animals, Orlando, Florida, Usa, April 30-May 3, 1990.Water Air Soil Pollut.57-58 (0).1991.617-626.
FL	Uccelli, Raffaella, Angelone, Massimo, Cima, Maria Grazia, Ferrandi, Luigi, Pompei, Franco, Stronati, Laura, and Triolo, Lucio. 1992. Air pollution on the territory of the Tarquinia Agricultural University. Concentrations of nickel, chromium, lead, and cadmium in soil and in some plant and animal species. Inquinamento 34[10], 64-74
Media	Urquhart, C. 1971. Genetics of Lead Tolerance in Festuca ovina. Heredity 26, 19-33
FL	Uzunova, A., Angelov, M., Tungarov, G., and Plugchieva, M. 1988. Leaf photosynthetic rate and pigment content in lime trees (Tilia argentea) on soil with enhanced lead content.

Rev	Vallee, B. L. and Ulmer, D. D. 1972. Biochemical Effects of Mercury, Cadmium, and Lead. <i>Ann.Rev.Biochem.</i> 41, 91-128
No Toxicant	Van Beek, T. A., Blaakmeer, A., Griepink, F., Van Loon, J. J. A., Visser, J. H., De Groot, A. E., and Briggs, G. G. 1994. Chemical Ecology as a Lead for the Development of Environmentally Safe Insect Control Agents. Royal Society of Chemistry Special Publication, <i>Advances in the Chemistry of Insect Control III</i> , 52-69
Mix	Van Hook, R. I. 1974. Cadmium, Lead, and Zinc Distribution Between Earthworms and Soils: Potentials for Biological Accumulation. <i>Bull Environ Contam Toxicol</i> 12[4], 509-512
No Dur	Van Saan, Beatrice, Krause, Katrin, and Emmerling, Christoph. 1995. Ferns, earthworms, and soils as indicators for heavy metals under varying distances to the lead smelter in Braubach, Germany. <i>Verh.Ges.Oekol.</i> 24, 653-656
Media	Van Straalen, N. M., Burghouts, T. B. A., and Doornhof, M. J. 1985. Dynamics of Heavy Metals in Populations of Collembola in a Contaminated Pine Forest Soil. <i>Int Conf on Heavy Metals in the Environment, Athens, Volume 1, CEP Consultants, Edinburgh</i> , 613-615
Media	Van Straalen, N. M. and Van Meerendonk, J. H. 1987. Biological Half-Lives of Lead in <i>Orchesella cincta</i> (L.) (Collembola). <i>Bull Environ Contam Toxicol</i> 38, 213-219
Rev	Van Straalen, N. M. and Bergema, W. F. 1995. Ecological Risks Of Increased Bioavailability Of Metals Under Soil Acidification. <i>Pedobiologia</i> 39[1], 1-9
Media	Van, Straalen Nm, Burghouts, T. Ba, Doornhof, M. J., Groot, G. M., Janssen, M. Pm, Joosse, E. Ng, Van, Meerendonk Jh, Theeuwen, J. P. J., Verhoef, H. A., and Zoomer, H. R. 1987. Efficiency Of Lead And Cadmium Excretion In Populations Of <i>Orchesella-Cincta</i> Collembola From Various Contaminated Forest Soils. <i>J Appl Ecol</i> 24[3], 953-968
Mix	Vandecaveye, S. C., Horner, G. M., and Keaton, C. M. 1936. Unproductiveness of certain orchard soils as related to lead arsenate spray accumulations. <i>Soil Sci</i> 42, 203-213
Media	Vandenbulcke, F., Grelle, C., Fabre, M. C., and Descamps, M. 1998. Implication of the Midgut of the Centepede <i>Lithobius forficatus</i> in the Heavy Metal Detoxification Process. <i>Ecotoxicol Environ Saf</i> 41[3], 258-268
No Control	Veavington, F. 1975. Heavy Metal Contamination of Vegetables and Soil in Domestic Gardens Around a Smelting Complex. <i>Environ Pollut</i> 9[3], 211-217
Mix	Versluijs, C. W., Aalbers, T. G., Adema, D. Mm, Assink, J. W., Van, Gestel C. A., and Anthonissen, I. H. 1988. Comparison Of Leaching Behavior And Bioavailability Of Heavy Metals In Contaminated Soils And Soils Cleaned Up With Several Extractive And Thermal Methods. Wolf, K., W.J.Van Den Brink And F.J.Colon (Ed.).Contaminated Soil '88 Second International Netherlands Organization For Applied Scientific Research/Federal Ministry Of Research And Technology Conference, Hamburg, West Germany, April 11-15, 1988. Xxxvi+1009p.(Vol. 1); Xxv+683p.(Vol. 2). Kluwer Academic Publishers: Dordrecht,[0], 11-22
OM	Vodnik, D., Bozic, M., Gogala, N., and Gabrovsek, K. 1996. Growth Response of Ectomycorrhizal Norway Spruce Seedlings Transplanted on Lead-Polluted Soil. <i>Phyton.</i> 36[3], 77-80
FL	Vogel, W. R. 1988. Lead and cadmium burden in arthropods from forest areas with different levels

of exposure to airborne pollution. Mitt Schweiz Entomol Ges 61[3-4], 205-216

FL	Von Scharrer, K. and Schropp, W. 1936. The Effect of Lead Upon Plant Growth (Uber die Wirkung des Bleis auf das Pflanzenwachstum.). Z.Pflanzenernaehr.Dung.Bodenkd. 43, 34-43
Mix	Wadge, A. and Hutton, M. 1986. The Uptake of Cadmium, Lead and Selenium by Barley and Cabbage Grown on Soils Amended with Refuse Incinerator Fly Ash. Plant Soil 96, 407-412
OM	Walker, W. M., Miller, J. E., and Hassett, J. J. 1977. Effect of Lead and Cadmium upon the Calcium, Magnesium, Potassium, and Phosphorus Concentration in Young Corn Plants. Soil Sci 124[3], 145-151
No ERE	Walker, W. M., Miller, J. E., and Hassett, J. J. 1977. Effect of Lead and Cadmium upon the Boron, Copper, Manganese, and Zinc Concentration of Young Corn Plants. Comm.Soil Sci.Plant Anal. 8[1], 57-66
No Control	Wallace, A., Romney, E. M., and Patel, P. M. 1978. Role of Synthetic Chelating Agents in Trace Metal Uptake by Plants. In: D.C.Adriano and I.L.Brisbin,Jr.(Eds.), Environmental Chemistry and Cycling Processes, Proc.Symp.Held at Augusta, Georgia, April 18-May 1, 1976, Tech.Info.Center, U.S.Dep of Energy (U.S.NTIS CONF-760429) , 645-657
Media	Wang, W. 1994. Rice Seed Toxicity Tests for Organic and Inorganic Substances. Environ.Monit.Assess. 29, 101-107
FL	Wang, Y. P. and Chao, C. C. 1992. Effects of vesicular-arbuscular mycorrhizae and heavy metals on the growth of soybean and phosphate and heavy metal uptake by soybean in major soil groups of taiwan. J AGRIC ASSOC CHINA NEW SER [157], 6-20
Mix	Wang, Zhenzhong, Zhang, Youmei, Hu, Juelian, Zheng, Yunyou, Hu, Zhaoyang, Guo, Yongcan, Lai, Qing, Yan, Hengmei, and Deng, Jifu. 1994. Effect of heavy metals in soil on earthworms (Opisthopora). Huanjing Kexue Xuebao 14[2], 236-243
Species	Ward, N. I., Roberts, E., and Brooks, R. R. 1979. Seasonal Variation in the Lead Content of Soils and Pasture Species Adjacent to a New Zealand Highway Carrying Medium Density Traffic. N Z J Exp Agric 7, 347-351
No Control	Warren, H. V. and Delavault, R. E. 1962. Lead in Some Food Crops and Trees. J.Sci.Food Agric. 13, 96-98
No Dur	Watmough, S. A. and Dickinson, N. M. 1995. Dispersal and mobility of heavy metals in relation to tree survival in an aerially contaminated woodland soil. Environmental Pollution. 90[2], 135-142
No Dose	Weatherford, Jason, Hammond, Angie, and Ratliff, Judy. 1997. Investigation of the ability of plants found in western kentucky to hyperaccumulate lead and aluminum from soils. Microchemical Journal 56[1], 93-102
No Dur	Weisenfeld, P. 1988. Cadmium And Lead In Earthworms (Lumbricidae) From Allotment Gardens And Similar Sites Influenced By Industrial Immissions In Berlin (West) (West Germany). Zool Beitr 32[2], 301-320
FL	Weisenfeld, P. 1989. Cadmium And Lead Content Of Earthworms In Cultivated Soils Of Industrial Areas Of Berlin West. Kuttler, W.(Ed.).Verhandlungen Gesellschaft Fuer Oekologie, Band 18 (Proceedings Of The Society For Ecology, Vol. 18); Meeting, Essen, Germany, September 25-October 1, 1988. 920p. Gesellschaft Fuer Oekologie: Goettingen, Germany.; 0[0], 285-287

Mix	Weltje, L. 1998. Mixture Toxicity and Tissue Interactions of Cd, Cu, Pb and Zn in Earthworms (Oligochaeta) in Laboratory and Field Soils: A Critical Evaluation of Data. <i>Chemosphere</i> 36[12], 2643-2660
Media	Wettlaufer, S. H., Osmeloski, J., and Weinstein, L. H. 1991. Response of polyamines to heavy metal stress in oat seedlings. <i>Environ Toxicol Chem</i> 10[8], 1083-1088
Media	Wetzel, A. and Werner, D. 1995. Ecotoxicological Evaluation of Contaminated Soil Using the Legume Root Nodule Symbiosis as Effect Parameter. <i>Environ.Toxicol.Water Qual.</i> 10[2], 127-133
FL	Wieler, A. 1938. The Action of Lead and Zinc Compounds on the Growth and Development of Plant Cultures (Ueber die Einwirkung von Blei- und Zinkverbindungen auf Wachstum und Entwicklung von Kulturpflanzen). <i>Mitt.Forstwirtsch.Forstwiss.(Hanover)</i> 9, 175-191
No Data	Wielgus-Scrattinska, E. 1979. Influence of Lead Poisoning and Ultrastructural Changes in the Body Wall of <i>Eisenia foetida</i> (Savigny). <i>Oligochaeta. 1. Short Action of Different Concentrations of Lead and Ultrastructural Changes in the Cells of the body Wall. Folia Histochem Cytochem</i> 17[2], 181-188
Media	Wielgus-Serafinska, E. and Kawka, E. 1976. Accumulation and Localization of Lead in <i>Eisenia foetida</i> (Oligochaeta) Tissues. <i>Folia Histochem Cytochem</i> 14, 315-320
Mix	Wiersma, D., Van Goor, B. J., and Van der Veen, N. G. 1986. Cadmium, Lead, Mercury, and Arsenic Concentrations in Crops and Corresponding Soils in The Netherlands. <i>J.Agric.Food Chem.</i> 34, 1067-1074
Media	Wierzicka, M. 1987. Lead Accumulation and Its Translocation Barriers in Roots of <i>Allium cepa</i> L. -Autoradiographic and Ultrastructural Studies. <i>Plant Cell Environ.</i> 10, 17-26
Media	Wierzicka, M. and Antosiewicz, D. 1993. How lead can easily enter the food chain - a study of plant roots. <i>Sci.Total Environ. NSuppl</i> [1], 423-429
Media	Wierzicka, M. 1999. Comparison of Lead Tolerance in <i>Allium cepa</i> with Other Plant Species. <i>Environ Pollut</i> 104[1], 41-52
Mix	Wijn, M., Duives, P., Herber, R., and Brunekreef, B. 1983. Lead Uptake from Vegetables Grown Along Highways. <i>Int.Arch.Occup.Environ.Health</i> 52, 263-270
Media	Wilkins, D. A. 1957. A Technique for the Measurement of Lead Tolerance in Plants. <i>Nature</i> 180[4575], 37-38
Media	Wilkins, D. A. 1960. The Measurement and Genetical Analysis of Lead Tolerance in <i>Festuca ovina</i> . <i>Rep.Scott.Plant Breed.Stn.</i> 85-98
Mix	Williamson, P. 1980. Variables Affecting Body Burden of Lead, Zinc, and Cadmium in a Roadside Population of the Snail, <i>Cepaea hortensis</i> Muller. <i>Oecologia</i> 44, 213-220
Species	Willoughby, R. A. and Thawley, D. G. 1975. Lead, Cadmium, Zinc, Calcium and Vitamin D Interactions in Animals. In: <i>Proc.Int.Conf.on Heavy Metals in the Environment</i> , Oct.27-31, 1975, Toronto, Canada , 143-154
Mix	Winters, C. and Morgan, A. J. 1988. Quantitative Electron Probe X-Ray Microanalysis Of Lead-Sequestering Organelles In Earthworms Technical Appraisal Of Air-Dried Smears And Freeze-Dried Cryosections. <i>Scanning Microsc.</i> 2[2], 947-958

Media	Wong, M. H. and Bradshaw, A. D. 1982. A Comparison of the Toxicity of Heavy Metals, Using Root Elongation of Rye Grass, <i>Lolium perenne</i> . <i>New Phytol.</i> 91, 255-261
Media	Wong, M. H. and Lau, W. M. 1985. Root Growth of <i>Cynodon</i> and <i>Eleusine indica</i> Collected from Motorways at Different Concentrations of Lead. <i>Environ Res</i> 36[2], 257-267
No Dose	Wu, J., Hsu, F. C., and Cunningham, S. D. 1999. Chelate-assisted pb phytoextraction: pb availability, uptake, and translocation constraints. <i>Environ.Sci.Technol.</i> 33[11], 1898-1904
Media	Wu, L. and Antonovics, J. 1976. Experimental Ecological Genetics in <i>Plantago</i> II. Lead Tolerance in <i>Plantago lanceolata</i> and <i>Cynodon dactylon</i> from a Roadside. <i>Ecology</i> 57[3], 205-208
FL	Xi, Yuying, Guo, Dongsheng, Cheng, Jie, and Song, Yuxian. 1994. Effect of calcium and zinc on the contents of cadmium and lead in corn seedling. <i>Shanxi Daxue Xuebao, Ziran Kexueban</i> 17[1], 101-103
Mix	Xian, X. 1989. Response of kidney bean to concentration and chemical form of cadmium, zinc, and lead in polluted soils. <i>Environmental Pollution.</i> 57[2], 127-137
Mix	Xian, X. 1989. Effect of Chemical Forms of Cadmium, Zinc, and Lead in Polluted Soils on Their Uptake by Cabbage Plants. <i>Plant Soil</i> 113, 257-264
Media	Xiong, Z. T. 1998. Lead Uptake and Effects on Seed Germination and Plant Growth in a Pb Hyperaccumulator <i>Brassica pekinensis</i> Rupr. <i>Bull Environ Contam Toxicol</i> 60, 285-291
FL	Yagodin, B. A., Govorina, V. V., Vinogradova, S. B., Zamaraev, A. G., and Chapovskaya, G. V. 1995. Accumulation of Cadmium and Lead by Some Farm Crops on Soddy-Podzolic Soils with Different Levels of Cultivation. <i>Izv.Timiryazevsk.S-kh.Akad.</i> [2], 85-100
OM, pH	Yan, C., Shunzhen, F., Xianke, Y., Zhong, Z., and Chen, R. 1997. Effects of Pb and Hg on Anti-oxidation Enzymes in Tobacco Leaves. <i>Acta Scientiae Circumstantiae (Huanjing Kexue Xuebao)</i> 17[4], 469-473
No Control	Zawadzka, T., Mazur, H., Wojciechowska Mazurek, M., Starska, K., Brulinska Ostrowska, E., Cwiek, K., Uminska, R., and Bichniewicz, A. 1990. [Content Of Metals In Vegetables From Various Regions Of Poland In The Years 1986-1988. I. Content Of Lead, Cadmium And Mercury]. <i>Rocz-Panstw-Zakl-Hig</i> 41[3-4], 111-131
Rev	Zimdahl, R. L. and Arvik, J. H. 1973. Lead in Soils and Plants: A Literature Review. <i>CRC Crit.Rev.Environ.Control</i> 3[2], 213-224
No Control	Zimdahl, R. L. and Foster, J. M. 1976. The Influence of Applied Phosphorus, Manure, or Lime on Uptake of Lead from Soil. <i>J.Environ.Qual.</i> 5[1], 31-34
FL	Zommer Urbanska, S., Bojarowicz, H., and Kuczynska, I. 1994. [Fluorine And Lead Content In Selected Vegetables Grown Within The Range Of Emission Of Compounds Containing These Elements By The Glass Plant'Irena' In Wroclaw]. <i>Rocz-Panstw-Zakl-Hig</i> 45[1-2], 13-18
Mix	Zullini, A. and Peretii, E. 1986. Lead Pollutoin and Moss-Inihabiting Nematodes of an Industrial Area. <i>Water Air Soil Pollut</i> 27[3/4], 403-410
No Dose	Zupan, M., Hudnik, V., Lobnik, F., and Kadunc, V. 1997. Accumulation of lead, cadmium and zinc from contaminated soil in various plants and evaluation of soil remediation with indicator plant (<i>Plantago lanceolata</i> L.). <i>Colloq.- Inst.Natl.Rech.Agron., Contaminated Soils</i> , 85, 325-335

7.4 References Used in Deriving Wildlife TRVs

- Agodi, A., Viola, M., Alberghina, M., and Stella, A. M. G. 1990. Effect of Low-dose Lead Acetate Exposure on the Metabolism of Nucleic Acids and Lipids in Cerebellum and Hippocampus of Rat During Postnatal Development. *J. Neurosci. Res.* 25(1): 131-138. Ref ID: 2507
- Alfano, D. P., Leboutillier, J. C., and Petit, T. L. 1982. Hippocampal Mossy Fiber Pathway Development in Normal and Postnatally Lead-exposed Rats. *Exp. Neurol.* 75(2): 308-319. Ref ID: 2510
- Alfano, D. P. and Petit, T. L. 1982. Neo Natal Lead Exposure Alters the Dendritic Development of Hippocampal Dentate Granule Cells. *Exp Neurol.* 75(2): 275-288. Ref ID: 2511
- Alfano, D. P., Petit, T. L., and Leboutillier, J. C. 1983. Development and Plasticity of the Hippocampal-cholinergic System in Normal and Early Lead Exposed Rats. *Brain Res.* 312(1): 117-124. Ref ID: 2512
- Anders, E., Dietz, D. D., Bagnell Jr., C. R., Gaynor, J., Krigman, M. R., Ross, D. W., Leander, J. D., and Mushak, P. 1982. Morphological, Pharmacokinetic and Hematological Studies of Lead-exposed Pigeons. *Environ. Res.* 28(2): 344-363. Ref ID: 2513
- Azar, A., Trochimowicz, H. J., and Maxwell, M. E. 1973. Review of Lead Studies in Animals Carried out at Haskell Laboratory: Two-year Feeding Study and Response to Hemorrhage Study. 199-210. Ref ID: 3747
- Bafundo, K. W., Baker, D. H., and Fitzgerald, P. R. 1984. Lead Toxicity in the Chick as Affected by Excess Copper and Zinc and by Eimeria Acervulina Infection. *Poult. Sci.* 63(8): 1594-1603. Ref ID: 2517
- Baksi, S. N. and Kenny, A. D. 1979. Vitamin D Metabolism in Japanese Quail: Effects of Lead Exposure and Dietary Calcium. *Toxicol. Appl. Pharmacol.* 51(3): 489-496. Ref ID: 2521
- Bankowska, J and Hine, C. 1985. Retention of Lead in the Rat. *Arch. Environ. Contam. Toxicol.* 14: 621-9. Ref ID: 14852
- Barlow, J. J., Baruah, J. K., and Davison, A. N. 1977. Delta-aminolaevulinic Acid Dehydratase Activity and Focal Brain Haemorrhages in Lead-treated Rats. *Acta Neuropathol. (Berl).* 39(3): 219-23. Ref ID: 2523
- Barratt, C. L., Davies, A. G., Bansal, M. R., and Williams, M. E. 1989. The Effects of Lead on the Male Rat Reproductive System. *Andrologia.* 21(2): 161-166. Ref ID: 2524
- Barrett, J. and Livesey, P. J. 1982. The Acetic Acid Component of Lead Acetate: its Effect on Rat Weight and Activity. *Neurobehav. Toxicol. Teratol.* 4(1): 105-108. Ref ID: 2525
- Barrett, J. and Livesey, P. J. 1983. Lead Induced Alterations in Maternal Behavior and Offspring Development in the Rat. *Neurobehav Toxicol Teratol.* 5(5): 557-63. Ref ID: 10239
- Barthalmus, G. T., Leander, J. D., Mcmillan, D. E., Mushak, P., and Krigman, M. R. 1977. Chronic Effects of Lead on Schedule-controlled Pigeon Behavior. *Toxicol. Appl. Pharmacol.* 42(2): 271-284. Ref ID: 2526
- Bataineh, H., Al-hamood, M. H., and Elbetieha, A. M. 1998. Assessment of Aggression, Sexual Behavior and Fertility in Adult Male Rat Following Long-term Ingestion of Four Industrial Metals Salts. *Hum Exp Toxicol.* 17(10): 570-6. Ref ID: 1717
- Batra, N., Nehru, B., and Bansal, M. P. 1998. The Effect of Zinc Supplementation on the Effects of Lead on the Rat Testis. *Reprod. Toxicol.* 12(5): 535-540. Ref ID: 2528
- Berg, L. R., Nordstrom, J. O., and Ousterhout, L. E. 1980. The Prevention of Chick Growth Depression Due to Dietary Lead by Increased Dietary Calcium and Phosphorus Levels. *Poult. Sci.* 59(8): 1860-1863. Ref ID: 2534

- Blakley, Br, Sisodia, Cs, and Mukkur, Tk. 1980. The Effect of Methylmercury, Tetraethyl Lead, and Sodium Arsenite on the Humoral Immune Response in Mice. *Toxicol. Appl. Pharmacol.* 52(2): 245-254. Ref ID: 14598
- Blanusa, M, Piasek, M, and Kostial, K. 1989. Interaction of Lead with Some Essential Elements in Rat's Kidney in Relation to Age. *Biological Trace Element Research.* 21: 189-93. Ref ID: 14750
- Boscolo, P., Carmignani, M., Sacchettoni-logroscino, G., Rannelletti, F. O., Artese, L., and Preziosi, P. 1988. Ultrastructure of the Testis in Rats with Blood Hypertension Induced by Long-term Lead Exposure. *Toxicol Lett.* 41(2): 129-137. Ref ID: 3821
- Boscolo, Paolo, Carmignani, Marco, Carelli, Giovanni, Finelli, Vincent N., and Giuliano, Giovanni. 1992. Zinc and Copper in Tissues of rats with Blood Hypertension Induced by Long-term Lead Exposure. *Toxicol. Lett.* 63(2): 135-9. Ref ID: 21113
- Bourjeily, N. and Suszkiw, J. B. 1997. Developmental Cholinotoxicity of Lead: Loss of Septal Cholinergic Neurons and Long-term Changes in Cholinergic Innervation of the Hippocampus in Perinatally Lead-exposed Rats. *Brain Res.* 771(2): 319-328. Ref ID: 2545
- Brady, K, Herrera, Y, and Zenick, H. 1975. Influence of Parental Lead Exposure on Subsequent Learning Ability of Offspring. *Pharmacol. Biochem. Behav.* 3: 561-5. Ref ID: 14795
- Brashear, C. W., Kopp, V. J., and Krigman, M. R. 1978. Effect of Lead on the Developing Peripheral Nervous System. *J. Neuropathol. Exp. Neurol.* 37(4): 414-425. Ref ID: 2546
- Brown, D. V. 1974. Reaction of the Rabbit Retinal Pigment Epithelium to Systemic Lead Poisoning. *Trans. Am. Ophthalmol. Soc.* 72: 404-447. Ref ID: 2548
- Bull, R. J. 1983. Delayed Metabolic Maturation of the Cerebral Cortex of Rat Pups Derived from Lead-treated Dams. *J Toxicol Environ Health.* 11(2): 211-226. Ref ID: 3826
- Bull, Rj, Lutkenhoff, Sd, Mccarty, Ge, and Miller, Rg. 1979. Delays in the Postnatal Increase of Cerebral Cytochrome Concentrations in Lead-exposed Rats. *Neuropharmacology.* 18: 83-92. Ref ID: 14812
- Camoratto, A. M., White, L. M., Lau, Y. S., Ware, G. O., Berry, W. D., and Moriarty, C. M. 1993. Effect of Exposure to Low Level Lead on Growth and Growth Hormone Release in Rats. *Toxicology.* 83(1-3): 101-114. Ref ID: 2563
- Carpenter, S. J. 1982. Enhanced Teratogenicity of Orally Administered Lead in Hamsters Fed Diets Deficient in Calcium or Iron. *Toxicology.* 24(3-4): 259-271. Ref ID: 2565
- Carroll, Pt, Silbergeld, Ek, and Goldberg, Am. 1977. Alteration of Central Cholinergic Function by Chronic Lead Acetate Exposure. *Biochem. Pharmac.* 26: 397-402. Ref ID: 14813
- Carson, T. L., Van Gelder, G. A., Buck, W. B., Hoffman, L. J., Mick, D. L., and Long, K. R. 1973. Effects of Low Level Lead Ingestion in Sheep. *Clin.toxicol.* 6(3): 389-403. Ref ID: 3830
- Cerklewski, F. L. 1980. Reduction in Neonatal Lead Exposure by Supplemental Dietary Iron During Gestation and Lactation in the Rat. *J Nutr.* 110(7): 1453-7. Ref ID: 10607
- Cernochova, D. and Kamarad, V. 1992. Toxic Effect of Lead on Mice Testicles after its Administration with Drinking Water. *Acta Universitatis Palackianae Olomucensis Facultatis Medicae.* 133: 9-13. Ref ID: 2568
- Chowdhury, A. R., Dewan, A., and Gandhi, D. N. 1984. Toxic Effect of Lead on the Testes of Rat. *Biomed. Biochim. Acta.* 43(1): 95-100. Ref ID: 3721

- Clayton, LB, Kitchen, I, and Winder, C. 1983. Ontogenetic Differences in Striatal Enkephalin Levels in Rats Exposed to Low Levels of Lead. *Br. J. Pharmac.* 79: 199p. Ref ID: 14814
- Connor, E. E., Scanlon, P. F., and Kirkpatrick, R. L. 1994. Bioavailability of Lead from Contaminated Sediment in Northern Bobwhites, *Colinus Virginianus*. *Arch Environ. Contam. Toxicol.* 27(1): 60-63. Ref ID: 2573
- Cookman, G. R., King, W., and Regan, C. M. 1987. Chronic Low-level Lead Exposure Impairs Embryonic to Adult Conversion of the Neural Cell Adhesion Molecule. *J. Neurochem.* 49(2): 399-403. Ref ID: 2574
- Corpas, I., Gaspar, I., Martinez, S., Codesal, J., Candelas, S., and Antonio, M. T. 1995. Testicular Alterations in Rats Due to Gestational and Early Lactational Administration of Lead. *Reprod. Toxicol.* 9(3): 307-313. Ref ID: 2575
- Cory-slechta, D. A., Bissen, S. T., Young, A. M., and Thompson, T. 1981. Chronic Postweaning Lead Exposure and Response Duration Performance. *Toxicol Appl Pharmacol.* 60(1): 78-84. Ref ID: 3838
- Cory-slechta, D. A., Garman, R. H., and Seidman, D. 1980. Lead Induced Crop Dysfunction in the Pigeon. *Toxicol. Appl. Pharmacol.* 52(3): 462-467. Ref ID: 2576
- Cory-Slechta, D. A. and Thompson, T. 1979. Behavioral Toxicity of Chronic Postweaning Lead Exposure in the Rat. *Toxicol. Appl. Pharmacol.* 47(1): 151-159. Ref ID: 2577
- Cramer, MB, Johnson, TD, and Clarke, DE. 1980. Low-level Lead Exposure During Growth and Development: Absence of Behavioral and Cholinergic Neuromuscular Toxicity. *Res. Comm. Subst. Abuse.* 1: 111-124. Ref ID: 14816
- Cupo, M. A. and Donaldson, W. E. 1988. Effect of Lead and Niacin on Growth and Serotonin Metabolism in Chicks. *J. Nutr.* 118(1): 107-113. Ref ID: 2579
- Custer, T. W., Franson, J. C., and Pattee, O. H. 1984. Tissue Lead Distribution and Hematologic Effects in American Kestrels (*Falco Sparverius L.*) Fed Biologically Incorporated Lead. *J. Wildl. Dis.* 20(1): 39-43. Ref ID: 2581
- Damron, Bl, Simpson, Cf, and Harms, Rh. 1969. The Effect of Feeding Various Levels of Lead on the Performance of Broilers. *Poult. Sci.* 48: 1507-1509. Ref ID: 14768
- Dauwe, T. L. Bervoets R. Blust M. Eens. 2002. Tissue Levels of Lead in Experimentally Exposed Zebra Finches (*Taeniopygia Guttata*) with Particular Attention on the Use of Feathers as Biomonitor. *Arch. Environ. Contam. Toxicol.* 42(1): 88-92. Ref ID: 25894
- Dietz, D. D., Mcmillan, D. E., and Mushak, P. 1979. Effects of Chronic Lead Administration on Acquisition and Performance of Serial Position Sequences by Pigeons. *Toxicol. Appl. Pharmacol.* 47(2): 377-384. Ref ID: 2591
- Dilts Jr., P. V. and Ahokas, R. A. 1980. Effects of Dietary Lead and Zinc on Fetal Organ Growth. *Am. J. Obstet. Gynecol.* 136(7): 889-896. Ref ID: 2592
- Dilts Jr., P. V. and Ahokas, R. A. 1979. Effects of Dietary Lead and Zinc on Pregnancy. *Am. J. Obstet. Gynecol.* 135(7): 940-946. Ref ID: 2593
- Dobryszczyka, W., Zawirska, B., Owczarek, H., Grzebieluch, M., and Dzik, T. 1984. Morphological and Biochemical Effects of Chronic Low-level Cadmium and Lead Feeding to Rats. *Acta Pol. Pharm.* 41(1): 111-115. Ref ID: 707

- Donald, J. M., Cutler, M. G., and Moore, M. R. 1987. Effects of Lead in the Laboratory Mouse. Development and Social Behaviour after Lifelong Exposure to 12 Microm Lead in Drinking Fluid. *Neuropharmacology*. 26(4): 391-399. Ref ID: 2597
- Donald, J. M., Cutler, M. G., Moore, M. R., and Bradley, M. 1981. Development and Social Behaviour in Mice after Prenatal and Postnatal Administration of Low Levels of Lead Acetate. *Neuropharmacology*. 20(11): 1097-1104. Ref ID: 2598
- Donald, J. M., Cutler, M. G., Moore, M. R., and Bradley, M. 1986. Effects of Lead in the Laboratory Mouse--2. Development and Social Behaviour after Lifelong Administration of a Small Dose of Lead Acetate in Drinking Fluid. *Neuropharmacology*. 25(2): 151-160. Ref ID: 2599
- Donaldson, W. E. 1985. Effects of Dietary Lead, Cadmium, Mercury, and Selenium on Fatty Acid Composition of Blood Serum and Erythrocyte Membranes from Chicks. *Biol. Trace Elem. Res.* 7(4): P255-62. Ref ID: 429
- Donaldson, W. E. 1986. Interaction of Lead Toxicity and Riboflavin Status in Chicks (*Gallus Domesticus*). *Comp. Biochem. Physiol. C*. 85(1): 1-3. Ref ID: 2600
- Donaldson, W. E. and McGowan, C. 1989. Lead Toxicity in Chickens. Interaction with Toxic Dietary Levels of Selenium. *Biol Trace Elem Res.* 20(1-2): 127-33. Ref ID: 1285
- Donovick, P. J. and Burrig, R. G. 1986. Short Term Lead Exposure, Age and Food Deprivation: Interactive Effects on Wheel Running Behavior of Adult Male Mice. *Exp. Aging Res.* 12(3): 163-168. Ref ID: 3718
- Draski, L. J., Burrig, R. G., and Donovan, P. J. 1989. The Influence of Prenatal And/or Postnatal Exposure to Lead on Behavior of Prewanling Mice. *Physiol. Behav.* 45(4): 711-715. Ref ID: 3719
- Dyck, P. J., Windebank, A. J., Low, P. A., and Baumann, W. J. 1980. Blood Nerve Barrier in Rat and Cellular Mechanisms of Lead-induced Segmental Demyelination. *J. Neuropathol. Exp. Neurol.* 39(6): 700-709. Ref ID: 2604
- Edens, F. W. 1985. Whole Brain Acetylcholinesterase Activity in Lead-exposed Japanese Quail. *Poult. Sci.* 64(7): 1391-1393. Ref ID: 2605
- Edens, F. W., Benton, E., Bursian, S. J., and Morgan, G. W. 1976. Effect of Dietary Lead on Reproductive Performance in Japanese Quail, *Coturnix Coturnix Japonica*. *Toxicol. Appl. Pharmacol.* 38(2): 307-314. Ref ID: 2606
- Edens, F. W. and Garlich, J. D. 1983. Lead-induced Egg Production Decrease in Leghorn and Japanese Quail Hens. *Poult. Sci.* 62(9): 1757-1763. Ref ID: 2608
- Edens, F. W. and Melvin, V. K. 1989. Lead Influences on Physiological and Growth Responses in *Coturnix Coturnix Japonica* Selected for Large Body Weights. *Environ. Res.* 50(1): 140-156. Ref ID: 2609
- El-gazzar, R. M., Finelli, V. N., Boiano, J., and Petering, H. G. 1978. Influence of Dietary Zinc on Lead Toxicity in rats. *Toxicol. Lett.* 1(4): 227-34. Ref ID: 21143
- Epstein, H. T., Fenton, K., and Shimpach, S. 1991. Lead Acetate Delays Rapid Postnatal Mouse Brain and Body Growth. *Life Sci.* 49(16): 1169-1172. Ref ID: 2614
- Epstein, H. T., Newton, J. T., and Fenton, K. 1999. Lead Effects on Offspring Depend on When Mouse Mothers Were Exposed to Lead. *Biol. Neonate.* 75(4): 272-278. Ref ID: 2615

- Escribano, A., Revilla, M., Hernandez, E. R., Seco, C., Gonzalez-riola, J., Villa, L. F., and Rico, H. 1997. Effect of Lead on Bone Development and Bone Mass: a Morphometric, Densitometric, and Histomorphometric Study in Growing Rats. *Calcif. Tissue Int.* 60 (2): 200-203. Ref ID: 2616
- Ewers, U and Erbe, R. 1980. Effects of Lead, Cadmium, and Mercury on Brain Adenylate Cyclase. *Toxicology.* 16: 227-237. Ref ID: 14818
- Exon, J. H., Koller, L. D., and Kerkvliet, N. I. 1979. Lead-cadmium Interaction: Effects on Viral-induced Mortality and Tissue Residues in Mice. *Arch.environ Health.* 34(6): 469-475. Ref ID: 3847
- Eyden, B. P., Maisin, J. R., and Mattelin, G. 1978. Long-term Effects of Dietary Lead Acetate on Survival, Body Weight and Seminal Cytology in Mice. *Bull. Environ. Contam. Toxicol.* 19(3): 266-272. Ref ID: 2618
- Fick, K. R., Ammerman, C. B., Miller, S. M., Simpson, C. F., and Loggins, P. E. 1976. Effect of Dietary Lead on Performance, Tissue Mineral Composition and Lead Absorption in Sheep. *J. Anim. Sci.* 42(2): 515-523. Ref ID: 3704
- Finley, M. T., Dieter, M. P., and Locke, L. N. 1976. Sublethal Effects of Chronic Lead Ingestion in Mallard Ducks. *J. Toxicol. Environ. Health.* 1(6): 929-937. Ref ID: 2624
- Forbes, R. M. and Cerklewski, F. L. 1977. Influence of Dietary Copper on Lead Toxicity in the Young Male Rat. *J. Nutr.* 107(1): 143. Ref ID: 2625
- Fox, D. A., Lewkowski, J. P., and Cooper, G. P. 1977. Acute and Chronic Effects of Neonatal Lead Exposure on Development of the Visual Evoked Response in Rats. *Toxicol. Appl. Pharmacol.* 40(3): 449-461. Ref ID: 2633
- Fox, D. A., Wright, A. A., and Costa, L. G. 1982. Visual Acuity Deficits Following Neonatal Lead Exposure: Cholinergic Interactions. *Neurobehav. Toxicol. Teratol.* 4(6): 689-693. Ref ID: 2634
- Franson, J. C. and Custer, T. W. 1982. Toxicity of Dietary Lead in Young Cockerels. *Vet. Hum. Toxicol.* 24(6): 421-423. Ref ID: 2635
- Franson, J. C., Sileo, L., Pattee, O. H., and Moore, J. F. 1983. Effects of Chronic Dietary Lead in American Kestrels (*Falco Sparverius*). *J. Wildl. Dis.* 19(2): 110-113. Ref ID: 2636
- Frederick, R. B. 1976. Effects of Lead Nitrate on Open-field Behavior of Mallard Ducklings. *Bull. Environ. Contam. Toxicol.* 16(6): 739-742. Ref ID: 2638
- Freundt, K. J. and Ibrahim, H. A. 1990. Growth of Rats During a Subchronic Intake of the Heavy Metals Pb, Cd, Zn, Mn, Cu, Hg, and Be. *Pol. J. Occup. Med.* 3(2): 227-232. Ref ID: 2640
- Gandley, R., Anderson, L., and Silbergeld, E. K. 1999. Lead : Male-mediated Effects on Reproduction and Development in the Rat. *Environ. Res.* 80(4): 355-363. Ref ID: 2642
- Gelman, Bg and Michaelson, Ia. 1979. Neonatal Lead Toxicity and in Vitro Lipid Peroxidation of Rat Brain. *J. Toxic. Environ. Health.* 5: 671-682. Ref ID: 14821
- Gerber, Gb, Maes, J, Gilliavod, N, and Casale, G. 1978. Brain Biochemistry of Infant Mice and Rats Exposed to Lead. *Toxic. Lett.* 2: 51-63. Ref ID: 14822
- Gershbein, L. L., Gershbein, J. D., and French, R. 1983. Behavior of Male Rats Fed Low Levels of Metallic Salts. *Res Commun Chem Pathol Pharmacol.* 39(3): 507-510. Ref ID: 136
- Goldman, D, Hejtmancik, Mr, Williams, Bj, and Zeigler, Mg. 1980. Altered Noradrenergic Systems in the Lead-exposed Neonatal Rat. *Neurobehav. Toxic.* 2: 337-343. Ref ID: 14823

- Goldstein, Gw, Asbury, Ak, and Diamond, I. 1974. Pathogenesis of Lead Encephalopathy. Uptake of Lead and Reaction of Brain Capillaries. *Archs. Neurol.* 31: 382-9. Ref ID: 14824
- Gonzalez-riola, J., Hernandez, E. R., Escribano, A., Revilla, M., Seco, C. A., Villa, L. F., and Rico, H. 1997. Effect of Lead on Bone and Cartilage in Sexually Mature Rats: a Morphometric and Histomorphometry Study. *Environ. Res.* 74(1): 91-93. Ref ID: 2654
- Govoni, S, Memo, M, Lucchi, L, Spano, Pf, and Trabucchi, M. 1980. Brain Neurotransmitter Systems and Chronic Lead Intoxication. *Pharmac. Res. Commun.* 12: 447-460. Ref ID: 14825
- Goyer, Ra, Leonard, DI, Moore, Jf, Rhyne, B, and Krigman, Mr. 1970. Lead Dosage and the Role of the Intranuclear Inclusion Body: an Experimental Study. *Arch. Environ. Hlth.* 20: 705-11. Ref ID: 14799
- Grant, L. D., Kimmel, C. A., West, G. L., Martinez-vargas, C. M., and Howard, J. L. 1980 . Chronic Low Level Lead Toxicity in the Rat. 2. Effects on Post Natal Physical and Behavioral Development. *Toxicol. Appl. Pharmacol.* 56(1): 42-58. Ref ID: 2658
- Gruber, H. E., Gonick, H. C., Khalil-manesh, F., Sanchez, T. V., Motsinger, S., Meyer, M., and Sharp, C. F. 1997. Osteopenia Induced by Long-term, Low- and High-level Exposure of the Adult Rat to Lead. *Miner. Electrolyte Metab.* 23(2): 65-73. Ref ID: 2660
- Gupta, G. S., Singh, J., and Parkash, P. 1995. Renal Toxicity after Oral Administration of Lead Acetate During Pre- and Post-implantation Periods: Effects on Trace Metal Composition, Metallo-enzymes and Glutathione. *Pharmacol. Toxicol.* 76(3): 206-211. Ref ID: 2666
- Haegele, M. A., Tucker, R. K., and Hudson, R. H. 1974. Effects of Dietary Mercury and Lead on Eggshell Thickness in Mallards. *Bull. Environ. Contam. Toxicol.* 11(1): 5-11. Ref ID: 2668
- Hallen, I. P., Jorhem, L., and Oskarsson, A. 1995. Placental and Lactational Transfer of Lead in Rats: a Study on the Lactational Process and Effects on Offspring. *Arch. Toxicol.* 69(9): 596-602. Ref ID: 2669
- Hamilton, J. D. and O'flaherty, E. J. 1994 . Effects of Lead Exposure on Skeletal Development in Rats. *Fundam. Appl. Toxicol.* 22(4): 594-604. Ref ID: 2670
- Hamilton, J. D., O'flaherty, E. J., Ross, R., Shukla, R., and Gartside, P. S. 1994. Structural Equation Modeling and Nested Anova: Effects of Lead Exposure on Maternal and Fetal Growth in Rats. *Environ. Res.* 64(1): 53-64. Ref ID: 2671
- Hamir, A. N. B. Lehman N. Raju J. G Ebel K. L. Manzell C. E. Rupprecht. 1999. Experimental Lead Toxicosis of Raccoons (*Procyon Lotor*). *J. Comp. Pathol.* 120(2): 147-154. Ref ID: 25886
- Hammond, P. B., Chernausek, S. D., Succop, P. A., Shukla, R., and Bornschein, R. L. 1989. Mechanisms by Which Lead Depresses Linear and Ponderal Growth in Weanling Rats. *Toxicol. Appl. Pharmacol.* 99(3): 474-486. Ref ID: 2675
- Hammond, P. B., Minnema, D. J., and Succop, P. A. 1993. Reversibility of Lead-induced Depression of Growth. *Toxicol. Appl. Pharmacol.* 123(1): 9-15. Ref ID: 2677
- Hammond, P. B. and Succop, P. A. 1995. Effects of Supplemental Nutrition of Lead-induced Depression of Growth and Food Consumption in Weanling Rats. *Toxicol. Appl. Pharmacol.* 131(1): 80-84. Ref ID: 2678
- Harry, G. J., Toews, A. D., Krigman, M. R., and Morell, P. 1985. The Effect of Lead Toxicity and Milk Deprivation of Myelination in the Rat. *Toxicol. Appl. Pharmacol.* 77(3): 458-464. Ref ID: 2680

Hasan, F., Cookman, G. R., Keane, G. J., Bannigan, J. G., King, W. B., and Regan, C. M. 1989. The Effect of Low Level Lead Exposure on the Postnatal Structuring of the Rat Cerebellum. *Neurotoxicol. Teratol.* 11(5): 433-440. Ref ID: 2682

Hayashi, M. 1983. Lead Toxicity in the Pregnant Rat. I. the Effect of High-level Lead on Delta-aminolevulinic Acid Dehydratase Activity in Maternal and Fetal Blood or Tissues. *Environ Res.* 30(1): 152-160. Ref ID: 3864

Heinz, G. H., Hoffman, D. J., Sileo, L., Audet, D. J., and Lecaptain, L. J. 1999. Toxicity of Lead-contaminated Sediment to Mallards. *Arch. Environ. Contam. Toxicol.* 36(3): 323-333. Ref ID: 2683

Hejtmancik, Mr, Dawson, Eb, and Williams, Bj. 1982. Tissue Distribution of Lead in Rat Pups Nourished by Lead-poisoned Mothers. *J. Toxicol. Environ. Health.* 9: 77-86. Ref ID: 14802

Hilderbrand, D. C., Der, R., Griffin, W. T., and Fahim, M. S. 1973. Effect of Lead Acetate on Reproduction. *Am. J. Obstet. Gynecol.* 115(8): 1058-1065. Ref ID: 2694

Hoffman, D. J., Franson, J. C., Pattee, O. H., Bunck, C. M., and Anderson, A. 1985. Survival Growth and Accumulation of Ingested Lead in Nestling American Kestrels *Falco-sparverius*. *Arch. Environ. Contam. Toxicol.* 14(1): 89-94. Ref ID: 2696

Holtzman, D., De Vries, C., Nguyen, H., Jameson, N., Olson, J., Carrithers, M., and Bensch, K. 1982. Development of Resistance to Lead Encephalopathy During Maturation in the Rat Pup. *J. Neuropathol. Exp. Neurol.* 41(6): 652-663. Ref ID: 2697

Holtzman, D, Herman, Mm, Hsu, Js, and Mortell, P. 1980. The Pathogenesis of Lead Encephalopathy: Effects of Lead Carbonate Feedings on Morphology, Lead Content, and Mitochondrial Respiration in Brains of Immature and Adult Rats. *Virchows Arch. Path. Anat. Physiol.* 387: 147-164. Ref ID: 14827

Holtzman, D., Hsu, J. S., and Desautel, M. 1981. Absence of Effects of Lead Feedings and Growth-retardation on Mitochondrial and Microsomal Cytochromes in the Developing Brain. *Toxico. Appl. Pharmacol.* 58(1): 48-56. Ref ID: 2698

Holtzman, D., Hsu, J. S., and Mortell, P. 1978. The Pathogenesis of Lead Encephalopathy in the Rat Pup: Effects of Maternal Lead Carbonate Feedings from Birth. *Pediatr. Res.* 12(11): 1077-1082. Ref ID: 2699

Horwitt, M. K. and Cowgill, G. R. Effects of Minute Amounts of Lead in the Diet of the Dog. 744-746. Ref ID: 3873

Howell, G. O. and Hill, C. H. 1978. Biological Interaction of Selenium with Other Trace Elements in Chicks. *Environ Health Perspect.* 25: 147-50. Ref ID: 1387

Hsu, Fs, Krook, L, Pond, Wg, and Duncan, Jr. 1975. Interactions of Dietary Calcium with Toxic Levels of Lead and Zinc in Pigs. *J. Nutr.* 105: 112. Ref ID: 14376

Hsu, J. M. 1981. Lead Toxicity as Related to Glutathione Metabolism. *J. Nutr.* 111(1): 26-33. Ref ID: 2704
Hubermont, G., Buchet, J. P., Roels, H., and Lauwerys, R. 1976. Effect of Short-term Administration of Lead to Pregnant Rats. *Toxicology.* 5(3): 379-384. Ref ID: 2705

Jacquet, P. 1977. Early Embryonic Development in Lead-intoxicated Mice. *Arch. Pathol. Lab. Med.* 101(12): 641-643. Ref ID: 2711

Jacquet, P., Gerber, G. B., and Maes, J. 1977. Biochemical Studies in Embryos after Exposure of Pregnant Mice to Dietary Lead. *Bull. Environ. Contam. Toxicol.* 18(3): 271-277. Ref ID: 2713

- Jadhav, A. L. and Ramesh, G. T. 1997. Pb-induced Alterations in Tyrosine Hydroxylase Activity in Rat Brain. *Mol. Cell. Biochem.* 175(1-2): 137-141. Ref ID: 2716
- Jeng, S. L., Lee, S. J., Liu, Y. F., Yang, S. C., and Liou, P. P. 1997. Effect of Lead Ingestion on Concentrations of Lead in Tissues and Eggs of Laying Tsaiya Ducks in Taiwan. *Poult. Sci.* 76(1): 13-16. Ref ID: 2718
- Jessup, D. C. 1967. *Lead Acetate, Teratology Study - Rabbits Final rept.* 18. PB-201139/XAB. Ref ID: 2720
- Jessup, D. C. 1969. *Lead Acetate, Three-Generation Reproduction Study - Rats.* Final rept. 30 pp. Ref ID: 2721
- Jessup, D. C. and Shott, L. D. 1969. *Lead Acetate, 22 Month Chronic Toxicity Study - Rats: Final Rept.* PB-201138/XAB. Ref ID: 11831
- Johansson, L. and Wide, M. 1986. Long-term Exposure of the Male Mouse to Lead: Effects on Fertility. *Environ. Res.* 41(2): 481-487. Ref ID: 2723
- Johnson, W. L. and Damron, B. L. 1982. Influence of Lead Acetate or Lead Shot Ingestion upon White Chinese Geese. *Bull. Environ. Contam. Toxicol.* 29(2): 177(7). Ref ID: 2724
- Jordan, S. A. and Bhatnagar, M. K. 1990. Hepatic Enzyme Activity after Combined Administration of Methylmercury, Lead and Cadmium in the Pekin Duck. *Bull. Environ. Contam. Toxicol.* 44(4): 623-628. Ref ID: 3736
- Junaid, M., Chowdhuri, D. K., Narayan, R., Shanker, R., and Saxena, D. K. 1997. Lead-induced Changes in Ovarian Follicular Development and Maturation in Mice. *J. Toxicol. Environ. Health.* 50(1): 31-40. Ref ID: 2725
- Kanisawa, M. and Schroeder, H. A. 1969. Life Term Studies on the Effect of Trace Elements on Spontaneous Tumors in Mice and Rats. *Cancer Res.* 29(4): 892-895. Ref ID: 3701
- Kanisawa, M. and Schroeder, H. A. 1969. Renal Arteriolar Changes in Hypertensive Rats Given Cadmium in Drinking Water. *Experimental and Molecular Pathology* 10(1): 81-98. Ref ID: 15061
- Karmakar, N., Saxena, R., and Anand, S. 1986. Histopathological Changes Induced in Rat Tissues by Oral Intake of Lead Acetate. *Environ Res.* 41(1): 23-28. Ref ID: 3879
- Kawamoto, J. C., Overmann, S. R., Woolley, D. E., and Vijayan, V. K. 1984. Morphometric Effects of Prewaning Lead Exposure on the Hippocampal Formation of Adult Rats. *Neurotoxicology.* 5(3): 125-148. Ref ID: 2729
- Kelliher, DJ, Hilliard, HP, Poole, DBR, and Collins, JD. 1973. Chronic Lead Intoxication in Cattle: Preliminary Observations on its Effect on the Erythrocyte and on Porphyrin Metabolism. *Irish J. Agric. Res.* 12: 61. Ref ID: 14377
- Kempinas, W. G., Lamano-carvalho, T. L., Petenusci, S. O., Favaretto, A. L., Lopes, R. A., and Azoubel, R. 1988. Functional Disturbance of Rat Sexual Accessory Glands in an Early Phase of Lead Intoxication. *Gegenbaurs Morphol. Jahrb.* 134(5): 791-798. Ref ID: 2732
- Kempinas, W. G., Lamano-carvalho, T. L., Petenusci, S. O., Lopes, R. A., and Azoubel, R. 1988. Morphometric and Stereological Analysis of Rat Testis and Epididymis in an Early Phase of Saturnism. *Exp. Biol.* 48(1): 51-56. Ref ID: 2733
- Kendall, R. J. and Scanlon, P. F. 1981. Effects of Chronic Lead Ingestion on Reproductive Characteristics of Ringed Turtle Doves Streptopelia Risoria and on Tissue Lead Concentrations of Adults and Their Progeny. *Environ. Pollut., Ser. A Ecol. Biol.* 26(3): 203-214. Ref ID: 2734

- Kendall, R.J. and Scanlon, P.F. 1982. The Toxicology of Ingested Lead Acetate in Ringed Turtle Doves. *Environ. Pollut.* 27: 255-262. Ref ID: 14770
- Khan, M. Z., Szarek, J., and Markiewicz, K. 1993. Effects of Oral Administration of Toxic Levels of Lead and Selenium upon Concentration of Different Elements in the Liver of Broiler Chicks. *Zentralbl Veterinarmed [A]*. 40(9-10): 652-64. Ref ID: 1415
- Khan, M. Z., Szarek, J., Markiewicz, K., and Markiewicz, E. 1993. Effects of Concurrent Oral Administration of Toxic Levels of Monensin and Lead on Concentration of Different Elements in the Liver of Broiler Chicks. *J. Vet. Med. Ser. A* 40(6): 466-7. Ref ID: 5507
- Kimmel, C. A., Grant, L. D., Sloan, C. S., and Gladen, B. C. 1980. Chronic Low Level Lead Toxicity in the Rat. 1. Maternal Toxicity and Peri Natal Effects. *Toxicol. Appl. Pharmacol.* 56(1): 28-41. Ref ID: 2737
- Kishi, R., Ikeda, T., Miyake, H., Uchino, E., Tsuzuki, T., and Inoue, K. 1983. Effects of Low Lead Exposure on Neuro-behavioral Function in the Rat. *Arch Environ Health.* 38(1): 25-33. Ref ID: 12025
- Koller, L. D. and Roan, J. G. 1977. Effects of Lead and Cadmium on Mouse Peritoneal Macrophages. *J. reticuloendothel.soc.* 21(1): 7-12. Ref ID: 814
- Krigman, M. R., Druse, M. J., Traylor, T. D., Wilson, M. H., Newell, L. R., and Hogan, E. L. 1974. Lead Encephalopathy in the Developing Rat: Effect on Cortical Ontogenesis. *J. Neuropathol. Exp. Neurol.* 33(5): 671-686. Ref ID: 2740
- Krigman, M. R., Druse, M. J., Traylor, T. D., Wilson, M. H., Newell, L. R., and Hogan, E. L. 1974. Lead Encephalopathy in the Developing Rat: Effect upon Myelination. *J. Neuropathol. Exp. Neurol.* 33(1): 58-73. Ref ID: 2741
- Kristensen, P., Eilertsen, E., Einarsdottir, E., Haugen, A., Skaug, V., and Ovrebo, S. 1995. Fertility in Mice after Prenatal Exposure to Benzo[a]pyrene and Inorganic Lead. *Environ. Health Perspect.* 103(6): 588-590. Ref ID: 2743
- Lamb, J. P., Gulati H., Choudhury R., Chambers and K. B., Poonacha. 1997. Lead Acetate Trihydrate. *Environ. Health Perspect.* 105 (Suppl 1): 317-318. Ref ID: 2505
- Lassen, E. D. and Buck, W. B. 1979. Experimental Lead Toxicosis in Swine. *Am. J. Vet. Res.* 40(10): 1359-1364. Ref ID: 3709
- Latta, D. M. and Donaldson, W. E. 1986. Lead Toxicity in Chicks Interactions with Dietary Methionine and Choline. *J. Nutr.* 116(8): 1561-1568. Ref ID: 2744
- Ledet, Ae, Duncan, Jr, Buck, Wb, and Ramsey, Fk. 1973. Clinical, Toxicological, Adn Pathological Aspects of Arsanilic Acid Poisoning in Swine. *Clin. Toxicol.* 6: 439. Ref ID: 14412
- Leeming, T. K. and Donaldson, W. K. 1984. Effect of Dietary Methionine and Lysine on the Toxicity of Ingested Lead Acetate in the Chick. *J. Nutr.* 114(11): 2155-2159. Ref ID: 2748
- Lessler, M. A. and Wright, G. L. 1976. Effects of Lead on the Growth of the Laboratory Rat. *Prog. Biometeorol., Div. B.* 1(2): 227-233, 292-293. Ref ID: 2750
- Lockett, C. J. and Leary, W. P. 1986. Neurobehavioural Effects in Rats Fed Low Doses of Cadmium and Lead to Induce Hypertension. *S Afr Med J.* 69(3): 190-192. Ref ID: 633

- Logner, K. R., Neathery, M. W., Miller, W. J., Gentry, R. P., Blackmon, D. M., and White, F. D. 1984. Lead Toxicity and Metabolism from Lead Sulfate Fed to Holstein Calves. *J Dairy Sci.* 67(5): 1007-1013. Ref ID: 3889
- Lorenzo, A. V., Gewirtz, M., and Averill, D. 1978. Cns Lead Toxicity in Rabbit Offspring. *Environ. Res.* 17(1): 131-150. Ref ID: 2751
- Lynch, G. P., Smith, D. F., Fisher, M., Pike, T. L., and Weinland, B. T. 1976. Physiological Responses of Calves to Cadmium and Lead. *J. Anim. Sci.* 42(2): 410-421. Ref ID: 3711
- Lynch, Gp, Jackson, Ed, Kiddy, Ca, and Smith, Df. 1976. Responses of Young Calves to Low Doses of Lead. *J. Dairy Sci.* 59: 1490. Ref ID: 14380
- Mahaffey, K. R., Capar, S. G., Gladen, B. C., and Fowler, B. A. 1981. Concurrent Exposure to Lead, Cadmium, and Arsenic. Effects on Toxicity and Tissue Metal Concentrations in the Rat. *J Lab Clin Med.* 98(4): 463-481. Ref ID: 665
- Mahaffey, K. R., Goyer, R., and Haseman, J. K. 1973. Dose-response to Lead Ingestion in Rats Fed Low Dietary Calcium. *J. Lab. Clin. Med.* 82(1): 92-100. Ref ID: 2756
- Mahaffey, Kr and Fowler, Ba. 1977. Effects of Concurrent Administration of Lead, Cadmium, Arsenic in the Rat. *Environ. Health Perspect.* 19: 165-171. Ref ID: 14580
- Majumdar, S. R., Sarkar, S., and Sarkar, A. K. 1995. The Effect of Dietary Lead on the Stomach and Intestine of Passer Domesticus Indicus - a Biochemical Study. *Pollution Research.* 14(3): 351-355. Ref ID: 2757
- Maker, H. S., Lehrer, G. M., Silides, D., Weissbarth, S., and Weiss, C. 1973. The Effect of Dietary Lead on Mouse Brain Development. *Trans. Am. Neurol. Assoc.* 98: 281-284. Ref ID: 2758
- Maljkovic, T, Piasek, M, and Kostial, K. 1988. Hemopoietic Response to Lead in Perinatally Exposed Rats. 217-222. Ref ID: 14749
- Marchlewicz, M., Protasowicki, M., Rozewicka, L., Piasecka, M., and Laszczynska, M. 1993. Effect of Long-term Exposure to Lead on Testis and Epididymis in Rats. *Folia Histochem. Cytobiol.* 31(2): 55-62. Ref ID: 2760
- Maxfield, M. E., Stopps, G. J., Barnes, J. R., Snee, R. D., Finan, M., and Azar, A. 1975. Recovery of Blood Lead Concentration and of Red Cell 8-aminolevulinic Acid Dehydrase Activity in Dogs Following Return to Normal Diets after 75 Weeks of Lead Feeding. *Am. Ind. Hyg. Assoc. J.* 36(3): 193-206. Ref ID: 2763
- Mazliah, J., Barron, S., Bental, E., and Reznik, I. 1989. The Effect of Chronic Lead Intoxication in Mature Chickens. *Avian Dis.* 33(3): 566-570. Ref ID: 2764
- Mccauley, P. T., Bull, R. J., and Lutkenhoff, S. D. 1979. Association of Alterations in Energy Metabolism with Lead-induced Delays in Rat Cerebral Cortical Development. *Neuropharmacology.* 18(1): 93-101. Ref ID: 12587
- Mccauley, P. T., Bull, R. J., Tonti, A. P., Lutkenhoff, S. D., Meister, M. V., Doerger, J. U., and Stober, J. A. 1982. The Effect of Prenatal and Postnatal Lead Exposure on Neocortical Synaptogenesis in Rat Cerebral Cortex. *J. Toxicol. Environ. Health.* 10(4-5): 639-651. Ref ID: 2765
- Mcconnell, P. and Berry, M. 1979. The Effects of Postnatal Lead Exposure on Purkinje Cell Dendritic Development in the Rat. *Neuropathol. Appl. Neurobiol.* 5(2): 115-132. Ref ID: 2767
- Mcgivern, R. F., Sokol, R. Z., and Berman, N. G. 1991. Prenatal Lead Exposure in the Rat During the Third Week of Gestation : Long-term Behavioral, Physiological, and Anatomical Effects Associated with Reproduction. *Toxicol. Appl. Pharmacol.* 110(2): 206-215. Ref ID: 2768

- McMurry, S. T., Lochmiller, R. L., Chandra, S. A., and Qualls Jr., C. W. 1995. Sensitivity of Selected Immunological, Hematological, and Reproductive Parameters in the Cotton Rat (*Sigmodon Hispidus*) to Subchronic Lead Exposure. *J. Wildl. Dis.* 31(2): 193-204. Ref ID: 2770
- Meluzzi, A., Simoncini, F., Sirri, F., Vandi, L., and Giordani, G. 1996. Feeding Hens Diets Supplemented with Heavy Metals (Chromium, Nickel and Lead). *Archiv Fuer Gefluegelkunde* . 60(3): 119-125. Ref ID: 2771
- Meyerovitch, Joseph, Farfel, Zvi, Sack, Joseph, and Shechter, Yoram. 1987. Oral Administration of Vanadate Normalizes Blood Glucose Levels in Streptozotocin-treated rats . Characterization and Mode of Action. *J. Biol. Chem.* 262(14): 6658-62 . Ref ID: 17283
- Michaelson, I. A. and Sauerhoff, M. W. 1974. An Improved Model of Lead-induced Brain Dysfunction in the Suckling Rat. *Toxicol. Appl. Pharmacol.* 28(1): 88-96. Ref ID: 2774
- Miller, C. D., Buck, W. B., Hembrough, F. B., and Cunningham, W. L. 1982. Fetal Rat Development as Influenced by Maternal Lead Exposure. *Vet. Hum. Toxicol.* 24(3): 163-166. Ref ID: 2775
- Minnema, D. J. and Hammond, P. B. 1994. Effect of Lead Exposure on Patterns of Food Intake in Weanling Rats. *Neurotoxicol. Teratol.* 16(6): 623-629. Ref ID: 2776
- Morgan, G. W., Edens, F. W., Thaxton, P., and Parkhurst, C. R. 1975. Toxicity of Dietary Lead in Japanese Quail. *Poult. Sci.* 54(5): 1636-1646. Ref ID: 2779
- Morris, H. P., Laug, E. P., Morris, H. J., and Grant, R. L. Growth and Reproduction of Rats Fed Diets Containing Lead Acetate and Arsenic Trioxide and the Lead and Arsenic Content of Newborn and Suckling Rats. *J Pharmacol Exp Ther* 64:420-445,1938 Ref ID: 15125
- Murphy, K. J., Fox, G. B., Kelly, J., and Regan, C. M. 1995. Influence of Toxicants on Neural Cell Adhesion Molecule-mediated Neuroplasticity in the Developing and Adult Animal: Persistent Effects of Chronic Perinatal Low-level Lead Exposure. *Toxicol. Lett.* 82-83(spec. Issue): 271-276. Ref ID: 2780
- Murthy, R. C., Saxena, D. K., Gupta, S. K., and Chandra, S. V. 1991. Lead Induced Ultrastructural Changes in the Testis of Rats. *Exp. Pathol.* 42(2): 95-100. Ref ID: 2781
- Myers, R. R., Powell, H. C., Shapiro, H. M., Costello, M. L., and Lampert, P. W. 1980. Changes in Endoneurial Fluid Pressure, Permeability, and Peripheral Nerve Ultrastructure in Experimental Lead Neuropathy. *Ann. Neurol.* 8(4): 392-401. Ref ID: 2782
- Mykkanen, H. M., Dickerson, J. W., and Lancaster, M. 1980. Strain Differences in Lead Intoxication in Rats. *Toxicol. Appl. Pharmacol.* 52(3): 414-421. Ref ID: 2783
- Nathan, E., Huang, H. F., Pogach, L., Giglio, W., Bogden, J. D., and Seebode, J. 1992. Lead Acetate Does Not Impair Secretion of Sertoli Cell Function Marker Proteins in the Adult Sprague Dawley Rat. *Arch. Environ. Health.* 47(5): 370-375. Ref ID: 2785
- Nation, J. R., Grover, C. A., Bratton, G. R., and Salinas, J. A. 1990. Behavioral Antagonism Between Lead and Cadmium. *Neurotoxicol Teratol.* 12(2): 99-104. Ref ID: 617
- Nehru, B., Dua, R., and Iyer, A. 1997. Effect of Selenium on Lead-induced Alterations in Rat Brain. *Biol. Trace Elem. Res.* 57(3): 251-258. Ref ID: 2788
- Nehru, B. and Kaushal, S. 1991. Biochemical and Histological Alterations Following Experimental Lead Poisoning. *J. Trace Elem. Exp. Med.* 4(4): 203-210. Ref ID: 2789

- Ogilvie, D. M. 1976. Sublethal Effects of Lead Acetate on the Y-maze Performance of Albino Mice (*Musculus L.*). *Can. J. Zoology*. 55: 771-775. Ref ID: 3749
- Ogilvie, D. M. and Martin, A. H. 1981. Splenomegaly and Adrenal Weight Changes in Isolated Adult Micechronically Exposed to Lead. *Bull. Environ. Contam. Toxicol.* 26(5): 647-651. Ref ID: 2799
- Paisek, M, Kostial , K, Blanusa, M, and Bunarevic, A. 1988. Influence of Age on Lead Effect on Kidney in Rats. 223-30. Ref ID: 14751
- Pal, D. R., Chatterjee, J., and Chatterjee, G. C. 1975. Influence of Lead Administration on L-ascorbic Acid Metabolism in Rats:effect of L-ascorbic Acid Supplementation. *International Journal for Vitamin and Nutrition Research*. 45(4): 429-437. Ref ID: 2806
- Pankakoski, E., Koivisto, I., Hyvarinen, H., Terhivuo, J., and Tahka, K. M. 1994. Experimental Accumulation of Lead from Soil Through Earthworms to Common Shrews. *Chemosphere*. 29(8): 1639-1649. Ref ID: 2807
- Pattee, O. H. 1984. Eggshell Thickness and Reproduction in American Kestrels Exposed to Chronic Dietary Lead. *Arch. Environ. Contam. Toxicol.* 13(1): 29-34. Ref ID: 2809
- Pentschew, A. and Garro, F. 1966. Lead Encephalo-myelopathy of the Suckling Rat and its Implications on the Porphyrinopathic Nervous Diseases. With Special Reference to the Permeability Disorders of the Nervous System's Capillaries. *Acta Neuropathol. (Berl)*. 6(3): 266-278. Ref ID: 2811
- Petit, T. L. and Leboutillier, J. C. 1979. Effects of Lead Exposure During Development on Neocortical Dendritic and Synaptic Structure. *Exp. Neurol.* 64(3): 482-492. Ref ID: 2814
- Petrusz, P., Weaver, C. M., Grant, L. D., Mushak, P., and Krigman, M. R. 1979. Lead Poisoning and Reproduction Effects on Pituitary and Serum Gonadotropins in Neo Natal Rats. *Environ. Res.* 19(2): 383-391. Ref ID: 2815
- Piasecka, M., Rozewicka, L., Laszczynska, M., and Marchlewicz, M. 1995. Electron-dense Deposits in Epididymal Cells of Rats Chronically Treated with Lead Acetate (Pb(ii)). *Folia Histochemica et Cytobiologica*. 33(2): 89-94. Ref ID: 2816
- Piasek, M. and Kostial, K. 1987. Effect of Exposure to Lead on Reproduction in Male Rats. *Bull. Environ. Contam. Toxicol.* 39(3): 448-452. Ref ID: 2817
- Piasek, M and Kostial, K. 1990. Exposure to Lead and Blood Pressure in Adult and Perinatally Exposed Rats. *Environmental Geochemistry and Health*. 12(suppl): 239-45. Ref ID: 14752
- Piasek, M. and Kostial, K. 1991. Reversibility of the Effects of Lead on the Reproductive Performance of Female Rats. *Reprod. Toxicol.* 5(1): 45-51. Ref ID: 2818
- Pinon-lataillade, G., Thoreux-manlay, A., Coffigny, H., Masse, R., and Soufir, J. C. 1995. Reproductive Toxicity of Chronic Lead Exposure in Male and Female Mice. *Hum. Exp. Toxicol.* 14(11): 872-878. Ref ID: 2821
- Pinon-lataillade, G, Thoreux-manlay, A, Coffigny, H, Monchaux, G, Masse, R, and Soufir, Jc. 1993. Effect of Ingestion and Inhalation of Lead on the Reproductive System and Fertility of Adult Male Rats and Their Progeny. *Hum. Exp. Toxicol.* 12: 165-172. Ref ID: 14797
- Powell, H. C., Myers, R. R., and Lampert, P. W. 1982. Changes in Schwann Cells and Vessels in Lead Neuropathy. *Am. J. Pathol.* 109(2): 193-205. Ref ID: 2825
- Prasada Rao, P. P. V. , Jordan, S. A., and Bhatnagar, M. K. 1989. Ultrastructure of Kidney of Ducks Exposed to Methylmercury, Lead and Cadmium in Combination. *J.environ.pathol Toxicol.oncol.* 9(1): 19-44. Ref ID: 818

- Prasada Rao, P. V. V. , Jordan, S. A., and Bhatnagar, M. K. 1989. Combined Nephrotoxicity of Methylmercury, Lead, and Cadmium in Pekin Ducks: Metallothionein, Metal Interactions, and Histopathology. *J. Toxicol. Environ. Health.* 26: 327-348. Ref ID: 817
- Press, M. F. 1977. Lead Encephalopathy in Neonatal Long-evans Rats: Morphologic Studies. *J. Neuropathol. Exp. Neurol.* 36(1): 169-193. Ref ID: 2827
- Rabe, A., French, J. H., Sinha, B., and Fersko, R. 1985. Functional Consequences of Prenatal Exposure to Lead in Immature Rats. *Neurotoxicology.* 6(1): 43-53. Ref ID: 13216
- Rader, J. I., Celesk, E. M., Peeler, J. T., and Mahaffey, K. R. 1981. Comparative Toxicity to Weanling and Adult Rats of Lead Acetate in Water. *Trace Subst. Environ. Health.* 15: 131-143. Ref ID: 2829
- Rader, J. I., Peeler, J. T., and Mahaffey, K. R. 1981. Comparative Toxicity and Tissue Distribution of Lead Acetate in Weanling and Adult Rats. *Environ. Health Perspect.* 42: 187-195. Ref ID: 2830
- Rasile, D. A., Stewart, P. W., Burright, R. G., and Donovan, P. J. 1995. Cross Generation Lead Ingestion: Behavioral and Physiological Effects in Mice. *Brain Res. Bull.* 36(5): 473-482. Ref ID: 2836
- Rastogi, S. C., Clausen, J., and Srivastava, K. C. 1976. Selenium and Lead: Mutual Detoxifying Effects. *Toxicology.* 6(3): 377-88. Ref ID: 1523
- Redig, P. T., Lawler, E. M., Schwartz, S., Dunnette, J. L., Stephenson, B., and Duke, G. E. 1991. Effects of Chronic Exposure to Sublethal Concentrations of Lead Acetate on Heme Synthesis and Immune Function in Red-tailed Hawks. *Arch Environ Contam Toxicol.* 21(1): 72-7. Ref ID: 14638
- Reel, J. R., Wolkowski-Tyl, R., and Lawton, A. D. 1984. *Lead Acetate Reproduction and Fertility Assessment in Cd-1 Mice When Administered in the Drinking Water.* NNTP-84-108; Order No. PB84-208016. NTIS. 213 pp. Ref ID: 2837
- Reinecke, A. J. S. A. Reinecke D. E. Musilbono A. Chapman. 2000. The Transfer of Lead (Pb) from Earthworms to Shrews (*Myosorex Varius*). *Arch. Environ. Contam. Toxicol.* 39(3): 392-397. Ref ID: 25888
- Reiter, L. W., Anderson, G. E., Laskey, J. W., and Cahill, D. F. 1975. Developmental and Behavioral Changes in the Rat During Chronic Exposure to Lead. *Environ Health Perspect.* 12: 119-23. Ref ID: 13268
- Ronis, M. J., Badger, T. M., Shema, S. J., Roberson, P. K., and Shaikh, F. 1998. Effects on Pubertal Growth and Reproduction in Rats Exposed to Lead Perinatally or Continuously Throughout Development. *J. Toxicol. Environ. Health.* 53(4): 327-341. Ref ID: 2845
- Ronis, M. J., Badger, T. M., Shema, S. J., Roberson, P. K., and Shaikh, F. 1996. Reproductive Toxicity and Growth Effects in Rats Exposed to Lead at Different Periods During Development. *Toxicol. Appl. Pharmacol.* 136(2): 361-371. Ref ID: 2846
- Ronis, M. J., Badger, T. M., Shema, S. J., Roberson, P. K., Templer, L., Ringer, D., and Thomas, P. E. 1998. Endocrine Mechanisms Underlying the Growth Effects of Developmental Lead Exposure in the Rat. *J. Toxicol. Environ. Health.* 54(2): 101-120. Ref ID: 2847
- Sawicka-kapusta. 1987. Effect of Metabolic Rate on the Rate of Elimination of High and Low Concentrations of Cadmium and Lead in the Bank Vole. *Ekologia Polska.* 35(2): 399-430. Ref ID: 820
- Saxena, D. K., Murthy, R. C., Singh, C., and Chandra, S. V. 1989. Zinc Protects Testicular Injury Induced by Concurrent Exposure to Cadmium and Lead in Rats. *Res. Commun. Chem. Pathol. Pharmacol.* 64(2): 317-329. Ref ID: 2857

- Scheuhammer, A. M. 1987. Erythrocyte Delta Aminolevulinic Acid Dehydratase in Birds. 2. The Effects of Lead Exposure In-vivo. *Toxicology*. 45(2): 165-176. Ref ID: 2860
- Schroeder, H. A. and Mitchener, M. 1975. Life-term Effects of Mercury, Methyl Mercury, and Nine Other Tracemetals on Mice. *Journal of Nutrition*. 105(4): 452-458. Ref ID: 1858
- Schroeder, H. A. and Mitchener, M. 1971. Toxic Effects of Trace Elements on the Reproduction of Mice and Rats. *Arch.environ.health*. 23: 102-106. Ref ID: 66
- Schroeder, H. A., Mitchener, M., and Nason, A. P. 1970. Zirconium, Niobium, Antimony, Vanadium and Lead in Rats: Life Term Studies. *J Nutr*. 100(1): 59-68. Ref ID: 252
- Schroeder, H. A., Balassa, J.J., and Vinton, W.H. Jr. 1964. Chromium, Lead, Cadmium, Nickel and Titanium in Mice: Effect on Mortality, Tumors and Tissue Levels. *J. Nutr*. 83: 239. Ref ID: 14447
- Schroeder, H. A., Vinton, W.H. Jr., and Balassa, J.J. 1963. Effects of Chromium, Cadmium and Lead on the Growth and Survival of Rats. *J. Nutr*. 80: 48. Ref ID: 14446
- Schroeder, Henry A. 1968. Serum Cholesterol Levels in rats Fed Thirteen Trace Elements. *J. Nutr*. 94(4): 475-80. Ref ID: 15506
- Selvin-testa, A., Capani, F., Loidl, C. F., Lopez, E. M., and Pecci-saavedra, J. 1997. Prenatal and Postnatal Lead Exposure Induces 70 Kda Heat Shock Protein in Young Rat Brain Prior to Changes in Astrocyte Cytoskeleton. *Neurotoxicology*. 18(3): 805-817. Ref ID: 2869
- Shafiq, Ur Rehman, Khushnood, Ur Rehman, Kabir, Ud Din, and Chandra, O. 1986. Differential Effects of Chronic Lead Intoxication on Circadian Rhythm of Ambulatory Activity and on Regional Brain Norepinephrine Levels in Rats. *Bull.environ Contam Toxicol*. 36(1): 81-91. Ref ID: 3914
- Shailesh Kumar, M. V. And Desiraju, T. 1990. Regional Alterations of Brain Biogenic Amines and Gaba/glutamate Levels in Rats Following Chronic Lead Exposure During Neonatal Development. *Arch. Toxicol*. 64(4): 305-314. Ref ID: 2870
- Sharma, S. and Kanwar, K. C. 1985. Reproductive Performance in Mice Following Lead Administration. *Res. Bull. Panjab Univ. Sci*. 36(3-4): 389-394. Ref ID: 2871
- Sierra, E. M. and Tiffany-castiglioni, E. 1992. Effects of Low-level Lead Exposure on Hypothalamic Hormones and Serum Progesterone Levels in Pregnant Guinea Pigs. *Toxicology*. 72(1): 89-97. Ref ID: 2876
- Simpson, Cf, Damron, Bl, and Harms, Rh. 1970. Abnormalities of Erythrocytes and Renal Tubules of Chicks Poisoned with Lead. *Am. J. Vet. Res*. 31: 515. Ref ID: 14383
- Singh, A. K. and Ashraf, M. 1989. Neurotoxicity in Rats Sub-chronically Exposed to Low Levels of Lead. *Vet. Hum. Toxicol*. 31(1): 21-25. Ref ID: 2877
- Singh, B., Dhawan, D., Mangal, P. C., Chang, B., Singh, N., and Trehan, P. N. Combined Action of Lead and Lithium on Essential and Nonessential Elements in rat Blood. *Biol. Trace Elem. Res. (1994)* 46(1-2): 15-28.
- Singh, U. S., Saxena, D. K., Singh, C., Murthy, R. C., and Chandra, S. V. 1991. Lead-induced Fetal Nephrotoxicity in Iron-deficient Rats. *Reprod. Toxicol*. 5(3): 211-217. Ref ID: 2879
- Slomianka, L., Rungby, J., West, M. J., Danscher, G., and Andersen, A. H. 1989. Dose-dependent Bimodal Effect of Low-level Lead Exposure on the Developing Hippocampal Region of the Rat: a Volumetric Study. *Neurotoxicology*. 10(2): 177-190. Ref ID: 2882

- Sokol, R. Z. 1987. Hormonal Effects of Lead Acetate in the Male Rat: Mechanism of Action. *Biol. Reprod.* 37(5): 1135-1138. Ref ID: 2886
- Sokol, R. Z. 1989. Reversibility of the Toxic Effect of Lead on the Male Reproductive Axis. *Reprod. Toxicol.* 3(3): 175-180. Ref ID: 2887
- Sokol, R. Z., Madding, C. E., and Swerdloff, R. S. 1985. Lead Toxicity and the Hypothalamic-pituitary-testicular Axis. *Biol. Reprod.* 33(3): 722-728. Ref ID: 2888
- Sokol, R. Z. S. Wang Y. J. Wan R. Z. Stanczyk E. Gentzschein R. E. Chapin. 2002. Long-term, Low-dose Lead Exposure Alter the Gonadotropin-releasing Hormone System in the Male Rat. *Environ. Health Perspect.* 110(9): 871-874. Ref ID: 25903
- Sourgens, H., Klages, K., Bertram, H. P., and Mueller, C. 1987. Gonadal and Thyroid Function after Experimental Lead Exposure. *Trace Elem. Med.* 4(1): 8-12. Ref ID: 2889
- Stewart, P. W., Delbagno, V., Ng, J., Burright, R., and Donovan, P. 1998. Subacute Pb Exposure During Development and Unbaited Tunnel Maze Performance in Mice. *Pharmacol. Biochem. Behav.* 59(1): 183-189. Ref ID: 2896
- Stone, C. L., Fox, M. R., Jones, A. L., and Mahaffey, K. R. 1977. Delta-aminolevulinic Acid Dehydratase--a Sensitive Indicator of Lead Exposure in Japanese Quail. *Poult. Sci.* 56(3 Pt2): 174-181. Ref ID: 2897
- Stone, C. L. and Fox, M. R. Spivey. Effects of Low Levels of dietary Lead and Iron on Hepatic Rna, Protein, and Minerals in Young japanese quail. *Environ. Res. (1984)* 33(2): 322-32 Coden: Envral; Issn: 0013-9351. Ref ID: 6291
- Stone, C. L. and Soares Jr., J. H. 1976. The Effect of Dietary Selenium Level on Lead Toxicity in the Japanese Quail. *Poult. Sci.* 55(1): 341-349. Ref ID: 2898
- Stone, Charles L., Fox, Mattie Rae Spivey, and Hogue, Katherine S. Bioavailability of Lead in Oysters Fed to Young japanese quail. *Environ. Res. (1981)* 26(2): 409-21 Coden: Envral; Issn: 0013-9351. Ref ID: 6463
- Tafelski, T. J. and Lamperti, A. A. 1975. Failure of Lead Acetate to Alter the Reproductive Cycle of Female Rats. *Ircs J. Med. Sci.* 3(9): 449. Ref ID: 2905
- Talcott, P. A. and Koller, L. D. 1983. The Effect of Inorganic Lead And/or a Polychlorinated Biphenyl on the Developing Immune System of Mice. *J. Toxicol. Environ. Health.* 12(2-3): 337-352. Ref ID: 2906
- Thoreux-manlay, A., Pinon-lataillade, G., Coffigny, H., Soufir, J. C., and Masse, R. 1995. Prenatal or Lactational Exposure of Male Rats to Lead Acetate. Effect on Reproductive Function. *Bull. Environ. Contam. Toxicol.* 54(2): 266-272. Ref ID: 2909
- Tian, X., Bourjeily, N., Bielarczyk, H., and Suszkiw, J. B. 1995. Reduced Densities of Sodium-dependent [3h] Hemicholinium-3 Binding Sites in Hippocampus of Developmental Rats Following Perinatal Low-level Lead Exposure. *Brain. Res. Dev. Brain Res.* 86(1-2): 268-274. Ref ID: 2910
- Toews, A. D., Blaker, W. D., Thomas, D. J., Gaynor, J. J., Krigman, M. R., Mushak, P., and Morell, P. 1983. Myelin Deficits Produced by Early Postnatal Exposure to Inorganic Lead or Triethyltin Are Persistent. *J. Neurochem.* 41(3): 816-822. Ref ID: 2911
- Torra, M., Rodamilans, M., Tofiguera, J., Hornos, I., and Corbella, J. 1989. Delta-aminolevulinic-acid Dehydratase and Ferrochelatase Activities During Chronic Lead-exposure in Mice. *Bulletin of Environmental Contamination and Toxicology* 42(4): 476-481. Ref ID: 7350

Usepa and Herman Z et Al. 1980. *Chronic Toxicity of Lead and Cadmium I. Changes in the Central Nervous System of the Parental Generation of Rats after Chronic Intoxication with Lead and Cadmium*. EPA-600/1-80-012. Ref ID: 14697

Vengris, Ve and Mare, Cj. 1974. Lead Poisoning in Chickens and the Effect of Lead on Interferon and Antibody Production. *Can. J. Comp. Med.* 38: 328. Ref ID: 14384

Verlangieri, A. J., Meyer, J. J., and Kapeghian, J. C. 1983. Effect of Dietary Protein on Locomotor Activity During Chronic Lead Exposure in Male and Female Rats. *Bull. Environ. Contam. Toxicol.* 30(2): 158-164. Ref ID: 2918

Vyskocil, A., Pancl, J., Tusl, M., Ettlerova, E., Semecky, V., Kasparova, L., Lauwerys, R., and Bernard, A. 1989. Dose-related Proximal Tubular Dysfunction in Male Rats Chronically Exposed to Lead. *J. Appl. Toxicol.* 9(6): 395-399. Ref ID: 2922

Vyskocil, A., Semecky, V., Fiala, Z., Cuzkova, M., and Viau, C. 1995. Renal Alterations in Female Rats Following Subchronic Lead Exposure. *J. Appl. Toxicol.* 15(4): 257(6). Ref ID: 2923

Wadi, S. A. and Ahmad, G. 1999. Effects of Lead on the Male Reproductive System in Mice. *J. Toxicol. Environ. Health.* 56(7): 513-521. Ref ID: 2924

Wardell, R. E., Seegmiller, R. E., and Bradshaw, W. S. 1982. Induction of Pre-natal Toxicity in the Rat by Diethyl Stilbestrol Zeranol 3 4 3' 4' Tetra Chloro Bi-phenyl Cadmium and Lead. *Teratology.* 26(3): 229-238. Ref ID: 748

Wells, Gah, Mchowell, J, and Gopinath, C. 1976. Experimental Lead Encephalopathy in Calves. Histological Observations on the Nature and Distributions of Lesions. *Neuropathol. Appl. Neurobiol.* 2: 605-616. Ref ID: 14803

Wenda-rozewicka, L., Marchlewicz, M., Barcew-wiszniewska, B., and Piasecka, M. 1996. The Ultrastructure of the Testis in Rats after Long-term Treatment with Lead Acetate. *Andrologia.* 28(2): 97-102. Ref ID: 2928

White, D. J. 1977. Histochemical and Histological Effects of Lead on the Liver and Kidney of the Dog. *Br. J. Exp. Pathol.* 58(1): 101-112. Ref ID: 2929

Wiebe, J. P. and Barr, K. J. 1988. Effect of Prenatal and Neonatal Exposure to Lead on the Affinity and Number of Estradiol Receptors in the Uterus. *J. Toxicol. Environ. Health.* 24(4): 451-460. Ref ID: 2930

Willoughby, Ra, Thirapatsakum, T, and Mcsherry, Bj. 1972. Influence of Rations Low in Calcium and Phosphorus on Blood and Tissue Lead Concentrations in the Horse. *Am. J. Vet. Res.* 33: 1165. Ref ID: 14386

Winder, C., Kitchen, I., Clayton, L. B., Gardiner, S. M., Wilson, J. M., and Lewis, P. D. 1984. The Effect of Perinatal Lead Administration on the Ontogeny of Striatal Enkephalin Levels in the Rat. *Toxicol. Appl. Pharmacol.* 73(1): 30-34. Ref ID: 2934

Winneke, G., Brockhaus, A., and Baltissen, R. 1977. Neurobehavioral and Systemic Effects of Longterm Blood Lead-elevation in Rats. I. Discrimination Learning and Open Field-behavior. *Arch.toxicol.* 37(4): 247-263. Ref ID: 3935

Wiszniewska, B., Marchlewicz, M., Piasecka, M., Wenda-rozewicka, L., and Swider-al-amawi, M. 1998. Phospholipid Content and Lamellar Structures in the Epididymal Epithelial Cells of Rats Treated Chronically with Lead Acetate (Pb(ii)). *Folia Biologica (Cracow).* 46(3-4): 215-224. Ref ID: 2938

Yagminas, A. P., Franklin, C. A., Villeneuve, D. C., Gilman, A. P., Little, P. B., and Valli, V. E. 1990. Subchronic Oral Toxicity of Triethyl Lead in the Male Weanling Rat. Clinical, Biochemical, Hematological, and Histopathological Effects. *Fundam Appl Toxicol.* 15(3): 580-596. Ref ID: 3937

Yu, S. Y., Mizinga, K. M., Nonavinakere, V. K., and Soliman, K. F. 1996. Decreased Endurance to Cold Water Swimming and Delayed Sexual Maturity in the Rat Following Neonatal Lead Exposure. *Toxicol Lett.* 85(3): 135-141. Ref ID: 3939

Zenick, H., Pecoraro, F., Price, D., Saez, K., and Ward, J. 1979. Maternal Behavior During Chronic Lead Exposure and Measures of Offspring Development. *Neurobehav. Toxicol.* 1(1): 65-71. Ref ID: 2943

Zheng, W., Shen, H., Blaner, W. S., Zhao, Q., Ren, X., and Graziano, J. H. 1996. Chronic Lead Exposure Alters Transthyretin Concentration in Rat Cerebrospinal Fluid: the Role of the Choroid Plexus [See Comments]. *Toxicol. Appl. Pharmacol.* 139(2): 445-450. Ref ID: 2944

Zirkin, B, Gross, R, and Ewing L. 1985. Effects of Lead Acetate on Male Rat Reproduction. 13-145. Ref ID: 14709

Zmudski, J., Bratton, G. R., Womac, C., and Rowe, L. 1983. Lead Poisoning in Cattle: Reassessment of the Minimum Toxic Oral Dose. *Bull. environ Contam Toxicol.* 30(4): 435-441. Ref ID: 3940

7.5 References Rejected for Use in Derivation of Wildlife TRV

These references were reviewed and rejected for use in derivation of the Eco-SSL. The definition of the codes describing the basis for rejection is provided at the end of the reference sections.

Unrel	1988 Annual Report on Alaska's Mineral Resources. USGS Circular 1023. (65)
Unrel	Addition of calcium ions for enhancing the safety of metal-ligand chelates as magnetic resonance imaging agents and x-ray contrast agents. PCT Int. Appl. 10 pp.
Anat	Analysis of the variation of the oxygen isotopic composition of mammalian bone phosphate (paleoclimate, climate change, castor canadensis, castoroides ohioensis, teotihuacan, mexico, immigration). 01534453 ORDER NO: AADNN-13683
Unrel	1976. Annual report of studies in animal nutrition and allied sciences. Volume 32. Rowett Research Institute. 125pp.
Diss	Appearances suggesting reconstruction in the rat brain after well-defined lesions. 1052950
Diss	Biochemical and genetic characterization of the n-acetyltransferase polymorphism in c57bl/6j and a/j mice. 954931 ORDER NO: AAD87-12169
Diss	The byzantine lead seals with family names from the collection of the numismatic museum of athens (numismatic museum) original title: die byzantinischen bleisiegel mit sammlung des numismatischen museums athen. 01285432
Diss	Cellular development and differentiation in human cerebral cortical dysplastic. 01363469 ORDER NOAAD94-18881.
No Control	Buck, WB, James, LF, and Binns, W. 1961. Changes in serum transaminase activities associated with plant and mineral toxicity in sheep and cattle. <i>Cornell Vet.</i> 51: 568.
Diss	The chromatin patterns of seven vertebrate species (banding, birds. cat). 0996732

Unrel	1985. Cominco alaska begins development of red dog lead-zinc-silver deposit. <i>E&Mj-Engineering And Mining Journal</i> . 186 (4) : 25
Diss	Content and evolution of cadmium, cobalt, chromium, copper, nickel, lead, and zinc in soils of l'horta and ribera baixa regions (Valencia) (Spain) Original title: contenido y evolucion de cadmio, cobalto, cromo, cobre, niquel, plomo, cinc en suelos de las comarcas de l'horta y la baixa (valencia). 01269400
Diss	Development and distribution of neuroepithelial bodies in the fetal hamster lung. 833519 ORDER NO: AAD84-01837
Diss	Development and evaluation of monoclonal antibodies to acanthamoeba spp. (Dot-immunobinding assay. 880026 ORDER NO: AAD85-08639
Diss	The development of order in the rat trigeminal system. 1052958 ORDER NO: AAD82-07023
Nut def	1971. Dietary calcium and lead toxicity. <i>Nutr. Rev.</i> 29(6): 145-147.
Diss	Ecophysiology of the common cockle (cerastoderma edule l.) In Southampton Water, with Particular Reference to Pollution (England). 1092481 ORDER NO: AADDX-87466
Rev	1980. Effects of dietary lead and zinc on pregnancy in the rat. <i>Nutr. Rev.</i> 38(3): 129-130.
Diss	Electrochemical synthesis and structural characterization of zintl anion clusters produced via the cathodic dissolution of telluride electrodes. 01378472 ORDER NO: AAD94-29162
Unrel	1996. Environmental Cleanup: Progress in Resolving Long-Standing Issues at the Rocky Mountain Arsenal. GAO/NSIAD-96-32; NTIS AD-A308 706/1.
Drug	1974. Ethanol and lead toxicity. <i>Nutr Rev.</i> 32(11): 347-8.
Diss	Geologic models of sediment-buffered hydrothermal vents: a case study of the red dog zn-pb-ag orebody, western brooks range, alaska (red dog orebody, zinc-lead-silver). 01629666 ORDER NO: AAD98-22586
Diss	Heavy metal bioaccumulation in great basin submersed aquatic macrophytes. 01363274 ORDER NO: AAD94-18488
Diss	Hepatic effects of combined heavy metal administration in the pekin duck (<i>Anas platyrhynchos</i>) (methylmercury, lead, cadmium)]. 01347768 ORDER NO: AADNN-65241
Diss	Hereditary striatonigral and cerebello-olivary degeneration of the kerry blue terrier. 765972 ORDER NO: AAD81-28912
Diss	Immunotherapy for phencyclidine abuse (drug abuse, pcp). 01432793 ORDER NO: AADAA-19532080
Rev	1989. Lead - environmental aspects. No. 85. 106 pp. World Health Organization. Geneva, Switzerland.
Diss	Lead poisoning in swans cygnus olor. 01268158 ORDER NO: AADDX-93538
Abstract	1976. Lead toxicity (experiments on sheep and rats; influence of sulphur). In: Annual Report of Studies in Animal Nutrition and Allied Sciences, Volume 31, 1975. 43-44.

No Oral	Letter from smelter environmental research association to U.S. EPA submitting two research reports on arsenic compounds, cadmium compounds and calcium sulfate with attachments. EPA/OTS; Doc #88-7800150.
Food	1980. Market milk technology and equipment; milk products microbiology, physico-chemical properties and analysis. <Document Title>India, National Dairy Research Institute: Annual report 1979. 211-219
Unrel	Multielement Geochemical Exploration Data for the Cove Known Geothermal Resource Area, Beaver and Millard Counties, Utah.
No COC	News About Chemicals. IRPTC Bull. (1): 17.
Diss	The occurrence and toxicology of heavy metals in Chesapeake Bay Waterfowl (Duck, Clangula, Melanitta, Hyemalis, Deglandi, Anas, Platyrhynchos, Rubripes, Strepera, Maryland, Virginia) . 856378 ORDER NO: AAD83-12307
Diss	Therapeutic management of avian lead intoxication (columba LIVIA). 01400165 ORDER NO: AAD95-05799
Unrel	Aastrup, M., Iverfeldt, A., Bringmark, L., Kvarnaes, H., Thunholm, B., Hultberg, H., Grennfelt Peringe, E. D., Rodhe Henning, E. D., Thoerneloef Eva, E. D., and Wisniewski Joe, E. D. 1995. Monitoring of heavy metals in protected forest catchments in Sweden. Water, air and soil pollution. 85(2): 755-760.
FL	Abd El-Fadil Ibrahim Hassan, H. 1988. Influence of the heavy metals lead, cadmium, zinc, manganese, copper, mercury and beryllium on the glutathione S-transferases in the rat liver. <Original> Einfluss der Schwermetalle Pb, Cd, Zn, Mn, Cu, Hg und Be Blei, Cadmium, Zink, Mangan, Kupfer, Quecksilber und Beryllium auf die Glutathion-S-Transferasen der Rattenleber
Surv	Abel, B. and Grossman, I. 1992. Observations of a lead poisoned trumpeter swan. <i>Passenger Pigeon</i> . 54(3): 215-219.
Diss	Abreu, M. E. 1983. <i>Effect of Postnatal Lead Exposure on the Development of Sympathetic Innervation of the Heart</i> . The University of Texas Grad. Sch. Of Biomed. Sci. At Galveston
Bio Acc	Adaadi, A. O., Gbodi, T. A., and Aliu, Y. O. 1990. The lead content of plants and animals as indicators of environmental contamination. <i>Veterinary and Human Toxicology</i> . 32(5): 454-456.
Abstract	Abplanalp, H., Lowry, D., Ali, N. M., Krueger, W. F., Fanguy, R. C., Bradley, J. W., Andrews, L. D., Morrow, D., Becker, W. A., Spencer, J. V., Verstrate, J. A., Mirosh, L. W., Bernier, P. E., Arscott, G. H., Dorminey, R. W., Alaiya, Y. A., Fatokun, G. O., Parker, J. E., Birrenkott, G. P., McGibbon, W. H., Burke, W. H., Wentworth, B. C., Briggs, D. M., Williams, C. M., Briles, W. E., Schelling, E. P., Brown, K. I., Bacon, W. L., Nestor, K. E., Musser, M. A., Long, D. W., Buss, E. G., Carson, J. R., Berry, J., Adams, R. L., Choudhury, H., Srivastava, L., Murthy, L., Petering, H., Christensen, V. L., Johnston, N. P., Classen, H. L., Smyth, J. R. Jr., Coleman, M. A., McDaniel, G. R., Neely, W. C., Ivey, W. D., Coleman, T. H., Ringer, R. K., Chang, T. S., Dodson, D. L., Crawford, R. D., Doerr, D. C., Law, G. R. J., Quarles, C. L., Edens, F. W., Benton, E., Morgan, G. W., Bursian, S. J., Thaxton, P., Enos, H. L., Monsi, A., Moreng, R. E., Garwood, V. A., Lowe, P. C., Gavora, J. S., Gleaves, E. Q., Mather, F. B., Ahmad, M. M., Goldrosen, A., Buckland, R. B., Gyles, N. R., Test, P., and Patterson, L. T. 1975. Abstracts of papers presented at the 64th annual meeting of the Poultry Science Association, Inc. <i>Poultry Science</i> 54(5): 1724-1831.
Acu	Adler, M. W. and Adler, C. H. 1977. Toxicity to heavy metals and relationship to seizure

thresholds. *Clin Pharmacol Ther.* 22(5 Pt 2): 774-9.

- Surv** Aguirre A A , Cook R S, McLean R G, Quan T J, and Spraker T R. 1991. Occurrence of potential pathogens in wild Caribbean flamingos (*Phoenicopterus ruber ruber*) during a lead poisoning die off in Yucatan, Mexico. *Journal of Zoo and Wildlife Medicine.* 22(4): 470-475.
- No Dose** Ahrens, F. A. and Vistica, D. T. 1977. Microvascular effects of lead in the neonatal rat. I. Histochemical and light microscopic studies. *Exp. Mol. Pathol.* 26(1): 129-138.
- Surv** Aikawa, H., Shigeta, S., Momotani, H., and Suzuki, K. 1986. [A comparative study of lead concentration in the rat blood and brain by two different methods of oral administration]. *Sangyo Igaku.* 28(6): 470-1.
- Diss** Akins, Jonathan McGhee. 1995. Porphyrin profiles in the nestling european starling (*sturnus vulgaris*): a biomarker of field contaminant exposure (*Protonotaria citrea*). Clemson University.:
- Mix** al-Hakkak, Z. S., Zahid, Z. R., Ibrahim, D. K., al-Jumaily, I. S., and Bazzaz, A. A. 1988. Effects of ingestion of lead monoxide alloy on male mouse reproduction. *Arch. Toxicol.* 62(1): 97-100.
- In Vit** Albano, E., Bellomo, G., Benedetti, A., Carini, R., Fulceri, R., Gamberucci, A., Parola, M., and Comporti, M. 1994. Alterations of hepatocyte Ca²⁺ homeostasis by triethylated lead (Et₃Pb⁺): are they correlated with cytotoxicity? *Chem Biol Interact.* 90(1): 59-72.
- Pb Behav** Alber, S. A. a and Strupp, B. J a. 1996. An in-depth analysis of lead effects in a delayed spatial alternation task: assessment of mnemonic effects, side bias, and proactive interference. *Neurotoxicology and Teratology* 18(1): 3-15.
- Species** Albers, P. H. and M.B. Camardese. 1993. Effects of acidification on metal accumulation by aquatic plants and invertebrates: 1. Constructed wetlands. *Environ Toxicol Chem.* 12(6): 959-967.
- Aquatic** Albers, P. H. and M.B. Camardese. 1993. Effects of acidification on metal accumulation by aquatic plants and invertebrates. 2. Wetlands, ponds, and small lakes 12. *Environ. Toxicol. Chem.* (6): 969-7.
- Anat** Albert, E. N. 1972. Developing elastic tissue. An electron microscopic study. *American Journal of Pathology.* 69 (1): 89-102.
- Not Avail** Alfano, D. P. and Petit, T. L. 1981. Behavioral effects of post natal lead exposure possible relationship to hippocampal dys Function. *Behav Neural Biol.* 32(3): 319-33.
- No Dose** Alfano, D. P. and Petit, T. L. 1985. Postnatal lead exposure and the cholinergic system. *Physiol Behav.* 34(3): 449-55.
- Not Avail** Ali, Usama A. 1996. Effect of lead exposure on some selected biochemical and hematological variables with special reference to reproductive toxicity in female rabbits. *Zagazig J. Pharm. Sci.* 5(2): 125-133.
- In Vit** Alkondon, M., Costa, A. C. S., Radhakrishnan, V., Aronstam, R. S., and Albuquerque, E. X. 1990. Selective blockade of NMDA-activated channel currents may be implicated in learning deficits caused by lead. *Febs Lett.* 261(1): 124-130.
- No Control** Allcroft, R. 1950. Lead as a nutritional hazard to farm livestock. IV. Distribution of lead in the tissues of bovines after ingestion of various lead compounds. *J. Comp. Pathol.* 60: 190.

No Control	Allcroft, R. 1950. Lead as a Nutritional Hazard to Farm Livestock. IV. Distribution of lead in tissues of bovines after ingestion of various lead compounds. <i>J. Comp. Pathol.</i> 60: 190-208.
Rev	Allcroft, R. 1951. Lead poisoning in cattle and sheep. <i>Vet. Rec.</i> 63: 583.
Rev	Allcroft, R and Blaxter, KL. Lead as a nutritional hazard to farm livestock. V. The toxicity of lead to cattle and sheep and an evaluation of the lead hazard under farm conditions. <i>J. Comp. Pathol. Ther.</i> 60: 209.
Mix	Allen, W. M. and Sansom, B. F. 1989. Accidental contamination of the public water supply at Lowermoor, Camelford: an assessment of the possible veterinary consequences. <i>Veterinary Record.</i> 124(18): 479-482.
In Vit	Altmann, L., Gutowski, M., and Wiegand, H. 1994. Effects of maternal lead exposure on functional plasticity in the visual cortex and hippocampus of immature rats. <i>Brain Res Dev Brain Res.</i> 81(1): 50-6.
Pb Behav	Altmann, L., Weinsberg, F., Sveinsson, K., Lilienthal, H., Wiegand, H., and Winneke, G. 1993. Impairment of long-term potentiation and learning following chronic lead exposure. <i>Toxicol Lett.</i> 66(1): 105-12.
Unrel	Alva, A. K. 1994. Possible utilization of flue-gas desulfurization gypsum and fly ash for citrus production: evaluation of crop growth response. <i>Waste Manage.</i> (N. Y.) 14(7): 621-7.
Diss	Amann, R. P. Reproductive toxicology of chemical mixtures. Crisp Data Base National Institutes Of Health
FL	Ambrosi, L., Vimercati, F., Di Nunno, C., and De Stasio, G. 1969. [Histological aspects of the juxtaglomerular apparatus in experimental saturnism]: <Original> Aspetti istologici dell'apparato iuxtaglomerulare nel saturnismo sperimentale. <i>Med Lav.</i> 60(2): 118-28.
Surv	1991. Exposure to trace elements of flamingos living in a biosphere reserve, the Camargue (France) <i>Environ. Pollut.</i> 69 (2-3) : 193-20.
Drug	Amin, R. J. , Venkatakrishna-Bhatt, H., and Panchal, G. M. 1993. Effect of lead on anorexia and body weight in albino rats. <i>Indian J Physiol Pharmacol.</i> 37(2): 115-20.
FL	Amo, H. 1973. Effects of oral administration of cyanide and heavy metals in long term on breeding and chromosome analyses of mice. <i>Nagoya Shiritsu Daigaku Igakkai Zasshi.</i> 24(1): 48-66.
FL	Anca, Z. and Gabor, S. 1984. Toxic effects of lead on the brain of adult and young rats. <i>Stud. Cercet. Biochim.</i> 27(1): 3-7.
FL	1985. Arsenic and lead interaction with glucose metabolism and acetylcholinesterase activity in the rat brain. <i>Stud. Cercet. Biochim.</i> 28 (1): 3-8.
Nut	Andersen, Ole and Nielsen, Jesper Bo. 1994. Effects of simultaneous low-level dietary supplementation with inorganic and organic selenium on whole-body, blood, and organ levels of toxic metals in mice. <i>Environ. Health Perspect. Suppl.</i> 102(SUPPL. 3): 321-4 .
Alt	Anderson, C. and Danylchuk, K. D. 1980. Haversian bone-remodelling rates in the beagle after cessation of exposure to chronic low doses of lead. <i>J Environ Pathol Toxicol.</i> 3(5-6): 413-22.
Alt	Anderson, D. K., Saunders, R. D., Demediuk, P., Dugan, L. L., Braughler, J. M., Hall, E. D., Means, E. D., and Horrocks, L. A. 1985. Lipid hydrolysis and peroxidation in injured spinal cord:

partial protection with methylprednisolone or vitamin E and selenium. *Cent Nerv Syst Trauma*. 2(4): 257-67.

- Lead Shot** Anderson W L and Havera S P. 1989. Lead poisoning in Illinois waterfowl (1977-1988) and the implementation of nontoxic shot regulations. *Illinois Natural History Survey Biological Notes* No.133.: 1-37.
- Anat** Andrade, J. P. //Castanheira-Vale, A. J. //Paz-Dias, P. G. //Madeira, M. D. //Paula-Barbosa, M. M. 1996. The dendritic trees of neurons from the hippocampal formation of protein-deprived adult rats. A quantitative Golgi study. *Experimental brain research*. Experimentelle Hirnforschung.
- Surv** Andreu Perez, Vicente. 1991. Content and evolution of cadmium, cobalt, chromium, copper, nickel, lead, and zinc in soils of l'horta and ribera baixa regions (valencia) (spain): <Original> contenido y evolucion de cadmio, cobalto, cromo, cobre, niquel, plomo, cinc en suelos de las comarcas de l'horta y la ribera baixa (valencia).
- Surv** Andrews, S. M., Johnson, M. S., and Cooke, J. A. 1989. Distribution of trace element pollutants in a contaminated grassland ecosystem established on metalliferous fluorspar tailings 1. Lead. *Environ Pollut*. 58(1): 73-85.
- FL** Andrushaite, R. E. 1984. Reduction of lead toxicity in chickens with thiamin.: <Document Title>Transportnye i obmennye protsessy v kishchechnikezhivotnykh. 7-14.
- FL** Andrushaite, R. E., Bauman, V. K., Valinietse, M. Yu., and Kostyukova, B. P. 1982. Effect of dietary calcium, phosphorus and vitamin D on lead deposition in tissues of chickens.: <Document Title>Biokhimiya vsasyvaniya pitatel'nykh veshchestv uzhivotnykh. 18-28.
- Surv** Andrushaite, R. E. and Gailite, B. E. 1987. Characteristic action of vitamin D on lead metabolism in animals. *Doklady Vsesoyuznoi Akademii Sel'skokhozyaistvennykh Nauk*.(10): 35-37.
- No Oral** Andrzejewska, A., Szynaka, B., Stokowska, W., and Szynaka, P. 1995. Does lead acetate intoxication damage acinar cell nuclei in the rat pancreas? *Materia Medica Polona*. 27(2): 43-46.
- Pb Behav** Angell, N. F. 1978. *Operant Behavior of Rats Exposed Before or after Weaning to Low Levels of Lead*. NUR-3490-1533. 130 pp. Technical Report.
- Pb Behav** Angell, N. F. and Weiss, B. 1982. Operant behavior of rats exposed to lead before or after weaning. *Toxicol Appl Pharmacol*. 63(1): 62-71.
- Surv** Anke, M., Groppe, B., Guertler, H., and Gruen, M. 1991. [Macro and trace elements]: <Original> Mengen- und Spurenelemente. Investigations on the effect of increasing lead and cadmium supplements to the diet on accumulation and residue formation in different tissues of fattening pigs: <Original> Untersuchungen ueber den Einfluss steigender Blei- und Cadmiumzulagen im Futter auf die Kumulierung und auf die Rueckstandsbildung in verschiedenen Geweben von Mastschweinen: 382-389.
- Rev** Anke, M., Groppe, B., Kronemann, H., and Grun, M. 1984. Nickel--an essential element. *IARC scientific publications* (53): 339-65.
- CP** 1980. *The Influence of Nickel-deficiency on Growth , Reproduction , Longevity and Different Biochemical Parameters of Goats* : 3-10. Editor(s): Anke, Manfred; Schneider, Hans-Joachim; Brueckner, Chr. Publisher: Friedrich-Schiller- Univ. Jena Abt. Wiss. Publ., Jena, Ger. Dem. Rep.

Org Met	Annau, Z. 1988. Organometals and brain development. <i>Prog Brain Res.</i> 73: 295-303.
Surv	Anthony, RG and Kozlowski, R. 1982. Heavy metals in tissues of small mammals inhabiting waste-water-irrigated habitats. <i>J. Environ. Qual.</i> 11: 20-2.
Surv	Antonio, G. M T and Corpas, V. I. 1988. Effects of atmospheric lead upon the liver and kidneys of pigeons from the city of madrid spain. <i>Environ Technol Lett.</i> 9(3): 227-238.
Mix	Antonio, M. T., Corpas, I., and Leret, M. L. 1999. Neurochemical changes in newborn rat's brain after gestational cadmium and lead exposure. <i>Toxicol. Lett.</i> 104(1-2): 1-9.
No Oral	Anwer, J., Ali, S., and Mehrota, N. K. Antagonistic effect of zinc in lead treated developing chick embryos. <i>Drug Chem Toxicol.</i> 11 (1). 1988. 85-95.
No Oral	Anwer, J., Ali, S., and Mehrotra, N. K. 1987. Protective role of calcium in lead toxicity during development of chick embryo. <i>Drug Chem. Toxicol.</i> 10(3-4): 357-368.
In Vit	Aono Tadashi. 1996. Histopathological and ultrastructural studies on pulp response and dentin bridge formation by the treatment of exposed pulp with alpha-tricalcium phosphate solid. <i>Shikwa Gakuho.</i> 96(8): 811-835.
Surv	Arenal, C. A. and Halbrook, R. S. 1997. PCB and heavy metal contamination and effects in european starlings. <i>Bull. Environ. Contam. Toxicol.</i> 58(2): 254-259.
CP	Arkhipova, O. G., Demokidova, N. K., Medved, T. Ya., and Rudomino, M. V. 1972. <i>Biological Action of Organophosphorus Complexons.</i> Khim. Primen. Fosfororg. Soedin. Tr. Vses. Konf., 3rd : Meeting Date 1965, 497-502. Editor(s): Kabachnik, M. I. Publisher: "Nauka", Moscow, USSR.
Mix	Arnold, R. L., Olson, O. E., and Carlson, C. W. 1973. Dietary selenium and arsenic additions and their effects on tissue and egg selenium. <i>Poultry Sci.</i> 52: 847-854.
Rev	Aronson, A. L. 1972. Outbreaks of plumbism in animals associated with industrial lead operations. <i>Clin.Toxicol.</i> 5(2): 169-173.
Rev	Aronson, AL. 1972. Lead poisoning in cattle and horses following long-term exposure. <i>Amer. J. Vet. Res.</i> 33: 627.
Nut def	Ashraf, M. H. and Fosmire, G. J. 1985. Effects of marginal zinc deficiency on subclinical lead toxicity in the rat neonate. <i>J Nutr.</i> 115(3): 334-46.
Unrel	Atkinson N K. 1987. The mute swan story - with special reference to Angus. <i>Tay Ringing Group Report</i> 1984-1986.: 23-25.
Rev	ATSDR. 1993. <i>Lead. Toxicological Profile for Lead: Update.</i>
Bio Acc	19970000. Study on metallic content of the yellow-legged gull <i>Larus cachinnans michahellis</i> and its eggs collected on the coastline of the Bouches-du-Rhone (France) VOL. 63, NO. 1-4 : pp. 83-96
Surv	Augspurger, T., J. C. Franson, K.A. Converse, P. R. Spitzer, and E. A. Miller. 1998. An epizootic of common loons in coastal waters of North Carolina: concentrations of elemental contaminants and results of necropsies. <i>Environ. Toxicol. Chem.</i> (1998)17 (2) : 205-209.

Rev	Averill, DM and Needleman, HL. 1980. Neonatal lead exposure retards cortical synaptogenesis in the rat. In: <i>Low Level Lead Exposure: the Clinical Implications of Current Research</i> . 201-10. New York, Raven Press.
Org Met	Avery, D. D., Cross, H. A., and Schroeder, T. 1974. Effects of tetraethyl lead on behavior in the rat. <i>Pharmacol., Biochem. Behav.</i> 2(4): 473-9.
No Dose	Aviv, A., John, E., Bernstein, J., Goldsmith, D. I., and Spitzer, A. 1980. Lead intoxication during development: its late effects on kidney function and blood pressure. <i>Kidney Int.</i> 17(4): 430-437.
Surv	Avram, N., Medrea, N., Serdaru, M., and Tanasescu, V. 1996. Industrial pollution with heavy metals and animal health. <i>Revista Romana de Medicina Veterinara.</i> 6(4): 489-495.
Food	Awad, Els. T., Ibrahim, Janett M., and Ahmed, R. M. 1994. The effect of modulation of prolactin secretion in hens on cholesterol, phospholipids and mineral elements of egg yolk. <i>Bull. Natl. Res. Cent. (Egypt).</i> 19(3): 165-76.
No COC	Awad, E. T., J.M. Ibrahim, and R. M. Ahmed. 1996. Spectroscopic study and the effect of modulation of prolactin on cholesterol, phospholipids and certain mineral elements in hen's egg yolk. <i>Pak. J. Biochem. Mol. Biol.</i> 29(1-2): 6-13.
Bio Acc	Ayas, Z. Accumulation of Some Heavy Metals in Various Environments and Organisms. <i>Bull Environ Contam Toxicol.</i> 56 (1): 65.
HHE	Azar, A., Henry, N. W. 3d, Griffith, F. D., Sarver, J. W., and Snee, R. D. 1976. Experiments on the effect of carbon monoxide on aminolevulinic acid dehydrase (ALAD). <i>Environ Qual Saf.</i> 5: 97-105.
Surv	Baars, A. J., Van Beek H, Spierenburg, T. J., Beeftink, W. G., Nieuwenhuize, J., Pekelder, J. J., and Boom, J. 1988. Environmental contamination by heavy metals and fluoride in the Saeftinge salt marsh the Netherlands and its effect on sheep. <i>VET Q.</i> 10(2): 90-98.
FL	Baars, AJ, van Beek H, Visser, IJR, Vos, G, van Delft, W, Fennema, G, Lieben, GW, and LAutenbag, K et al. 1990. Lead intoxication in cattle in the northern part of the Netherlands (In Dutch). <i>Tijdschr. Diergeneeskd.</i> 115: 882-890.
Mix	Babish, J. G.//Stoewsand, G. S.//Furr, A. K.//Parkinson, T. F.//Bache, C. A.//Gutenmann, W. H.//Wszolek, P. C.//Lisk, D. J. 1979. Elemental and polychlorinated biphenyl content of tissues and intestinal aryl hydrocarbon hydroxylase activity of guinea pigs fed cabbage grown on municipal sewage sludge. <i>Journal of Agricultural and Food Chemistry</i> 27 (2) : 399-402.
Diss	Bachowski, S. 1995. <i>Investigation into the Role of Oxidative Stress in the Mechanism of Dieldrin Hepatotoxicity in the B6c3f1 Mouse</i> . Indiana University. 244 pp.
Diss	Bafundo, K. W. 1985. <i>Trace Element Interrelationships and Zinc Status of the Chicken Affected by Eimeria Acervulina Infection</i> . Dissertation Abstracts International, B. 45(7): 2066.
Mix	Bag, Shomesubra//Vora, Tasnim//Ghatak, Runa//Nilufer, Irani//D'Mello, Denness//Pereira, Leon//Pereira, James//Cutinho, Christine//Rao, Vaman. 1999. A study of toxic effects of heavy metal contaminants from sludge-supplemented diets on male Wistar rats. <i>Ecotoxicol. Environ. Saf.</i> 42 (2) : 163-170.

Phys	Bailey, C. and Kitchen, I. 1985. Ontogenesis of proenkephalin products in rat striatum and the inhibitory effects of low-level lead exposure. <i>Brain Res.</i> 354(1): 75-9.
No Dose	Bailey, C. C. and Kitchen, I. 1986. Ontogeny of catecholamine and GABA levels in rat brain: lack of effect of perinatal lead exposure. <i>Toxicol Lett.</i> 30(1): 97-102.
No Control	Bakalli, R. I., Pesti, G. M., and Ragland, W. L. 1995. The magnitude of lead toxicity in broiler chickens. <i>Veterinary and Human Toxicology.</i> 37(1): 15-19.
Surv	Baker, F. D., Tumasonis, C. F., Stone, W. B., and Bush, B. 1976. Levels of PCB and trace metals in waterfowl in New York state. <i>N. Y. Fish Game J.</i> 23(1): 82-91.
Surv	Bakre, P. P. and Sharma, A. 1995. Lead concentrations in house sparrow (<i>Passer domesticus</i>) collected from urban area of Jaipur. <i>J. Environ. Biol.</i> 16(1): 15-17.
Org Met	Baksi, S. N. and Hughes, M. J. 1983. Effects of chronic lead ingestion by the weanling rat on adrenal catecholamine levels. <i>J. Auton. Nerv. Syst.</i> 8(3): 287-289.
Phys	Baksi, S. N. and Hughes, M. J. 1982. Regional alterations of brain catecholamines by lead ingestion in adult rats. Influence of dietary calcium. <i>Arch Toxicol.</i> 50(1): 11-8.
CP	Balatincz, J. , Ajtony, Z., and Tamasy, V. 1997. Prenatal protein-energy malnutrition: its effects on mineral concentrations in rats ' brain. Mengen- Spurenelem. Arbeitstag., 17th : 525-535. Editor(s): Anke, Manfred. Publisher: Verlag Harald Schubert, Leipzig, Germany.
HHE	Baloh, RW. 1974. Laboratory diagnosis of increased lead absorption. <i>Arch. Environ. Hlth.</i> 28: 198-208.
Mix	Bang, J. S. and Rhee, S. J. 1991. Effect of dietary selenium on delta -aminolevulinic acid dehydratase activity in lead poisoned rats. <i>Korean Journal of Nutrition.</i> 24(6): 526-533.
Fate	Bansal, M. P., Ip, C., and Medina, D. 1991. Levels and ⁷⁵ Se-labeling of specific proteins as a consequence of dietary selenium concentration in mice and rats. <i>Proc Soc Exp Biol Med.</i> 196(2): 147-54.
Unrel	Banuelos, G. S, Cardon, G., Mackey, B., Ben-Asher, J., Wu, L., Beuselinck, P., Akohoue, S., and Zambrzuski, S. 1993. Boron and selenium removal in boron-laden soils by four sprinkler irrigated plant Species. <i>Journal of Environmental Quality.</i> 22(4): 786-792.
Unrel	Baozhen, Wang. 1987. The development of ecological wastewater treatment and utilization systems (EWTUS) in China. <i>Water Sci. Technol.</i> (1987) 19(1-2, Water Pollut. Res. Control, Rio de Janeiro, 1986, Pt. 1): 51-63 .
Phys	Baraldi, M., Zanolli, P., Rossi, T., and Facchinetti, F. 1988. Alteration of opioid peptide and receptor ontogeny in the brain of pre- and postnatally low-level lead-exposed rats. <i>Neurotoxicol Teratol.</i> 10(5): 453-9.
CP	Barataud, C. and Truchet, M. 1990. Diversity and limits of cellular responses against experimental metal Exposure. Thirtieth Annual Colloquium of the Societe Francaise De Microscopie Electronique (French Society of Electron Microscopy) <i>Biol Cell.</i> 69(2): 27A.
Drug	Barnes, E. M., Impey, C. S., and Stevens, B. J. H. Factors affecting the incidence and anti salmonella-typhimurium activity of the anaerobic cecal flora of the young chick.. <i>Journal of Hygiene.</i> 82 (2). 1979. 263-284.

HHE	Barocas, R Weiss B. 1974. Behavioral assessment of lead intoxication. <i>Environ. Health Perspect.</i> 1: 47-52.
Surv	Baron, L. A., Ashwood, T. L., Sample, B. E., and Welsh, C. 1997. Monitoring bioaccumulation of contaminants in the belted kingfisher (<i>Ceryle alcyon</i>). <i>Environmental Monitoring and Assessment.</i> 47(2): 153-165.
HHE	Baron, P. and F. Schweinsberg. 1989. A literature-review on concentrations of arsenic, cadmium, lead and mercury in human-body fluids and tissues to localize normal levels and to detect expositions .4. Lead, summary of medium levels for As, Cd, Hg, Pb and references. <i>Zentralblatt Fur Hygiene Und Umweltmedizin.</i> 188 (3-4) : 195-239
Pb Behav	Barrett, J. and Livesey, P. J. 1985. Low level lead effects on activity under varying stress conditions in the developing rat. <i>Pharmacol Biochem Behav</i> 22(1): 107-18.
Lead shot	Bartlett E. 1983. Swan deaths. <i>Breconshire Naturalist</i> No.37.: 41.
Meth	Basketter, D. A., Lea, L. J., Cooper, K., Stocks, J., Dickens, A., Pate, I., Dearman, R. J., and Kimber, I. 2000. Threshold for classification as a skin sensitizer in the local lymph node assay: a statistical evaluation. <i>Food Chem. Toxicol.</i> Volume Date 1999, 37(12): 1167-1174 .
In Vit	Batareseh, L. I. 1986. <i>On the Mechanism of Toxicity of Lead in the Male Reproductive System.</i> The University of Michigan. 204 pp.
Herp	Baudo, Renato. 1976. Heavy metals concentrations (chromium, copper, manganese, and lead) in tadpoles and adults of <i>Rana esculenta</i> L. <i>Mem. Ist. Ital. Idrobiol. Dott. Marco de Marchi.</i> 33: 325-44.
Not Avail	Bauman, V. K., Andrushaite, R. E., Valinietse, M. Yu, and Gailite, B. E. 1988. Peculiarities of lead distribution in eggs and tissues of laying hens given lead acetate supplement to the ration. <i>S-kh Biol.</i> 0(6): 84-87.
Imm	Baykov, B., Gugova, M., Stoyanov, M., Neychev, H., Stefanova, T., and Nicolova, N. 1996. Designing an artificial ecological mesocosm for the study of Cd and Pb impact on the immune system of experimental animals. <i>Toxicol Lett.</i> 89(1): 5-10.
Mix	Baykov, B. D., Stoyanov, M. P., and Gugova, M. L. 1996. Lead and Cadmium Bioaccumulation in Fowl Eggs Depending on Different. <i>Toxicol Environ Chem.</i> 54(1-4): p149(6).
Mix	Baykov, Bayko D. and Stoyanov, Michail P. 1997. Influence of high lead and cadmium concentrations in broiler rations upon ecological efficiency. <i>Toxicol. Environ. Chem.</i> 59(1-4): p1-5.
Lead shot	Bayle, P., Dhermain, F., and Keck, G. 1986. Three cases of lead poisoning in the greater flamingo phoenicopterus-ruber in the marseille region France. <i>Bull Soc Linn Provence.</i> 38(0): 95-98.
Bio Acc	Beardsley, A., Vagg, M. J., Beckett, P. HT, and Sansom, B. F. 1978. Use of the field vole (m. Agrestis) for monitoring potentially harmful elements in the environment. <i>Environ Pollut.</i> 16(1): 65-72.
Mix	Beaudouin, J., R. L. Shirley, and D. L. Hammell. 1980. Effect of sewage sludge diets fed (to) swine on nutrient digestibility, reproduction, growth and minerals in tissues. <i>Journal of Animal</i>

Science. 50(4): 572-580.

- Fate** Bebe, F. N. and Panemangalore, M. 1996. Modulation of tissue trace metal concentrations in weanling rats fed different levels of zinc and exposed to oral lead and cadmium. *Nutrition Research*. 16(8): 1369-1380.
- Lead shot** Bech Danielsen A and Ravn J. 1984. [Lead in the food Chain.]. *Fugle*. 4(1): 11.
- Unrel** 1982. Analytical Studies for the H-Coal Process. Final Report. DOE/ET/10112-T1; FE-2676-8
- Bio Acc** Becker, P. H. and Sperveslage, H. 1989. Organochlorines and heavy metals in herring gull *larus-argentatus* eggs and chicks from the same clutch. *Bull Environ Contam Toxicol*. 42(5): p721-727.
- Species** Bedwal, R. S. and Bahuguna, A. 1994. Zinc, copper and selenium in reproduction. *Experientia*. 50(7): 626-40.
- Nut** Beker, V. F., Urtane, M. S., Vasil'eva, S. V., Krauze, R. Yu., Apsite, M. R., and Kalntsiema, V. Kh. 1984. Composition and biological value of biomass from mycelium of the fungus *Polyporus squamosus* A-42. < Document Title>Transportnye i obmennye protsessy v kishchechnikozhivotnykh. 183-194.
- FL** Belansky, P., Juraskova, A, and Kantikova, M. 1998. Cadmium, mercury and lead contents in the otter excrements in the Studeny potok and Orava streams [Slovak Republic]: <Original> Obsah kadmia, ortuti a olova v truse vydry riečnej na tokoch Studeny potok a Orava. *Slovensky Veterinarny Casopis: Slovak Veterinary Journal*. 23(2): 86-90.
- Rev** Bell, J. U. and Thomas, J. A. 1980. Effects of lead on mammalian reproduction. In: Singhal., R. L. and J. A. Thomas. Ed., Ed. *Lead Toxicity*. 169-186.
- Bio Acc** Bell, M. C., Bacon, J. A., Bratton, G. R., and Wilkinson, J. E. 1978. Effects of dietary selenium and lead on selected tissues of chicks. In: Kirchgessner, M., Ed. *Trace Element Metabolism in Man and Animals-3*. 604-607.
- Fate** Bell, R. R. and Spickett, J. T. 1981. The influence of milk in the diet on the toxicity of orally ingested lead in rats. *Food Cosmet. Toxicol*. 19(4): 429-36.
- FL** Belyaeva, N. N., Gasimova, Z. M., and Klimova, D. M. 1994. Effects of lead poisoning on the course of viral infection. *Gigiena i Sanitariya*. 0(1): 32-35.
- No Oral** Bencko, V., D. Arbetova, and V. Skupenova. 1981. Use of domesticated rabbit tissues for monitoring of environmental pollution by toxic metals (Mn, Pb, Cr, Cd, Ni). *Journal of Hygiene, Epidemiology, Microbiology, and Immunology*. 25 (2)
- No Control** Bencko, V., Benes, B., Jechova, S., and Symon, K. 1980. The effect of a milk diet on the retention of arsenic-74 in mice. *J. Hyg. Epidemiol., Microbiol., Immunol*. 24(4): 389-95.
- Bio Acc** Bendell-Young, L. I(a) and Bendell, J. F. 1999. Grit ingestion as a source of metal exposure in the spruce grouse, *dendragapus canadensis*. *Environmental Pollution*. 106(3): 405-412.
- Mix** Benjamin, S. A., Constan, A. A., Yang, R. S. H., Tessari, J. D., Baker, D. C., and Chubb, L. 1995. Lack of correlation between liver cell proliferation and preneoplastic foci in rats exposed to a mixture of groundwater contaminants. *Toxicologic Pathology* 23(6): 756.

Mix	Bennett, DG Jr and Schwartz, TE. 1971. Cumulative toxicity of lead arsenate in phenothiazine given to sheep. <i>Am J Vet Res.</i> 32(5): 727-730.
No COC	Benson, K. A. And S. McBride. 1997. A.Uranium levels in the fetus and placenta of female rats implanted with depleted uranium pellets prior to breeding. <i>Toxicologist</i> 1997 Mar;36(1 Pt 2)258
Surv	Benson, W. W., Brock, D. W., Gabica, J., and Loomis, M. 1976. Swan mortality due to certain heavy metals in the Mission Lake area, Idaho. <i>Bull. Environ. Contam. Toxicol.</i> 15(2): 171-174.
Surv	Benson, W. W., Pharaoh, B., and Miller, P. 1974. Lead poisoning in a bird of prey. <i>Bull. Environ. Contam. Toxicol.</i> 11(2): 105-108.
Herp	Beresford, W. A., Donovan, M. P., Henninger, J. M., and Waalkes, M. P. 1981. Lead in the Bone and Soft Tissues of Box Turtles Caught Near Smelters. <i>Bull. Environ. Contam. Toxicol.</i> 27(3): 349-352.
FL	Berezina, O. V. and Goev, A. A. 1982. Evaluating the toxicity of certain heavy metals by the behavioral toxicity method. <i>Gig Sanit.</i> 0(1): 42-46.
CP	Berglund, O. , G. Hallmans, C. Nygren, and I. B. Taljedal. 1985. Effects of a diet poor in fiber on the frequency of intestinal cells stained with silver or lead-hematoxylin in Mice. Xii Congress of the International Diabetes Federation, Madrid, Spain, Sept. 23-28, 1985. <i>Diabetes Res Clin Pract.</i> 0 (Suppl. 1). 1985. S44. :
FL	Berndt, S., Nakagawa, A., and Schwabe, U. 1967. The storage of p,p'-ddt and o,p'-DDT in the adrenals and its significance in the metabolism of corticosterone and cortisol. <i>Arch. Pharmacol. Exp. Pathol.</i> 256(3): 383-96.
Rev	Bernier, J., Brousseau, P., Krzystyniak, K., Tryphonas, H., and Fournier, M. 1995. Immunotoxicity of heavy metals in relation to Great Lakes. <i>Environmental Health Perspectives</i> . 103(Suppl. 9): p23-34.
In Vit	Berteloot, A. and Hugon, J. S. 1975. Effect of glutaraldehyde and lead on the activity of hepatic glucose-6-phosphatase. A biochemical and cytochemical study. <i>Histochemistry.</i> 43(3): 197-214.
No Oral	Berzin', N. I.//Andrushaite, R. E.//Galvanovskii, Yu. Ya. 1986. Rapid stimulatory action of 1 alpha -hydroxycholecalciferol on permeability of the small intestinal epithelia of chickens for minerals. 22-23
Lead shot	Best, T. L., Garrison, T. E., and Schmitt, C. G. 1992. Ingestion of lead pellets by scaled quail (<i>Callipepla squamata</i>) and northern bobwhite (<i>Colinus virginianus</i>) in southeastern New Mexico. <i>Tex J Sci.</i> 44(1): 99-107.
FL	Betz, B. 1988. [New aspects of the roentgen ordinance]: <Original> Neue Aspekte der Rontgenverordnung. <i>Rontgenpraxis.</i> 41(7): 234-7.
Surv	Beyer, W. N., Audet, D. J., Morton, A., Campbell, J. K., and Lecaptain, I. 1998. Lead exposure of waterfowl ingesting Coeur D'Alene River basin Sediments. <i>J Environ Qual.</i> 27(6): 1533-1538.
Surv	Beyer, W. N., Blus, L. J., Henny, C. J., and Audet, D. 1997. The role of sediment ingestion in exposing wood ducks to lead. <i>Ecotoxicology.</i> 6(3): 181-186.

Surv	Beyer, W. N., Day, D., Morton, A., and Pachepsky, Y. 1998. Relation of lead exposure to sediment ingestion in mute swans on the Chesapeake Bay, USA. <i>Environmental Toxicology and Chemistry</i> . 17(11): 2298-2301.
No Dose	Beyer, W. N., Pattee, O. H., Sileo, L., Hoffman, D. J., and Mulhern, B. M. 1985. Metal contamination in wildlife living near 2 zinc smelters. <i>Environ Pollut Ser a Ecol Biol</i> . 38(1): p63-86.
Surv	Beyer, W. N., Spann, J. W., Sileo, L., and Franson, J. C. 1988. Lead poisoning in six captive avian species. <i>Arch Environ. Contam. Toxicol</i> . 17(1): 121-130.
Rev	Beyer, W. N. J. Spann and D. Day. 1999. Metal and sediment ingestion by dabbling ducks. <i>The Science of the Total Environment</i> . 231: 235-239.
Surv	Beyer, W. N. , G. Miller, and J. W. Simmers. 1990. Trace elements in soil and biota in confined disposal facilities for dredged material. <i>Environ. Pollut.</i> (1990) 65 (1) : 19-32
Mix	Beyer, W. Nelson(A), Day Daniel, Melancon Mark J, and Sileo Louis. 2000. Toxicity of anacostia river, washington, dc, usa, sediment fed to mute swans (<i>Cygnus olor</i>). <i>Environmental Toxicology and Chemistry</i> . 19(3): 731-735.
FL	Bezel', V. S. And Bel'skii, E. A. 1994. The reproductive parameters of the hole-nesting birds by industrial contamination of the environment. <i>Doklady Akademii Nauk</i> . 338(4).
FL	Bezel', V. S. and Mukhacheva, S. V. 1995. Character of reproductive losses in bank vole populations under the conditions of toxic environmental pollution. <i>Doklady Akademii Nauk</i> . 345(1): 135-137.
FL	Bezel, V. S., Sadykov, O. F., Testov, B. V., and Mokronosov, A. A. 1984. Lead accumulation in natural populations of mouse-like rodents. <i>Ekologiya (Sverdlovsk)</i> .(6): 25-31.
Lead shot	Bezzel, E. and Fuenfstueck, H-J. 1995. Lead poisoning as a threat to golden eagles aquila chrysaetos in the northern Alps? <i>Journal fuer Ornithologie</i> . 136(3): 294-296.
Surv	Bhattacharyya, M. H. 1983. Bioavailability of orally administered cadmium and lead to the mother, fetus, and neonate during pregnancy and lactation: an overview. <i>Sci Total Environ</i> . 28: 327-42.
Rev	Bhattacharyya, M. H. 1984. Metabolism and toxicity of cadmium and lead during pregnancy and lactation. NTIS DE84003673.
Phys	Bielarczyk, H., Tian, X., and Suszkiw, J. B. 1996. Cholinergic denervation-like changes in rat hippocampus following developmental lead exposure. <i>Brain Res</i> . 708(1-2): 108-15.
Phys	Bielarczyk, H., Tomsig, J. L., and Suszkiw, J. B. 1994. Perinatal low-level lead exposure and the septo-hippocampal cholinergic system: selective reduction of muscarinic receptors and cholineacetyltransferase in the rat septum. <i>Brain Res</i> . 643(1-2): 211-7.
Surv	Bierei, G. R. 1974. <i>Population Response and Heavy Metal Concentrations in Cottontail Rabbits and Small Mammals in Wastewater Irrigated Habitat</i> W77-09097; OWRT-B-059-PA(4); NTIS PB-269 186/3/XAB
Bact	Bincoletto, C. and Queiroz, M. L. 1996. The effect of lead on the bone marrow stem cells of mice

infected with *Listeria monocytogenes*. *Vet. Hum. Toxicol.* 38(3): 186-190.

- FL** Bires, J. 1989. Interactions between copper, iron, zinc, arsenic, cadmium, and lead in the liver of sheep after experimental poisoning with copper oxide. *Veterinarni Medicina*. 34(11): 665-674.
- Bio Acc** Bires, J. and Vrzgula, L. 1990. Wool as an indicator of sheep exposure to copper iron zinc molybdenum arsenic lead cadmium and selenium from the industrial emission source. *Ekologia-cssr*. 9(4): 419-428.
- FL** Bires, J., Vrzgula, L., and Mudron, P. 1990. The influence of experimental and spontaneous copper intoxication on the contents of copper, iron, zinc, cadmium, arsenic and lead in the liver and kidneys of ewes and their foetuses. *Zivocisna Vyroba - UVTIZ*. 35(2): 159-168.
- FL** 1990. The influence of experimental and spontaneous copper intoxication on the contents of copper, iron, zinc, cadmium, arsenic and lead in the liver and kidneys of ewes and their foetuses. <Original> Vplyv experimentalnej a spontannej intoxikacie medou na obsah medi, zeleza, zinku, kadmia, arzenu a olova v peceni a oblickach bahnic a ich plodov. *Zivocisna Vyroba - UVTIZ*. v. 35(2) p. 159-168.
- Herp** Birge, W. J., Black, J. A., and Westerman, A. G. 1985. Short-term fish and amphibian embryo-larval tests for determining the effects of toxicant stress on early life stages and estimating chronic values for single compounds and complex effluents. *Environ Toxicol Chem.* 4: 807-821.
- No Oral** Birge, W. J. and Just, J. J. Sensitivity of vertebrate embryos to heavy metals as a criterion of water quality. NTIS PB REPORT (PB-226 850):20 PP,1973
- Herp** Birge, W. J.//Just, J. J. 1975. Sensitivity of Vertebrate Embryos to Heavy Metals as a Criterion of Water Quality. Phase II. Bioassay Procedures Using Developmental Stages as Test Organisms. <NOTE> Research rept. RR-84; W75-06352; OWRT-B-039-KY(1)
- No Oral** Birge, W. J. and Roberts, O. W. 1976. Toxicity of metals to chick embryos. *Bull. Environ. Contam. Toxicol.* 16: 319-324.
- Lead shot** Birkhead, M. 1982. Causes of mortality in the mute swan *Cygnus olor* on the River Thames. *J. Zool.* 198(1): 15-25.
- Surv** Birkhead, M. 1983. Lead levels in the blood of Mute swans *Cygnus olor* on the River Thames. *Journal of Zoology* 199(1): 59-73.
- Lead shot** Birkhead M. 1982. Lead poisoning in the mute swan. In: *Metals in animals*.: 16-24. Osborn, D. [Ed.]
- Surv** Birkhead, M. E. and Perrins, C. 1985. The breeding biology of the mute swan *Cygnus olor* on the River Thames with special reference to lead poisoning. *Biol. Conserv.* 32(1): 1-12.
- No COC** Birnboim, H. C. 1985. DNA clastogenic activity of diethylstilbestrol. *Biochemical pharmacology* 34(18): 3251-7.
- No Oral** Bishayee, Anupam//Roy, Shyamal//Chatterjee, Malay. 1999. Characterization of selective induction and alteration of xenobiotic biotransforming enzymes by vanadium during diethylnitrosamine-induced chemical rat liver carcinogenesis. *Oncol. Res.* (1999) 11 (1) : 41-53

Mix	Bishop, Christine A., Boermans, Herman J., Ng, Peggy, Campbell, G. Douglas, and Struger, John. Health of tree swallows (<i>Tachycineta bicolor</i>) nesting in pesticide-sprayed apple orchards in Ontario, Canada. I. Immunological parameters. <i>J. Toxicol. Environ. Health Part A</i> (1998): 55(8), 531-559.
Surv	Bishop, C. A., H. Boermans, P. Ng, Peggy//Campbell, G. Douglas//Struger, John. 1998. Health of tree swallows (<i>Tachycineta bicolor</i>) nesting in pesticide-sprayed apple orchards in Ontario, Canada. II. Sex and thyroid hormone concentrations and testes development Part A (1998) : 55(8) , 561-581.
No Org	Bishop Philip Keith(A), Lerner David Nicholas, Jakobsen Rasmus, Gosk Edmund, Burston Mark William, and Chen Tong. 1993. Investigation of a solvent polluted industrial site on a deep sandstone-mudstone sequence in the uk: part 2. Contaminant sources, distributions, transport and retardation. <i>Journal of Hydrology</i> (Amsterdam) 149(1-4): 231-256.
Alt	Bjoerklund, Haakan, Lind, Birger, Piscator, Magnus, Hoffer, Barry, and Olson, Lars. 1981. Lead, zinc, and copper levels in intraocular brain tissue grafts, brain, and blood of lead-exposed rats. <i>Toxicol. Appl. Pharmacol.</i> 60(3): 424-30 .
Rev	Blaxter, KL. 1950. Lead as a nutritional hazard to farm livestock. II. The absorption and excretion of lead by sheep and rabbits. <i>J. Comp. Pathol. Ther.</i> 60: 140.
Rev	Blaxter, KL. 1950. Lead as a nutritional hazard to farm livestock. III. Factors influencing the distribution of lead in the tissues. <i>J. Comp. Pathol. Ther.</i> 60: 177.
Bio Acc	Blomqvist, Sven, Frank, Adrian, and Petersson, Lars R. Metals in liver and kidney tissues of autumn-migrating dunlin <i>Calidris alpina</i> and curlew sandpiper <i>Calidris ferruginea</i> staging at the Baltic Sea. <i>Mar. Ecol.: Prog. Ser.</i> (1987) 35(1-2): 1-13 .
Lead shot	Blus, L. J. 1994. A review of lead poisoning in swans. <i>Comp Biochem Physiol C Comp Pharmacol Toxicol.</i> 108(3): 259-267.
Surv	Blus, L. J., Henny, C. J., Anderson, A., and Fitzner, R. E. 1985. Reproduction mortality and heavy metal concentrations in great blue herons <i>ardea-herodias</i> from three colonies in Washington and Idaho USA. <i>Colon Waterbirds.</i> 8(2): p110-116.
Surv	Blus, L. J., Henny, C. J., Hoffman, D. J., and Grove, R. A. 1993. Accumulation and effects of lead and cadmium on wood ducks near a mining and smelting complex in Idaho. <i>Ecotoxicology.</i> 2(2): 139-154.
Surv	Blus, L. J., Henny, C. J., Hoffman, D. J., and Grove, R. A. 1995. Accumulation in and effects of lead and cadmium on waterfowl and passerines in northern Idaho. <i>Environmental Pollution.</i> 89(3): p311-318.
Surv	Blus, L. J., Henny, C. J., Hoffman, D. J., and Grove, R. A. 1991. Lead toxicosis in tundra swans near a mining and smelting complex in northern Idaho. <i>Arch Environ. Contam. Toxicol.</i> 21(4): 549-555.
Dead	Blus, L. J., Stroud, R. K., Reiswig, B., and Mceneaney, T. 1989. Lead poisoning and other mortality factors in Trumpeter Swans. <i>Environ Toxicol Chem.</i> 8(3): p263-271.
Surv	Blus, Lawrence J., Belisle, Andre A., and Prouty, Richard M. 1974. Relations of the brown pelican to certain environmental pollutants. <i>Pestic. Monit. J.</i> 7(3/4): 181-94.

Chem Meth	Boerma, D. O., E.P. Smit, and N. Roosnek. 1989. PIXE trace-element determination and its accuracy in the analysis of bile B36. <i>Nucl. Instrum. Methods Phys. Res. Sect. B</i> (1) : 60-73
Nut def	Bogden, J. D., Gertner, S. B., Kemp, F. W., McLeod, R., Bruening, K. S., and Chung, H. R. 1991. Dietary lead and calcium: effects on blood pressure and renal neoplasia in Wistar rats. <i>J Nutr.</i> 121(5): 718-28.
Mix	Bogden, J. D., Kemp, F. W., Han, S., Murphy, M., Fraiman, M., Czerniach, D., Flynn, C. J., Banua, M. L., Scimone, A., and Castrovilly, L. 1995. Dietary calcium and lead interact to modify maternal blood pressure, erythropoiesis, and fetal and neonatal growth in rats during pregnancy and lactation. <i>J. Nutr.</i> 125(4): 990-1002.
FL	Bolotnikov, I. A., Malazhaev, E. D., Nikol'skii, V. M., and Smirnova, T. I. 1988. Use of complex of trace elements and iminodisuccinic acid in poultryhusbandry. <Document Title>3 Vsesoyuznoe soveshchenie po khimii i primeneniuyukompleksonov i kompleksonatov metodov. <i>Tezisy dokladov.</i> 258-259.
Drug	Bompart, G. and Orfila, C. 1990. Cisplatin nephrotoxicity in lead-pretreated rats: enzymatic and morphological studies. <i>Toxicol Lett.</i> 50(2-3): 237-47.
Drug	Bondarev, G. I., Anisova, A. A., and Alekseeva, T. E. 1977. [Influence of calcium on the manifestations of lead poisoning (review of the literature)]: <Original> Vliianie kal'tsiia na proiavleniia svintsovoi intoksikatsii (obzor literatury). <i>Vopr Pitani.</i> (1): 58-61.
In Vit	Bondy, S. C. and Agrawal, A. K. 1980. The inhibition of cerebral high affinity receptor sites by lead and mercury compounds. <i>Arch Toxicol.</i> 46(3-4): 249-56.
Unrel	1998. Induction of the lung myofibroblast PDGF receptor system by urban ambient particles from Mexico City. <i>Am. J. Respir. Cell Mol. Biol.</i> (1998)19(4): 672-680.
Unrel_	Bono, G. Del. 1973. (Role of factories and motorways on the development of lead poisoningdistricts. Effects on animal husbandry). <i>Atti della Societa Italiana di Buiatria.</i> 5: 224-230.
Lead shot	Bono, G. del. and Braca, G. 1973. Lead poisoning in domestic and wild ducks. <i>Avian Pathology.</i> 2(No.3): 195-209.
FL	Bono, G. del, Rindi, S., Braca, G., and Sivieri-Buggiani, S. 1975. Importance of dietary factors in experimental lead poisoning of young ducks. <i>Atti della Societa Italiana delle Scienze Veterinarie.</i> 29: 526-529.
Fate	Bonsignore, D., Calissano, P., and Cartasegna, C. 1965. [Behavior of delta-aminolevulinic dehydratase in experimental lead poisoning]: <Original> Comportamento della delta-aminolevulinico-deidratasi nell'intossicazione sperimentale da piombo. <i>Boll Soc Ital Biol Sper.</i> 41(9): 443-6.
Unrel	Bonucci, E. 1981. New knowledge on the origin, function and fate of osteoclasts. <i>Clin Orthop.</i> (158): 252-69.
No Dose	Bonucci, E., Barckhaus, R. H., Silvestrini, G., Ballanti, P., and Di Lorenzo, G. 1983. Osteoclast changes induced by lead poisoning (saturnism). <i>Appl Pathol.</i> 1(5): 241-50.
Org Met	Booze, R. M. and Mactutus, C. F. 1990. Developmental exposure to organic lead causes

permanent hippocampal damage in Fischer-344 rats. *Experientia*. 46(3): 292-7.

Acu	Booze, R. M. and Mactutus, C. F. 1985. Experimental design considerations: a determinant of acute neonatal toxicity. <i>Teratology</i> . 31(2): 187-91.
Org Met	Booze, R. M.. 1984. <i>Preferential Vulnerability of the Immature Hippocampus to Triethyl Lead: a Probe of Behavioral and Neural Development</i> . The Johns Hopkins University
No Dose	Borch-Iohnsen, Berit a, Nilssen, Kjell J, and Norheim, Gunnar. 1996. Influence of season and diet on liver and kidney content of essential elements and heavy metals in Svalbard reindeer. <i>Biological Trace Element Research</i> . 51(3): 235-247.
Mix	Bordas, E., Bretter, E., Ghelberg, N. W., and Costin, I. 1980. Experimental studies on the toxic effects of a complex of heavy metals including cadmium, lead, zinc, copper and iron from a surface water Source. <i>Rev Ig Bacteriol Virusol Parazitol Epidemiol Pneumoftiziol Ser Ig</i> . 29(1): 17-22.
Bio Acc	Bornschein, RL, Fox, DA, and Michaelson, IA. 1977. Estimation of daily exposure in neonatal rats receiving lead via dams milk. <i>Toxicol. Appl. Pharmacol</i> . 40: 577-587.
Rev	Bornschein, RL Michaelson IA Fox DA Loch R. 1977. Evaluation of animal models used to study effects of lead on neurochemistry and behavior. In: <i>Biochemical Effects of Environmental Pollutants</i> . 441-460.
FL	Boscolo, P. , M. Carmignani, G. Porcelli, N. L'abbate, G Ripanti.. 1980. Cardiovascular function and urinary kallikrein excretion in rats chronically exposed to mercury, arsenic, lead, cadmium or cadmium and lead. <i>Acta Med Rom</i> ; 18 (2). 1980 (RECD. 1981). 211-217.
FL	Botschafter, W. D. 1992.Effects of prenatal zinc and magnesium deficiency with additional lead exposition on postnatal development and behaviour in the rat: <Original> Auswirkungen von praenatalem Zink- und Magnesiummangel in Verbindung mit Blei-Exposition auf postnatale Entwicklung und Verhalten der Ratte
Rev	Bouldin, T. W., Mushak, P., O'Tuama, L. A., and Krigman, M. R. 1975. Blood-brain barrier dysfunction in acute lead encephalopathy: a reappraisal. <i>Environ Health Perspect</i> . 12: 81-8.
Surv	Bourne, W. R. P. The mass mortality of common murre in the irish sea in 1969. <i>J. Wildl. Manage</i> . 40(4): 789-792 1976 (35 References)
Unrel	Bowen, M. A. An infection inhibiting urinary catheter material. Crisp Data Base National Institutes Of Health .
Mix	Boyadzhiev, V., Khalacheva, L., and Nikolova, P. 1966. Changes in the content of some amino acids in the blood and liver of albino rats fed protein diets during experimental lead intoxication. <i>Khig. Zdraveopaz</i> . 9(5): 503-9.
No Org	Boyer, Kenneth W. and Capar, Stephen G. 1977. Fortification variability in rat diets fortified with arsenic, cadmium, and lead. <i>J. Toxicol. Environ. Health</i> 3(4): 745-53 .
In Vit	Bragadin, M., Marton, D., Murgia, M., Rizzoli, V., Scutari, G., and Deana, R. 1998. Interactions of trialkyllead compounds with rat liver mitochondria. <i>J Inorg Biochem</i> . 69(4): 259-62.
Bio Acc	Brams, E. , Anthony, W., and Weatherspoon, L. 1989. Biological monitoring of an agricultural food chain soil cadmium and lead in ruminant tissues. <i>J Environ Qual</i> . 18(3): 317-323.

Phys	1991. Chronic stability of bipolar epicardial plunge electrodes in dogs. <i>Journal of Investigative Surgery</i> . 4 (2): 153-9.
In Vitro	Breen, K. C. and Regan, C. M. 1988. Lead stimulates Golgi sialyltransferase at times coincident with the embryonic to adult conversion of the neural cell adhesion molecule (N-CAM). <i>Toxicology</i> . 49(1): 71-6.
FL	Breitschwerdt, G. and Schmidt, K. H. 1987. Biomonitoring results help to understand population dynamics in great tits parus-major. <i>J ORNITHOL</i> . 128(1): p111-113.
Unrel	Briones, A. V., W. Ambal, E.C. Monroyo, T.S. Bonifacio, and F. M. Sison. 1997. Seaweed tablet: a natural source of iodine. <i>Philipp. J. Sci.</i> (1997) 126 (3) : 221-232.
Drug	Brivet, I., Chomard, P., Dumas, P., Lallemand, A. M., and Thevenin, M. 1990. Ethanol -lead interaction in the Sprague-Dawley rat. <i>Food Addit Contam.</i> 7 Suppl 1: S150-1.
Diss	Brooks, R. E. 1972. Ultrastructural histopathology of lungs of laboratory rats exposed to environmental agents. <i>Oreg. State Univ. Environ. Health Sci. Cen.</i> : 83-84.
No Oral	Brown, D. R. 1975. Neonatal lead exposure in the rat: decreased learning as a function of age and blood lead concentrations. <i>Toxicol. Appl. Pharmacol.</i> 32(3): 628-637.
Surv	Brown, M. J., Linton, E., and Rees, E. C. 1992. Causes of mortality among wild swans in Britain. <i>Wildfowl</i> . 43: 70-79.
Pb Behav	Brown, S., Dragann, N., and Vogel, W. H. 1971. Effects of lead acetate on learning and memory in rats. <i>Arch. Environ. Health</i> . 22(3): 370-2.
Bio Acc	Brueske, C. C. and Barrett, G. W. 1991. Dietary heavy metal uptake by the least shrew cryptotis-parva. <i>Bull Environ Contam Toxicol.</i> 47(6): 845-849.
Unrel	Brzozowski, J., Kolataj, Z., Ziolkowska-Slupczynska, and Pachucka, E. 1966 . [Behavior of the Middlebrook-Dubos reaction under the effect of acute lead poisoning in rats]. <i>Ann Univ Mariae Curie Sklodowska [Med]</i> . 21: 367-73.
Prim	Buchheim, K., Noack, S., Stoltenburg, G., Lilienthal, H., and Winneke, G. 1994. Developmental delay of astrocytes in hippocampus of rhesus monkeys reflects the effect of pre- and postnatal chronic low level lead exposure. <i>Neurotoxicology</i> . 15(3): 665-9.
Prim	Buchheim, K., Stoltenburg-Didinger, G., Lilienthal, H., and Winneke, G. 1998. Myopathy: a possible effect of chronic low level lead exposure. <i>Neurotoxicology</i> . 19(4-5): 539-545.
Phys	Buchwalow, I. B., Unger, E., Schulze, W., Schon, R., and Raikhlin, N. R. 1975. <i>Histochemistry</i> . 44(1): 1-11.
Rev	Buck, WB. 1970. Lead and organic pesticide poisoning in cattle. <i>J. Amer. Vet. Med. Ass.</i> 156: 1468.
Surv	Buck, WB. 1975. Toxic materials and neurologic disease in cattle. <i>J. Am. Vet Med Assoc.</i> 166: 222-6.
Lead Shot	Buerger, T. T., Mirarchi, R. W., and Lisano, M. E. 1986. Effects of lead shot ingestion on captive mourning dove zenaida-macrourea survivability and reproduction. <i>J Wildl Manage</i> ; 50 (1). 1986. 1-8. 50(1): 1-8.

FL	Bukovjan, K., Hallmannova, A., Karpenko, A., and Sebesta, J. 1993. A study of heavy metals in placentae, fetuses and organs of European hare females. <i>Biopharm (Jilove)</i> . 3(3-4): 111-116.
Surv	Bukovjan, K., Wittlingerova, Z., and Cerna, E. 1997. Chemical elements in tissues and histological changes in tissues of hares (<i>L. europaeus Pall.</i>). <i>Scientia Agriculturae Bohemica</i> . 28(3): 215-226.
Surv	Bull, K. R. , Every, W. J., Freestone, P., Hall, J. R., Osborn, D., Cooke, A. S., and Stowe, T. 1983. Alkyl lead pollution and bird mortalities on the Mersey estuary, UK, 1979-1981. <i>Environ Pollut Ser A Ecol Biol</i> . 31(4): 239-260.
Not Prim	Bull, R. J., McCauley, P. T., Taylor, D. H., and Croften, K. M. 1983. The effects of lead on the developing central nervous system of the rat. <i>Neurotoxicology</i> . 4(1): 1-17.
Chem Meth	Burchiel, S. W., Hadley, W. M., Cameron, C. L., Fincher, R. H., Lim, T. W., Elias, L., and Stewart, C. 1987. Analysis of heavy metal immunotoxicity by multiparameter flow cytometry correlation of flow cytometry and immune function data in B6Cf1 mice. <i>Int J Immunopharmacol</i> . 9(5): 597-610.
No Oral	Burchiel, Scott W., Hadley, William M., Cameron, Carol L., Fincher, Robert H., Lim, Tae Wha, and Stewart, Carleton C. 1986. Flow cytometry Coulter volume analysis of lead- and cadmium-induced cellular alterations in bone marrow obtained from young adult and aged Balb/c mice. <i>Toxicol. Lett</i> . 34(1): 89-94.
Diss	Burdette, L. J. 1983. <i>The Effects of Asymptomatic Lead Exposure During Different Developmental Stages in Rats: Behavior and Electrophysiology</i> . 286pp.
Alt	Burdette, L. J. and Goldstein, R. 1986. Long-term behavioral and electrophysiological changes associated with lead exposure at different stages of brain development in the rat. <i>Brain Res</i> 394(1): 101-110.
Bio Acc	Burger, J. 1996. Heavy metal and selenium levels in feathers of Franklin's gulls in interior North America. <i>Auk</i> . 113(2): 399-407.
Bio Acc	Burger, J. 1997. Heavy metals and selenium in herring gulls (<i>Larus argentatus</i>) nesting in colonies from eastern Long Island to Virginia. <i>Environmental Monitoring and Assessment</i> . 48(3): p285-296.
Surv	Burger, J. 1994. Heavy metals in avian eggshells: another excretion Method. <i>Journal of Toxicology and Environmental Health</i> 41(2): 207-220.
Surv	Burger, J. 1993. Metals in feathers of brown noddy (<i>Anous stolidus</i>): evidence for bioaccumulation or exposure levels? <i>Environ Monit Assess</i> . 24(2): 181-187.
Herp	Burger, J. and Gibbons, J. W. 1998. Trace elements in egg contents and egg shells of slider turtles (<i>Trachemys scripta</i>) from the Savannah River Site. <i>Arch. Environ Contam Toxicol</i> . 34(4): 382-386.
Bio Acc	Burger, J. and Gochfeld, M. 1997. Age differences in metals in the blood of herring gull (<i>Larus Argentatus</i>) and Franklin's (<i>Larus Pipixcan</i>) gulls. <i>Arch Environ Contamin Toxicol</i> . 33(4): 436-440.
Surv	Burger, J. and Gochfeld, M. 1997. Age differences in metals in the blood of herring (<i>Larus argentatus</i>) and Franklin's (<i>Larus pipixcan</i>) gulls. <i>Archives of Environmental Contamination and Toxicology</i> 33(4): 436-440.

CP	Burger, J. and Gochfeld, M. 1994. An avian model for investigating critical periods for lead exposure on neurobehavioral development. <i>Hazardous Waste and Public Health: International Congress on the Health Effects of Hazardous Waste</i> : 598-605.
Bio Acc	Burger, J. and Gochfeld, M. 1995. Biomonitoring of heavy metals in the Pacific Basin using avian feathers. <i>Environ Toxicol Chem.</i> 14(7): p1233-1239.
Surv	Burger, J. and Gochfeld, M. 1991. Cadmium and lead in common terns (aves: sterna hirundo): relationship between levels in parents and Eggs. <i>Environ Monit Assess.</i> 16(3): 253-258.
Bio Acc	Burger, J. and Gochfeld, M. 1995. Correction of previews 98416034. Biomonitoring of heavy metals in the pacific basin using avian feathers. Addition and deletion of keyword. <i>Environmental Toxicology and Chemistry</i> 14(7): 1233-1239.
No Oral	Burger, J. and Gochfeld, M. 1985. Early postnatal lead exposure: behavioral effects in common tern chicks (<i>Sterna hirundo</i>). <i>J. Toxicol. Environ. Health.</i> 16(6): 869-886.
Bio Acc	Burger, J. and Gochfeld, M. 1995. Heavy metal and selenium concentrations in eggs of herring gulls (<i>larus argentatus</i>): temporal differences from 1989 to 1994. <i>Arch Environ Contamin Toxicol.</i> 29(2): p192-197.
Bio Acc	Burger, J. and Gochfeld, M. 1997. Heavy metal and selenium concentrations in feathers of Egrets from Bali. <i>Arch Environ Contam Toxicol.</i> 32(2): p217(5).
Bio Acc	Burger, J. and Gochfeld, M. 1996. Heavy metal and selenium levels in Franklin's gull (<i>larus pipixcan</i>) parents and their eggs. <i>Arch Environ Contamin Toxicol.</i> 30(4): p487-491
Surv	Burger, J. and Gochfeld, M. 1993 . Lead and cadmium accumulation in eggs and fledgling seabirds in the new york bight. <i>Environ Toxicol Chem.</i> 12(2): 261-267.
No Oral	Burger, J. and Gochfeld, M. 1997. Lead and neurobehavioral development in gulls: a model for understanding effects in the laboratory and the field. <i>Neurotoxicology.</i> 18(2): 495-506.
Surv	Burger, J. and Gochfeld, M. 1988-1989. Metals in tern eggs in a New Jersey estuary usa a decade of change. <i>Environ Monit Assess.</i> 11(2): 127-136.
Surv	Burger, J. and Gochfeld, M. 1992. Trace element distribution in growing feathers: additional excretion in feather sheaths. <i>Archives of Environmental Contamination and Toxicology.</i> 23(1): 105-108.
Surv	Burger, J., Lavery, M. H., and Gochfeld, M. 1994. Temporal changes in lead levels in common tern feathers in new york and relationship of field levels to adverse effects in the laboratory. <i>Environm. Toxicol. Chem.</i> 13(4): 581-586.
Surv	Burger, J., Marquez, M., and Gochfeld, M. 1994. Heavy metals in the hair of opossum from Palo Verde, Costa Rica. <i>Arch Environ Contam Toxicol.</i> 27(4): 472-6.
Bio Acc	Burger, J. , Parsons, K., Benson, T., Shukla, T., Rothstein, D., and Gochfeld, M. 1992. Heavy metal and selenium levels in young cattle egrets from nesting colonies in the northeastern United States, Puerto Rico, and Egypt. <i>Arch Environ Contam Toxicol.</i> 23(4): 435-9.
Bio Acc	Burger, J., Reilly, S. M., and Gochfeld, M. 1992. Comparison of lead levels in bone, feathers, and liver of herring gull chicks (<i>larus Argentatus</i>). <i>Pharmacol Biochem Behav</i> ; 41 (2). 1992. 289-293.

Bio Acc	Burger, J. , Rodgers, J. A. Jr, and Gochfeld, M. 1993. Heavy metal and selenium levels in endangered wood storks <i>Mycteria americana</i> from nesting colonies in Florida and Costa Rica. <i>Arch Environ Contam Toxicol.</i> 24(4): 417-20.
Surv	Burger, J., Shukla, T., Benson, T., and Gochfeld, M. 1997. Lead levels in exposed herring gulls: differences in the field and laboratory. <i>Toxicol Ind Health.</i> 13(2-3): 193-202.
Bio Acc	Burger, J., Woolfenden, G. E., and Gochfeld, M. 1999. Metal concentrations in the eggs of endangered florida scrub-jays from central florida. <i>Archives of Environmental Contamination and Toxicology</i> 37(3): 385-388.
No Oral	Burger, J. and M. Gochfeld. 2003. Lead in young herring gulls: paradoxical effects of exercise on tissue concentrations. <i>Journal of Toxicology and Environmental Health Part A.</i> 66: 181-197.
Bio Acc	Burger, J. Rutgers University Piscataway NJ and Gochfeld, M. Environmental and Occupational Health Sciences Institute Piscataway NJ. Heavy Metal and Selenium Levels in Franklin's Gull (<i>Larus pipixcan</i>). <i>Arch Environ Contam Toxicol.</i> 30(4): 487.
No Oral	Burkhanov, A. I. and Bazeliuk, L. T. 1985. [Biological action of the dust from lead-barite ore]: <Original> Biologicheskoe deistvie pyli svintsovo-baritovoi rudy. <i>Gig Tr Prof Zabol.</i> (4): 30-3.
Pb Behav	Burright, R. G., Engellenner, W. J., and Donovick, P. J. 1983. Lead exposure and agonistic behavior of adult mice of two ages. <i>Physiol Behav</i> 30(2): 285-8.
No Dose	Burright, R. G., Engellenner, W. J., and Donovick, P. J. 1989. Postpartum aggression and plasma prolactin levels in mice exposed to lead. <i>Physiol Behav.</i> 46(5): 889-93.
Mix	Burrows, G and Borchard R. 1982. Experimental lead toxicosis in ponies: comparison of the effects of smelter effluent-contaminated hay and lead acetate. <i>American Journal of Veterinary Research.</i> 43: 2129-2133.
Prim	Bushnell, P. J. and Bowman, R. E. 1979. Persistence of impaired reversal learning in young monkeys exposed to low levels of dietary lead. <i>J. Toxicol. Environ. Health.</i> 5(6): 1015-23.
Prim	Bushnell, P. J. and Bowman, R. E. 1979. Reversal learning deficits in young monkeys exposed to lead. <i>Pharmacol Biochem Behav.</i> 10(5): 733-42.
Drug	Bushnell, P. J. and Levin, E. D. 1983. Effects of zinc deficiency on lead toxicity in rats. <i>Neurobehav. Toxicol. Teratol.</i> 5(3): 283-288.
Lead Shot	Butler, D. 1990. The incidence of lead shot ingestion by waterfowl in ireland. <i>IR NAT J.</i> 23(8): 309-313.
Surv	Butler, JE, Nisbet, DI, and Robertson, JM. 1957. Osteoporosis in lambs in a lead mining area. I. A study of the naturally occurring disease. <i>J. Comp. Pathol.</i> 67: 378.
No Oral	Butt, E. M., Pearson, H. E., and Simonsen, D. G. 1952. Production of meningoceles and cranioschisis in chick embryos with lead nitrate. <i>Proc Soc Exp Biol Med.</i> 79: 247-249.
Gene	Buxton, Paul G, Kostakopoulou, Konstadina, Brickell, Paul, Thorogood, Peter, Ferretti, Patrizia (A). 1997. Expression of the transcription factor slug correlates with growth of the limb bud and is regulated by fgf-4 and retinoic acid. <i>International Journal of Developmental Biology.</i> 41 (4) : 559-568
No COC	Byron, K. , Young, G. A., Khazan, N. And Hong, O. 1985. Suppression of PCP-induced

behavioral arousal in the rat by yohimbine pretreatment. *European Journal of Pharmacology*. 117 (2) : 271-3

Species	Caballero-Cordoba, Glenys M., Pacheco, Maria Teresa B., and Sgarbieri, Valdemiro C. 1997. Chemical composition of yeast biomass (<i>Saccharomyces</i> sp.) and protein nutritive value of integral or mechanically ruptured cells. <i>Cienc. Tecnol. Aliment.</i> 17(2): 102-106 .
Bio Acc	Cahill, T. M., Anderson, D. W., Elbert, R. A., Perley, B. P., and Johnson, D. R. 1998. Elemental profiles in feather samples from a mercury-contaminated lake in central California. <i>Arch. Environ. Contam. Toxicol.</i> 35(1): 75-81 .
Lead Shot	Caithness, T. A. 1974. Lead poisoning in waterfowl. <i>Wildl Rev N Z Wildl Serv.</i> 5: 16-19.
HHE	Calabrese, E. J. 1979. Does exposure to elevated levels of lead enhance sodium induced hypertension? <i>Med Hypotheses.</i> 5(7): 817-24.
No Control	Calvery, H. O. E. P. Laug and H. J. Morris. 1938. The chronic effects on dogs of feeding diets containing lead acetate, lead arsenate and arsenic trioxide in varying concentrations. <i>J. Pharmacol. Exp. Ther.</i> 64: 364-387.
No Dose	Campbell, J. B., Woolley, D. E., Vijayan, V. K., and Overmann, S. R. 1982. Morphometric effects of postnatal lead exposure on hippocampal development of the 15-day-old rat. <i>Brain Res.</i> 255(4): 595-612.
Diss	Campbell, Jerrolynn Beth. 1981. <i>Morphometric Alterations of the Hippocampal Formation in 15- and 90-day-old Rats Following Early Postnatal Exposure to Low Levels of Lead.</i> 162.
Org Met	Cannon, HL and Bowles, JM. 1962. Contamination of vegetables by tetraethyl lead. <i>Science.</i> 137: 765.
Mix	Capar, Stephen G. and Boyer, Kenneth W. 1977. Fortification variability in rat diet fortified with arsenic, cadmium, and lead. <i>Journal of Toxicology and Environmental Health.</i> 3(4) : 745.
Lead Shot	Carlson, B. L. and Nielsen, S. W. 1985. Influence of dietary calcium on lead poisoning in mallard ducks (<i>Anas platyrhynchos</i>). <i>Am J Vet Res.</i> 46(1): 276-82.
Model	Carmichael, NG, Winder, C, and Lewis, PD. 1981. Dose response relationships during perinatal lead administration in the rat: A model for the study of lead effects on brain development. <i>Toxicology.</i> 21: 117-128.
No Oral	Carpenter, S. J. and Ferm, V. H. 1977. Embryopathic effects of lead in the hamster: a morphologic analysis. <i>Lab. Invest.</i> 37(4): 369-385.
Lead Shot	Carrington, M. E. and Mirarchi, R. E. 1991. Ingested lead shot may affect survival of wild mourning doves. <i>Highlights of Agricultural Research - Alabama Agricultural Experiment Station.</i> 38(3): 15.
No Dose	Carson, T. L., Van Gelder, G. A., Karas, G. C., and Buck, W. B. 1974. Slowed learning in lambs prenatally exposed to lead. <i>Arch. Environ Health.</i> 29(3): 154-156.
Drug	Carter, R. B. and Leander, J. D. 1980. Chronic Low-Level Lead Exposure: Effects on Schedule-Controlled Responding Revealed by Drug Challenge. <i>Neurobehav. Toxicol.</i> 2(4): 345-353.
Surv	Casati, R. M., Vazhapilly, P., Cappa, V., and Tonna, M. 1988. Effect of supplementing the diet

	with heavy metals on the mineral content of rabbits. <i>Annali della Facolta di Agraria, Universita Cattolica del Sacro Cuore Milano</i> . 28(2): 241-269.
Mix	Casati, Rodoleo Mario, Vazhapilly, Paul, Cappa, Vittorio, Tonna, Mauro. 1988. Effects of heavy metal-supplemented diets on the mineral contents in rabbits. <i>Ann. Fac. Agrar. (Univ. Cattol. Sacro Cuore)</i> (1988). 28 (2) : 241-69
Lead Shot	Castrale, J. 1989. Availability of spent lead shot in fields managed for mourning dove hunting. <i>Wildl Soc Bull</i> . 17(2): 184-188.
Unrel	Catalano, P. J., McDaniel, K. L., and Moser, V. C. 1997. The IPCS Collaborative Study on Neurobehavioral Screening Methods: VI. Agreement and reliability of the data. <i>Neurotoxicology</i> . 18(4): 1057-64.
Nut Def	Cerklewski, F. L. 1983. Influence of maternal magnesium deficiency on tissue lead content of rats. <i>J Nutr</i> . 113(7): 1443-7.
Mix	Cerklewski, F. L. and Forbes, R. M. 1976. Influence of dietary zinc on lead toxicity in the rat. <i>J. Nutr</i> . 106(5): 689.
Mix	Cerklewski, Florian L. and Forbes, Richard M. 1977. Influence of dietary copper on lead toxicity in the young male rat. <i>J. Nutr</i> . 107(1): 143-6.
Unrel	Cerradelo S and Guitart R. 1990. Intoxicacion por plomo en aves acuaticas. <i>Quercus</i> . 57: 12-14.
Lead Shot	Cerradelo S, Munoz E, To Figueras J, Mateo R, and Guitart R. 1992. Intoxicacion for ingestion de perdigones de plomo en dos aguilas Reales. <i>Donana Acta Vertebrata</i> . 19(1-2): 122-127.
FL	Ceska, V. 1986. Food stress and poisons form the limits of maximum stress of an organism. <i>Beitr Naturkd Wetterau</i> . 6(2): 195-198.
Abstract	Chah, C. C., Britton, W. M., and Jensen, L. S. Effects of dietary lead on broiler performance and development of perosis and hypertension.. <i>Poultry Science</i> . 55 (5). 1976 2017-2018
Abstract	Chah, C. C., Britton, W. M., and Jensen, L. S. 1976. Effects of dietary lead on broiler performance and development of perosis and hyptertension. <i>Poultry Science</i> . 55(5): 2017-2018.
FL	Chaika, P. A. 1968. [Effect of cobalt and copper salts on the toxic action of lead on the animal organism]: <Original> O vliianii solei kobal'ta i medi pri toksicheskom vozdeistvii svintsa na organizm zhivotnykh. <i>Vopr Pitan</i> . 27(6): 29-33.
No Oral	Chang, C. C. , H. J. Tatum, and F.A. Kincl. 1970. Effect of intrauterine copper and other metals on implantation in rats and hamsters. <i>Fertil Steril</i> 21274-278.
Mix	Chapin, Robert E., Phelps, Jerry L., Schwetz, Bernard A., and Yang, Raymond S. H. Toxicology studies of a chemical mixture of 25 groundwater contaminants. III. Male reproduction study in B6C3F1 mice. <i>Fundam. Appl. Toxicol.</i> (1989) 13(3): 388-98 .
Unrel	Charyev, O. G., Krasovsky, G. N., and Lamentova, T. G. 1979. Problem of atherogenic action of lead. <i>Gigiena I Sanitariya</i> . 2: 9-12.
Lead Shot	Chasko, G. G., Hoehn, T. R., and Howell-Heller P. 1984. Toxicity of Lead Shot to Wild Black Ducks and Mallards Fed Natural. <i>Bull Environ Contam Toxicol</i> . 32(4): 417(12).

Species	Che R.G.O. and Cheung S.G. 1998. Heavy metals in <i>Metapenaeus ensis</i> , <i>Eriocheir sinensis</i> and sediment from the Mai Po marshes, Hong Kong. <i>Sci. Total Environ</i> 214(1-3): pp. 87-97.
Drug	Cheadle, W. G., Ausobsky, J. R., Trachtenberg, L. S., Lamont, P., and Polk, H. C. Jr. 1986. Effects of muramyl dipeptide and lead acetate on carbon clearance and endotoxin-induced mortality in mice. <i>Am Surg.</i> 52(11): 613-7.
No Dose	Chen, H. H., Ma, T., and Ho, I. K. 1999. Protein kinase C in rat brain is altered by developmental lead exposure. <i>Neurochem Res.</i> 24(3): 415-21 .
Pb Behav	Chen, H. H., Ma, T., Paul, I. A., Spencer, J. L., and Ho, I. K. 1997. Developmental lead exposure and two-way active avoidance training alter the distribution of protein kinase C activity in the rat hippocampus. <i>Neurochem Res</i> 22(9): 1119-25.
No Org	Chen, M, Ma, LQ, and Harris, WG. 1999. Baseline Concentrations of 15 Trace Elements in Florida Surface Soils. <i>J. Environ. Quality.</i> 28: 1173-1181.
Abstract	Chen, R. W., Whanger, P. D., and Weswig, P. H. Rat liver metallo thionein relationship to metal metabolism. <i>Federation Proceedings.</i> 34 (3). 1975 927
No Oral	Chen, S. S., Dziuk, P. J., and Francis, B. M. 1994. Effect of four environmental toxicants on plasma Ca and estradiol 17beta and hepatic P450 in laying hens. <i>Environ Toxicol Chem</i> . 135: 789-796.
No Oral	Chen, S. W., Dziuk, P. J., and Francis, B. M. 1994. Effect of four environmental toxicants on plasma Ca and estradiol. <i>Environ. Toxicol. Chem.</i> 13(5): 789(8).
Drug	Chen, Suping, Golemboski, Karen A., Sanders, Forrest S., and Dietert, Rodney R. 1999. Persistent Effect of In Utero Meso-2,3-dimercaptosuccinic Acid (DMSA). <i>Toxicol.</i> 132(1): 67(13).
No Dose	Chen, Hh and Chan, Mh. 2002. Developmental Lead Exposure Differentially Alters the Susceptibility to Chemoconvulsants in Rats. <i>Toxicology.</i> 173: 249-257. Ref ID: 20969
Bio Acc	Cheney, M. A., Hacker, C. S., and Schroder, G. D. 1981. Bioaccumulation of lead and cadmium in the Louisiana heron (<i>Hydranassa tricolor</i>) and the cattle egret (<i>Bubulcus ibis</i>). <i>Ecotoxicol Environ Saf.</i> 5(2): 211-24.
Drug	Cheshmedjieva, S. and Stanchev, H. 1996. Influence of dietary cadmium and lead on the liver lipid composition ingrowing lambs. <i>Bulgarian Journal of Agricultural Science.</i> 2(4): 513-517.
Surv	Chmiel, K. M. and Harrison, R. M. 1981. Lead content of small mammals at a roadside site in relation to the pathways of exposure. <i>Sci. Total Environ.</i> 17(2): 145-154.
No Oral	Chmielnicka, J., Zareba, G., and Nasiadek, M. 1994. Combined Effect of Tin and Lead on Heme Biosynthesis in Rats. <i>Ecotoxicol Environ Saf.</i> 29(2): 165(9).
Surv	Cho, T. H., Chung, G. S., Son, S. W., Park, K. S., and Park, J.M. 1985. Residue of harmful heavy metals in feedstuff for broiler chicken. <i>Res Rep Rural Dev Adm (Suweon).</i> 27
Lead Shot	Choi, J. S., Jung, W. H., Youn, K. S., and Lee, D. P. 1994. Heavy metal concentrations of some game species captured in kyeongsangnam-do, korea. <i>Journal of Korean Forestry Society.</i> 83(1): 6-11.

No Oral	Chowdhury, A. R. and Ravella, V. 1986. Alteration of male reproductive organs of rats exposed to lead. <i>Arch. Biol.</i> 97(4): 475-483.
FL	Chudik, I. and Mankovska, B. 1989. Industrial air pollution and Wildlife. <i>Lesnictvi (Prague)</i> . 35(1): 65-76.
Lead Shot	Cibulka, J., Trefny, D., Sova, Z., Mader, P., Muzikar, V., Podhorsky, M., and Lavicka, M. 1987. [Experimental modification of the resorption process and lead deposition in the body of the domestic duck]: <Original> Studium der experimentellen Beeinflussung des Resorptionsprozesses und der Bleideposition im Organismus der Hausenten. <i>Tierarztl Pract.</i> 15(2): 155-9.
Mix	Cikrt, Miroslav//Blaha, Karel//Nerudova, Jana//Bittnerova, Daniela//Jehlickova, Helena. 1992. Distribution and excretion of cadmium and nickel after simultaneous exposure and the effect of N-benzyl-D-glucamine dithiocarbamate on their biliary and urinary excretion . <i>J. Toxicol. Environ. Health.</i> 35(4): 211-20.
Bio Acc	Clark, D. R. Jr. 1979. Lead Concentrations: Bats vs Terrestrial Small Mammals collected Near a Major Highway. <i>Environ Sci Tech.</i> 13(3): 338-341.
Surv	Clark, D. R. Jr. 1992. Organochlorines and heavy metals in 17-year cicadas pose no apparent dietary threat to Birds. <i>Environ Monit Assess.</i> 20(1): 47-54.
Surv	Clark Jr, DR, Foerster, KS, Marn, CM, and Hothem, RL. 1992. Uptake of environmental contaminants by small mammals in pickleweed habitats at San Francisco Bay, CA. <i>Arch. Environ Contam Toxicol.</i> 22: 389-396.
Rev	Clarkson, T. W. 1977. Factors involved in heavy metal poisoning. <i>Fed Proc.</i> 36(5): 1634-1639.
Rev	Clarkson, TW, Nordberg, GF, and Sager, PR. 1985. Reproductive and developmental toxicity of metals. <i>Scandinavian Journal of Work Environmenta and Health.</i> 11: 145-54.
Prim	Clasen, R. A., Hartmann, J. F., Coogan, P. S., Pandolfi, S., Laing, I., and Becker, R. A. 1974. Experimental acute lead encephalopathy in the juvenile rhesus monkey. <i>Environ Health Perspect.</i> 7: 175-85.
No Dose	Clasen, R. A., Hartmann, J. F., Starr, A. J., Coogan, P. S., Pandolfi, S., Laing, I., Becker, R., and Hass, G. M. 1974. Electron microscopic and chemical studies of the vascular changes and edema of lead encephalopathy. A comparative study of the human and experimental disease. <i>Am.J Pathol.</i> 74(2): 215-240.
Lead Shot	Clausen, B. and Wolstrup, C. 1979. Lead poisoning in game from Denmark [mallard, mute swan, waterfowl, lead shot, pellets, Denmark, gizzard]. <i>Monograph.</i> 11(2)
Rev	Clegg, D. J. JR. 1971. Embryotoxicity of chemical contaminants of foods. <i>Food Cosmet. Toxicol.</i> 9(12): 195-205.
No Dose	Clegg, FG and Rylands, JM. 1966. Osteoporosis and hydronephrosis of young lambs following the ingestion of lead. <i>J. Comp. Pathol. Ther.</i> 76: 15.
Lead Shot	Clemens, E. T., Krook, L., Aronson, A. L., and Stevens, C. E. 1975. Pathogenesis of lead shot poisoning in the mallard duck. <i>Cornell Vet.</i> 65(2): 248-85.
Surv	Cloutier, N. R., Clulow, F. V., Lim, T. P., and Dave, N. K. 1985. Metal copper nickel iron cobalt

zinc lead and radium-226 levels in meadow voles *Microtus-pennsylvanicus* living on nickel and uranium mine tailings in Ontario Canada environmental and tissue levels. *Environ Pollut Ser B Chem Phys.* 10(1): 19-46.

Surv	Cloutier, N. R., Clulow, F. V., Lim, T. P., and Dave, N. K. 1986. Metal copper nickel iron cobalt zinc lead and radium-226 levels in tissues of meadow voles <i>Microtus-pennsylvanicus</i> living on nickel and uranium mine tailings in Ontario Canada site sex age and season effects with calculation of average skeletal radiation dose. <i>Environ Pollut Ser a Ecol Biol.</i> 41(4): 295-314.
Diss	Cobo, J. M., Valdez, J. G., and Gurley, L. R. 1994. Inhibition of mitotic-specific histone phosphorylation by sodium arsenite. LA-UR-94-3210; CONF-9409234-1
No Control	Coburn, DR, Metzler, DW, and Treichler, R. 1951. A study of absorption and retention of lead in wild water fowl in relation to clinical evidence of lead poisoning. <i>J. Wild. Manage.</i> 15: 186.
CP	Cohen, A. H., Khalil-manesh, F., Gonick, H. C., Alinovi, R., Bergamaschi, E., and Mutti, A. 1991. Lead nephropathy sequential observations on development of structural alterations and correlation with function. 24th Annual Meeting of the American Society of Nephrology (Asn) November 17-20, 1991 <i>J Am Soc Nephrol.</i> 2(3): 660.
Rev	Cohen, MD, Bowser, DH, and Costa, M. 1996. Chapter 16: Carcinogenicity and genotoxicity of Lead, Beryllium, and Other Metals. In: Chang, Louis W., Ed. <i>Toxicology of Metals.</i> 253-284.
Drug	Cohn, J. and Cory-Slechta, D. A. 1994. Assessment of the role of dopaminergic systems in lead-induced learning impairments using a repeated acquisition and performance baseline. <i>Neurotoxicology.</i> 15(4): 913-26.
Drug	Cohn, J. and Cory-Slechta, D. A. 1994. Lead exposure potentiates the effects of NMDA on repeated learning. <i>Neurotoxicol Teratol.</i> 16(5): 455-65.
Drug	Cohn, J. and Cory-Slechta, D. A. 1993. Subsensitivity of lead-exposed rats to the accuracy-impairing and rate-altering effects of MK-801 on a multiple schedule of repeated learning and performance. <i>Brain Res.</i> 600(2): 208-18.
Pb Behav	Cohn, J., Cox, C., and Cory-Slechta, D. A. 1993. The effects of lead exposure on learning in a multiple repeated acquisition and performance schedule. <i>Neurotoxicology</i> 14(2-3): 329-46.
Lead Shot	Cohn, J. P. 1985. Lead shot poisons bald eagles. <i>Bioscience.</i> 35(8): 474-476.
Mineral	Coldwell, J. R.//Gensler, E. C. 1994. Minerals Yearbook. 17 pp.
CP	Cole, LJ and Bachhuber, LJ. 1914. Proc. Soc. Exp. Biol. Med. 12: 24.
Diss	Coleman, James Curt. 1984. <i>Effects of Maternal Lead Exposure on Central Nervous System Maturation in Postnatal Rats.</i> 73pp. Univ. Utah, Salt Lake City, UT
Prim	Colle, A., Grimaud, J. A., Boucherat, M., and Manuel, Y. 1980. Lead poisoning in monkeys: functional and histopathological alterations of the kidneys. <i>Toxicology.</i> 18(2): 145-58.
Bio Acc	Collins, C. T. 1992. Metals in eggs of the california least tern in southern california. <i>Bull South Calif Acad Sci.</i> 91 (2): 49-54.
No Dose	Collins, M. F., Hrdina, P. D., Whittle, E., and Singhal, R. L. 1984. The effects of low-level lead exposure in developing rats: changes in circadian locomotor activity and hippocampal noradrenaline turnover. <i>Can J Physiol Pharmacol</i> 62(4): 430-5.

Bio Acc	Collins, MF, Hrdina, PD, Whittle, E, and Singal, RL. 1982. Lead in blood and brain regions of rats chronically exposed to low levels of the metal. <i>Toxicol. Appl. Pharmacol.</i> 65: 314-22.
Unrel	Comp, P. C., Jacocks, R. M., Ferrell, G. L., and Esmon, C. T. Activation of protein c in-vivo. <i>J Journal of Clinical Investigation.</i> 70 (1). 1982. 127-134.
CP	Conradi, N. G., Kalimo, H., and Sourander, P. 1990. Cerebellar capillarization in lead-exposed suckling Rats. Third Northern Lights Neuroscience Symposium on Virus and the Brain Held at the 14th Annual Meeting of the Scandinavian Society of Neuropathology. <i>Acta Neurol Scand.</i> 81(3): 256.
Mix	Constan, A. A., Benjamin, S. A., Tessari, J. D., Baker, D. C., and Yang, R. S. 1996. 1995 STP Young Investigator Award recipient. Increased rate of apoptosis correlates with hepatocellular proliferation in Fischer-344 rats following long-term exposure to a mixture of groundwater contaminants. <i>Toxicologic pathology</i> 24(3): 315-22.
Mix	Constan, A. A., Yang, R. S., Baker, D. C., and Benjamin, S. A. 1995. A unique pattern of hepatocyte proliferation in F344 rats following long-term exposures to low levels of a chemical mixture of groundwater contaminants. <i>Carcinogenesis</i> 16(2): 303-10.
Mix	Constan, A. A(A), Benjamin, S. A., Yang, R. S. H., Tessari, J. D., and Baker, D. C. 1995. Increased rate of apoptosis correlates with hepatocellular proliferation in fischer-344 rats following long-term, low-level exposure to a mixture of groundwater contaminants. <i>Toxicologic Pathology</i> 23(6): 755-756.
Mix	Constan Alexander A(A), Benjamin Stephen A, Tessari John D, Baker Dalec. , and Yang Raymond S H. 1996. Increased rate of apoptosis correlates with hepatocellular proliferation in fischer-344 rats following long-term exposure to a mixture of groundwater contaminants. <i>Toxicologic Pathology</i> 24(3): 315-322.
Bio Acc	Cooke, J. A., Andrews, S. M., and Johnson, M. S. 1990. The Accumulation of Lead, Zinc, Cadmium and Fluoride in the Wood Mouse. <i>Water Air Soil Pollut.</i> 51(1-2): p 55(9).
Bio Acc	Cooke, J. A., Andrews, S. M., and Johnson, M. S. 1990. The accumulation of lead, zinc, cadmium and fluoride in the wood mouse (<i>Apodemus sylvaticus</i> L.). <i>Water Air, Soil Pollut.</i> 51(1-2): 55-63 .
Bio Acc	Cooke, J. A., Andrews, S. M., and Johnson, M. S. 1990. Lead zinc cadmium and fluoride in small mammals from contaminated grassland established on fluorspar Tailings. <i>Water Air Soil Pollut.</i> 51(1-2): 43-54.
CP	Cooper, G. P., Fox, D. A., Howell, W. E., Laurie, R. D., Tsang, W., Lewkowski, J. P., <EDITOR> Merigan, William H. Ed, and Weiss, Bernard Ed. 1980. Visual evoked responses in rats exposed to heavy metals. <i>Neurotoxic. Visual Syst.</i> , (Rochester Int. Conf. Environ. Toxic.)
Alt	Cooper, GP and Steinberg, D. 1977. Effects of cadmium and lead on adrenergic transmission in the rabbit. <i>Am. J. Physiol.</i> 232: C128-C131.
No Org	Corder, C. N. , H. Pathak, A. Kumar and A. Wells. 1984. The effects of sodium o vanadate noradrenaline and angiotensin ii on isolated perfused rat kidney glomerular tuft diameter. <i>Indian Journal of Physiology and Pharmacology.</i> 27 (3). 1983 (Recd. 1984). 193-199.
Mix	Corpas, I. and Antonio, M. T. 1998. Study of alterations produced by cadmium and cadmium/lead administration during gestational and early lactation periods in the reproductive organs of the rat. <i>Ecotoxicol Environ Saf.</i> 41(2): 180-8.

FL	Corpas, I., Benito, M. J., and Antonio, M. T. 1996. Hepatic and renal alterations in newborn rats induced by prenatal and early lactational exposure to lead and/or cadmium. <i>Rev. Toxicol.</i> 13(2/3): 76-82.
Org Met	Corsi, G. and Saia, B. 1969. Behavior of serotonin in the brain of rabbits poisoned with tetraethyl lead. <i>Med. Lav.</i> 60(6-7): 458-64.
Surv	Cory-Slechta, D. A. 1990. Alterations in tissue Pb distribution and hematopoietic indices during advanced age. <i>Arch Toxicol.</i> 64(1): 31-7.
Pb Behav	Cory-Slechta, D. A. 1988. Chronic low-level lead exposure: behavioral consequences, biological exposure indices and reversibility. <i>Sci Total Environ.</i> 71(3): 433-40.
Pb Behav	Cory-Slechta, D. A. 1990. Exposure duration modifies the effects of low level lead of fixed-interval performance. <i>Neurotoxicology</i> 11(3): 427-41.
Surv	Cory-Slechta, D. A. 1990. Lead exposure during advanced age: alterations in kinetics and biochemical effects. <i>Toxicol Appl Pharmacol.</i> 104(1): 67-78.
Drug	Cory-Slechta, D. A. 1995. MK-801 subsensitivity following postweaning lead exposure. <i>Neurotoxicology.</i> 16(1): 83-95.
Drug	Cory-Slechta, D. A. 1997. Postnatal lead exposure and MK-801 sensitivity. <i>Neurotoxicology.</i> 18(1): 209-20.
Pb Behav	Cory-Slechta, D. A. 1986. Prolonged lead exposure and fixed ratio performance. <i>Neurobehav Toxicol Teratol</i> 8(3): 237-44.
Drug	Cory-Slechta, D. A. 1997. Relationships between Pb-induced changes in neurotransmitter system function and behavioral toxicity. <i>Neurotoxicology.</i> 18(3): 673-88.
Drug	Cory-Slechta, D. A., Flaughner, C. L., Evans, S. B., Pokora, M. J., and Greenamyre, J. T. 1997. Susceptibility of adult rats to lead-induced changes in NMDA receptor complex function. <i>Neurotoxicol Teratol.</i> 19(6): 517-30.
In Vit	Cory-Slechta, D. A., Garcia-Osuna, M., and Greenamyre, J. T. 1997. Lead-induced changes in NMDA receptor complex binding: correlations with learning accuracy and with sensitivity to learning impairments caused by MK-801 and NMDA administration. <i>Behav Brain Res.</i> 85(2): 161-74.
Drug	Cory-Slechta, D. A., O'Mara, D. J., and Brockel, B. J. 1998. Nucleus accumbens dopaminergic medication of fixed interval schedule-controlled behavior and its modulation by low-level lead exposure. <i>J Pharmacol Exp Ther.</i> 286(2): 794-805.
Alt	Cory-Slechta, D. A. and Pokora, M. J. 1991. Behavioral manifestations of prolonged lead exposure initiated at different stages of the life cycle: I. Schedule-controlled responding. <i>Neurotoxicology</i> 12(4): 745-60.
Phys	Cory Slechta, D. A. and Pokora, M. J. 1995. Lead-induced changes in muscarinic cholinergic sensitivity. <i>Neurotoxicology.</i> 16(2): 337-348.
Phys	Cory-Slechta, D. A., Pokora, M. J., Fox, R. A. V., and O'mara, D. J. 1996. Lead-induced changes in dopamine D SUB 1 sensitivity : Modulation by drug discrimination training. <i>Neurotoxicology</i> : (Park Forest South). 17(2): 445-457.

Mix	Cory Slechta, D. A., Pokora, M. J., and Preston, R. A. 1996. The effects of dopamine agonists on fixed interval schedule-controlled behavior are selectively altered by low-level lead exposure. <i>Neurotoxicol. Teratol.</i> 18(5): 565-575.
Pb Behav	Cory-Slechta, D. A., Pokora, M. J., and Widzowski, D. V. 1991. Behavioral manifestations of prolonged lead exposure initiated at different stages of the life cycle: II. Delayed spatial alternation. <i>Neurotoxicology</i> 12(4): 761-76.
Pb Behav	Cory-Slechta, D. A., Weiss, B., and Cox, C. 1983. Delayed behavioral toxicity of lead with increasing exposure concentration. <i>Toxicol Appl Pharmacol.</i> 71(3): 342-52.
Pb Behav	Cory-Slechta, D. A., Weiss, B., and Cox, C. 1985. Performance and exposure indices of rats exposed to low concentrations of lead. <i>Toxicol Appl Pharmacol.</i> 78(2): 291-9.
Surv	Cory-Slechta, D. A., Weiss, B., and Cox, C. 1989. Tissue distribution of Pb in adult vs. old rats: a pilot study. <i>Toxicology.</i> 59(2): 139-50.
Drug	Cory-Slechta, D. A. and Widzowski, D. V. 1991. Low level lead exposure increases sensitivity to the stimulus properties of dopamine D1 and D2 agonists. <i>Brain Res.</i> 553(1): 65-74.
Phys	Cory Slechta, D. A., Widzowski, D. V., and Pokora, M. J. 1993. Functional alterations in dopamine systems assessed using drug discrimination procedures. <i>Neurotoxicology.</i> 14(2-3): 105-114.
Mix	Cory-Slechta, D. A. a, Pokora, M. J., and Johnson, J. L. 1996. Postweaning lead exposure enhances the stimulus properties of n-methyl-d-aspartate: possible dopaminergic involvement? <i>Neurotoxicology (Little Rock).</i> 17(2): 509-521.
Model	Costa, L. G. and Fox, D. A. 1983. A selective decrease of cholinergic muscarinic receptors in the visual cortex of adult rats following developmental lead exposure. <i>Brain Res</i> 276(2): 259-66.
Species	Cottenie, A. 1972. Effect of soil enrichment with mineral elements and fertilizers on surface water and plants. <i>Qualitas Plantarum et Materiae Vegetabiles.</i> 22 (1) : 37-53
Org Met	Cragg, B. and Rees, S. 1984. Increased body:brain weight ratio in developing rats after low exposure to organic lead. <i>Exp Neurol.</i> 86(1): 113-21.
Bio Acc	Craig, T. H., Connelly, J. W., Craig, E. H., and Parker, T. L. 1990. Lead concentrations in Golden and Bald eagles. <i>Wilson Bulletin.</i> 102(1): 130-133.
Unrel	Cremer, Michel, Weber, Olivier, and Jouanneau, Jean-Marie. 1999. Sedimentology of box cores from the Cap- Ferret Canyon area (Bay of Biscay). <i>Deep-Sea Res. Part II</i> 46(10): 2221-2247
FL	Creteanu, Emilia, Creteanu, H., Ionut, Carmen, and Vlad, Mariana. 1997. Calcium, magnesium, copper and zinc modifications in rats exposed to lead with supplemental dietary fiber intake. <i>Chujul Med.</i> 70(3): 425-430 .
No Dose	Crofton, K. M., Taylor, D. H., Bull, R. J., Sivulka, D. J., and Lutkenhoff, S. D. 1980. Developmental delays in exploration and locomotor activity in male rats exposed to low level lead. <i>Life Sci</i> 26(10): 823-31.
Prim	Crossland, W. J. //Hu, X. J. //Rafols, J. A. 1994. Morphological study of the rostral interstitial nucleus of the medial longitudinal fasciculus in the monkey, <i>Macaca mulatta</i> , by Nissl, Golgi, and computer reconstruction and rotation methods. <i>Journal of Comparative Neurology.</i> 347 (1) : 47-

Bio Acc	Cruwys, E. , K. Robinson, and N. R. Davis. 1994. Microprobe analysis of trace metals in seal teeth from svalbard greenland and south georgia <i>Polar Record</i> . 30 (172): 49-52.
Prim	Cullen, C., Singh, A., Dykeman, A., Rice, D., and Foster, W. 1993. Chronic lead exposure induces ultrastructural alterations in the monkey seminal vesicle. <i>J Submicrosc Cytol Pathol</i> . 25(1): 127-35.
Fate	Cupo, M. A. and Donaldson, W. E. 1988. Effects of lead and niacin on tryptophan and serotonin metabolism. <i>Drug-Nutr Interact</i> . 5(4): 297-308.
No Dose	Currie, D. and Valkama, J. 1998. Limited effects of heavy metal pollution on foraging and breeding success in the Curlew (<i>Numenius Arquata</i>). <i>Environmental Pollution</i> . 101(2): 253-261.
Surv	Custer, T. W. and Mitchell, C. A. 1993. Trace elements and organochlorines in the shoalgrass community of the lower laguna madre, texas. <i>Environ Monit Assess</i> 25(3): 235-246.
Surv	Custer, Thomas W. and Hohman, William L. 1994. Trace elements in canvasbacks (<i>Aythya valisineria</i>) wintering in Louisiana, USA, 1987-1988. <i>Environ. Pollut</i> . 84(3): 253-9 .
HHE	Cutler, M. G. 1977. Effects of exposure to lead on social behaviour in the laboratory mouse. <i>Psychopharmacology (Berl)</i> . 52(3): 279-82.
Species	Cyriac, P. J., Antony, A., and Nambisan, P. N. K. 1989. Hemoglobin and hematocrit values in the fish oreochromis-mossambicus peters after short term exposure to copper and mercury. <i>Bull Environ Contam Toxicol</i> . 43(2): 315-320.
Org Met	Czech, D. A. and Hoium, E. 1984. Some aspects of feeding and locomotor activity in adult rats exposed to tetraethyllead. <i>Neurobehav. Toxicol. Teratol</i> . 6(5): 357-61.
Bio Acc	Dacre, J. C. and Ter Haar, G. L. 1977. Lead levels in tissues from rats fed soils containing lead. <i>Arch . Environ. Contam. Toxicol</i> . 6(1): 111-119.
No Dose	Dalldorf, G and Williams, RR. 1945. <i>Science</i> . 102: 668.
Lead Shot	Damron, B. L. and Wilson, H. R. 1975. Lead toxicity of bobwhite quail. <i>Bull Environ Contam Toxicol</i> . 14(4): 489-9.
Unrel	Danscher, G. and J. O. Rytter Norgaard. 1985. Ultrastructural autometallography: a method for silver amplification of catalytic metals. <i>Journal of Histochemistry and Cytochemistry</i> . 33 (7): 706-10
Not Avail	Dantzer, R. and Camguilhem, R. 1979. Behavioral alterations induced by post-natal exposure to lead in rats. <i>C. R. Seances Soc. Biol. Ses Fil</i> . 173(3): 592-9.
Plant	Darmody, Robert G., Green, William P., and Dreher, Gary B. 1998. Coal slurry solids/coal fluidized bed combustion byproduct mixtures as plant growth media. <i>Int. J. Surf. Min. (Reclam. Environ.)</i> : 12(3), 111-115.
FL	Darolova, A., Reichrtova, E., and Pavelka, J. 1989. Bioaccumulation of metals from nickel works waste in the gull (<i>larus ridibundus</i> L., 1766). <i>Biologia (Bratisl)</i> . 44(6): p567-574.
No Oral	Datnow, M. M. 1928. Experimental investigation concerning toxic abortion produced by

chemical Agents. *J Obstet Gynaecol Br Commonw* . 35: 693-724 .

- Lead Shot** Daury, R. W., Schwab, F. E., and Bateman, M. C. 1994. Prevalence of ingested lead shot in american black duck, *anas rubripes*, and ring-necked duck, *aythya collaris*, gizzards from nova scotia and prince edward island. *Canadian Field-naturalist*. 108(1): 26-30.
- Bio Acc** Dauwe, T. , L. Pervoets, R. Blust, R. Pinxten, and M Eens. 1999. Are eggshells and egg contents of great and blue tits suitable as indicators of heavy metal pollution? *Belgian Journal of Zoology*. 129 (2): 439-447.
- Rev** Davis, JM. 1990. Risk assessment of the developmental neurotoxicity of lead. *Neurotoxicology* (Little Rock). 11: 285-291.
- Unrel** Davis, S. D. D.F. Gibbons, R. L. Martin, S. R. Levitt, J. Smith, and R. V. Harrington. 1972. Biocompatibility of ceramic implants in soft Tissue. *J Biomed Mater Res*. 6 (5). 1972 425-449
- Alt** Davis, S. F., Nation, J. R., and Mayleben, M. A. 1993. The effects of chronic lead exposure on reactivity to frustrative nonreward in rats . *Toxicol Lett* (AMST). 66(3): 237-246.
- Rev** Davis, S. F a, Armstrong, S. L. W., and Huss, M. T. 1993. Shock-elicited aggression is influenced by lead and/or alcohol exposure. *Bulletin of the Psychonomic Society*. 31(5): 451-453.
- No Oral** De Franciscis, P. and F. Boccalatte. 1962. Lead acetate and development of chick embryo. *Nature* (London) . 193: 989-990.
- Rev** De Franciso, N. J. D. Ruiz Troya and E. I. Aguera. 2003. Lead and lead toxicity in domestic and free living birds. *Avian Pathology*. 32: 3-13.
- No Oral** De Gennaro, L. D. 1987. The effects of lead nitrate on the central nervous system of the chick embryo. ii. Electron microscopy and histochemistry peroxisomes. *Growth*. 51(2): 213-223.
- FL** de Kroon G H J. 1986. [Another case of lead poisoning, even in the water rail (*Rallus aquaticus* L.)]. *Vogeljaar*. 34(3): 112-114.
- Diss** De Rossett, S. E. 1981. *Effects of Lead on Spontaneous Alternation, Reactivity, and Intracranial Self-stimulation*. University of Kentucky.
- FL** Dehant, P. 1995. Decline of the little owl is chemical contamination still suspected? *Aves*. 31(6): p219-220.
- FL** Del Bono, G., Braca, G., Rindi, S., Sivieri Buggiani, S., and Romboli, I. 1978-1979. Further investigations on experimental lead poisoning of domestic ducks. Effects on fecundity and fertility.: Ulteriori indagini sull'intossicazione sperimentale da piombo in anitre domestiche. Effetti sulla fecondita e fertilita. Pubblicazioni - Universita Degli Studi Di Perugia, Facolta Di Medicina Veterinaria.perugia. ; Universita. ; *Facolta Di Medicina Veterinaria*. 14 : 115-128.
- Lead Shot** Del Bono, G., Braca, G., Rindi, S., and Sivieri, S. 1972. (Experimental lead poisoning in domestic and wild ducks). *Annali della Facolta di Medicina Veterinaria di Pisa*. 24: 79-158.
- No Dose** Delaquerriere-Richardson, L., Anderson, C., Jorch, U. M., and Cook, M. 1982. Radiographic studies on bone in beagles subjected to low levels of dietary lead since birth. *Vet. Hum. Toxicol*. 24(6): 401-405.
- FL** Delgado Gonzalez, R A., Fortoul van der Goes, T. I., and Rosiles Martinez, R. 1994. Lead,

chromium and cadmium concentrations and their relationship to tissue morphological alterations in pigeons (*Columba livia*) from the valley of Mexico City and Ixtlahuaca in the State of Mexico. *Veterinaria-Mexico*. 25(2): 109-115.

- Alt** DeLuca, J., Donovan, P. J., and Burright, R. G. 1989. Lead exposure, environmental temperature, nesting and consummatory behavior of adult male mice of two ages. *Neurotoxicol Teratol* 11(1): 7-11.
- Phys** Delverdier, M., P. Cabanie, N. Roome, F. Enjalbert, and G. Van Haverbeke. 1991. Critical analysis of the histomorphometry of rat thyroid after treatment with thyroxine and propylthiouracil. *Annales de recherches veterinaires*. 22 (4) : 373-8.
- Rev** Demayo A, Taylor M, Taylor K, and Hodson P. 1982. Toxic effects of lead and lead compounds on human health, aquatic life, wildlife plants, and livestock. *CRC Crit. Rev. Environ. Control* . 12: 257-305.
- Dead** DeMent, S. H., Chisolm, J. J. Jr., Barber, J. C., and Strandberg, J. D. 1986. Lead exposure in an 'urban' peregrine falcon and its avian prey. *Journal of Wildlife Diseases*. 22(2): 238-244 .
- Lead Shot** Dement, S. H., Chisolm, J. J Jr, Eckhaus, M. A., and Strandberg, J. D. 1987. Toxic lead exposure in the urban rock dove. *J Wildl Dis*. 23(2): 273-278.
- CP** Den, Tonkelaar E M, Kroes, R. Van, Logten M J. 1977. Comparative toxicity studies of lead arsenate and lead acetate in Rats. Int Union Pharmacol. Proceedings of the International Congress of Pharmacology, 6th. Abstract. Helsinki, Finland, 1975. 632p. Illus. Pergamon Press Oxford, Engl.; New York, N.y., Usa. Isbn 0-08-021308-1.
- In Vit** Denizeau, F. and M. Marion. 1989. Genotoxic effects of heavy metals in rat hepatocytes. *Cell Biology and Toxicology*. 5 (1) : 15-25
- FL** Denneman, W. D. 1990. Insectivore food chains as biological monitors in polluted ecosystems. *Lutra*. 33(1): 80-82.
- Bio Acc** Denneman, W. D. and Douden, P. E. T. 1993. Trace metals in primary feathers of the barn owl (*Tyto alba guttatus*) in The Netherlands. *Environ. Pollut.* 82(3): 301-10 .
- No Oral** Der, R., Fahim, Z., Hilderbrand, D., and Fahim, M. 1974. Combined effect of lead and low protein diet on growth, sexual development, and metabolism in female rats. *Res. Commun. Chem. Pathol. Pharmacol.* 9(4): 723-738.
- Mix** Der, R, Fahim, Z, Yousef, M, and Fahim, M. 1976. Environmental interaction of lead and cadmium on reproduction and metabolism of male rats. *Res. Comm. Chem. Path. Pharmacol.* 14: 689.
- No Oral** Der, R., Fahim, Z., Yousef, M., and Fahim, Mostafa. 1976. Environmental interaction of lead and cadmium on reproduction and metabolism of male rats. *Trace Subst. Environ. Health*. 10: 505-517.
- CP** Der, R., Hilderbrand, D., Fahim, Z., Griffin, W. T., and Fahim, M. S. 1974. Combined effect of lead and low protein diet on growth, sexual development and metabolism in male rats. Trace substances in environmental health. 8. Proceedings of Univ. of Missouri's 8th Annual Conference on trace substances in environmental health. 417-431.
- Unrel** Desclin, J. C. And J. Escubi. 1975. An additional silver impregnation method for demonstration of degenerating nerve cells and processes in the central nervous system. *Brain research*. 93 (1) :

Imm	Descotes, J. R. Tedone, and J. C. Evreux. 1985. Immunotoxicity screening of drugs and chemicals: value of contact hypersensitivity to picryl chloride in the mouse. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> . 7(6):
Aquatic	Quebec City, Quebec, Canada, October 17-21, 1993. Canadian Technical Report of Fisheries and Aquatic Sciences. 0 (1989). 1994. 22-23. Outline of an exotoxicological surveillance network for fauna of the saint lawrence the role of the canadian wildlife service
Dead	DeSloovere, J., M. Debackere, and J. Hoorens. 1971. Poisoning of domestic animals. <i>Vlaams Diergeneesk. Tijdschr.</i> 40(1)8-29; 1971(REF18)
In Vit	Dessi, S., Batetta, B., Carrucciu, A., Pulisci, D., Laconi, S., Fadda, A. M., Anchisi, C., and Pani, P. 1989. Variations of serum lipoproteins during cell proliferation induced by lead nitrate. <i>Exp Mol Pathol.</i> 51(2): 97-102.
Lead Shot	Destefano, S., Brand, C. J., Rusch, D. H., Finley, D. L., and Gillespie, M. M. 1991. Lead exposure in Canada geese of the eastern prairie population. <i>Wildl Soc Bull.</i> 19(1): 23-32.
Lead Shot	Destefano, S., Brand, C. J., and Samuel, M. D. 1995. Seasonal ingestion of toxic and nontoxic shot by Canada Geese. <i>Wildlife Society Bulletin.</i> 23(3): 502-506.
Lead Shot	Destefano, Stephen. 1989. <i>Ecological Relationships of Lead Exposure in Canada Geese of the Eastern Prairie Population</i> . University of Idaho
Lead Shot	Deuel, B. 1985. Experimental lead dosing of northern pintails in California. <i>Calif. Fish Game.</i> 71(2): 125-128.
No COC	Deutsch, S. I., J. Mastropaolo and R. B. Rosse. 1998. Neurodevelopmental consequences of early exposure to phencyclidine and related drugs. <i>Clinical Neuropharmacology.</i> 21 (6): 320-32
No Oral	Dey, P. M. J. Burger M. Gochfeld K. R. Reuhl. 2000. Developmental lead exposure disturbs expression of synaptic neural cell adhesion molecules in herring gull brains. <i>Toxicology.</i> 146: 137-147.
Diss	Di Giulio, R. T. 1982. The occurrence and toxicology of heavy metals in Chesapeake Bay waterfowl (duck, <i>Clangula hyemalis</i> , <i>Melanitta deglandi</i> , <i>Anas platyrhynchos</i> , <i>rubripes</i> , <i>strepera</i> , Maryland, Virginia)
Bio Acc	Di, Giulio R T and Scanlon, P. F. 1984. Effects of cadmium and lead ingestion on tissue concentrations of cadmium lead copper and zinc in mallard ducks <i>anas-platyrhynchos</i> . <i>Sci Total Environ.</i> 39(1-2): p103-110.
Anat	DiAugustine, R. P. //Sonstegard, K. S. 1984. Neuroendocrinelike (small granule) epithelial cells of the lung. <i>Environmental Health Perspectives.</i> 55: 271-95.
FL	Dicheva, L. and Ctanchev, K. H. 1988. Effect of lead on the duodenum, liver and kidneys of chickens. <i>Zhivotnov'dni Nauki.</i> 25(8): 99-105.
Surv	Dickinson, N. M., Watmough, S. A., and Turner, A. P. 1996. Ecological impact of 100 years of metal processing at Prescott, Northwest England. <i>Environmental Reviews.</i> 4(1): 8-24.
Species	Dickman, M. 1995. An isolated population of fourhorn sculpins (<i>Myoxocephalus quadricornis</i> , family cottidae) in a hypersaline high arctic Canadian lake. <i>Hydrobiologia.</i> 312 (1): 27-35.

Lead Shot	Dieter, M. P. and Finley, M. T. 1979. Delta-aminolevulinic acid dehydratase enzyme activity in blood, brain and liver of lead-dosed ducks. <i>Environ Res.</i> 19(1): 127-135.
Bio Acc	Dieter, M. P., Matthews, H. B., Jeffcoat, R. A., and Moseman, R. F. 1993. Comparison of lead bioavailability in F344 rats fed lead acetate, lead oxide, lead sulfide, or lead ore concentrate from Skagway, Alaska. <i>J. Toxicol. Environ. Health.</i> 39(1): 79-93.
Surv	Dieter, MP, Perry, MC, and Mulhern, BM. Lead and PCBs in canvasback ducks: relationship between enzyme levels and residues in blood. <i>Arch. Environ. Contam. Toxicol.</i> 5: 1-13.
Unrel	Difrancesco, D. , D. Noble, J. C. Denye and D. Difrancesco. 1991. The contribution of the pacemaker current i-f to generation of spontaneous activity in rabbit sino-atrial node myocytes. <i>J Physiol (Camb).</i> 434 (0). 1991. 23-40.
Aquatic	Dillon, C. R., Maurice, D. V., and Jones, J. E. 1988. Composition of <i>Egeria densa</i> . <i>J. Aquat. Plant Manage.</i> 26, 44-5 .
Mix	Dinius, D. A., Brinsfield, T. H., and Williams, E. E. 1973. Effect of subclinical lead intake on calves. <i>J. Anim. Sci.</i> 37(1): 169-173.
FL	Dinu, I., Boghianu, L., Botescu, E., and Sporn, A. 1972. Effect of some metals on carbohydrate metabolism. <i>Igiēna.</i> 21(8): 469-476.
Surv	Diters, R and Nielsen S. 1978. Lead poisoning of raccoons in Connecticut. <i>Journal of Wildl. Dis.</i> 14: 187-192.
Unrel	Dixit, V. P. and Lohiya, N. K. 1975. Inhibition of thyroid function and thyrotrophic activity following the administration of methallibure (ICI-33 828). <i>Endokrinologie.</i> 65(1): 66-71.
Rev	Dixon, R. L., Sherins, R. J., and Lee, I. P. 1979. Assessment of environmental factors affecting male Fertility. <i>Environ Health Perspect.</i> 30: 53-68 .
Bio Acc	Dmowski, K. 1993. Lead and cadmium contamination of passerine birds (starlings) during their migration through a zinc smelter area. <i>Acta Ornithologica (Warsaw).</i> 28(1): p1-9.
Bio Acc	Dmowski, K., Gast, F., Muller, P., and Wagner, G. 1984. Variability of cadmium and lead concentrations in bird feathers. <i>Naturwissenschaften.</i> 71(12): 639-640.
Surv	Dmowski, K., Kozakiewicz, M., Kozakiewicz, A., and Tarkowski, A. K. 1995. Ecological effects of heavy metal pollution (Pb, Cd, Zn) on small mammal populations and communities. <i>Bull. Pol. Acad. Sci.: Biol. Sci.</i> 43(1): 1-10.
Fate	Dobbins, A., Johnson, D. R., and Nathan, P. 1978. Effect of exposure to lead on maturation of intestinal iron absorption of rats. <i>J Toxicol Environ Health.</i> 4(4): 541-50.
Bio Acc	Dobos, Robert Z., Painter, D. Scott, and Mudroch, Alena. 1991. Contaminants in wildlife utilizing confined disposal facilities. <i>Int. J. Environ. Pollut.</i> (1991) 1(1-2): 73-86 .
Number	Dollahite, Jw, Rowe, Ld, and Reagor, Jc. 1975. Experimental Lead Poisoning in Horses and Spanish Goats. <i>Southwest Vet.</i> 28: 40. Ref ID: 14374
Pb Behav	Dolinsky, Z. S., Burright, R. G., and Donovan, P. J. 1983. Behavioral changes in mice following lead administration during several stages of development. <i>Physiol Behav</i> 30(4): 583-9.

Bact	Dolinsky, Z. S., Burright, R. G., Donovanick, P. J., Glickman, L. T., Babish, J., Summers, B., and Cypess, R. H. 1981. Behavioral effects of lead and <i>Toxocara canis</i> in mice. <i>Science</i> . 213(4512): 1142-1144.
Pb Behav	Dolinsky, Zelig, Fink, Elizabeth, Burright, Richard G., and Donovanick, Peter J. 1981. The effects of lead, d-amphetamine, and time of day on activity levels in the mouse. <i>Pharmacol., Biochem. Behav.</i> 14(6): 877-80.
No Dose	Dollahite, J, Younger R, Crookshank, H, Jones, L, and Petersen H. 1978. Chronic lead poisoning in horses. <i>American Journal of Veterinarian Research</i> . 39: 961-964.
In Vit	Dolzanskaya, N., E. Goncharova, and T. G. Rossman, 1998. Isolation and properties of lead-resistant variants of rat glioma cells. <i>Biol. Trace Elem. Res.</i> 65 (1) : 31-43
Abstract	Domingo, J. L., Llobet, J. M., Ortega, A., Paternain, J. L., and Corbella, J. 1990. Effects of meso-2,3-dimercaptosuccinic acid (dmsa) in the pregnant rat: teratogenicity and tissue trace elements. <i>Teratology</i> . 42(2): 23A.
No COC	1990. Oral meso-2,3-dimercaptosuccinic acid in pregnant Sprague-Dawley rats: teratogenicity and alterations in mineral metabolism. I. <i>Teratological evaluation</i> . 30 (3) : 181-90
No COC	1995. Prevention by chelating agents of metal-induced developmental toxicity. 9 (2) : 105-113
No Oral	Dominiczak, K., Mikulski, T., Exon, J. H., Koller, L. D., and Kerkvliet, N. I. 1977-1979. [Effect of chronic action of cadmium sulfate on various biochemical indices of blood serum and on the histological picture of rat liver and kidneys]: <Original> WpLw przewlekLego dziaLania siarczanu kadmu na niektore wskaźniki biochemiczne surowicy krwi oraz na obraz histologiczny watroby i nerek szczurow.: Lead-cadmium interaction: effects on viral-induced mortality and tissue residues in mice. <i>Med Pr: Arch Environ Health</i> . 28. 34(3. 6): 179-87-469-75.
Pb Behav	Donald, J. M., Bradley, M., O'Grady, J. E., Cutler, M. G., and Moore, M. R. 1988. Effects of low-level lead exposure on 24 h activity patterns in the mouse. <i>Toxicol Lett.</i> 42(2): 137-47.
Pb Behav	Donald, J. M., Cutler, M. G., and Moore, M. R. 1986. Effects of 1.2 microM lead in the laboratory mouse: developmental and behavioural consequences of chronic treatment. <i>Neuropharmacology</i> 25(12): 1395-401.
Food	Donaldson, W. E. 1993. Effects of dietary lead, fish oil, and ethoxyquin on hepatic fatty acid composition in chicks. <i>Biol Trace Elem Res</i> 36(3): 319-326.
No Control	Donaldson, W. E. 1991. Interactions of dietary lead with fish oil and antioxidant in chicks. <i>Biol Trace Elem Res</i> 31(3): 215-222.
Food	Donaldson, W. E. and Leeming, T. K. 1984. Dietary lead: effects on hepatic fatty acid composition in chicks. <i>Toxicology and Applied Pharmacology</i> 73(1): 119-123.
In Vit	Dong, K. L. and Ing, K. H. 1998. Responses to n-methyl-d-aspartate and kainic acid in cerebellar granule cells of lead-exposed rat pups. <i>Neurotoxicology : (Park Forest South)</i> . 19(1): 49-55.
Mix	Donovick, P. J., Dolinsky, Z. S., Perdue, V. P., Burright, R. G., Summers, B., and Cypess, R. H. 1981. <i>Toxocara canis</i> and lead alter consummatory behavior in mice. <i>Brain Res. Bull.</i> 7(3): 317-323.

No Oral	Dostal, Lori A., Hopfer, Sidney M., Lin, Shan Meei, and Sunderman, F. William Jr. Effects of nickel chloride on lactating rats and their suckling pups, and the transfer of nickel through rat milk. <i>Toxicol. Appl. Pharmacol.</i> (1989) 101(2): 220-31.
Rev	Doyle, J. J. 1979. Toxic and essential elements in bone. a review. <i>J. Anim. Sci.</i> 49(2): 482-497.
Rev	Doyle, J. J. and Spaulding, J. E. 1978. Toxic and essential trace elements in meat - a review. <i>Journal of Animal Science.</i> 47(2): 398-419.
In Vit	Draper, Alison J. and Hammock, Bruce D. 1999. Inhibition of soluble and microsomal epoxide hydrolase by zinc and other metals. <i>Toxicol. Sci.</i> 52(1): 26-32.
No Oral	Drasch, G. A., Walser, D., and Koesters, J. 1987. The urban pigeon (<i>Columba Livia</i> , forma urbana): a biomonitor for the lead burden of the environment. <i>Environ. Monit. Assess.</i> 9(3): 223-232.
BioX	Dreskin Stephen C. 1995. ATP-dependent activation of phospholipase c by antigen, neca, na-3vo-4, and gtp-gamma-s in permeabilized rbl cell ghosts: differential augmentation by atp, phosphoenolpyruvate and phosphocreatine. <i>Molecular and Cellular Biochemistry</i> 146(2): 165-170.
Drug	Drew, W. G., Kostas, J., McFarland, D. J., and De Rossett, S. E. 1979. Effects of neonatal lead exposure on apomorphine-induced aggression and stereotypy in the rat. <i>Pharmacology.</i> 18(5): 257-62.
No Dose	Driscoll, J. W. and Stegner, S. E. 1976. Behavioral effects of chronic lead ingestion on laboratory rats. <i>Pharmacol Biochem Behav</i> 4(4): 411-7.
Pb Behav	Driscoll, J. W. and Stegner, S. E. 1978. Lead-produced changes in the relative rate of open field activity of laboratory rats. <i>Pharmacol., Biochem. Behav.</i> 8(6): 743-7.
No Dose	Drozd, U. V., Bondarenko, S. V., Yasnetsov, V. V., Batrakov, S. G., Sakandelidze, O. G., and Shashkov, V. S. Composition from laminaria saccharina increases the survival time of mice at low temperatures. <i>Byull. Eksp. Biol. Med.</i> (1991) (4): 383-4.
No Dose	Dubas, T. C. and Hrdina, P. D. 1978. behavioral and neuro chemical consequences of neo natal exposure to lead in rats. <i>J ENVIRON PATHOL TOXICOL.</i> 2(2): 473-84.
Fate	Dubas, T. C., Stevenson, A., Singhal, R. L., and Hrdina, P. D. 1978. Regional alterations of brain biogenic amines in young rats following chronic lead exposure. <i>Toxicology</i> 9(1-2): 185-90.
Unrel	Dube, Benoit, Dunning, Greg, and Lauziere, Kathleen. Geology of the hope brook mine, newfoundland, canada: a preserved late proterozoic high-sulfidation epithermal gold deposit and its implications for exploration. <i>Econ. Geol.</i> (1998) 93(4): 405-436.
Unrel	Dubrovolskii, V. V. biogeochemistry of atolls. <i>Tr. Biogeokhim. Lab. Akad. Nauk SSSR</i> (1990): 21, 5-34.
Fate	Dudka, J., Szczepaniak, S., Dawidek-Pietryka, K., and Kusmierzak, E. 1998. Effect of lead and nitrites on the activity of some enzymes indirectly affecting methemoglobin reduction processes in rats. <i>Bromatologia i Chemia Toksykologiczna.</i> 31(3): 233-237.

FL	Dumas, P., Gueldry, D., Loireau, A., Chomard, P., Buthieau, A. M., and Autissier, N. 1985. [Effects of lead poisoning on properties of brain mitochondria in young rats]. <i>C R Seances Soc Biol Fil.</i> 179(2): 175-83.
Species	Dusenbery, D. B. 1989. Screening test for neurotoxins using caenorhabditis elegans. <i>Report (1987) Order No. PB89-130025, Avail.: NTIS From: Gov. Rep. Announce. Index U. S.)</i> 1989,. 89(6. <i>Abstr. No. 914,213.</i> 6 pp.
Species	Dusenbery, D. B. 1987. <i>Screening Test for Neurotoxins Using 'Caenorhabditis Elegans'.</i> <NOTE> <i>Final Rept. <CAS REG. NO.> 7440-50-8; 7440-41-7; 7439-97-6; 7439-92-1; 121-75-5; 7646-85-7; 62-73-7; 7487-94-7; 13510-49-1; 13473-90-0; 7447-39-4; 10099-74-8; 10108-64-2; 10043-76-9</i>
Fate	Duvenkamp, A. 1984. Karyokinetic reactions in rat kidney proximal convoluted segment epithelium on long-term lead supply with drinking water. <i>Acta Anat (Basel)</i> 119(2): 121-3.
FL	Dyck, J., Kraul, I., and Grandjean, P. 1988. Environmental pollutants in and eggshell thinning of remnants of danish white-tailed eagle Eggs. <i>Dan Ornithol Foren Tidsskr.</i> 82(1-2): 53-55.
FL	Eberle, J., Diebold, J., Reichlmayr-Lais, A. M., and Kirchgessner, M. 1996. [Bone marrow morphology and various hemolytic markers in growing rats with alimentary lead deficiency]: <original> untersuchungen zur knochenmarksmorphologie und zu verschiedenen hamolysemarkern bei wachsenden ratten im alimentaren bleimangel. <i>Z Ernahrungswiss.</i> 35(4): 332-40.
Fate	Eberle, J., Reichlmayr-Lais, A. M., and Kirchgessner, M. 1995. Determination of free cytosolic ca-2--content in mammary gland cells of rats fed a diet with different lead content using the fluorecence indicator fura-2. <i>Journal of Animal Physiology and Animal Nutrition.</i> 73(2): 96-103.
FL	Eberle, J., Reichlmayr-Lais, A. M., and Kirchgessner, M. 1996. [Hematologic changes in alimentary pb deficiency in growing rats]: <original> hamatologische veränderungen bei alimentarem pb-mangel wachsender ratten. <i>Z Ernahrungswiss.</i> 35(3): 292-301.
Alt	Edelstein, S., Fullmer, C. S., and Wasserman, R. H. 1984. Gastrointestinal absorption of lead in chicks: involvement of the cholecalciferol endocrine system. <i>J Nutr.</i> 114(4): 692-700.
Abstract	Edens, F. W., Benton, E., Morgan, G. W., Bursian, S. J., and Thaxton, P. 1975. Effect of lead acetate on reproductive performance in japanese quail. <i>Poult. Sci.</i> 54(5): 1756.
In Vit	Eder, K., Reichlmayr-Lais, A. M., and Kirchgessner, M. 1990. Activity of na-k-atpase and ca-mg-atpase in red blood cell membranes of lead-depleted rats. <i>J Trace Elem Electrolytes Health Dis.</i> 4(1): 21-4.
Unrel	Edgerton, David. 1997. Reconstruction of the red dog Zn - Pb - Ba orebody, Alaska: implications for the vent environment during the mineralizing event. <i>Can. J. Earth Sci. (1997)</i> 34(12): 1581-1602.
CP	Edwards, M., Kulas, J. E., Weakley, J. O., Kuit, W. J., Bloom, N. S., and Wallschlager, D. 1999. Aquatic selenium at cominco's red dog mine: sources, speciation, distribution, and control. <i>Tailings Mine Waste '99 Proc. Int. Conf., 6th</i> : 535-542 Publisher: Balkema, Rotterdam, Neth.
Surv	Edwards, W and Clay, B. 1977. Reclamation of rangeland following a lead posioning incident in livestock from industrial airborne contamination of forage. <i>Vet. Human. Toxicol.</i> 19: 247-249.

Bio Acc	Eens, Marcel, Pinxten, Rianne, Verheyen, Rudolf F., Blust, Ronny, and Bervoets, Lieven. Great and blue tits as indicators of heavy metal contamination in terrestrial ecosystems. <i>Ecotoxicol. Environ. Saf.</i> (1999) 44(1): 81-85.
Surv	Eeva, T. and Lehikoinen, E. 1995. Egg shell quality, clutch size and hatching success of the great tit (<i>Parus major</i>) and the pied flycatcher (<i>Ficedula hypoleuca</i>) in an air pollution gradient. <i>Oecologia</i> . 102(3): 312-23.
Surv	Eeva, T. and Lehikoinen, E. 1996. Growth and mortality of nestling great tits (<i>Parus major</i>) and pied flycatchers (<i>ficedula hypoleuca</i>) in a heavy metal pollution Gradient. <i>Oecologia (Berlin)</i> . 108(4): 631-639.
Air P	Eeva, T. and Lehikoinen, E. 1998. Local survival rates of the pied flycatchers (<i>Fijcedula hypoleuca</i>) and the great tits (<i>parus major</i>) in an air pollution gradient. <i>Ecoscience</i> . 5(1): 46-50.
Unrel	Eeva, T., Lehikoinen, E., and Nurmi, J. 1994. Effects of ectoparasites on breeding success of great tits (<i>parus major</i>) and pied flycatchers (<i>Ficedula hypoleuca</i>) in an air pollution gradient. <i>Canadian Journal of Zoology</i> . 72(4): 624-635.
Surv	Eeva, T., Lehikoinen, E., and Ronka, M. 1998. Air pollution fades the plumage of the great tit. <i>Functional Ecology</i> . 12(4): 607-612.
FL	Efthymiou, M. L., Cristofini, P., Pierron, E., and Djeddar, S. 1995. Diagnosis of toxic or drug induced Pancreatitis. <i>Therapie (Paris)</i> . 50(5): 467-468.
Surv	Egan, DA and O'Cuill, T. 1970. cumulative lead poisoning in horses in a mining area contaminated with galena. <i>Vet. Rec.</i> 86: 736-8.
Unrel	Egan, H. 1972. pesticides and toxic chemicals. <i>Proc. Nutr. Soc.</i> . 31(1): p23-32.
Fate	Egle, P. M. and Shelton, K. R. 1986. chronic lead intoxication causes a brain-specific nuclear protein to accumulate in the nuclei of cells lining kidney tubules. <i>J Biol Chem</i> . 261(5): 2294-8.
Rev	Eisler, R. 1988 .
Phys	El Azazi, M., Kristensson, K., Malm, G., and Wachtmeister, L. 1987. The effect of postnatal exposure to lead on the electroretinogram in young rats. <i>Acta Ophthalmol (Copenh)</i> 65(3): 334-43.
Phys	El Azazi, M., Kristensson, K., Malm, G., and Wachtmeister, L. 1985. Studies on developmental alterations in the electroretinogram in rats after postnatal exposure to lead. <i>Acta Ophthalmol</i> . 63(5): 574-80.
CP	El-Sabai, A., Abaza, M., Barna, J., and Szalay, I. 1994. effect of feeding diet contaminated with lead or cadmium on semencharacteristics of cockerels. <i>Proceedings, 9th European Poultry Conference, 7-12 August 1994</i> 1: 304-305.
Diss	El-Saieed, E. M. 1988. <i>Influence of Subchronic Lead Toxicity on Fertility of Chickens [Egypt]</i>
Diss	El-Toukhy, N. M. K. A. 1993. <i>Effect of Lead Toxicant on Some Physiological Parameters in Male Rabbits</i>

Mix	Elgerwi, A. Al-Fateh and Bires, J. 1999. Distribution of minerals in organs of sheep after intoxication with copper from industrial emissions. <i>Czech Journal of Animal Science</i> . V. 44(11) P. 487-495
Unrel	Ellender, G. and Ham, K. N. 1988. Cationic radioisotope delivery to loose connective tissue in vivo using ion-exchange resin beads. <i>Nuclear Medicine Communications</i> 9(6): 403-9.
Surv	Elliott, J. E., Butler, R. W., Norstrom, R. J., and Whitehead, P. E. 1989. Environmental contaminants and reproductive success of great blue herons <i>Ardea-herodias</i> in British Columbia canada 1986-1987. <i>Environ Pollut.</i> 59(2): p91-114.
CP	Elsenhans, B., Schuemann, K., Schaefer, S., and Forth, W. Interactions among cadmium arsenic lead nickel and essential trace elements in rat tissue after dietary exposure. <i>Second Joint Meeting of the Nederlandse Vereniging Voor Toxicologie (Toxicological Society of the Netherlands) and the British Toxicology Society, Leyden, Netherlands, May 17-19, 1987. Hum Toxicol.</i> 7 (1). 1988. 78.
Acu	Elsenhans, B a, Hunder, G., Strugala, G., and Schuemann, K. 1999. Longitudinal pattern of enzymatic and absorptive functions in the small intestine of rats after short-term exposure to dietary cadmium chloride. <i>Arch Environ Contamin Toxicol.</i> 36(3): 341-346.
Pb Behav	Engellenner, W. J., Burright, R. G., and Donovick, P. J. 1986. Lead, age and aggression in male mice. <i>Physiol Behav</i> 36(5): 823-8.
CP	Eriksson, O., Frank, A., Nordkvist, M., and Petersson, L. R. 1990. Heavy metals in reindeer and their forage plants. <i>Proceedings of the Fifth International Reindeer/Caribou Symposium, Arvidsjaur, Sweden, August 18-22, 1988. Rangifer.</i> (Special Issue No. 3): 315-331.
FL	Esashi, Takatoshi, Suzuki, Kazuo, Yokota, Fumi, and Suzue, Ryokuro. 1979. Effect of calcium on the physical development and toxic symptoms in rats poisoned with lead. <i>Eiyogaku Zasshi.</i> 37(4): 181-7.
No Dose	Eweis, E. A. and Ibrahim, N. M. 1996. Lead toxicity in mice. <i>Veterinary Medical Journal.</i> 44(4): 671-678.
FL	Ewers, U., Weisser, L., and Wegner, A. 1980. [Influence of chronic lead exposure on resistance to bacterial infection (author's transl)]: <original> einfluss einer chronischen bleibelastung auf die infektionsresistenz. <i>Zentralbl Bakteriol [B].</i> 170(5-6): 379-87.
No Oral	Fahim, M. S. and Khare, N. K. 1980. Effects of subtoxic levels of lead and cadmium on urogenital organs of male rats. <i>Arch. Androl.</i> 4(4): 357-362.
Imm	Faith, R. E., Luster, M. I., and Kimmel, C. A. 1979. Effect of chronic developmental lead exposure on cell-mediated immune functions. <i>Clin. Exp. Immunol.</i> 35(3): 413-420.
No Oral	Falandysz, J. 1986. Metals and organochlorines in adult and immature males of white-tailed eagle <i>haliaeetus-albicilla</i> . <i>Environ Conserv.</i> 13(1): p69-70.
HHE	Falandysz, J., Centkowska, D., Falandysz, J., and Lorenc-Biala, H. 1986. trace metals and organochlorine pesticides content in duck goose and rabbit tissues. <i>Bromatol Chem Toksykol.</i> 19(3): 151-155.
Bio Acc	Falandysz, J., Jakuczun, B., and Mizera, T. 1988. metals and organochlorines in four female white-tailed eagles. <i>Mar Pollut Bull.</i> 19(10): 521-526.

FL	Falandysz, J., Krol, W., and Jakuczun, B. 1987. Metals and polychlorinated compounds in tissues and eggs of white-tailed eagle <i>haliaeetus-albicilla</i> l. and in eggs of lesser spotted eagle <i>aquila-pomarina brehm</i> . <i>Bromatol Chem Toksykol.</i> 20(3-4): p233-239.
Bio Acc	Fasola, M., Movalli, P. A., and Gandini, C. 1998. Heavy metal, organochlorine pesticide, and pcb residues in eggs and feathers of herons breeding in northern Italy. <i>Arch Environ Contam Toxicol.</i> 34(1): 87-93.
Lead Shot	Feierabend J S. 1983. Steel shot and lead poisoning in waterfowl. an annotated bibliography of research 1976-1983. <i>National Wildlife Federation Scientific and Technical Series No.8.</i>
Rev	Feldman, B. F. and Kruckenberg, S. M. Clinical toxicities of domestic and wild caged birds. <i>Vet. Clin. N. Am.</i> 5(4): 653-673; 1975.(40 References).
Bio Acc	Fendick, E. A., Stevens, G. L., Brown, R. J., and Jordan, W. P. 1989. Element content in tissues of four rodent species sampled in the geysers geothermal steamfield California USA. <i>Environ Pollut.</i> 58(2-3): 155-178.
Mix	Fendick, E. A., Stevens, G. L., Brown, R. J., and Jordan, W. P. 1989. Element content in tissues of four rodent species sampled in the geysers geothermal steamfield. <i>Environ. Pollut. (1989)</i> 58(2-3): 155-78 .
Surv	Fenstermacher, R, Pomeroy, BS, Roepke, MH, and Boyd, WL. 1946. Lead poisoning of cattle. <i>J. Am. Vet. Med. Assoc.</i> 108: 1-12.
Drug	Ferguson, S. A. and Bowman, R. E. 1992. Effects of arecoline and scopolamine on open field behavior of adult monkeys treated with lead during the first year postpartum. <i>Neurotoxicol Teratol.</i> 14(1): 73-80.
Prim	Ferguson, S. A. and Bowman, R. E. 1990. Effects of postnatal lead exposure on open field behavior in monkeys. <i>Neurotoxicol Teratol.</i> 12(2): 91-97.
No Dose	Ferguson, S. A., Holson, R. R., Gazzara, R. A., and Siitonen, P. H. 1998. Minimal behavioral effects from moderate postnatal lead treatment in rats. <i>Neurotoxicol Teratol.</i> 20(6): 637-43.
Prim	Ferguson, S. A., Kraemer, G. W., Bowman, R. E., Schmidt, D. E., and Ebert, M. H. 1993. Lack of effect of chronic developmental lead treatment on biogenic amines and metabolites in monkey cerebrospinal fluid. <i>Neurotoxicol Teratol.</i> 15(4): 229-35.
Prim	Ferguson, S. A., Medina, R. O., and Bowman, R. E. 1993. Home cage behavior and lead treatment in rhesus monkeys: a comparison with open-field behavior. <i>Neurotoxicol Teratol.</i> 15(2): 145-9.
Prim	Ferguson, Sherry Ann. 1990. <i>The Effects of Early Postnatal or Chronic Lead Exposure on Learning and Open Field Behaviors in Rhesus Monkeys</i> : 181.
No Oral	Ferm, V. H. and Carpenter, S. J. 1967. Developmental malformations resulting from the administration of lead salts. <i>Exp. Mol. Pathol.</i> 7(2): 208-213.
Gene	Fesus, L., Thomazy, V., and Falus, A. 1987. Induction and activation of tissue transglutaminase during programmed cell death. <i>FEBS Lett.</i> 224(1): 104-8.
Diss	Figgs, Larry Winston. 1983. <i>The Fecundity of F1 Male Mice Exposed to Lead Acetate in Utero</i> (152)

Stain	Figueiredo, B. C., Skup, M., Bedard, A. M., Tetzlaff, W., and Cuello, A. C. 1995. Differential expression of p140trk, p75ngfr and growth-associated phosphoprotein-43 genes in nucleus basalis magnocellularis, thalamus and adjacent cortex following neocortical infarction and nerve growth factor treatment. <i>Neuroscience</i> 68(1): 29-45.
No Oral	Filkins, J. P. and Buchanan, B. J. 1973. Effects of lead acetate on sensitivity to shock, intravascular carbon and endotoxin clearances, and hepatic endotoxin detoxification. <i>PROC. SOC. EXPER. BIOL. MED.</i> 142(2): 471-475.
Lead Shot	Fimreite N. 1984. Effects of lead shot ingestion in willow grouse. <i>Bulletin of Environmental Contamination and Toxicology</i> . 33(1): 121-126.
No Oral	Fine, B. P., Jortner, B. S., Ty, A., Gause, D., and Lyons, M. 1979. The effects of body burdens of lead on the growing rat kidney. <i>Environ Res.</i> 19(2): 215-220.
Surv	Finelli, V. N. 1977. Lead, zinc, and d-aminolevulinate dehydratase. <i>Biochemical Effects of Environmental Pollutants, Edited by S. D. Lee and B. Peirano</i> : 351-363.
Nut def	Finelli, V. N. and El-Gazzar, R. M. 1977. interaction of lead and zinc on the prothrombin activity in rats. <i>Toxicol Lett</i> 1(1): 33-37.
Lead Shot	Finley, M. T. and Dieter, M. P. 1978. Toxicity of experimental lead iron shot versus commercial lead shot in mallards. <i>J WILDL MANAGE.</i> 42(1): 32-39.
Lead Shot	Finley, M. T., Dieter, M. P., and Locke, L. N. 1976. Lead in tissues of mallard ducks dosed with two types of lead shot. <i>Bull Environ Contam Toxicol.</i> 16(3): 261-9.
Lead Shot	Finley, Mack T. and Dieter, Michael P. Toxicity of experimental lead-iron shot versus commercial lead shot in mallards. <i>J. Wildl. Manage. (1978)</i> 42(1): 32-9.
Lead Shot	Finley, Mack T., Dieter, Michael P., and Locke, Louis N. Lead in tissues of mallard ducks dosed with two types of lead shot. <i>Bull. Environ. Contam. Toxicol. (1976)</i> 16(3): 261-9.
Lead shot	Finley, MT and Dieter, MP. 1978. Influence of laying on lead accumulation in bone of mallard ducks. <i>J. Toxicol. Environ. Hlth.</i> 4: 123-9.
FL	Fjeldsa, J. Some behavior patterns of 4 closely related grebes podiceps-nigricollis podiceps-gallardoi podiceps-occipitalis and podiceps-taczanowskii with reflections on phylogeny and adaptive aspects of the evolution of displays. <i>Dan Ornithol Foren Tidsskr. Dansk Ornithologisk Forenings Tidsskrift.</i> 76 (1-2). 1982 (Recd. 1983). 37-68.
Rev	Fjerdingstad, E. J., Danscher, G., and Fjerdingstad, E. 1974. Hippocampus: selective concentration of lead in the normal rat brain. <i>Brain Res.</i> 80(2): 350-4.
Alt	Fleischer, N., Mouw, R., and Vander, A. J. 1980. Chronic effects of lead on renin and renal sodium excretion. <i>J Lab Clin Med.</i> 95(5): 759-70.
Surv	Flint, P. L. and Grand, J. B. 1997. Survival of spectacled eider adult females and ducklings during brood rearing. <i>Journal of Wildlife Management.</i> 61(1): 217-221.
Surv	Flint, P. L., Petersen, M. R., and Grand, J. B. 1997. Exposure of spectacled eiders and other diving ducks to lead in western alaska. <i>Canadian Journal of Zoology.</i> 75(3): 439-443.

Mix	Flora, S. J., Coulombe, R. A. Jr, Sharma, R. P., and Tandon, S. K. 1989. Influence of dietary protein deficiency on lead-copper interaction in rats. <i>Ecotoxicol Environ Saf.</i> 18(1): 75-82.
Drug	Flora, S. J. and Tandon, S. K. 1987. Effect of combined exposure to lead and ethanol on some biochemical indices in the rat. <i>Biochem Pharmacol.</i> 36(4): 537-41.
Drug	Flora, S. J. and Tandon, S. K. 1987. Influence of calcium disodium edetate on the toxic effects of lead administration in pregnant rats. <i>Indian J Physiol Pharmacol.</i> 31(4): 267-72.
Drug	Flora, S. J. S. and Sharma, R. P. 1986. Influence of dietary supplementation with thiamin on lead intoxication in rats. <i>Biol. Trace Elem. Res., V10, N2, P137-44.</i> 10(2): 137-44.
Alt	Flora, S. J. S. and Tandon, S. K. 1987. Influence of dietary deficiency of nicotinamide on lead toxicity in young rats. <i>Biol. Trace Elem. Res.</i> 14(1-2): 43-51.
Surv	Flores, E. M. D. and Martins, A. F. 1997. Heavy metals in the environment: distribution of the trace elements in egg samples collected near coal power plants. <i>Journal of Environmental Quality.</i> 26(3): 744-748.
No Oral	Flynn, A. and Franzmann, A. W. 1974. Seasonal variations in hair mineral levels of the alaskan moose. 444-447.
Pb Behav	Flynn, J. C., Flynn, E. R., and Patton, J. H. 1979. Effects of pre- and postnatal lead on affective behavior and learning in the rat. <i>Neurobehav. Toxicol.</i> 1(Suppl. 1): 93-103.
Surv	Focardi, S., Fossi, C., Lambertini, M., Leonzio, C., and Massi, A. 1988. Long term monitoring of pollutants in eggs of yellow-legged herring gull from capraia island tuscan archipelago. <i>Environ Monit Assess.</i> 10(1): 43-50.
Rev	Forbes, R and Sanderson G. 1978. Lead toxicity in domestic animals and wildlife. 225-227.
Mix	Forbes, R. M. and Cerklewski, F. L. 1976. Influence of dietary selenium on lead toxicity in the rat. <i>J. Nutr.</i> 106(6): 778.
CP	Forrester, T. M. and Kasarskis, E. J. 1990. Metal interactions of lead with zinc in the postnatally lead exposed rat. <i>Meeting on Methods in Behavioral Toxicology and Teratology. Neurotoxicol Teratol.</i> 12(5): 562.
Org Met	Forsyth, D. S., Marshall, W. D., and Collette, M. C. 1985. Interaction of alkyllead salts with avian eggs. <i>J Environ Sci Health Part a Environ Sci Eng.</i> 20(2): 177-192.
Prim	Foster, W. G. 1992. Reproductive toxicity of chronic lead exposure in the female cynomolgus monkey. <i>Reproductive Toxicology.</i> 6(2): 123-131.
Prim	Foster, W. G., McMahon, A., YoungLai, E. V., Hughes, E. G., and Rice, D. C. 1993. Reproductive endocrine effects of chronic lead exposure in the male cynomolgus monkey. <i>Reprod Toxicol.</i> 7(3): 203-9.
Gene	Foteva, Svetla, Stanchev, Khristo, Malinova, Krasimira, and Bojchev, Krasimir. 1997. Effect of lead and cadmium accumulation in the organism of broiler chickens on their karyotype. <i>Zhivotnov'Dni Nauki.</i> 34(5-6): 75-78.
In Vit	Fowler, B. A. Ultrastructural and biochemical alterations of cellular organelles by prenatal exposure to toxic trace metals. <i>Reprod Dev Toxic Met(proc Jt Meet 1982):</i> 437-451,1983

No Dose	Fowler, B. A., Kimmel, C. A., Woods, J. S., McConnel, E. E., and Grant, L. D. 1980. Chronic low-level lead toxicity in the rat. iv. an integrated assessment of long-term toxicity with special reference to the kidney. <i>Toxicol. Appl. Pharmacol.</i> 56(1): 59-77.
No Dose	Fowler, B. A., Kimmel, C. A., Woods, J. S., McConnell, E. E., and Grant, L. D. 1980. Chronic low-level lead toxicity in the rat. iii. an integrated assessment of long-term toxicity with special reference to the kidney. <i>Toxicol. Appl. Pharmacol.</i> 56(1): 59-77.
Rev	Fowler, B. A. and Mahaffey, K. R. 1978. Interactions among lead, cadmium, and arsenic in relation to porphyrin excretion patterns. <i>Environ Health Perspect.</i> 25: 87-90.
No Dose	Fox, D. A. 1979. Physiological and neurobehavioral alterations during development in lead exposed rats. <i>Neurobehav. Toxicol.</i> 1 ((Suppl 1)): 193-206.
No Dose	Fox, D. A., Campbell, M. L., and Blocker, Y. S. 1997. Functional alterations and apoptotic cell death in the retina following developmental or adult lead exposure. <i>Neurotoxicology.</i> 18(3): 645-664.
No Dose	Fox, D. A. and Chu, L. W. 1988. Rods are selectively altered by lead: ii. ultrastructure and quantitative histology. <i>Exp. Eye Res.</i> 46(4): 613-625.
Fate	Fox, D. A. and Farber, D. B. 1988. Rods are selectively altered by lead: i. electrophysiology and biochemistry. <i>Exp Eye Res.</i> 46(4): 597-611.
No Oral	Fox, D. A., He, L., Poblentz, A. T., Medrano, C. J., Blocker, Y. S., and Srivastava, D. 1998. Lead-induced alterations in retinal cgmp phosphodiesterase trigger calcium overload, mitochondrial dysfunction and rod photoreceptor apoptosis. <i>Toxicol Lett.</i> 102-103: 359-61.
Phys	Fox, D. A. and Rubinstein, S. D. 1989. Age-related changes in retinal sensitivity, rhodopsin content and rod outer segment length in hooded rats following low-level lead exposure during development. <i>Exp Eye Res.</i> 48(2): 237-49.
In Vit	Fox, D. A., Rubinstein, S. D., and Hsu, P. 1991. Developmental lead exposure inhibits adult rat retinal, but not kidney, na ⁺ ,k ⁽⁺⁾ -atpase. <i>Toxicol Appl Pharmacol.</i> 109(3): 482-93.
In Vit	Fox, D. A. and Srivastava, D. 1995. Molecular mechanism of the lead-induced inhibition of rod cgmp phosphodiesterase. <i>Toxicol Lett.</i> 82-83: 263-70.
No Dose	Fox, D. A., Srivastava, D., and Hurwitz, R. L. 1994. Lead-induced alterations in rod-mediated visual functions and cgmp metabolism: new insights. <i>Neurotoxicology</i> 15(3): 503-12.
No Dose	Fox, DF, Lewkowski, JP, and Cooper, GP. 1979. Persistent visual cortex excitability alterations produced by neonatal lead exposure. <i>Neurobehav. Toxic.</i> 1: 101-6.
Surv	Franson, J., Christian, I., Schmutz, J. A., Creekmore, L. H., and Fowler, A. C. 1999. Concentrations of selenium, mercury, and lead in blood of emperor geese. <i>Environ. Toxicol. Chem.</i> 18(5): 965(5).
Rev	Franson J C. 1996. Interpretation of tissue lead residues in birds other than waterfowl. . <i>Environmental Contaminants in Wildlife: Interpreting Tissue Concentrations.</i> 265-279.
Surv	Franson J.C., Augspurger T.P., Converse K.A., Spitzer P.R., Miller E.A., Bachmann R.W., Jones J.R., Peters R.H., and Soballe, D. M. (eds.). 1995. Necropsy results and concentrations of

mercury, lead, arsenic, and selenium in emaciated loons from the coast of north carolina in 1993. *Lake Reserv. Manage* Vol. 11, NO. 2: p. 139^.

- Unrel** Franson, J. C. A, Thomas, N. J. a, Smith, M. R. a, Robbins, A. H., Newman, S., and McCartin, P. C. 1996. A retrospective study of postmortem findings in red-tailed hawks. *Journal of Raptor Research*. 30(1): 7-14.
- Bio Acc** Franson, J. Christian, Koehl, Philip S., Derksen, Dirk V., Rothe, Thomas C., Bunck, Christine M., and Moore, John F. 1995. Heavy metals in seaducks and mussels from misty fjords national monument in southeast alaska. *Environ. Monit. Assess.* 36(2): 149-67 .
- Herp** Freda, Joseph Miami Univ Oxford O. H. 1991. The effects of aluminum and other metals on amphibians. *Environ Pollut.* 71(2-4): 305-329.
- Bio Acc** Freeman, G. B., Dill, J. A., Johnson, J. D., Kurtz, P. J., Parham, F., and Matthews, H. B. 1996. Comparative absorption of lead from contaminated soil and lead salts by weanling Fischer 344 rats. *Fundam. Appl. Toxicol.* 33(1): 109-119.
- Bio Acc** Freeman, G. B., Johnson, J. D., Killinger, J. M., Liao, S. C., Feder, P. I., Davis, A. O., Ruby, M. V., Chaney, R. L., Lovre, S. C., and Bergstrom, P. D. 1992. Relative bioavailability of lead from mining waste soil in rats. *Fundam. Appl. Toxicol.* 19(3): 388-398.
- Lead Shot** French M C. 1982. Lead poisoning in mute swans - an east anglian survey. *Metals in Animals*. 25-29.
- Lead Shot** French, M. C. 1990. *Lead Poisoning in Swans Cygnus Olor*
- Diss** Frenzel, R. W. 1985. *Environmental Contaminants and Ecology of Bald Eagles in Southcentral Oregon (Pesticides, Organochlorines, Heavy Metals*
- Unrel** Freund, T. F. and Magloczky, Z. 1993. Early degeneration of calretinin-containing neurons in the rat hippocampus after ischemia. *Neuroscience* 56(3): 581-96.
- Unrel** Friend, M. 1985. *Interpretation of Criteria Commonly Used to Determine Lead Poisoning Problem Areas*
- Lead Shot** Friend, M. 1987. Lead poisoning (field guide to wildlife diseases). *FWS Resour Publ 167*. 1: 175(15).
- Unrel** Frierson, M., Ibrahim, K., Boles, M., Bote, H., and Ganey, T. 1994. Distraction osteogenesis. a comparison of corticotomy techniques. *Clinical Orthopaedics and Related Research* (301): 19-24.
- In Vit** Fujita, H., Orii, Y., and Sano, S. 1981. Evidence of increased synthesis of delta-aminolevulinic acid dehydratase in experimental lead-poisoned rats. *Biochim Biophys Acta*. 678(1): 39-50.
- In Vit** Fujiwara, Y., Kaji, T., Sakurai, S., Sakamoto, M., and Kozuka, H. Inhibitory effect of lead on the repair of wounded monolayers of cultured vascular endothelial cells. *Toxicology*. 117 (2-3). 1997. 193-198.
- In Vit** Fujiwara Yasuyuki, Kaji Toshiyuki(A), Yamamoto Chika, Sakamoto Michiko, and Kozuka Hiroshi. 1995. Stimulatory effect of lead on the proliferation of cultured vascular smooth-muscle cells. *Toxicology* 98(1-3): 105-110.

Mix	Fullmer, C. S. 1995. Dietary calcium levels and treatment interval determine the effects of lead ingestion on plasma 1,25-dihydroxyvitamin d concentration in chicks. <i>J. Nutr.</i> 125(5): 1328-1333.
Fate	Fullmer, C. S. 1991. Intestinal calcium and lead absorption effects of dietary lead and calcium. <i>Environ Res.</i> 54(2): 159-169.
Surv	Fullmer, C. S. 1997. Lead-calcium interactions: involvement of 1,25-dihydroxyvitamin d. <i>Environmental Research.</i> 72(1): 45-55.
Fate	Fullmer, C. S. and Rosen, J. F. 1990. Effect of dietary calcium and lead status on intestinal calcium absorption. <i>Environ Res.</i> 51(1): 91-90.
In Vit	Furuno, Koji, Suetsugu, Tatsuya, and Sugihara, Narumi. 1996. Effects of metal ions on lipid peroxidation in cultured rat hepatocytes loaded with .alpha.-linolenic acid. <i>J. Toxicol. Environ. Health (1996)</i> 48(2): 121-129 .
Lead Shot	Gabor, S., Magda, H. M., and Vladov, S. 1987. Lead poisoning of mallards anas platyrhynchos caused by lead Shot. <i>Magy Allatorv Lapja.</i> 42(10): 621-626.
No Dose	Gabrashanska, M. and Daskalova, A. comparative studies on the levels of the trace-elements selenium and zinc in poultry experimentally infested with the nematode Ascaridia-galli. <i>Khel'mintologiya.</i> 20 (0). 1985 (Recd. 1986). 15-23.
FL	Gabrashanskii, P., Koichev, K. B., and Troev, T. Some diseases in fallow deer in northeast bulgaria and their prevention. <i>Veterinarno Meditsinski Nauki.</i> 23 (10). 1986 (Recd. 1987). 83-88.
Phys	Gainer, J. H. 1973. Activation of the rauscher leukemia virus by metals. <i>J. Nat. Cancer Inst.</i> (1973) 51(2): 609-13.
Acu	Gainer, J. H. 1977. Effects of interferon of heavy metal excess and zinc Deficiency. <i>Am J Vet Res.</i> 38(6): 863-867.
In Vit	Gainer, J. H. 1977. Effects on interferon of heavy metal excess and zinc deficiency. <i>American Journal of Veterinary Research</i> 38(6): 863-7.
Surv	Gale, Nord L., Wixson, Bobby G., Hardie, Michael G., and Jennett, J. Charles. 1973. Aquatic organisms and heavy metals in missouri's new lead belt. <i>Water Resour. Bull.</i> 9(4): 673-88.
No Oral	Gale, T. F. 1978. A variable embryotoxic response to lead in different strains of hamsters. <i>Environ Res.</i> 17(3): 325-333.
Fate	Galvanovskii, Yu. Ya., Andrushaite, R. E., and Bauman, V. K. 1986. Effect of vitamin d on lead transport in the small intestine ofchickens and the role of calcium-binding protein in that process.: <document title>assimilyatsiya pitatel'nykh veshchestv v organizmezhivotnykh. 26-37.
Surv	Gandhi, D. N. 1990. The influence of diet on the toxicity of orally ingested lead in rats. <i>Indian Journal of Nutrition and Dietetics.</i> 27(6): 186-189.
Diss	Gandley, R. E. 1993. <i>Paternal Effects of Lead in the F(1) and F(2) Generations of Rats: Hippocampal Morphology and Embryofetal Protein Synthesis</i>
No Oral	Garber, B. and Wei, E. 1973. Lead toxicity in mice with genetically different levels of delta-aminolevulinic acid dehydratase. <i>Bull. Environ. Contam. Toxicol.</i> 9(2): 80-83.

Surv	Garcia-Fernandez, A. J., Motas-Guzman, M., Navas, I., Maria-Mojica, P., Luna, A., and Sanchez-Garcia, J. A. 1997. Environmental exposure and distribution of lead in four species of raptors in southeastern Spain. <i>Arch. Environ. Contam. Toxicol.</i> 33(1): 76-82.
Bio Acc	Garcia Fernandez A J, Sanchez Garcia J A, Jimenez Montalban P, and Luna A. 1995. Lead and cadmium in wild birds in southeastern Spain. <i>Environ Toxicol Chem.</i> 14(12): 2049-2058.
In Vit	Garrett, N. E., Campbell, J. A., Stack, H. F., Waters, M. D., and Lewtas, J. 1983. Utilization of the rabbit alveolar macrophage and Chinese hamster ovary cell for evaluation of the toxicity of particulate materials. 1. model compounds and metal-coated fly ash. <i>Govt Reports Announcements & Index (GRA&I)</i>
No Dose	Gatzke, HD. 1980. The influence of lead on the protein metabolism of the brain. <i>Anat. Anz. (Jena)</i> . 148: 309-22.
Unrel	Gayet, Jean Charles, Haouz, Ahmed, Geloso-Meyer, Annette, and Burstein, Claude. 1993. Detection of heavy metal salts with biosensors built with an oxygen electrode coupled to various immobilized oxidases and dehydrogenases. <i>Biosens. Bioelectron.</i> 8(3-4): 177-83.
No Dose	Geist, C. R., Balko, S. W., Morgan, M. E., and Angiak, R. 1985. Behavioral effects following rehabilitation from postnatal exposure to lead acetate. <i>Percept Mot Skills.</i> 60(2): 527-36.
Pb Behav	Geist, C. R. and Mattes, B. R. 1979. Behavioral effects of postnatal lead acetate exposure in developing laboratory rats. <i>Physiol. Psychol.</i> 7(4): 399-402.
No Dose	Geist, C. R. and Praed, J. E. 1982. Chronic lead exposure of rats: open-field performance. <i>Percept Mot Skills.</i> 55(2): 487-90.
Fate	Gelman, B. B., Michaelson, I. A., and Bornschein, R. L. 1979. Brain lipofuscin concentration and oxidant defense enzymes in lead-poisoned neonatal rats. <i>J Toxicol Environ Health</i> 5(4): 683-98.
FL	Genot, J. C., Lecci, D., Bonnet, J., Keck, G., and Venant, A. 1995. Data on the chemical contamination in the little owl <i>Athya noctua</i> (scop.) and its eggs, in France. <i>Alauda.</i> 63(2): p105-110.
Diss	Genova, T. F. 1982. <i>Lead Induced Modifications of Immune Responses in Aging Male and Female Mice</i>
Surv	George, J. C., March, G. L., and McKeown, B. A. 1983. Effects of environmental lead poisoning on the breast muscle of the Canada goose: an ultrastructural study. <i>Cytobios.</i> 36(143-144): 201-216.
Alt	Gerber, G., Maes, J., and Deroo, J. 1978. Effect of dietary lead on placental blood flow and on fetal uptake of alpha-amino isobutyrate. <i>Arch Toxicol</i> 41(2): 125-31.
Fate	Gerber, G. B. and Maes, J. 1978. Heme synthesis in the lead-intoxicated mouse embryo. <i>Toxicology.</i> 9(1-2): 173-9.
Mix	Germolec, Dori R., Yang, Raymond S. H., Ackermann, Michael F., Rosenthal, Gary J., Boorman, Gary A., Blair, Patricia, and Luster, Michael I. 1989. Toxicology studies of a chemical mixture of 25 groundwater contaminants. ii. immunosuppression in B6C3F1 mice. <i>Fundam. Appl. Toxicol.</i> (1989) 13(3): 377-87.

Surv	Getz, L. L., Best, L. B., and Prather, M. 1977. Lead in urban and rural song birds. <i>Environ. Pollut.</i> 12(3): 235-238.
Surv	Getz, L. L., Verner, L., and Prather, M. 1977. Lead concentrations in small mammals living near highways. <i>Environ Pollut.</i> 13(2)
Fate	Ghosh, S., Chatterjee, A. K., and Gupta, M. 1992. Impact of lead toxicity on brain metabolisms of nucleic acid and catecholamine in protein malnourished rats. <i>J Nutr Sci Vitaminol (Tokyo)</i> . 38(5): 451-62.
No Oral	Giavini, E., Prati, M., and Vismara, C. 1980. Effects of cadmium,lead and copper on rat preimplantation Embryos. <i>Bull Environ Contam Toxicol</i> . 25: 702-705.
CP	Gibbs, P. J. 1992-31820. Heavy metal and organochlorine concentrations in tissues of the little penguin <i>Eudyptula minor</i> .
Pb Behav	Gietzen, D. W. and Woolley, D. E. 1984. Acetylcholinesterase activity in the brain of rat pups and dams after exposure to lead via the maternal water supply. <i>Neurotoxicology</i> 5(3): 235-46.
Unrel	Gift, A. G. 1993. Informed consent and vulnerable subjects. <i>Clin Nurse Spec.</i> 7(4): 183.
No Oral	Gilani, S. H. 1973. Congenital anomalies in lead poisoning. <i>Obstet. Gynecol.</i> 41(265-269)
No Dose	Gilbert, M. E., Mack, C. M., and Lasley, S. M. 1999. The influence of developmental period of lead exposure on long-term potentiation in the adult rat dentate gyrus in vivo. <i>Neurotoxicology</i> 20(1): 57-69.
Surv	Gill, J. M. and Darby, J. T. 1993. Deaths in yellow-eyed penguins (megadyptes antipodes) on the otagopeninsula during the summer of 1990. <i>New Zealand Veterinary Journal.</i> 41(1): 39-42.
Mix	Gilmartin, JE, Alo, DK, Richmond, ME, Bache, CA, and Lisk, DJ. 1985. Lead in tissues of cats fed pine voles from lead arsenate-treated orchards. <i>Bull. Environ. Contam. Toxicol.</i> 34(2): 291-294.
Unrel	Giraud, A. S., Yeomans, N. D., and St. John, D. J. 1979. Ultrastructure and cytochemistry of the gastric mucosa of a reptile , <i>Tiliqua scincoides</i> . <i>Cell Tissue Res.</i> 197(2): 281-94.
Lead Shot	Gjerstad, K. O. and Hanssen, I. 1984. Experimental lead poisoning in willow ptarmigan lagopus-lagopus. <i>J Wildl Manage.</i> 48(3): 1018-1022.
Diss	Gloeckner, Reinhild, Jaehne, Frank, and Schwarz, Steffi. 1990 . Prenatal treatment with lead - influence on reproductive performance of f1 and f2 female rats with and without additional exposure to chronic stress. <i>Wiss. Beitr. - Martin-Luther-Univ. Halle-Wittenberg, N19, Beitr. Toxikol. Forsch.:</i> 19-26.
Bio Acc	Gochfeld, M. 1997. Spatial patterns in a bioindicator: heavy metal and selenium concentration in eggs of herring gulls (<i>Larus argentatus</i>) in the New York bight. <i>Arch Environ Contamin Toxicol</i> . 33(1): 63-70.
Bio Acc	Gochfeld, M., Belant, J. L., Shukla, T., Benson, T., and Burger, J. 1996. Heavy metals in laughing gulls: gender, age and tissue differences. <i>Environ. Toxicol. Chem.</i> 15(12): 2275-2283.
No Oral	Gochfeld, M. and Burger, J. 1988. Effects of lead on growth and feeding behavior of young common terns (<i>Sterna hirundo</i>). <i>Arch. Environ. Contam. Toxicol.</i> 17(4): 513-517.

Surv	Gochfeld, M. and Burger, J. 1998. Temporal trends in metal levels in eggs of the endangered roseate tern (<i>Sterna dougallii</i>) in New York. <i>Environmental Research</i> . 77(1): 36-42.
Bio Acc	Gochfeld, M. Umdnj- . Spatial patterns in a bioindicator: heavy metal and selenium. <i>Arch Environ Contam Toxicol</i> . V33, N1, P63(8)
Bio Acc	Goede, A. A. and M. DeBruin. 1986. the use of bird feathers for indicating heavy metal pollution. <i>Environ. Monit. Asses.</i> : pp. 249-256.
Pb Behav	Goji, Idris Adamu. 1988. <i>The Effects of Lead Exposure on Motor Activity and Brain Monoamine Oxidase Activity in Mouse</i> : 223.
CP	Goldbe, A. 1968. experimental porphyria. <i>Biochem Soc Symp</i> . 28: 35-43.
Aquatic	Goldberg, E. D. 1972. <i>Baseline Studies of Pollutants in the Marine Environment and Research Recommendations</i> . NSF/IDOE-74-26
Acu	Goldman, M., Bubak, P., and Meiberger, H. 1972. comparative effects of environmental pollutants: mercury, lead, and ddt on thyroid uptake of radioiodine and thyroid secretion rate in male sprague-dawley rats. <i>Proc. S. Dak. Acad. Sci</i> . 51: 263.
Lead shot	Goldman, M. and Dillon, R. D. 1982. interaction of selenium and lead on several aspects of thyroid function in pekin ducklings. <i>Res Commun Chem Pathol Pharmacol</i> . 37(3): 487-90.
Rev	Goldstein, G. W. 1984. brain capillaries: a target for inorganic lead poisoning. <i>Neurotoxicology</i> . 5(3): 167-75.
Phys	Goldstein, G. W. and Diamond, I. 1974. metabolic basis of lead encephalopathy. <i>Res Publ Assoc Res Nerv Ment Dis</i> . 53: 293-304.
Rev	Golter, M. and Michaelson, I. A. 1974. growth behavior and brain catecholamines in lead exposed neo natal rats a reappraisal. <i>Science</i> . 187(4174): 359-361.
Unrel	Gona, O. and Fu, S. C. 1982. effect of prolactin on galactose-induced cataractogenesis in the rat. <i>Proc Soc Exp Biol Med</i> . 171(3): 285-8.
Drug	Gong, Z. 1996. <i>Dmsa (Succimer) Reduces the Neurotoxicity of Lead (Lead)</i>
Surv	Gonzalez, J., Hernandez, L. M., Rico, C., and Baluja, G. 1984. residues of organochlorine pesticides, polychlorinated biphenyls and heavy metals in the eggs of predatory birds from donana national park (spain), 1980-1983. <i>J Environ Sci Health Part B Pestic Food Contam Agric Wastes</i> . 19(8-9): 759-772.
Lead Shot	Goode D A. 1981. <i>Lead Poisoning in Swans</i> . 1-44.
Acu	Gordon, C. J., Mohler, F. S., Watkinson, W. P., and Rezvani, A. H. 1988. temperature regulation in laboratory mammals following acute toxic insult. <i>Toxicology</i> 53(2-3): 161-78.
FL	Gorobets, A. I. 1991. retention of fat-soluble vitamins in broiler chickens and their productivity when given trace element chelates. <i>Sel'Skokhozyaistvennaya Biologiya</i> (6): 82-84.
Phys	Gottschall, E. B., Fernyak, S., Wuertemberg, G., and Voelkel, N. F. almitrine mimics hypoxic vasoconstriction in isolated rat lungs. <i>American Journal of Physiology</i> . 263 (2 Part 2). 1992. H383-H391.

Fate	Govoni, S., Memo, M., Spano, P. F., and Trabucchi, M. 1979. chronic lead treatment differentially affects dopamine synthesis in various rat brain areas. <i>Toxicology</i> 12(3): 343-9.
Fate	Govoni, S., Montefusco, O., Spano, P. F., and Trabucchi, M. 1978. effect of chronic lead treatment on brain dopamine synthesis and serum prolactin release in the rat. <i>Toxicology Letters</i> 2(6): 333-337.
Not Avail	Goyal, P. K., Singh, N., Gajawat, S., and Pareek, T. K. 1998. Protective role of vitamins on postnatal survival of mice against. <i>Indian. J. Environ. Sci.</i> 2(1): 39-45.
HHE	Goyer, R. A. 1976. toxicology of lead on kidney and other organs. <i>Health Effects of Occupational Lead and Arsenic Exposure: a Symposium; Carnow B.W., Ed.</i>
Rev	Goyer, R. A. and Rhyne, B. C. 1973. Pathological effects of lead. <i>Int. Rev. Exp. Pathol.</i> 12: 1-77.
No Oral	Gozdzik-Zolnierkiewicz, T. and Moszynski, B. 1969. Eight nerve in experimental lead poisoning. <i>Acta Otolaryngol. (Stockh).</i> 68(1): 85-89.
FL	Grajeta, H. 1998. Effect of lead and <i>Oenothera paradoxa</i> oil on serum and liver lipids metabolism and enzyme activities in rats. part ii. blood serum and liver enzyme activities. <i>Bromatologia i Chemia Toksykologiczna.</i> 31(3): 245-249.
FL	Grajeta, H. 1998. Effect of lead and <i>Oenothera paradoxa</i> oil on serum and liver lipids metabolism and enzyme activities in rats part I: blood serum and liver lipids. <i>Bromatologia i Chemia Toksykologiczna.</i> 31(2): 159-166.
CP	Granahan, P. and Huber, A. M. 1978. Effect of ingested lead on prenatal development and trace element deposition in the rat. <i>Federation Proceedings.</i> 37(3): 895.
Surv	Grand, J. B., Flint, P. L., Petersen, M. R., and Moran, C. L. 1998. Effect of lead poisoning on spectacled eider survival rates. <i>Journal of Wildlife Management.</i> 62(3): 1103-1109.
Surv	Grant G S. 1987. Paint chips and albatross Chicks. <i>Sea Frontiers.</i> 33(4): 270-272.
Abstract	Grant, LD, Kimmel, CA, Martinez-Vargas, CM, and West, GL. 1976. Assessment of developmental toxicity associated with chronic lead exposure. <i>Environ. Health Persp.</i> 17: 290.
Rev	Graveland, J. 1990. Effects of acid precipitation on reproduction in birds. <i>Experientia</i> . 46(9): 962-970.
Drug	Graziano, J. H., Cuccia, D., and Friedheim, E. 1978. The pharmacology of 2,3-dimercaptosuccinic acid and its potential use in arsenic poisoning. <i>Journal of Pharmacology and Experimental Therapeutics</i> 207(3): 1051-5.
BioX	Griem, P., Panthel, K., Kalbacher, H., and Gleichmann, E. 1996. Alteration of a model antigen by au(iii) leads to t cell sensitization to cryptic peptides. <i>Vol. 26, No. 2, Pp. 279-287 Eur. J. Immunol.</i>
Bio Acc	Grodzinska, K., Grodzinski, W., and Zeveloff, S. I. 1983. Contamination of roe deer forage in a polluted forest of southern polland. <i>Environmental Pollution.</i> 30(4): 257-276.

FL	Gross-Selbeck, E. 1983. Behavioral analysis in rats as sensitive indicator intoxicology-demonstration with reference to the environmental chemicalsparathion and lead. <i>Fortschritte Der Veterinarmedizin</i> .(37): 348-352.
No Dose	Gross-Selbeck, E. and Gross-Selbeck, M. 1981. Changes in operant behavior of rats exposed to lead at the accepted no-effect level. <i>Clin Toxicol.</i> 18(11): 1247-56.
Mix	Groten, J. P., Schoen, E. D., and Feron, V. J. 1996. Use of factorial designs in combination toxicity studies. <i>Food Chem Toxicol.</i> 34(11-12): 1083-9.
Diss	Grover, C. A. 1992. <i>The Effects of Chronic and Acute Lead Treatment on Activity and Ethanol-Related Behaviors</i>
Mix	Grover, C. A., Nation, J. R., Burkey, R. T., McClure, M. C., and Bratton, G. R. 1993. Lead/ethanol interactions. i: rate-depressant effects. <i>Alcohol.</i> 10(5): 355-61.
Surv	Grue, C. E., Hoffman, D. J., Beyer, W. N., and Franson, L. P. 1986. Lead concentrations and reproductive success in european starlings (<i>sturnus vulgaris</i>) nesting within highway roadside verges. <i>Environ. Pollut., Ser. A Ecol. Biol.</i> 42(2): 157-182.
Surv	Grue, C. E., O'Shea, T. J., and Hoffman, D. J. 1984. Lead concentrations and reproduction in highway-nesting barn swallows. <i>Condor.</i> 86(4): 383-389.
Mix	Gry, J., Bille, N., Kristiansen, E., Madsen, C., Meyer, O., Olsen, P., Roswall, K., Thorup, I., and Wurtzen, G. Thermally oxidized soya bean oil interacted with mono- and diglycerides of food fatty acids (esters of glycerol and thermally oxidized soybean fatty acids): a long-term study in rats. <i>Publ. - Levnedsmiddelstyr. (Den.) (1988)</i> : 172, 154 pp.
Meth	Grzybek, H., Sliwa-Tomczok, W., and Tomczok, J. 1990. Application on timm sulphide silver method for electron microscope localization of lead ions in blood cells. <i>Folia Haematologica; Internationales Magazin Fur Klinische Und</i>
FL	Gufler, H., Tataruch, F., and Onderscheka, K. 1997. Investigation of the lead, cadmium, and mercury contents in the organs and muscles of roe deer and chamois in southern tyrol. <i>Zeitschrift Fuer Jagdwissenschaft.</i> 43(4): 240-250.
In Vitro	Guilarte, T. R. 1997. Glutamatergic system and developmental lead neurotoxicity. <i>Neurotoxicology.</i> 18(3): 665-672.
In Vit	Guilarte, T. R. 1997. Pb ²⁺ inhibits nmda receptor function at high and low affinity sites: developmental and regional brain expression. <i>Neurotoxicology.</i> 18(1): 43-51.
In Vit	Guilarte, T. R., Miceli, R. C., Altmann, L., Weinsberg, F., Winneke, G., and Wiegand, H. 1993. Chronic prenatal and postnatal pb ²⁺ exposure increases [3h]mk801 binding sites in adult rat forebrain. <i>Eur J Pharmacol.</i> 248(3): 273-5.
Drug	Guilarte, T. R., Miceli, R. C., and Jett, D. A. 1995. Biochemical evidence of an interaction of lead at the zinc allosteric sites of the nmda receptor complex: effects of neuronal development. <i>Neurotoxicology.</i> 16(1): 63-71.
No Dose	Guilarte, T. R. a, Miceli, R. C., and Jett, D. A. 1994. Neurochemical aspects of hippocampal and cortical pb-2+ neurotoxicity. <i>Neurotoxicology (Little Rock).</i> 15(3): 459-466.

Surv	Guitart, R., To Figueras, J., Mateo, R., Bertolero, A., Cerradelo, S., and Martinez Vilalta, A. 1994. Lead poisoning in waterfowl from the ebro delta, spain: calculation of lead exposure thresholds for mallards. <i>Arch. Environ. Contam. Toxicol.</i> 27(3): 289-293.
Surv	Guitart, R., Torra, M., Cerradelo, S., Puig-Casado, P., Mateo, R., and To-Figueras, J. 1994. Pb, Cd, As, and Se concentrations in livers of dead wild birds from the Ebro Delta, Spain. <i>Bull. Environ. Contam. Toxicol.</i> 52(4): 523-529.
FL	Gulvik, M. E. 1989. [spermatogenesis and maturation of spermatozoa in rats exposed to lead]: <original> spermatogeneza i dojrzewanie plemnikow szczurow poddawanych dzialaniu olowiu. <i>Ann Acad Med Stetin.</i> 35: 73-87.
No Org	Gunshin, Hiromi, Mackenzie, Bryan, Berger, Urs V., Gunshin, Yoshimi, Romero, Michael F., Boron, Walter F., Nussberger, Stephan, Gollan, John L., and Hediger, Matthias A. Cloning and characterization of a mammalian proton-coupled metal-ion transporter. <i>Nature (London) (1997)</i> 388(6641): 482-488.
Phys	Gupta, A. and Shukla, G. S. 1997. Enzymatic antioxidants in erythrocytes following heavy metal exposure possible role in early diagnosis of poisoning. <i>Bull Environ Contam Toxicol.</i> 58(2): 198-205.
Surv	Guthova, Z. 1993. Reproduction disorders in black-headed gull (<i>Larus ridibundus</i>) from a suburban colony near Ceske Budejovice, Southern Bohemia. <i>Folia Zoologica.</i> 42(4): 95-302.
No Dose	Gutowski, M., Altmann, L., Sveinsson, K., and Wiegand, H. 1997. Postnatal development of synaptic plasticity in the ca3 hippocampal region of control and lead-exposed wistar rats. <i>Brain Res Dev Brain Res.</i> 98(1): 82-90.
FL	Hacker, G. W., Springall, D. R., Van Noorden, S., Bishop, A. E., Grimelius, L., and Polak, J. M. 1985. The immunogold-silver staining method. a powerful tool in histopathology. <i>Virchows Archiv</i> 406(4): 449-61.
Rev	Hackett, P. L. and Kelman, B. J. 1983. Availability of toxic trace metals to the conceptus. <i>The Science of the Total Environment.</i> 28: 433-442.
No Dose	Haddad, D. S., al-Alousi, L. A., and Kantarjian, A. H. 1991. The effect of copper loading on pregnant rats and their offspring. <i>Funct Dev Morphol.</i> 1(3): 17-22.
Acu	Haegle, M. A. and Tucker, R. K. 1974. Effects of 15 common environmental pollutants on eggshell thickness in mallards and coturnix. <i>Bull Environ Contam Toxicol.</i> 11(1): 98-102.
CP	Hahn, E., Ostapczuk, P., Ellenberg, H., and Stoeppler, M. 1985. Environmental monitoring of heavy metals with birds as pollution integrating biomonitors. ii. cadmium, lead and copper in magpie (<i>pica pica</i>) feathers from a heavily polluted and a control area. <i>Heavy Met. Environ. Int. Conf., 5th</i> . 1: p721-3.
Bio Acc	Hahn, Edmund, Hahn, Karin, and Ellenberg, Hermann. Heavy metal load in the feathers of magpies. <i>Verh. - Ges. Oekol. (1989)</i> : Volume Date 1988, 18, 317-24 .
No Dose	Hahn, M. E., Burright, R. G., and Donovan, P. J. 1991. Lead effects on food competition and predatory aggression in binghamton het mice. <i>Physiol Behav</i> 50(4): 757-64.

Lead Shot	Hall, S. L and Fisher, F. M. Jr. 1985. Lead concentrations in tissues of marsh birds: relationship of feeding habits and grit preference to spent shot ingestion. <i>Bull Environ Contam Toxicol</i> 35(1): 1-8.
FL	Hambach, A., Stiller-Winkler, R., Oberbarnscheidt, J., and Ewers, U. 1983. [Are suppressor t-cells the primary target cells of lead immunotoxicity?]: <original> sind suppressor-t-zellen die primären zielzellen der immunotoxischen wirkungen von blei? <i>Zentralbl Bakteriol Mikrobiol Hyg [B]</i> . 178(4): 316-28.
Surv	Hamir, A. N., Sullivan, N. D., and Handson, P. D. 1982. The effects of age and diet on the absorption of lead from the gastrointestinal tract of dogs. <i>Aust Vet J.</i> 58(6): 266-8.
Nut def	Hamir, A. N., Sullivan, N. D., and Handson, P. D. 1984. Neuropathological lesions in experimental lead toxicosis of dogs. <i>J. Comp. Pathol.</i> 94(2): 215-231.
Nut	Hamir, A. N., Sullivan, N. D., and Handson, P. D. 1988. Tissue lead distribution and pathological findings in lead exposed dogs maintained on fat and calcium modified diets. <i>Br. Vet. J.</i> 144(3): 240-245.
Surv	Hamir, A. N., Sullivan, N. D., Handson, P. D., and Barr, S. 1985. An outbreak of lead poisoning in dogs. <i>Aust Vet J.</i> 62(1): 21-3.
Mix	Hamir, A. N., Sullivan, N. D., Handson, P. D., Wilkinson, J. S., and Lavelle, R. B. 1981. Clinical signs, radiology and tissue lead distribution of dogs administered a mixture of lead chloride, lead bromide and lead sulphate. <i>Aust. Vet. J.</i> 57(9): 401-406.
Food	Hammond, P. B., Minnema, D. J., and Shulka, R. 1990. Lead exposure lowers the set point for food consumption and growth in weanling rats. <i>Toxicol. Appl. Pharmacol.</i> 106(1): 80-87.
Rev	Hammond, PB and Aronson, AL. 1964. Lead poisoning in cattle and horses in the vicinity of a smelter. <i>Ann. NY Acad. Sci.</i> 111: 595.
No Dose	Han, Shenggao, Li, Wenjie, Jamil, Uzma, Dargan, Kyle, Orefice, Michelle, Kemp, Francis W., and Bogden, John D. 1999. Effects of weight loss and exercise on the distribution of lead and essential trace elements in rats with prior lead exposure. <i>Environ. Health Perspect.</i> 107(8): 657-662 .
CP	Han, Shenggao, Qiao, Xianwen, Kemp, Francis W., and Bogden, John D. 1996. age at lead exposure influences lead retention in bone. <i>Ther. Uses Trace Elem. [Proc. Int. Congr. Trace Elem. Med. Biol.]</i> , 5th : 303-307. Editor(s): Neve, Jean; Chappuis, Philippe; Lamand, Michel. Publisher: Plenum, New York, N. Y.
No Dose	Han, Shenggao, Qiao, Xianwen, Kemp, Francis W., and Bogden, John D. 1997. Lead exposure at an early age substantially increases lead retention in the rat. <i>Environ. Health Perspect.</i> 105(4): 412-417 .
Surv	Haneef, S. S., Swarup, D., Kalicharan, and Dwivedi, S. K. 1995. The effect of concurrent lead and cadmium exposure on the cell-mediated immune response in goats. <i>Veterinary and Human Toxicology.</i> 37(5): 428-429.
Mix	Haneef, S. S. D. Swarup S. K. Dwivedi and P. K. Dash. 1998. Effects of concurrent exposure to lead and cadmium on renal function in goats. <i>Small Ruminant Research.</i> 28: 257-261.

Abstract	Hanna, L., Peters, J. M., Wiley, L. M., Clegg, M. S., and Keen, C. L. 1996. Comparative effects of essential and nonessential metals on preimplantation mouse embryo development. <i>Experimental Biology</i> 96
Lead shot	Hanssen, I. and Gjerstad, K. O. 1984. Experimental lead poisoning in willow ptarmigan. <i>Journal of Wildlife Management</i> . 48(3): 1018.
Phys	Harada, K. and Miura, H. 1983. Biosynthesis of heme and iron turnover in experimentally lead poisoned rabbits. <i>Japan. J. Indust. Health</i> . 25(3): 161-174.
Lead Shot	Harper, M. J. and Hindmarsh, M. 1990. Lead poisoning in magpie geese <i>Anseranas semipalmata</i> from ingested lead pellet at bool lagoon game reserve (South Australia). <i>Aust Wildl Res</i> . 17(2): 141-146.
Ecol	Harri, M. and Rekila, T. 1997. From Siberia to Finland. silver foxes from Novosibirsk show trust in humans. <i>Finsk Palstidskrift</i> 31(4): 80-82.
Surv	Harrison, P and Dyer M. 1984. Lead in mule deer forage in rocky mountain national park, colorado. <i>J. Wildl. Manage</i> . 48: 510-517.
Gene	Harry, G. J., Schmitt, T. J., Gong, Z., Brown, H., Zawia, N., and Evans, H. L. 1996. Lead-induced alterations of glial fibrillary acidic protein (GFAP) in the developing rat brain. <i>Toxicol Appl Pharmacol</i> . 139(1): 84-93.
CP	Hartner, L., Hueber, N., and Schreiber, H. 1992. suitability of bird feathers as bioindicators. (<i>Hohenheim Environmental Meeting, 24. Bioindicators for Environmental Pollution: New Aspects and Developments</i>); Meeting, Hohenheim, Germany, January 31, 1992. ISBN 3-8236-1213-1. 75-91.
Wqual	Hartung, R. 1973. biological effects of heavy metal pollutants in water. <i>Adv Exp Med Biol</i> . 40: 161-72.
HHE	Harvey, I. R. 1994. halogen-assisted metal migration: an infant mortality mechanism for adjacent-finger shorting in an hpppga package. <i>ISTFA '94 Proc. Int. Symp. Test. Failure Anal., 20th</i> : 245-54 Publisher: ASM, Materials Park, Ohio.
Surv	Hashmi, N. S., Kachru, D. N., Khandelwal, S., and Tandon, S. K. 1989. interrelationship between iron deficiency and lead intoxication (part 2). <i>Biol Trace Elem Res</i> . 22(3): 299-307.
Nut def	Hashmi, N. S., Kachru, D. N., and Tandon, S. K. 1989. interrelationship between iron deficiency and lead intoxication (part 1). <i>Biol Trace Elem Res</i> 22(3): 287-97.
Pb Behav	Hastings, L., Cooper, G. P., Bornschein, R. L., and Michaelson, I. A. 1979. behavioral deficits in adult rats following neonatal lead exposure. <i>Neurobehav Toxicol</i> 1(3): 227-31.
Pb Behav	Hastings, L., Cooper, G. P., Bornschein, R. L., and Michaelson, I. A. 1977. behavioral effects of low level neo natal lead exposure. <i>Pharmacol Biochem Behav</i> 7(1): 37-42.
No Dose	Hastings, L., Zenick, H., Succop, P., Sun, T. J., and Sekeres, R. 1984. relationship between hematopoietic parameters and behavioral measures in lead-exposed rats. <i>Toxicol Appl Pharmacol</i> . 73(3): 416-22.
No Oral	Hatano, A. and Ashida, K. 1975. effects of sea water pollution on chicken Fetus. <i>J Indian Chem Soc</i> . 52: 77-79.

No Oral	Haust, H. L., Inwood, M., Spence, J. D., Poon, H. C., and Peter, F. 1989. intramuscular administration of iron during long-term chelation-therapy with 2,3-dimercaptosuccinic acid in a man with severe lead-poisoning. <i>Clinical Biochemistry</i> 22(3): 189-196.
Lead Shot	Havera, S. P., Anderson, W. L., and Wood, S. G. 1989. use of blood from dead mallards to monitor lead poisoning. <i>Wildl Soc Bull.</i> 17(3): 241-244.
Lead Shot	Havera, S. P., Wood, S. G., and Georgi, M. M. 1992. blood and tissue parameters in wild mallards redosed with lead shot. <i>Bull Environ Contam Toxicol.</i> 49 (2). 1992. 238-245. 49(2): 238-245.
Lead Shot	Havera, S. P a and Anderson, W. L. 1999. food contents of mallard gizzards with and without ingested lead or steel shot. <i>Transactions of the Illinois State Academy of Science.</i> 92(1-2): 89-94.
FL	Hayakawa, T., Takano, Y., Suzue, R., and Ueno, Y. 1978. effect of dietary protein on growth of lead poisoned rats. <i>Eiyo To Shokuryo.</i> 31(2): 177-81.
FL	Hayashi, M., Okada, I., Tate, H., Miura, Y. , and Ohhira, S. 1981 . variations of .delta.-aminolevulinic acid dehydratase activities and lead concentrations in blood of fetuses and neonates from the same litter. <i>Dokkyo J. Med. Sci.</i> 8(1): 10-13.
Surv	Hayashi, Masatoshi. 1982. lead, cadmium, and zinc in the teeth of pet dogs and experimental beagles. <i>Igaku to Seibutsugaku.</i> 105(3): 235-8.
CP	Hayes F A and Davidson W R. 1978. waterfowl Diseases. <i>International Waterfowl Symposium</i> 3.: 45-58.
Nut	Heath, J. S. and Donaldson, W. E. 1984. Dietary manipulation of membrane fatty-acid content and erythrocyte fragility in chicks. <i>Nutr Rep Int.</i> 29(5): 1061-1070.
Mix	Heffron, C. L., Reid, J. T., Furr, A. K. , Parkinson, T. F., King, J., Bache, C. A., St. John, L. E. Jr., Gutenmann, W. H., and Lisk, D. J. 1977. Lead and other elements in sheep fed colored magazines and newsprint. <i>Journal of Agricultural and Food Chemistry</i> 25(3): 657-660.
Mix	Heindel, J. J., George, J. D., and Fail, P. A. 1990. Final report on the reproductive toxicity of a chemical mixture in cd-1-swiss mice: volume 2, laboratory supplement. <i>NTIS Technical Report (NTIS/PB91-158451) 1990 Nov;:189 Pp.</i>
Mix	Heindel, Jerold J., Chapin, Robert E., George, Julia, Gulati, Dushyant K., Fail, Patricia A., Barnes, Leta H., and Yang, Raymond S. H. 1995. Assessment of the reproductive toxicity of a complex mixture of 25 groundwater contaminants in mice and rats. <i>Fundam. Appl. Toxicol.</i> 25(1): 9-19.
Lead Shot	Heitmeyer, M. E., Fredrickson, L. H., and Humburg, D. D. 1993. Further evidence of biases associated with hunter-killed mallards. <i>Journal of Wildlife Management.</i> 57(4): 733-740.
Alt	Hejtmancik, M. Jr. and Williams, B. J. 1979. time and level of peri natal lead exposure for development of norepinephrine cardio toxicity. <i>Res Commun Chem Pathol Pharmacol.</i> 24(2): 367-76.
Diss	Hejtmancik, M. R. Jr. 1979. <i>Effect of Neonatal Lead Exposure on the Development of Some Cardiovascular Responses to Norepinephrine in the Rat</i> : 160.

HHE	Hemberg, S., Nikkanen, J., Mellin, G., and Helsinki, H. L. 1970. Aminolevulinic acid dehydrogenase as a measure of land exposure. <i>Arch. Environ. Health.</i> 21: 140.
Bact	Hemphill, F. E., Kaeberle, M. L., and Buck, W. B. 1971. Lead suppression of mouse resistance to salmonella typhimurium. <i>Science.</i> 172(987): 1031-1032.
Bio Acc	Hendriks, A. J., Ma, W. C., Brouns, J. J., de Ruiter-Dijkman, E. M., and Gast, R. 1995. Modelling and monitoring organochlorine and heavy metal accumulation in soils, earthworms, and shrews in rhine-delta floodplains. <i>Arch Environ Contam Toxicol.</i> 29(1): 115-27.
CP	Hennig, V. 1992. element analysis on feathers of raven corvus-corax and peregrine falcon falco-peregrinus-peregrinus possibilities and trends in Biomonitoring. (<i>Hohenheim Environmental Meeting, 24. Bioindicators for Environmental Pollution: New Aspects and Developments</i>); Meeting, Hohenheim, Germany, January 31, 1992. ISBN 3-8236-1213-1. 93-110.
Surv	Henny, C. J., Blus, L. J., and Grove, R. 1990. A. western grebe, aechmophorus occidentalis, wintering biology and contaminant accumulation in commencement bay, puget sound, washington (Usa). <i>Can Field-nat</i> ; 104 (3). 1990. 460-472.
Surv	Henny, C. J., Blus, L. J., Hoffman, D. J., and Grove, R. A. 1994. lead in hawks, falcons and owls downstream from a mining site on the coeur d'alene river, idaho. <i>Environmental Monitoring and Assessment.</i> 29(3): 267-288.
Surv	Henny, C. J., Blus, L. J., Hoffman, D. J., Grove, R. A., and Hatfield, J. S. lead accumulation and osprey production near a mining site on the Coeur d'alene river, idaho. <i>Arch Environ Contam Toxicol</i> 1991 Sep;21(3):415-24
Surv	Henny, C. J., Blus, L. J., Hoffman, D. J., Grove, R. A., and Hatfield, J. S. 1991. Lead accumulation and osprey production near a mining site on the coeur. <i>Arch Environ Contam Toxicol.</i> 21(3): 415-424.
Surv	Henny, C. J. L. J. Blus D. J. Hoffman L. Sileo D. J. Audet and M. R. Snyder. 2000. Field evaluation of lead effects on canada gees and mallards in the coeur d'alene basin, idaho. <i>Archives Environ. Contam. Toxicol.</i> 39: 07-112.
Gene	Heo, Y. 1997. <i>Lead, an Environmental Toxicant, Alters the Activation and Development of t Cells Resulting in Aberrant Generation of Cytokines</i>
Imm	Heo, Y., Lee, W. T., and Lawrence, D. A. 1997. In vivo the environmental pollutants lead and mercury induce oligoclonal t cell responses skewed toward type-2 reactivities. <i>Cell Immunol.</i> 179(2): 185-95.
Unrel	Herendeen Patrick S(A), Crepet William L, and Nixon Kevin C. 1993. Chloranthus-like stamens from the upper cretaceous of new jersey. <i>American Journal of Botany</i> 80(8): 865-871.
No Dose	Herman, Z. S., Kmiecik-Kolada, K., Szkilnik, R., Felinska, W., and Slominska, J. 1982.: 22.
Abstract	Hermayer, K. L., Stake, P. E., and Shippe, R. L. 1977. Evaluation of dietary zinc, cadmium, tin, lead, bismuth and arsenictotoxicity in hens. <i>Poult. Sci.</i> 56(5): 1721-1722.
Surv	Hernandez, L. M., Gonzalez, M. J., and Fernandez, M. A. 1988. Organochlorines and metals in spanish imperial eagle eggs 1986-87. <i>Environ Conserv.</i> 15(4): 363-364.

Bio Acc	Hernandez, L. M., Gonzalez, M. J., Rico, M. C., Fernandez, M. A., and Aranda, A. 1988. organochlorine and heavy metal residues in Falconiform and Ciconiform eggs Spain. <i>Bull Environ Contam Toxicol.</i> 40(1): p86-93.
Bio Acc	Hernandez, L. M., Rico, M. C., Gonzalez, M. J., Hernan, M. A., and Fernandez, M. A. 1986. presence and time trends of organochlorine pollutants and heavy metals in eggs of predatory birds of Spain. <i>J Field Ornithol.</i> 57(4): 270-282.
Surv	Hernandez, L. M., Rico, M. C., Gonzalez, M. J., Montero, M. C., and Fernandez, M. A. 1987. Residues of organochlorine chemicals and concentrations of heavy metals in ciconiiform eggs in relation to diet and Habitat. <i>J Environ Sci Health Part B Pestic Food Contam Agric Wastes.</i> 22(2): 245-258.
Sludge	Hernandez, T., Moreno, J. I., and Costa, F. 1991. Influence of sewage sludge application on crop yields and heavy metal Availability. <i>Soil Sci Plant Nutr.</i> 37 (2). 1991. 201-210.
Lead Shot	Herredsvela H. 1988. [Lead poisoning in aquatic birds in norway.]. <i>Var Fuglefauna.</i> 11(2): 265-286.
Fate	Hietanen, Eino, Aitio, Antero, Koivusaari, Ulla, Kilpio, Jukka, Nevalainen, Timo, Narhi, Matti, Savolainen, Heikki, and Vainio, Harri. 1982. Tissue concentrations and interaction of zinc with lead toxicity in rabbits. <i>Toxicology</i> 25(2-3): 113-27 .
No Oral	Hilbelink, D. R. and Kaplan, S. 1986. Sirenomelia: analysis in the cadmium- and lead-treated golden hamster. <i>Teratog., Carcinog., Mutagen.</i> 6(5): 31-40.
CP	Hill, C. H. 1981. the effect of iron and zinc on metal toxicities in the Chick. <i>65th Annual Meeting of the Federation of American Societies for Experimental Biology, Atlanta, Ga., Usa, April 12-17, 1981. Fed Proc.</i> 40 (3 Part 1) 715.
CP	HILL, C. H. 1985. Interactions of copper and mercury with vanadate in the chick. <i>69th Annual Meeting of the Federation of American Societies for Experimental Biology</i>
Rev	Hill, C. H. 1980. Interactions of vitamin c with lead and mercury. <i>Annals of the New York Academy of Sciences</i> 355: 262-6.
CP	Hill, C. H., Gonzalez, L. M., Hiraldo, F., Lee, D. P., Honda, K., and Tatsukawa, R. 1988. interactions among trace elements: organochlorine and heavy metal contamination in the eggs of the Spanish imperial eagle <i>Aquila-adalberti</i> and accompanying changes in eggshell morphology and chemistry: comparison of tissue distributions of heavy metals in birds in Japan and Korea. <i>Current Topics in Nutrition and Disease, Vol. 18. Essential and Toxic Trace Elements in Human Health and Disease; First International Meeting of the International Society for Trace Element Research in Humans, Palm Springs, California, Usa, December 8-12, 1986. ILLUS. ISBN 0-8451-1617-7.</i> 491-500 .
Abstract	Hill, C. H. and Qureshi, M. A. 1998. Effect of high dietary levels of vanadium, lead, mercury, cadmium, and chromium on immunological responses of chicks. <i>FASEB Journal</i> 12(5): A874.
Mix	Hilliard, E. P. and Pearce, G. R. Limitations of guidelines governing rates of application of pig manure to land.. <i>Agriculture and Environment.</i> 4 (1). 1978 65-76.
No Dose	Hilliard, E. P. and Pearce, G. R. 1936. Variability in the composition of commercial pig diets with particulate reference to minerals. <i>Australian Journal of Experimental Agriculture and Animal Husbandry</i>

Surv	Hillis, T. L. and Parker, G. H(A). 1993. Age and proximity to local ore-smelters as determinants of tissue metal levels in beaver (<i>Castor canadensis</i>) of the Sudbury (Ontario) area. <i>Environmental Pollution</i> 80(1): 67-72.
Lead Shot	Hirai, M., Kawamoto, T., and Kodama, Y. 1991. Toxic effects of ingested lead shots in domestic fowls. <i>Biol Trace Elem Res.</i> 30(3): 291-307.
No Oral	Hirano, A. and Kochen, J. A. 1973. Neurotoxic effects of lead in the chick embryo: morphologic studies. <i>Lab Invest.</i> 29: 659-668.
Unrel	Hirano, S. a and Suzuki, K. T. 1996. Exposure, metabolism, and toxicity of rare earths and related compounds. <i>Environmental Health Perspectives.</i> 104(SUPPL. 1): 85-95.
Rev	Hirano Seishiro(A) and Suzuki Kazuo T. 1996. Exposure, metabolism, and toxicity of rare earths and related compounds. <i>Environmental Health Perspectives</i> 104(SUPPL. 1): 85-95.
FL	Hirota, M. 1971. Influences of cadmium on the bone salt metabolism. <i>Acta Sch Med Univ Gifu.</i> 19(1): 82-115.
Diss	Hodel, M. 1994. <i>Untersuchungen Zur Festlegung Und Mobilisierung Der Elemente As, Cd, Ni Und Pb an Ausgewaehlten Festphasen Unter Besonderer Beruecksichtigung Des Einflusses Von Huminstoffen. (Investigation into the Immobilization and Mobilization of the Elements As, Cd, Ni and Pb at Selected Solid Phases With Special Regard to the Influence of Humic Matter).</i> <NOTE> Diss. (Dr.Rer.Nat.)
Surv	Hoernfeldt, Birger and Nyholm, N. Erik I. 1996. Breeding performance of Tengmalm's owl in a heavy metal pollution gradient. <i>J. Appl. Ecol.</i> 33(2): 377-386 .
Alt	Hoffer, B. J., Olson, L., and Palmer, M. R. 1987. Toxic effects of lead in the developing nervous system: in oculo experimental models. <i>Environ Health Perspect.</i> 74: 169-75.
Rev	Hoffman, D. J. 1990. Embryotoxicity and teratogenicity of environmental contaminants to bird eggs. <i>Reviews of Environmental Contamination and Toxicology.</i> 115: 39-90.
Rev	Hoffman, D. J. 1994. Measurements of toxicity and critical stages of development. In: <i>Wildlife Toxicology and Population Modeling Integrated Studies of Agroecosystems (SETAC Special Publications series)</i> . 47-7.
Rev	Hoffman, D. J. Measurements of toxicity and critical stages of development. In : <i>Wildlife Toxicology and Population Modeling: Integrated Studies of Agroecosystems . (SETAC Special Publications Series) 1994;</i> :47-7
No Oral	Hoffman, D. J. and Eastin, W. C. JR. 1981. Effects of industrial effluents, heavy metals, and organic solvents on mallard embryo development. <i>9:35-40,1981 Toxicol Lett</i> . 9: 35-40.
Surv	Hoffman, D. J. G. H. Heinz L. Sileo D. J. Audet J. K. Campbell L. J. LeCaptain and H. Obrecht. Developmental toxicity of lead-contaminated sediment in Canada gees (<i>Branta canadensis</i>). <i>Journal of Toxicology and Environmental Health Part A.</i> 39: 235-252.
FL	Hogl, O. 1975. Molybdenum as a toxic factor in a swiss alpine valley. <i>Mitteilungen Aus Dem Gebiete Der Lebensmitteluntersuchung Und Hygiene</i> 66(4): 485-495.

HHE	Hogstedt, C, Hane, M, Agrell, A, and Bodin, L. 1983. Neuropsychological test results and symptoms among workers with well-defined long-term exposure to lead. <i>Br. J. Ind. Med.</i> 40: 99-105.
Lead Shot	Hohman, W. L., Moore, J. L., and Franson, J. C. Winter survival of immature canvasbacks in inland Louisiana. <i>Journal of Wildlife Management.</i> : 2.
Lead Shot	Hohman, W. L., Pritchert, R. D., Pace, R. M Iii, Woolington, D. W., and Helm, R. 1990. Influence of ingested lead on body mass of wintering canvasbacks. <i>J Wildl Manage.</i> 54(2): 211-215.
No Dose	Holgren, GGS, Meyer, MW, Chaney, RL, and Daniels, RB. 1993. Cadmium, lead, zinc, copper, nickel in agricultural soils of the united states of america. <i>J. Environ. Qual.</i> 22: 335-348.
No Dose	Holloway, W. R. Jr and Thor, D. H. 1987. Low level lead exposure during lactation increases rough and tumble play fighting of juvenile rats. <i>Neurotoxicol Teratol.</i> 9(1): 51-7.
Rev	Holtzman, D., DeVries, C., Nguyen, H., Olson, J., Bensch, K., Woolley, D. E., and Cranmer, J. M. eds. 1984. Maturation of resistance to lead encephalopathy: cellular and subcelluar mechanisms.: neurotoxicology of lead: reviews and recent advances. <i>Neurotoxicology.</i> 5(3): 97-124.
In Vit	Holtzman, D. and Hsu, J. S. 1976. Early effects of inorganic lead on immature rat brain mitochondrial respiration. <i>Pediatr Res.</i> 10(1): 70-5.
Bio Acc	Honda, K., Ichihashi, H., and Tatsukawa, R. 1987. Tissue distribution of heavy metals and their variations with age sex and habitat in japanese serows capricornis-crispus. <i>Arch Environ Contam Toxicol.</i> 16(5): 551-562.
Surv	Honda, K., Lee, D. P., and Tatsukawa, R. 1990. Lead poisoning in swans in japan. <i>Environ. Pollut.</i> 65(3): 209-218.
Bio Acc	Honda, K., Min, B. Y., and Tatsukawa, R. 1986. Distribution of heavy metals and their age-related changes in the eastern great white egret, <i>Egretta alba modesta</i> , in Korea. <i>Arch Environ Contam Toxicol.</i> 15(2): p185-198.
Bio Acc	Honda, K., Min, B. Y., and Tatsukawa, R. 1985. Heavy metal distribution in organs and tissues of the eastern great white egret <i>Egretta-alba-modesta</i> . <i>Bull Environ Contam Toxicol.</i> 35(6): 781-789.
Bio Acc	Honda, Katsuhisa Ehime Univ Japan, Min, Byung Yoon, and Tatsukawa, Ryo. Heavy metal distribution in organs and tissues of the eastern great. <i>Bull Environ Contam Toxicol.</i> V35, N6, P781(9)
Mix	Hong, H. L., Yang, R. S. H., and Boorman, G. A. 1992. Alterations in hematopoietic responses in b6c3f1 mice caused by drinking a mixture of 25 groundwater contaminants. <i>J. Environ. Pathol. Toxicol. Oncol.</i> 11(2): 65-74 .
Mix	Hong, H. L., Yang, R. S. H., and Boorman, G. A. 1993. Enhancement of myelotoxicity induced by repeated irradiation in mice exposed to a mixture of groundwater contaminants. <i>Arch. Toxicol.</i> 67(5): 358-64.
Mix	Hong, H. L., Yang, R. S. H., and Boorman, G. A. Residual damage to hematopoietic system in mice exposed to a mixture of groundwater contaminants. <i>Toxicol. Lett. (1991)</i> 57(1): 101-11 .

Pb Behav	Hong, J. S., Tilson, H. A., Hudson, P., Ali, S. F., Wilson, W. E., and Hunter, V. 1983. Correlation of neurochemical and behavioral effects of triethyllead chloride in rats. <i>Toxicol. Appl. Pharmacol.</i> 69(3): 471-9.
Prim	Hopper, D. L., Kernan, W. J., and Lloyd, W. E. 1986. The behavioral effects of prenatal and early postnatal lead exposure in the primate <i>Macaca fascicularis</i> . <i>Toxicol. Ind. Health</i> , V2, N1, P1-16. 2(1): 1-16.
Unrel	Hopsu-Havu, V. K., Arstila, A. U., Helminen, H. J., and Kalimo, H. O. 1967. Improvements in the method for the electron microscopic localization of arylsulphatase activity. <i>Histochemie</i> 8(1): 54-64.
No COC	Hori Yusuke(A), Takeda Hiroshi, Tsuji Minoru, and Matsumiya Teruhiko. 1998. Differentiation of the inhibitory effects of calcium antagonists on abnormal behaviors induced by methamphetamine or phencyclidine. <i>Pharmacology (Basel)</i> 56(4): 165-174.
Surv	Hornfeldt, B. and Nyholm, N. EI. 1996. Breeding performance of tengmalm's owl in a heavy metal pollution gradient. <i>Journal of Applied Ecology</i> . 33(2): 377-386.
No Org	Horstmann, Uwe E. and Haelbich, Ingo W. Chemical composition of banded iron-formations of the griqualand west sequence, northern cape province, south africa, in comparison with other precambrian iron formations . <i>Precambrian Res. (1995)</i> 72(1-2): 109-45 .
Stain	Hoshina, K., Tanabe, H., Yamazaki, N., Yamamoto, M., Ohba, T., Takeshita, T., and Naruchi, T. 1987. Effect of 3-[p-(trans-4-aminomethylcyclohexylcarbonyl)phenyl] propionic acid hydrochloride on gastric mucosa directly from the lumen. <i>Arzneimittel-Forschung</i> 37(11): 1289-95.
No Oral	Hoshishima, K. 1983. 'Play' behavior and trace dose of metal(s) in mice. <i>Dev. Toxicol. Environ. Sci.</i> 11: 525-528.
Rev	Howell, J. M., <Editors> Masters, D. G., and White, C. L. 1996. Toxicities and excessive intakes of minerals. <i>Detection and Treatment of Mineral Nutrition Problems in Grazingsheep.</i> 95-117.
Rev	Howell, J. M., Masters, D. G., and White, C. L. 1996. Toxicities and excessive intakes of minerals. <i>Detection and Treatment of Mineral Nutrition Problems in Grazing Sheep.</i> 95-117.
Pb Behav	Hrdina, P. D. and Dubas, T. C. 1978. Behavioural and neurochemical consequences of neonatal exposure to lead in rats. <i>Journal of Environmental Pathology and Toxicology.</i> 2(2): 473-484.
Rev	Hrdina, PD, Hanin, I, and Dubas, TC. 1980. Neurochemical correlates of lead toxicity. 273-300.
Aquatic	HSIEH, C. F. and HSU, K. N. an experiment of the organic farming of sweet corn and Vegetable Soybean. <i>Bulletin of Taichung District Agricultural Improvement Station.</i> 0 (39). 1993. 29-39.
FL	Huber, H. C. and Huber, W. 1987. The effect of low level lead exposure on immune response and delta aminolevulinic acid dehydratase ala-d in mice. <i>Z Gesamte Hyg Grenzgeb.</i> 33(4): 194-196.
FL	Huber, H. C. and Huber, W. 1984. Effects of low-level long-term loading with environmental chemicals on the immune system and Methemoglobinemia. <i>Z Gesamte Hyg Grenzgeb.</i> 30(12): 713-716.

Surv	Hudec, K., Kredl, F., Pellantova, J., Svobodnik, J., and Svobodova, R. 1988. Residues of chlorinated pesticides pcb and heavy metals in the eggs of water birds in southern Moravia Czechoslovakia. <i>Folia Zool.</i> 37(2): p157-166.
Mix	Hudgens, R. E. and Hallford, D. M. 1984. Feedlot performance, carcass characteristics, serum constituents and tissue minerals in lambs produced by ewes fed sewage solids through two lambing seasons. <i>Nutrition Reports International</i> 29(1): 11-21.
Acu	Hudson, R, Tucker, R, and Haegele M. 1984. Handbook of toxicity of pesticides to wildlife. <i>US Fish and Wildlife Service Resource Publication.</i> 153.: 90.
Abstract	Hughes, W. 1923. Lead poisoning in horses and cattle. <i>Vet. J.</i> 79: 270-1.
Bio Acc	Hui, A., Takekawa, J. Y., Baranyuk, V. V., and Litvin, K. V. 1998. Trace element concentrations in two subpopulations of lesser snow geese from Wrangel Island, Russia. <i>Arch Environ Contamin Toxicol</i> . 34(2): 197-203.
Bio Acc	Hui, C. A. 1998. Elemental contaminants in the livers and ingesta of four subpopulations of the American coot (<i>Fulica americana</i>): an herbivorous winter migrant in San Francisco bay. <i>Environmental Pollution</i> . 101(3): p321-329.
No Dose	Hui, Clifford A. and Beyer, W. Nelson. Sediment ingestion of two sympatric shorebird species. <i>Sci Total Environ.</i> V224, N1-3, P227(7)
Bio Acc	Hulse, Michael, Mahoney, John S., Schroder, Gene D., Hacker, Carl S., and Pier, Stanley M. 1980. Environmentally acquired lead, cadmium, and manganese in the cattle egret, <i>Bubulcus ibis</i> , and the laughing gull, <i>Larus atricilla</i> . <i>Arch. Environ. Contam. Toxicol.</i> 9(1): 65-77.
Unrel	Hultman, Per, Johansson, Uno, Turley, Shannon J., Lindh, Ulf, Enestroem, Sverker, and Pollard, K. Michael. 1994. Adverse immunological effects and autoimmunity induced by dental amalgam and alloy in mice. <i>FASEB J.</i> 8(14): 1183-90 .
Lead Shot	Hunt, A. E. and Hardman, J. 1980. Mute swan investigations. <i>BTO NEWS No.110.</i> : 1-2.
Lead shot	Hunt, A. E., Simpson, V. R., and French, M. C. 1979. Chronic lead poisoning in a herd of mute swans. <i>Environmental Pollution.</i> 18(3): 187-202.
Unrel	Hurtrel, M. 1974. (Topographical identification of c cells of the thyroid gland of the cat). <i>Recueil De Medicine Veterinaire</i> 150(No.3): 221-226.
Surv	Hutton, M. Accumulation of heavy metals and selenium in 3 seabird species from the uk. <i>Environ Pollut Ser a Ecol Biol.</i> : 2.
Bio Acc	Hutton, M. Accumulation of heavy metals and selenium in three sea bird species from the united kingdom. <i>Environ. Pollut.</i> Ser. A (1981): 26(2), 129-45.
Surv	Hutton, M. 1982. The role of wildlife species in the assessment of biological impact from chronic exposure to persistent chemicals. <i>Ecotoxicol Environ Saf.</i> 6(5): 471-8.
Bio Acc	Ikebe, Katsuhiko, Nishimune, Takahiro, and Sueki, Kenji. 1994. Behavior of several elements in foods. vii. contents of 17 metal elements in food determined by inductively coupled plasma atomic emission spectrometry. meat and meat products. <i>Shokuhin Eiseigaku Zasshi</i> 35(3): 323-7.

FL	Inouye, M. 1989. Teratology of heavy metals: mercury and other contaminants. <i>Senten Ijo</i> 1989;29:333-44 29: 333-344.
Surv	Inskip, M. J., Franklin, C. A., Subramanian, K. S., Blenkinsop, J., and Wandelmaier, F. 1992. Sampling of cortical and trabecular bone for lead analysis: method development in a study of lead mobilization during pregnancy. <i>Neurotoxicology</i> . 13(4): 825-34 .
Rev	Int Task Group Metal Interact. 1978. Factors influencing metabolism and toxicity of metals a consensus report. <i>Environ Health Perspect.</i> (25). 1978 3-41
Phys	Ip, C. and Lisk, D. J. 1994. Characterization of tissue selenium profiles and anticarcinogenic responses in rats fed natural sources of selenium-rich products. <i>Carcinogenesis</i> . 15(4): 573-6.
Herp	Ireland, M. P. 1977. Lead retention in toads xenopus laevis fed increasing levels of lead-contaminated earthworms. <i>Environ Pollut.</i> 12(2)
Diss	Irwin, J. C. 1978. The influence of diet on the pathogenesis of lead poisoning in waterfowl. <i>Dissertation Abstracts International</i> . 39B(1): 109-110.
Surv	Irwin, J. C. 1975. Mortality factors in whistling swans at lake st. clair, ontario. <i>J Wildl Dis</i> . 11(1): 8-12.
Lead Shot	Irwin, J. C., Dennis, D., and Perret, N. G. 1974. Lead iron shot a possible solution to the lead poisoning problem in waterfowl further toxicity Information. <i>Trans Northeast Sect Wildl Soc</i> . 31: 159-171.
Lead Shot	Irwin, J. C. and Karstad, L. H. 1972. The toxicity for ducks of disintegrated lead shot in a simulated-marshenvironment. <i>Journal of Wildlife Diseases</i> . 8(2): 149-54 .
In Vit	Ishihara, K., Alkondon, M., Montes, J. G., and Albuquerque, E. X. 1995. Ontogenically related properties of n-methyl-d-aspartate receptors in rat hippocampal neurons and the age-specific sensitivity of developing neurons to Lead. <i>Journal of Pharmacology and Experimental Therapeutics</i> . 273(3): 1459-1470.
Fate	Ito, Y., Kurita, H., Araya, Y., Nakamura, M., Ito, M., and Shima, S. 1985. Behavior of lead in rats given lead and vanadium. <i>Fujita Gakuen Igakkaishi</i> . 9(1): 179-82.
Drug	Ito, Yoshinori and Hiiya, Yoshihide. 1989. Effect of lead administration on rats fed diet containing .beta.-carotene. <i>Igaku to Seibutsugaku</i> . 119(3): 153-6.
No Oral	Ito, Yoshinori, Kurita, Hideki, Araya, Yoshihide, Nakamura, Masamichi, Ito, Maru, and Shima, Shogo. Behavior of lead in rats given lead and vanadium. <i>Fujita Gakuen Igakkaishi (1985)</i> 9(1): 179-82.
No Oral	Ito, Yoshinori, Niiya, Yoshihide, Kurita, Hideki, and Shima, Shogo. 1985. The effect of vitamin intakes on blood and liver lead levels in rats subcutaneously injected with lead and vanadium. <i>Igaku to Seibutsugaku</i> . 110(4): 193-6.
FL	Ivanitskii, A. M., Stasenkova, K. P., Sokolov, A. B., Konyshev, V. A., and Maganova, N. B. 1985. [Characteristics of the toxic effect of lead ingested with food in model experiments]: <original> issledovanie osobennosti toksicheskogo deistviia svintsa pri postuplenii ego s pishchei v model'nom eksperimente. <i>Vopr Pitan.</i> (2): 63-6.

FL	Ivanova-Chemishanska, L., Antov, G., Khinkova, L., and Khristeva, V. 1984. [Experimental assessment of the risk for offspring in lead exposure]: <original> eksperimentalno otseniavane na riska za pokoleniata pri ekspozitsiia na olovo. <i>Probl Khig.</i> 9: 79-87.
FL	Ivanova-Chemishanska, L., Antov, G., Khinkova, L., Vulcheva, V., and Khristeva, V. 1980. Effect of lead acetate on reproduction in male albino rats. <i>Khig. Zdraveopaz.</i> , V23, N4, P304-8. 23(4): 304-8.
Unrel	Ivanovich, E., Antov, G., and Kazakova, B. 1981. Liver changes under combined effect of working environmental factors. <i>Int Arch Occup Environ Health.</i> 48(1): 41-7.
Drug	Jackson, H. C. and Kitchen, I. 1990. Lack of effect of perinatal lead exposure on kappa-opioid receptor function. <i>Toxicol Lett.</i> 50(1): 17-23.
Drug	Jackson, H. C. and Kitchen, I. 1989. Perinatal lead exposure impairs opioid but not non-opioid stress-induced antinociception in developing rats. <i>Br J Pharmacol.</i> 97(4): 1338-42.
In Vit	Jacobs, J. M., Sinclair, P. R., Sinclair, J. F., Gorman, N., Walton, H. S., Wood, S. G., and Nichols, C. Formation of zinc protoporphyrin in cultured hepatocytes: effects of ferrochelatase inhibition, iron chelation or lead. <i>Toxicology.</i> 125 (2-3). 1998. 95-105.
Prim	Jacobson, J. L. and Snowdon, C. T. 1976. Increased lead ingestion in calcium-deficient monkeys. <i>Nature.</i> 262(5563): 51-2.
FL	Jacquet, P. 1978. [Effect of exogenous progesterone and estradiol on the process of embryonic implantation in lead intoxicated female mice]: <original> influence de la progesterone et de l'estradiol exogenes sur le processus de l'implantation embryonnaire, chez la souris femelle intoxiquee par le plomb. <i>C R Seances Soc Biol Fil.</i> 172(5): 1037-40.
Dup.	Jacquet, P., Gerber, G. B., Leonard, A., and Maes, J. 1977. Plasma hormone levels in normal and lead-treated pregnant mice. <i>Experientia.</i> 33(10): 1375-1377.
Acu	Jacquet, P., Leonard, A., and Gerber, G. B. 1976. Action of lead on early divisions of the mouse embryo. <i>Toxicology.</i> 6(1): 129-132.
Gene	Jacquet, P., Leonard, A., and Gerber, G. B. 1977. Cytogenetic investigations on mice treated with lead. <i>J Toxicol Environ Health.</i> 2(3): 619-24.
No Oral	Jacquet, P., Leonard, A., and Gerber, G. B. 1975. Embryonic death in mouse due to lead exposure. <i>Experientia.</i> 31(11): 1312-1313.
FL	Jaczewski, S., Dynarowicz, I., and Monkiewicz, J. 1977. The effect of long-term administration of copper and lead-containing substances to rabbits on semen characters. <i>Medycyna Weterynaryjna.</i> 33(7): 410-412.
CP	Jaczewski, S. and Monkiewicz, J. 1983. Effect of heavy metals on the health and reproduction of rabbits. <i>Bioindyk. Skazen Przem. Roln., Mater. Pokonf.</i> 421-7.
No Control	James, L. F., Lazar, V. A., and Binns, W. 1966. Effects of sublethal doses of certain minerals on pregnant ewes and fetal development. <i>Am J Vet Res.</i> 27(116): 132-135.
Stain	Jandal, J. M. 1995. Some factors affecting lipase activity in goat milk. <i>Small Ruminant Research</i> 16(1): 87-91.

HHE	Janghorbani, M. and Young, V. R. 1982. Advances in the use of stable isotopes of minerals in human studies. <i>Federation Proceedings</i> 41(10): 2702-8.
Bio Acc	Janiga M, Mankovska M, Bobal'ova M, and Durcova G. 1990. Significance of concentrations of lead, cadmium, and iron in the plumage of the feral pigeon. <i>Arch Environ Contamin Toxicol</i> . 19(6): 892-897.
Surv	Janiga, M. and Zemberyova, M. 1998. Lead concentration in the bones of the feral pigeons (<i>Columba livia</i>): sources of variation relating to body condition and death. <i>Arch. Environ. Contam. Toxicol</i> . 35(1): 70-74.
Surv	Japenga, J., Zschuppe, K. H., De Groot, A J., and Salomons, W. 1990. Heavy metals and organic micropollutants in floodplains of the river waal (Netherlands) a distributary of the river rhine, (Netherlands), 1958-1981. <i>Neth J Agric Sci</i> . 38(3A): 381-397.
Unrel	Jarman, W. M. a, Hobson, K. A., Sydeman, W. J, Bacon, C. E., and McLaren, E. B. 1996. Influence of trophic position and feeding location on contaminant levels in the Gulf of the Farallones food web revealed by stable isotope analysis. <i>Environmental Science & Technology</i> . 30(2): 654-660.
FL	Jarosz, S. and Barabasz, B. 1983. Effect of industrial environment on reproductive performance in mink. <i>Zeszyty Problemowe Postepow Nauk Rolniczych</i> .(302): 53-61.
Abstract	Jason, K and Kellogg, C. 1977. Lead effects on behavioral and neurochemical development in rats. <i>Federation Proc</i> . 36: 1008.
Diss	Jason, K. M. 1978. <i>Effects of Neonatal Exposure to Lead on Behavioral and Neurochemical Development in the Rat</i> : 112.
Mix	Jason, K. M. and Kellogg, C. K. 1981. Neo natal lead exposure effects on development of behavior and striatal dopamine neurons. <i>Pharmacol Biochem Behav</i> . 15(4): 641-50.
Unrel	Jehle, Andreas W., Forgo, Judith, Biber, J., Lederer, Eleanor, Krapf, Reto, and Murer, Heini. igf-i and vanadate stimulate na/pi-cotransport in ok cells by increasing type ii na/pi-cotransporter protein stability. <i>Pfluegers Arch</i> . (1998) 437(1): 149-154.
HHE	Jelovsek, Frederick R., Mattison, Donald R., and Chen, James J. Prediction of risk for human developmental toxicity: how important are animal studies for hazard identification? <i>Obstet. Gynecol. (N. Y.)</i> (1989) 74(4): 624-36 .
Food	Jensen, L. S., Maurice, D. V., and Chang, C. H. Relation of mineral content of drinking water to liver lipid accumulation in laying hens. <i>Poult. Sci.</i> (1977) 56(1): 260-6.
No Dose	Jessup, D. C. 1968. <i>Lead Acetate, Electron Microscopy Studies Final rept</i> . PB-201144
Prim	Jessup, D. C. 1968. <i>Lead Acetate Rat Behavior Study - Monkey Behavior Study: Final Rept</i>
No Dose	Jessup, D. C. 1968. <i>Lead Acetate, Tissue Enzyme Studies Final rept</i>
Prim	Jessup, D. C. and Busey, W. M. 1970. <i>Lead Acetate, 22-Month Chronic Toxicity Study - Monkeys: <NOTE> Final Rept</i>

No Dose	Jett, D. A. and Guilarte, T. R. 1995. Developmental lead exposure alters n-methyl-d-aspartate and muscarinic cholinergic receptors in the rat hippocampus: an autoradiographic study. <i>Neurotoxicology</i> 16(1): 7-18.
No Dose	Johnson, D. R. and Kleinman, L. I. 1979. Effects of lead exposure on renal function in young rats. <i>Toxicol Appl Pharmacol.</i> 48(3): 361-367.
Surv	Johnson, E. V., Mack, G. L., and Thompson, D. Q. 1976. Effects of orchard pesticide applications on breeding Robins. <i>Wilson Bull.</i> 88: 16-35.
Unrel	Johnson, L. a, Blanchard, T. L., Varner, D. D., and Scrutchfield, W. L. 1997. Factors affecting spermatogenesis in the stallion. <i>Theriogenology.</i> 48(7): 1199-1216.
FL	Jonek, J., Kosmider, S., Jonek, T., and Kaiser, J. 1965. [Histochemical studies on the behavior of alkaline phosphatase, adenosine triphosphatase, dphn diaphroase and acid phosphatase in mouth mucosa and salivary glands in experimental acute lead poisoning]: <original> histochemische untersuchungen uber das verhalten der alkalischen phosphatase, adenosintriphosphatase, dphn-diaphorase und sauren phosphatase in der mundschleimhaut und den speicheldrusen bei experimenteller akuter bleivergiftung. <i>Z Mikrosk Anat Forsch.</i> 74(1): 21-32.
Unrel	Jones, D. R., Hutson, K. A., and Morest, D. K. 1992. Growth cones and structural variation of synaptic end-bulbs in the cochlear nucleus of the adult cat brain. <i>Synapse</i> 10(4): 291-309.
Chem Meth	Jones, K. W., Bockman, R. S., and Bronner, F. 1992. Microdistribution of lead in bone: a new approach. <i>Neurotoxicology.</i> 13(4): 835-41.
Stain	Jones, L., Fischer, I., and Levitt, P. 1996. Nonuniform alteration of dendritic development in the cerebral cortex following prenatal cocaine exposure. <i>Cerebral Cortex</i> 6(3): 431-45.
Acu	Jones, M. M., Schoenheit, J. E., and Weaver, A. D. 1979. Pretreatment and heavy metal ld50 values. <i>Toxicology and Applied Pharmacology</i> 49(1): 41-4.
Diss	Jonsson, C.-J. 1994. <i>Activation and Toxicity of Adrenocorticolytic DDT-Metabolites in Mammals and Birds</i>
Mix	Jordan, S. A., Bhatnagar, M. K., and Bettger, W. J. 1990. Combined effects of methylmercury, lead, and cadmium on hepatic metallothionein and metal concentrations in the Pekin duck. <i>Arch. Environ. Contam. Toxicol.</i> 19: 886-891.
Diss	Jordan, Scott Andrew. 1990. <i>Hepatic Effects of Combined Heavy Metal Administration in the Pekin Duck (Anas Platyrhynchos) (Methylmercury, Lead, Cadmium).</i>
Rev	Jugo, S. 1977. Metabolism of toxic heavy metals in growing organisms: a review. <i>Environ. Res.</i> 13: 36-46.
Stain	Jung, Jee-Chang, Lee, Moon-Ho, Chang, Sung-Goo, and Rho, Young-Soo. Antitumor activity and nephrotoxicity of a novel platinum(ii) coordination complex. <i>Korean J. Pharmacol. (1995)</i> 31(1): 103-14.
Mix	Kaalaas, John Atle, Ringsby, Thor Harald, and Lierhagen, Syverin. Metals and selenium in wild animals from norwegian areas close to russian nickel smelters. <i>Environ. Monit. Assess. (1995)</i> Volume Date 1995, 36(3): 251-70.

- Bio Acc** Kaiser, T. E., Reichel, W. L., Locke, L. N., Cromartie, E., Krynitsky, A. J., Lamont, T. G., Mulhern, B. M., Prouty, R. M., Stafford, C. J., and Swineford, D. M. 1980. Organochlorine pesticide, pcb, and pbb residues and necropsy data for bald eagles from 29 states--1975-77. *Pestic Monit J.* 13(4): 145-9.
- FL** KALAS, J. A. and MYKLEBUST, I. 1994. Monitoring terrestrial ecosystems: accumulation of metals in cervids. *NINA UTREDNING.* 58: 1-45.
- Surv** Kalisinksa, E. and Szuberla, U. 1996. Heavy metals in the brain of long-tailed duck (*Clangula hyemalis*) wintering in the pomeranian bay, poland. *Biological Trace Element Research* . 55(1-2): p191-197.
- Bio Acc** KALISINSKA, E. and SZUBERLA, U. Heavy metals in the brain of long-tailed duck (*Clangula hyemalis*) wintering in the pomeranian bay, poland. *BIOLOGICAL TRACE ELEMENT RESEARCH*; 55 (1-2). 1996. 191-197.
- Unrel** Kalra, R. A. Pesticides residues - their implications and the job of a residue analyst. *Pesticides* 11(10): 13-17 1977 (17 References).
- Stain** Kameda, Y. 1971. The occurrence and distribution of the parafollicular cells in the thyroid, parathyroid iv and thymus iv in some mammals. *Archivum Histologicum Japonicum* 33(4): 283-99.
- FL** Kaminski, K. and Pawlica, E. 1983. Changes of monoamine oxidase activity in rat liver after chronic exposure to lead and cadmium. *Med. Pr.* 34(3): 205-10.
- Surv** Kaminski, P. 1998. The impact of ca and heavy metals upon the nest development of sparrows. *Polish J Environ Stud.* 7(2): 53-65.
- Rev** Kaminski, P. 1998. The impact of ca and heavy metals upon the nest development of sparrows (passer spp.) and other synanthropic birds . *Polish J Environ Stud.* 7(2): 53-65.
- Surv** Kaminski, P., Choinski, A., and Wolosiuk, B. 1993. Dynamics of the content of selected elements in the nestling development of the house martin *delichon urbica* in a rural landscape. *ACTA ORNITHOLOGICA (WARSAW).* 28(1): 23-37.
- Bio Acc** Kaminski, P. and Matus, A. 1998. The impact of urban environments on the growth and histopathological. *Polish J Environ Stud.* 7(3): 131-151.
- Surv** Kaminski, P. and Matus, A. 1998. The impact of urban environments on the growth and histopathological changes of tree sparrow (*passer montanus*) nestlings. *Polish J Environ Stud.* 7(3): 131-151.
- Unrel** Kamo, S. L., Wasteneys, H., Gower, C. F., and Krogh, T. E. u-Pb geochronology of labradorian and later events in the Grenville province, Eastern Labrador. *Precambrian Res. (1996)* 80(3-4): 239-260.
- In Vit** Kanti, A. and Smith, M. A. 1997. effects of heavy metals on chondrogenic differentiation of embryonic chick limb cells. *In Vitro Toxicology.* 10(3): 329-338.
- Fate** Kao, R. L. and Forbes, R. M. 1973. lead and vitamin effects on heme synthesis. *Arch Environ Health.* 27(1): 31-5.

Herp	Kaplan, H. M., Arnholt, T. J., and Payne, J. E. 1967. Toxicity of lead nitrate solutions for frogs (<i>Rana pipiens</i>). <i>Lab Anim Care</i> . 17(2): 240-246.
No Oral	Karnofsky, D. A. and Ridgway, L. P. 1952. Production of injury to the central nervous system of the chick embryo by lead Salts. <i>J Pharmacol Exp Ther</i> . 104: 176-186.
Mix	Karunski, A. I., Kryuchkova, E. F., and Niki'burskii, N. I. 1993. Wastes from sugarbeet production in the feeding of pigs and chickens. <i>Zootekhniya</i> .(9): 15-18.
No Oral	Kato, Takayasu, Sone, Iseki, Hattori, Akio, and Yoshikawa, Hiroshi. PAprotective effect of iron against acute metal toxicity in mice. <i>Igaku to Seibutsugaku</i> (1989) 118(2): 89-91.
Surv	Kaur S. 1989. Accumulation of lead, zinc and cadmium in the nestling feathers of hoopoe upupa Epops. <i>Journal of the Bombay Natural History Society</i> . 86(2): 244-245, illustr.
No Dose	Kaur, S. 1989. Lead and cadmium in maternal blood, umbilical cord blood, amniotic fluid and placenta of cows and buffaloes after foetal death (abortion) and after normal parturition. <i>Sci. Total Environ</i> . 79(3): 287-290.
No Dose	Kawamoto, J. C., Vijayan, V. K., and Woolley, D. E. 1984. Morphometric effects of exposure to lead during the preweaning period on the hippocampal formation of aging rats. <i>Neurobiol. Aging</i> . 5(4): 297-307.
No Dose	Kayamori, T., Yamada, J., Yamashita, T., and Misu, M. Ontogeny of the endocrine cells in the pyloric region of the Japanese quail <i>Coturnix-coturnix-japonica</i> . <i>Research Bulletin of Obihiro University Series I</i> . 11 (1). 1978 (Recd. 1979). 1-12.
CP	Keefer, Robert F., Singh, Rabindar N., Bennett, Orus L., and Horvath, Donald J. 1983. Chemical composition of plants and soils from revegetated mine soils. <i>Univ. Ky. Off. Eng. Serv., [Bull.] UKY BU 133, Symp. Surf. Min. Hydrol. Sedimentol. Reclam.</i> , 155-61 .
Abstract	Keller, C. A. and Doherty, R. A. 1980. Correlation between lead retention and intestinal pinocytosis in the suckling mouse. <i>Am. J. Physiol</i> . V239, N2, PG114-G122. 239(2): 114-122.
Unrel	Kelley, Timothy R., Pancorbo, Oscar C., Merka, William C., Thompson, Sidney A., Cabrera, Miguel L., and Barnhart, Harold M. 1998. Accumulation of elements in fractionated broiler litter during re-utilization. <i>J. Appl. Poult. Res</i> . 7(1): 27-34 .
Acu	Kello, D and Kostial K. 1973. The effect of milk diet on lead metabolism in rats. <i>Environ. Res</i> . 6: 355-60.
Lead shot	Kelly, M. E., Fitzgerald, S. D., Aulerich, R. J., Balander, R. J., Powell, D. C., Stickle, R. L., Stevens, W., Cray, C., Tempelman, R. J., and Bursian, S. J. 1998. Acute effects of lead, steel, tungsten-iron, and tungsten-polymer shot administered to game-farm mallards. <i>Journal of Wildlife Diseases</i> 34(4): 673-87.
No Oral	Kempinas, W. G., Favaretto, A. L., Melo, V. R., Carvalho, T. L., Petenusci, S. O., and Oliveira-Filho, R. M. 1994. Time-dependent effects of lead on rat reproductive functions. <i>J. Appl. Toxicol</i> . 14(6): 427-433.
Lead Shot	Kendall, R. J., Lacher, T. E. Jr., Bunck, C., Daniel, B., Driver, C., Grue, C. E., Leighton, F., Stansley, W., Watanabe, P. G., and Whitworth, M. 1996. An ecological risk assessment of lead shot exposure in non-waterfowl avian species: upland game birds and raptors. <i>Environmental Toxicology and Chemistry</i> . 15(1): 4-20.

Lead Shot	Kendall, R. J. and Scanlon, P. F. 1985. Histology and ultrastructure of kidney tissue from ringed turtle doves that ingested lead. <i>J. Environ. Pathol. Toxicol. Oncol.</i> 6(1): 85-96.
Lead shot	Kendall, Ronald James. 1980. <i>The Toxicology of Lead Shot and Environmental Lead Ingestion in Avian Species With Emphasis on the Biological Significance in Mourning Dove Populations</i>
Gene	Kennedy, G. L., Arnold, D. W., and Calandra, J. C. 1975. Teratogenic evaluation of lead compounds in mice and rats. <i>Food Cosmet. Toxicol.</i> 13(6): 629-632.
In Vit	Kennedy, J. L. 1983. <i>Cell-Free Protein Synthesis in Rat Brain Following Neonatal Exposure to Lead</i>
Fate	Kennedy, J. L., Girgis, G. R., Rakhra, G. S., and Nicholls, D. M. 1983. Protein synthesis in rat brain following neo natal exposure to lead. <i>J Neurol Sci.</i> 59(1): 57-68.
FL	Kessler, J. 1993. heavy metals in animal production. <i>Landwirtschaft Schweiz.</i> 6(5): 273-277.
Lead Shot	Keymer I F and Stebbings R S J. 1987. Lead poisoning in a partridge (perdix perdix) after ingestion of gunshot. <i>Veterinary Record.</i> 120(12): 276-277.
Alt	Khalil-Manesh, F., Gonick, H. C., Weiler, E. W., Prins, B., Weber, M. A., and Purdy, R. E. 1993. Lead-induced hypertension: possible role of endothelial factors. <i>Am J Hypertens.</i> 6(9): 723-9.
Mix	Khan, M. Z. and Szarek, J. 1994. Effects of concurrent oral administration of lead, selenium or monensin on hepatic porphyrin levels in broiler chickens during sub-acute toxicosis. <i>Zentralbl Veterinarmed [B].</i> 41(2): 77-82.
Mix	Khan, M. Z., Szarek, J., Krasnodebska-Depta, A., and Koncicki, A. 1993. Effects of concurrent administration of lead and selenium on some haematological and biochemical parameters of broiler chickens. <i>Acta Vet Hung.</i> 41(1-2): 123-37.
Aquatic	Khargarot, B. S., Ray, P. K., and Chandra, H. Daphnia magna as a model to assess heavy metal toxicity: comparative assessment with mouse system. <i>Acta Hydrochim. Hydrobiol.</i> (1987) 15(4): 427-32.
FL	Khotimchenko, S. A., Kodentsova, V. M., Alekseeva, I. A., Vlaskina, S. G., Brzhesinskaya, O. A., Sokol'nikov, A. A., Kharitonchik, L. A., Aleshko-Ozhevskii Yu P, and Shevyakova, L. V. 1997. The influence of lead on the metabolism of vitamin b group at the alimentary iron deficit in rats. <i>Voprosy Meditsinskoi Khimii.</i> 43(3): 158-164.
Mix	Kienholz, E. W., Ward, G. M., Johnson, D. E., Baxter, J., Braude, G., and Stern, G. 1979. Metropolitan denver colorado usa sewage sludge fed to feedlot steers. <i>Journal of Animal Science.</i> 48 (4): 735-741.
Mix	Kiesow, L. A., Shapiro, S., Lindsley, B. F., and Bless, J. W. 1977. Oxygen induced consumptive coagulopathy and its enhancement by lead acetate. <i>Thromb Haemostasis.</i> 37(1): 170-176.
Drug	Kim, J. S., Crichlow, E. C., Blakley, B. R., and Rousseaux, C. G. 1990. The effects of thiamin on the neurophysiological alterations induced by lead. <i>Vet Hum Toxicol.</i> 32(2): 101-5.
FL	Kim, M. K. and Baek, S. M. 1996. Effect of dietary calcium level on cadmium and lead toxicity in rats. <i>The Korean Journal of Nutrition</i> 29(9): 958-970.

FL	Kim, O. K., Suh, J. S., and Lee, M. W. 1986. Influence of dietary protein source and level on lead accumulation in rat. <i>Korean J Nutr.</i> 19(4): 211-223.
Imm	Kimber, I., Jackson, J. A., and Stonard, M. D. 1986. Failure of inorganic lead exposure to impair natural killer (nk) cell and t lymphocyte function in rats. <i>Toxicol Lett.</i> 31(3): 211-8.
Abstract	Kimmel, CA, Grant, LD, and Sloan, CS. 1976. <i>Teratol.</i> 13: 27A.
No Oral	King, D. W., Chen, D. C., and Hsu, J. L. 1978. Effects of cadmium on chick embryogenesis and some comparisons with Lead. <i>Proc Natl Sci Council R O c .</i> 2: p269-274.
No Oral	King, D. W., Chen, D. C., Wung, A. W., Hsu, J. L., Lai, J. M., Chiang, H., and lu, G. R. 1980. Interrelationships of zinc, cadmium and lead in chick embryogenesis. <i>Proc Natl Sci Council R O c .</i> 4: 55-64.
Mix	King, L. D. Effect of swine manure lagoon sludge and municipal sewage sludge on growth nitrogen recovery and heavy metal content of fescue grass <i>Festuca-arundinacea</i> .. <i>Journal of Environmental Quality.</i> 10 (4). 1981. 465-472.
Lead Shot	Kirby, J., Delany, S., and Quinn, J. 1994. Mute swans in great britain: a review, current status and long-term Trends. <i>Hydrobiologia</i> ; 279-280 (0). 1994. 467-482. 279-280: 467-482.
CP	Kirchgessner, M. and Paulicks, B. R. 1994. Self-selection of various nutrients. <. <i>Document Title>Proceedings 9th European Poultry Conference, Glasgow, UK, 7-12 August 1994: Volume 2.</i> 215-218.
Fate	Kirchgessner, M. and Reichlmayr-Lais, A. M. 1982. Concentration of different metabolites resulting from experimental lead deficiency. <i>Ann Nutr Metab.</i> 26(1): 50-5.
Surv	Kirchgessner, M., Reichlmayr-Lais, A. M., and Stockl, K. N. 1988. Retention of lead in growing rats with varying dietary lead supplements. <i>J Trace Elem Electrolytes Health Dis.</i> 2(3): 149-52.
FL	Kirchgessner, M., Wittmann, M., and Roth, F. X. 1994. Self-selection of lead supplemented diets by broilers. 3. effect of ofage. <i>Archiv Fur Geflugelkunde.</i> 58(4): 151-155.
FL	Kirkeby, S. esterase activity in the guinea-pig thyroid under normal and pathological conditions vitamin a deficiency with special regard to cyst-like structures. <i>Virchows Archiv B Cell Pathology.</i> 23 (2). 1977 129-136.
FL	Kishi, R., Harabuchi, I., Ikeda, T., and Miyake, H. 1985. The effects of triethyllead on behavior in rats. <i>Sangyo Igaku.</i> 27(2): 97-104.
FL	Kishi, R., Ikeda, T., and Miyake, H. 1979. The effect of low level of lead exposure on behavior of rats. <i>Igaku No Ayumi.</i> 111(2): 83-5.
Diss	Kishikawa, H. 1996. <i>Effects of the Heavy Metal Lead on Endotoxemia and Listeriosis</i>
Drug	Kishikawa, H., Song, R., and Lawrence, D. A. 1997. Interleukin-12 promotes enhanced resistance to listeria monocytogenes infection of lead-exposed mice. <i>Toxicol Appl Pharmacol.</i> 147(2): 180-9.
Acu	Kitagawa, H., Saito, H., Sugimoto, T., Yanaura, S., Kitagawa, H., Hosokawa, T., and Sakamoto, K. 1982. Effects of diisopropyl-1,3-dithiol-2-ylidene malonate (nkk-105) on acute toxicity of various drugs and heavy metals. <i>Journal of Toxicological Sciences</i> 7(2): 123-34.

Drug	Kitchen, I. and McDowell, J. 1985. Impairment of ketocyclazocine antinociception in rats by perinatal lead exposure. <i>Toxicol Lett.</i> 26(2-3): 101-5.
Rev	Klaassen, C. D. and Liu, Jie. 1997. Role of metallothionein in cadmium-induced hepatotoxicity and nephrotoxicity: new horizons in chemical-induced liver injury. <i>Drug Metab. Rev.</i> 29(1-2): 79-102.
Drug	Klakow F-J, Mueller, M., and Jonas, K. Use of magnesium chloride brine in drinking water for prophylaxis against grass tetany of cattle. <i>Monatshefte Fuer Veterinaermedizin.</i> 41 (15). 1986. 505-509.
Rev	Klauder, D. S. and Petering, H. G. 1977. Anemia of lead intoxication: a role for copper. <i>J Nutr.</i> 107(10): 1779-85.
Drug	Klauder, D. S. and Petering, H. G. 1975. Protective value of dietary copper and iron against some toxic effects of lead in rats. <i>Environ Health Perspect.</i> 12: 77-80.
Diss	Klauder, D. S. IV. 1975. <i>The Effects of Dietary Copper, Iron, and Zinc on the Toxicity of Lead in Male Rats</i> : 251.
Surv	Klimowicz Zbigniew, Melke Jerzy, and Uziak Stanislaw. 1997. Peat soils in the bellsund region, spitsbergen. <i>Polish Polar Research</i> 18(1): 25-39.
Chem Meth	Klingenberg, Andreas and Seubert, Andreas. Comparison of silica-based and polymer-based cation exchangers for the ion chromatographic separation of transition metals. <i>J. Chromatogr.</i> (1993) 640(1-2): 167-78
FL	Klingler, K., Hauser, E., and Hiestand, H. 1981. [Environmental pollution by lead. lead determination in bones of hares in the canton of bern. development of a new incineration method for lead determination in bones]: <original> die umweltverschmutzung mit blei. bleigehaltsbestimmungen in knochen von feldhasen aus dem kanton bern. entwicklung einer neuen veraschungsmethode zur bleibestimmung im knochen. <i>Schweiz Arch Tierheilkd.</i> 123(6): 311-21.
IMM	Klinz, S. G., Schachner, M., and Maness, P. F. 1995. 11 and n-cam antibodies trigger protein phosphatase activity in growth cone-enriched membranes. <i>Journal of Neurochemistry</i> 65(1): 84-95.
Unrel	Klocking, R. 1980. [Intoxication and detoxication of heavy metals by humic acids]. <original> giftung und entgiftung von schwermetallen durch huminsauern. <i>Archiv Fur Experimentelle Veterinarmedizin</i> 34(3): 389-93.
CP	Kluge-Berge, S., <Editors> Ingkaninun, P., and Poomvises, P. 1993. Residues of potentially harmful substances in norwegian slaughteranimals. <i>Proceedings, 11th International Symposium of the World Association of Veterinary Food Hygienists, 24-29 October 1993, Bangkok, Thailand.</i> 471-474.
Surv	Knight, HD and Burau, RG. 1973. Chronic lead poisoning in horses. <i>J. Am. Vet. Med. Assoc.</i> 162: 781.
In Vit	Knowles, S. O. and Donaldson, W. E. 1996. Dietary lead alters fatty acid composition and membrane peroxidation in chick liver microsomes. <i>Poult Sci.</i> 75(12): 1498-500.

Fate	Knowles, S. O. and Donaldson, W. E. 1990. Dietary modification of lead toxicity: effects on fatty acid and eicosanoid metabolism in Chicks. <i>Comp Biochem Physiol C Comp Pharmacol Toxicol</i> 95(1): 99-104.
Imm	Knowles, S. O. and Donaldson, W. E. 1997. Lead disrupts eicosanoid metabolism, macrophage function, and disease resistance in birds. <i>Biol. Trace Elem. Res.</i> 60(1-2): 13-26.
Stain	Ko, J. S. Soon Chun Hyang Medical Coll. Asan Korea R. Dept. of Anatomy and Park, S. Y. Sungkyunkwan Univ. Seoul Korea R. Dept. of Biology. 1980. Comparative histological study on the parafollicular of mammals. <i>Korean Journal of Zoology.</i> V. 23(2) P. 89-108
Meth	Kobayashi, Yoshinori. Development of an x-ray fluorescence element mapping spectrometer and its application to biological samples. <i>Kagaku Gijutsu Kenkyusho Hokoku (1989)</i> 84(12): 643-54.
CP	Kochen, J. A., Greener, Y., and Hirano, A. 1977. Micro vascular injury in chick embryo lead Encephalopathy. Lewis, David H. (Ed.). <i>Bibliotheca Anatomica, No. 15. Recent Advances in Basic Microcirculatory Research. Part 1 of Ninth European Conference on Microcirculation, Antwerp, Belgium, July 5-9, 1976.</i> Xxv+572p. Illus. S. Karger: Basel, Switzerland; New York, N.y., Usa. Isbn 3-8055-2757-8. 1977 (Recd 1978) 199-201
Lead Shot	Koh T S and Harper M J. 1988. Lead-poisoning in black swans, <i>Cygnus atratus</i> , exposed to spent lead shot at Bool Lagoon game reserve, South Australia. <i>Australian Wildlife Research.</i> 15(4): 395-403.
Prim	Kohler, K., Lilienthal, H., Guenther, E., Winneke, G., and Zrenner, E. 1997. Persistent decrease of the dopamine-synthesizing enzyme tyrosine hydroxylase in the rhesus monkey retina after chronic lead exposure. <i>Neurotoxicology.</i> 18(3): 623-32.
Bio Acc	Kolczak, T. 1988. The content of heavy metals in the bone decoction of hens from a polluted district. <i>Med Weter</i> 44(5): 303-304.
CP	Koller, Loren D. 1979. Immune response altered by lead and cadmium in cba/j mice. <i>Anim. Monit. Environ. Pollut., (Symp. Pathobiol. Environ. Pollut.: Anim. Models Wildl. Monit.)</i> : 209-219.
In Vitro	Komulainen, H and Tuomisto, J. 1981. Effect of heavy metals on dopamine, noradrenaline, and serotonin uptake and release in rat brain synaptosomes. <i>Acta. Pharmac. Toxic.</i> 48: 199-204.
Org Met	Konat, G. and Clausen, J. 1976. Tri ethyl lead induced hypo myelination in the developing rat fore brain. <i>Exp Neurol.</i> 50(1): 124-133.
FL	Kooiker, G. 1986. Recommendations for analytical methods of heavy metals in bird eggs and feathers with atomic-absorption spectrophotometry. <i>J Ornithol;</i> 127 (1). 1986. 9-24.
FL	Kopczewski, A. and Kopczewska, T. 1995. concentration of lead and cadmium in liver and kidneys in foxes. <i>Medycyna Weterynaryjna.</i> 51(9): 546-548.
Unrel	Kopp, S. J., Barany, M., Erlanger, M., Perry, E. F., and Perry, H. M JR. 1980. Influence of chronic low-level cadmium and/or lead feeding on myocardial contractility related to phosphorylation of cardiac myofibrillar Proteins. <i>Toxicol Appl Pharmacol.</i> 54(1): 48-56.

Unrel	Kopp, S. J., Glonek, T., Erlanger, M., Perry, E. F., Barany, M., and Perry, H. M. Jr. 1980. Altered metabolism and function of rat heart following chronic low level cadmium/lead feeding. <i>J Mol Cell Cardiol.</i> 12(12): 1407-1425.
Unrel	Kopp, S. J., Perry, H. M. Jr., Feliksik, J. M., Erlanger, M., and Perry, E. F. 1983. In vivo assessment of cardiac contractility following chronic dietary cadmium or cadmium plus lead ingestion in the rat. <i>Trace Subst. Environ. Health.</i> 17: 165-173.
Unrel	Kopp, S. J., Perry, H. M. Jr, Perry, E. F., and Erlanger, M. 1983. Cardiac physiologic and tissue metabolic changes following chronic low-level cadmium and cadmium plus lead ingestion in the rat. <i>Toxicol Appl Pharmacol.</i> 69(1): 149-60.
Lead shot	Koranda, J., Moore, K., Stuart, M., and Conrado, C. 1979. <i>Dietary Effects on Lead Uptake and Trace Element Distribution in Mallard Ducks Dosed With Lead Shot</i> : 41p.
Surv	Korsrud, G. O. and Meldrum, J. B. 1988. Effect of diet on the response in rats to lead acetate given orally or in the drinking water. <i>Biol Trace Elem Res.</i> 17: 167-73.
FL	Kosaka, M., Tilson, H. A., Mactutus, C. F. , McLamb, R. L., and Burne, T. A. 1983. Effects of lead, other metals and diphenylthiocarbazon on conditioned avoidance behavior in rats: characterization of triethyllead chloride neurotoxicity in adult rats. <i>Nichidai Igaku Zasshi.</i> 42(5): 537-46.
FL	Kosaka, Michio. 1983. Effects of lead, other metals and diphenylthiocarbazon on conditioned avoidance behavior in rats. <i>Nichidai Igaku Zasshi.</i> 42(5): 537-546.
Drug	Kostas, J. 1977. <i>Effects of Psychotropic Agents on Spontaneous Alternation in Rats Neonatally Exposed to Lead-Acetate</i> : 119.
Drug	Kostas, J., McFarland, D. J., and Drew, W. G. 1978. Lead-induced behavioral disorders in the rat: effects of amphetamine. <i>Pharmacology.</i> 16(4): 226-36.
Surv	Kostelecka-Myrcha, A., Zukowski, J., and Oksiejczuk, E. 1997. Changes in the red blood indices during nestling development of the tree sparrow passer montanus in an urban environment. <i>Ibis (London).</i> 139(1): 92-96.
Phys	Kostial, K., Clarkson, T. W., Nordberg, G. F., and Sager, P. R. eds. 1983. Specific features of metal Absorption in Suckling Animals. <i>Reproductive AND DEVELOPMENTAL TOXICITY OF METALS.</i> 727-744.
Acu	Kostial, K., Kello, D., Jugo, S., Rabar, I., and Maljkovic, T. 1978. Influence of age on metal metabolism and toxicity . <i>Environ Health Perspect.</i> 25: 81-86.
No Oral	Kostial, K., Maljkovic, T., and Jugo, S. 1974. Lead acetate toxicity in rats in relation to age and sex. <i>Arch. Toxicol.</i> 31(3): 265-269.
Alt	Kostial, K, Simonvic, I, and Pisonic, M. 1971. Lead absorption from the intestine of newborn rats. <i>Nature (London).</i> 233: 564-5.
No Dose	Kostial, K and vouk, VB. 1957. Lead ions and synaptic transmission in the superior cervical ganglion of the cat. <i>Br. J. Pharmac.</i> 12: 219-222.

Unrel	Kostrzewa, T., Koziol, A., Mijał, K., Pankow, T., Pluzek, Z., and Wilk, Z. 1982. [Attempted suicide in the city of Cracow (Comparative studies)]: <original> samobojstwa usiłowane na terenie miasta krakowa (<i>Praca porównawcza</i>). <i>Psychiatr Pol.</i> 16(3): 167-74.
No Oral	Kotsaki-Kovatsi, V. P., Lekkas, S., and Kovatsis, A. 1983. Comparative studies on the liver and kidney lesions in rabbits poisoned by organic or inorganic lead compounds. <i>Hellenike Kteniatrike (Hellenic Veterinary Medicine)</i> . 26(4): 465-477.
FL	Koval'chuk L A and Mikshevich N V. 1988. [The behavioural characteristics of mercury, zinc, cadmium and lead sources on the ecosystem.]. [<i>Voprosy Dinamiki Populyatsii Mlekopitayushchikh.</i>] [<i>Problems of Mammal Population Dynamics.</i>] :. 1-80.
Unrel	Kovar, J., Studnickova, M., Maly, M., and Klukanova, H. Effect of modification and denaturation of glutamate dehydrogenase on its polarographic behavior. <i>Bioelectrochemistry and Bioenergetics</i> . 12 (5-6). 1984 (<i>Recd.</i> 1985). 431-442.
No Dose	Kowalski, S., Parker, G. H., and Persinger, M. A. 1982. Interactions of 2-ppm lead in the water supply with food deprivation upon maze-swimming behavior of mice. <i>Percept Mot Skills</i> . 55(2): 515-9.
In Vit	Kowolenko, M., Tracy, L., and Lawrence, D. 1991. Early effects of lead on bone marrow cell responsiveness in mice challenged with listeria monocytogenes. <i>Fundam Appl Toxicol.</i> 17(1): 75-82.
Abstract	Krall, AR, Pesavento, C, Harmon, SJ, and Packer III, RM. 1972. Elevation of norepinephrine levels and inhibition of mitochondrial oxidative phosphorylation in cerebellum of lead-intoxicated suckling rats. <i>Fedn. Proc.</i> 31: 665.
Bio Acc	Krantz, W. C., Mulhern, B. M., Bagley, G. E., Sprunt, A., Ligas, F. J., and Robertson, W. B. Jr. 1970. Organochlorine and heavy metal residues in bald eagle eggs. <i>Pestic Monit J.</i> 4(3): 136-40.
No Dose	Krasovskii, G. N., Vasukovich, L. Y., and Chariev, O. G. 1979. Experimental study of biological effects of leads and aluminum following oral administration. <i>Environ Health Perspect.</i> 30: 47-51.
FL	Krass, B., Winneke, G., and Kramer, U. 1980. [Neurobehavioral and systemic effects in lead-exposed rats after an exposure-free interval of four months duration (author's transl)]: <original> neuropsychologische und systemische wirkungen an bleiexponierten ratten nach viermonatigem, expositions-freien intervall. <i>Zentralbl Bakteriол [B]</i> . 170(5-6): 353-67.
No Control	Krehbiel, D., Davis, G. A., LeRoy, L. M., and Bowman, R. E. 1976. Absence of hyperactivity in lead-exposed developing rats. <i>Environ Health Perspect.</i> 18: 147-157.
In Vit	Kreis Patricia, Degen Gisela H, and Andrae Ulrich(A). 1998. Sulfotransferase-mediated genotoxicity of propane 2-nitronate in cultured ovine seminal vesicle cells. <i>Mutation Research</i> 413(1): 69-81.
Absract	Krigman, M. R. Quantitative morphologic analysis of the effect of lead intoxication and undernourishment on the postnatal cortical development of the rat. <i>Environmental Health Perspectives.</i> : 98.
Mix	Krigman, M. R. and Hogan, E. L. 1974. Effect of lead intoxication on the post natal growth of the rat nervous system. <i>Environ. Health Perspect.</i> 7: 187-199.

Abstract	Krigman, MR, Butts, SA, Hogan, EL, and Shinkman, PG. 1972. Morphological, neurochemical, and behavior correlates of lead intoxication and undernourishment in developing rats. <i>Fedn. Proc.</i> 31: 665.
FL	Krinitzskaya, N. A. and Boyarchenko, E. K. 1983. Biological action of different forms of lead contained in the rat diet. <i>Vopr Pitan.</i> 0(5): 62-5.
Dead	Kruuk, H. and Conroy, J. WH. 1991. Mortality of otters (<i>Lutra lutra</i>) in Shetland (Scotland, UK). <i>J Appl Ecol.</i> 28(1): 83-94.
In Vit	Ku, W. W. and Piper, W. N. 1990. Pteridine modulation of lead inhibition of uroporphyrinogen synthesis in erythroid precursor cells. <i>Toxicol Lett (Amst).</i> 51(1): 91-98.
In Vit	Ku, W. W., Slowiejko, D. M., and Piper, W. N. 1991. Lead inhibition of uroporphyrinogen synthesis in erythroid precursor cells indirect effect through porphobilinogen substrate depletion. <i>In Vitro Toxicol.</i> 4(1): 67-72.
Pb Behav	Kuhlmann, A. C., McGlothlan, J. L., and Guilarte, T. R. 1997. Developmental lead exposure causes spatial learning deficits in adult rats. <i>Neurosci Lett</i> 233(2-3): 101-4.
Pb Behav	Kumar, M. V. and Desiraju, T. 1992. EEG spectral power reduction and learning disability in rats exposed to lead through postnatal developing age. <i>Indian J Physiol Pharmacol.</i> 36(1): 15-20.
Surv	Kumar, S. and Rana, S. VS. 1987. Hemochromatosis in the liver of rat after exposure to few xenobiotics a histochemical study. <i>Proc Indian Natl Sci Acad Part B Biol Sci.</i> 53(3): 221-226.
Unrel	Kutscher, C. L. and Yamamoto, B. K. 1979. Altered saccharin preference during chronic dietary administration of lead in adult rats. <i>Neurobehav Toxicol.</i> 1(4): 259-62.
Surv	Kwatra, M, Gill B, Singh R, and Singh M. 1986. Lead toxicosis in buffaloes and cattle in punjab. <i>Indian Journal of Animal Science.</i> 56: 412-413.
FL	Lacatusu, R., Rauta, C., Mihailescu, A., Neda, C., Medrea, N., Kovacsovics, B., and Lungu, M. 1988. Research on the soil-plant-animal system in the influence zone of the turnu magurele, romania factory processing the pyrite ashes. <i>An Inst Cercet Pedol Agrochim.</i> 48: 281-292.
Surv	LaDelfe, C. M. 1981. <i>Detailed Geochemical Survey Data Release for the San Andres-Oscura Mountains Special Study Area, New Mexico.</i> GJBX-215-81; LA-8016-MS
Unrel	Lag, J. 1994. Geomedically interesting diseases in domestic animals in odda, norway. <i>Norsk Landbruksforskning.</i> 8(3-4): 277-281.
Lead shot	Lagerquist, J. E., Davison, M., and Foreyt, W. J. 1994. Lead poisoning and other causes of mortality in trumpeter (<i>Cygnus buccinator</i>) and tundra (<i>C. columbianus</i>) swans in western Washington. <i>Journal of Wildlife Diseases.</i> 30(1): 60-64.
Plant	Lagerwerff, JV and Specht, AW. 1970. Contamination of roadside soil and vegetation with cadmium, nickel, lead and zinc. <i>Environ. Sci. Technol.</i> 4: 583.
Rev	Lagunowich, L. A. 1994. Concepts on cell adhesion molecules and their possible roles in neurotoxicity.: <book> neurological disease and therapy; principles of neurotoxicology. <i>Neurological Disease and Therapy.</i> 26: 699-711.

No Dose	Lagunowich, L. A., Stein, A. P., and Reuhl, K. R. 1994. N-cadherin in normal and abnormal brain development. <i>Neurotoxicology (Little Rock)</i> . 15 (1): 123-132.
Org Met	Lapadula, D. M., Tilson, H. A., Campbell, G., and Abou-Donia, M. B. 1987. Neurotoxic effects of combined treatment of 2,5-hexanedione and triethyllead chloride. <i>J Toxicol Environ Health</i> . 21(4): 483-92.
Surv	Larson, J. M., Karasov, W. H., Sileo, L., Stromborg, K. L., Hanbidge, B. A., Giesy, J. P., Jones, P. D., Tillitt, D. E., and Verbruggie D. A. 196. Reproductive success, developmental anomalies, and environmental contaminants in double-crested cormorants (<i>Phalacrocorax auritus</i>). <i>Environm Toxicol Chem</i> . 15(4): 553-559.
Species	Lasenby, David C. and Veinott, Geoff. Ingestion of trace metals by the opossum shrimp, mysis relicta, determined by laser ablation sampling - inductively coupled plasma mass spectrometry. <i>Can. J. Zool.</i> (1998) 76(8): 1605-1610.
Drug	Lasley, S. M., Greenland, R. D., Minnema, D. J., and Michaelson, I. A. 1985. Altered central monoamine response to d-amphetamine in rats chronically exposed to inorganic lead. <i>Neurochem Res</i> . 10(7): 933-44.
Fate	Lasley, S. M., Greenland, R. D., Minnema, D. J., and Michaelson, I. A. 1984. Influence of chronic inorganic lead exposure on regional dopamine and 5 hydroxytryptamine turnover in rat brain. <i>Neurochem Res</i> . 9(12): 1675-88.
No Dose	Lasley, S. M. and Lane, J. D. 1988. Diminished regulation of mesolimbic dopaminergic activity in rat after chronic inorganic lead exposure. <i>Toxicol Appl Pharmacol</i> . 95(3): 474-83.
Alt	Lasley, S. M., Polan-Curtain, J., and Armstrong, D. L. 1993. Chronic exposure to environmental levels of lead impairs in vivo induction of long-term potentiation in rat hippocampal dentate. <i>Brain Res</i> . 614(1-2): 347-51.
Mix	Latta, D. M. and Donaldson, W. E. 1986. The effects of dietary methionine and glycine on lead toxicity in choline-deficient chicks. <i>Biological Trace Element Research</i> . 10(2): 129-136.
Mix	Latta, D. M. and Donaldson, W. E. 1986. Modification of lead toxicity and organ distribution by dietary sulfur amino acids in chicks (gallus domesticus). <i>Comp. Biochem. Physiol. C</i> . 84(1): 101-104.
In Vit	Lau, Y. S., Camoratto, A. M., White, L. M., and Moriarty, C. M. 1991. Effect of lead on trh and grf binding in rat anterior pituitary membranes. <i>Toxicology</i> . 68(2): 169-79.
CP	Lau, Y. S., Camoratto, A. M., White, L. M., and Moriarty, C. M. 1990. Lead inhibits the binding of growth hormone releasing factor to receptors in rat anterior pituitary. <i>74th Annual Meeting of the Federation of American Societies for Experimental Biology Part I, . Faseb (Fed Am Soc Exp Biol) j</i> . 4(3): A318.
Prim	Laughlin, N. K., Bowman, R. E., Franks, P. A., and Dierschke, D. J. 1987. Altered menstrual cycles in rhesus monkeys induced by lead. <i>Fundam Appl Toxicol</i> . 9(4): 722-9.
Lead Shot	Lavery, H. J. 1971. Lead poisoning as a possible cause of death in waterfowl in northern queensland. <i>EMU</i> . 71(3): 138-139.
Nut	Lawton, L. J. and Donaldson, W. E. 1991. lead-induced tissue fatty acid alterations and lipid peroxidation. <i>Biol Trace Elem Res</i> . 28(2): 83-98.

No Dose	Lazareno, S and Nahorski, SR. 1982. Selective labelling of dopamine (d2) receptors in ra striatum by 3h-domperidone but not by 3h-spiperone. <i>Eur. J. Pharmac.</i> 81: 273-285.
No COC	Le Vay, S. JR, Meier, C. JR, and Glees, P. JR. Effects of tri-ortho-cresyl-phosphate on spinal ganglia and peripheral nerves of chicken. <i>Acta Neuropathol.</i> ; 17(2): 103-13 1971; (REF:17)
No Dose	Leary, SL, Buck, WB, Lloyd, WE, and Osweiler, GD. 1973. Epidemiology of lead poisoning in cattle. <i>Iowa State Univ Vet.</i> 32: 112-7.
FL	Lebedeva, N. V. 1996. Population ecotoxicology of Birds. <i>Doklady Akademii Nauk.</i> 351(3): 425-429.
FL	Lee, D. P., Honda, K., and Tatsukawa, R. 1987. Comparison of tissue distributions of heavy metals in birds in japan and Korea. <i>J Yamashina Inst Ornithol.</i> 19(2): 103-116.
Surv	Lee, D. P., Honda, K., Tatsukawa, R., and Won, P. O. 1989. Distribution and residue level of mercury, cadmium and lead in korean birds. <i>Bull. Environ. Contam. Toxicol.</i> 43(4): 550-555.
Rev	Lee, IP. 1983. Effects of environmental metals on male reproduction. 253-279.
In Vit	Lee, J. J. and Battles, A. H. 1994. Lead toxicity via arachidonate signal transduction to growth responses in the splenic macrophage. <i>Environ Res.</i> 67(2): 209-19.
FL	Lee, J. S. and Cho, S. Y. 1991. Effects of dietary protein and calcium levels on hematological properties and renal functions of the pb-administered rats. <i>Journal of The Korean Society of Food and Nutrition</i> 20(4): 337-345.
FL	Lee, J. S., Cho, S. Y., and Kim, Y. R. 1994. Effects of dietary iron supplementation on sigma-aminolevulinic acid dehydratase activity and detoxification of the pb-administered rats. <i>Journal of The Korean Society of Food and Nutrition</i> 23(1): 7-12.
HHE	Leeming, RJ and Blair, JA. 1980. The effects of pathological and normal physiological processes on biopterin derivative levels in man. <i>Clinica Chim. Acta.</i> 108: 103-111.
Fate	Leeming, T. K. and Donaldson, W. E. 1985. Alteration by dietary lead of the nutritional requirement of the chick for methionine. <i>Nutr Rep Int.</i> 32(3): 643-648.
No Oral	Lefauconnier, J. M., Lavielle, E., Terrien, N., Bernard, G., and Fournier, E. 1980. Effect of various lead doses on some cerebral capillary functions in the suckling rat. <i>Toxicol. Appl. Pharmacol.</i> 55(3): 467-476.
HHE	Leffler, P. and Nordstroem, S. 1984. <i>Metals in Maternal and Fetal Blood. Investigation of Possible Variations of the Placental Barrier Function.</i>
Surv	Leighton, F. A. 1989. Pollution and wild birds north america in the 1980's. <i>CAN VET J.</i> 30(10): 783-785.
Drug	Lenox, R. H., Kant, G. J., Meyerhoff, J. L., Frazier, J. M., Annau, Z., Bezel, V. S., Sadykov, O. F., Testov, B. V., and Mokronosov, A. A. 1984. Regional brain and pituitary cyclic nucleotide response following central cholinergic stimulation (82) in rats chronically exposed to lead: lead accumulation in natural populations of mouse-like rodents. <i>Neurotoxicology.</i> 5(3): 213-25.
Mix	Leonard, A., Deknudt, Gh., and Debackere, M. 1974. Cytogenetic investigations on leucocytes of cattle intoxicated withheavy metals. <i>Toxicology</i> 2(No.3): 269-273.

CP	Leonard, A., Gerber, G. B., and Jacquet, P. 1980. <i>Studies into the Toxic Action of Lead in Biochemistry of the Developing Organism and on the Cytogenetics of the Post Meiotic Germ Cells. (Project 2)</i> : 157-61.
Surv	Leonzio, C., Fossi, C., and Focardi, S. 1986. Heavy metals and selenium variation in a migratory bird wintering in a mercury-polluted lagoon. <i>Bull Environ Contam Toxicol.</i> 37(2): 219-225.
Surv	Leonzio, C., Fossi, C., and Focardi, S. 1986. Lead, mercury, cadmium and selenium in two species of gull feeding on inland dumps, and in marine areas. <i>Sci. Total Environ.</i> 57: p121-127.
Bio Acc	Leonzio, C. and Massi, Alberto. 1989. Metal biomonitoring in bird eggs: a critical experiment. <i>Bull Environ Contam Toxicol.</i> 43(3): p402(5).
Stain	Lepri, A., Benelli, U., Bernardini, N., Bianchi, F., Lupetti, M., Danesi, R., Del Tacca M, and Nardi, M. 1994. Effect of low molecular weight heparan sulphate on angiogenesis in the rat cornea after chemical cauterization. <i>Journal of Ocular Pharmacology</i> 10(1): 273-80.
Mix	Levander, L. C. OAArgrett. 308-1914. Effects of arsenic, mercury, thallium and lead on selenium metabolism in rats. <i>Toxicol. Appl. Pharmacol.</i> ; 14(2)
Drug	Levander, O. A., Ferretti, R. J., and Morris, V. C. 1977. Osmotic and peroxidative fragilities of erythrocytes from vitamin e-deficient lead-poisoned rats. <i>J Nutr.</i> 107(3): 373-7.
Drug	Levander, O. A., Morris, V. C., and Ferretti, R. J. 1977. Comparative effects of selenium and vitamin e in lead-poisoned rats. <i>J Nutr.</i> 107(3): 378-2.
Alt	Levander, O. A., Morris, V. C., Higgs, D. J., and Ferretti, R. J. 1975. Lead poisoning in vitamin e-deficient rats. <i>J Nutr.</i> 105(11): 1481-5.
Mix	Levander, Orville A. and Argrett, L. C. Effects of arsenic, mercury, thallium, and lead on selenium metabolism in rats. <i>Toxicol. Appl. Pharmacol. (1969)</i> 14(2): 308-14.
Prim	Levay, S., Wiesel, T. N., and Hubel, D. H. The development of ocular dominance columns in normal and visually deprived monkeys.. <i>Journal of Comparative Neurology.</i> 191 (1). 1980. 1-52.
Lead Shot	Levengood, J. M., Sanderson, G. C., Anderson, W. L., Foley, G. L., Skowron, L. M., Brown, P. W., and Seets, J. W. 1999. Acute toxicity of ingested zinc shot to game-farm mallards. <i>Illinois Natural History Survey Bulletin</i> 36(1): 0-36 pp.
Prim	Levin, E. D. 1984. <i>The Long-Term Effects of Developmental Lead Exposure on Learning and Memory in Monkeys</i> : 197.
Prim	Levin, E. D. and Bowman, R. E. 1983. The effect of pre- or postnatal lead exposure on hamilton search task in monkeys. <i>Neurobehav Toxicol Teratol.</i> 5(3): 391-4.
Prim	Levin, E. D. and Bowman, R. E. 1986. Long-term lead effects on the hamilton search task and delayed alternation in monkeys. <i>Neurobehav Toxicol Teratol.</i> 8(3): 219-24 .
Drug	Levin, E. D. and Bowman, R. E. 1986. Scopolamine effects on hamilton search task performance in monkeys. <i>Pharmacol Biochem Behav.</i> 24(4): 819-21.
Prim	Levin, E. D., Bowman, R. E., Wegert, S., and Vuchetich, J. 1987. Psychopharmacological investigations of a lead-induced long-term cognitive deficit in monkeys. <i>Psychopharmacology (Berl).</i> 91(3): 334-41.

Prim	Levin, E. D., Schneider, M. L., Ferguson, S. A., Schantz, S. L., and Bowman, R. E. 1988. Behavioral effects of developmental lead exposure in rhesus monkeys. <i>Dev Psychobiol.</i> 21(4): 371-82.
No Dose	Levkutova, M., Revajova, V., Levkut, M. Univ. Vet. Med. Kosice Slovak Republic Dep. of Pathological Anatomy, and Leng, L. Inst. of Anim. Physiology Kosice Slovak Republic. 1998. Subpopulations of lymphocytes in cattle naturally infected with papillomavirus. <i>Acta Veterinaria Hungarica.</i> V. 46(1) P. 13-18
CP	Lewis, G., Anderson, P. H., and Suttle, N. F. 1983. The nature of trace element problems: delineating the field problem. (Occasional Publication No. 7): 11-16.
No Oral	Lewis, S. C. Acute lethality of selected heavy metals in spontaneously hypertensive rats. <i>Toxicology and Applied Pharmacology.</i> 33 (1). 1975 128
FL	Li, Pingjian, Zhu, Shiya, and Goyer, Robert A. 1998. Effect of experimental lead poisoning on zinc and calcium levels in rats body. <i>Guangdong Weiliang Yuansu Kexue</i> 5(4): 34-38 .
FL	Li, Pingjian, Zhu, Shiya, and Goyer, Robert A. Effect of experimental lead poisoning to zinc and calcium levels in rats body. <i>Zhongguo Gonggong Weisheng Xuebao (1997)</i> 16(5): 296-298 .
FL	Li, W. F., Liu, Z. P., Ma, Z., and Wang, Y. P. 1995. Influences of heavy metal pollution of the environment on the health of sheep. <i>Chinese Journal of Veterinary Science and Technology.</i> 25(10): 15-17.
Prim	Lilienthal, H., Lenaerts, C., Winneke, G., and Hennekes, R. 1988. Alteration of the visual evoked potential and the electroretinogram in lead-treated monkeys. <i>Neurotoxicol Teratol.</i> 10(5): 417-22.
Prim	Lilienthal, H. and Winneke, G. 1996. Lead effects on the brain stem auditory evoked potential in monkeys. <i>Neurotoxicol Teratol.</i> 18(1): 17(16).
CP	Lilienthal, H. and Winneke, G. 1991. Long-lasting increases in baep latencies after lead exposure in rhesus monkeys. <i>Third Winter Meeting of the German Society of Pharmacology and Toxicology . Naunyn-schmiedeberg's Arch Pharmacol.</i> 344(Suppl.2): R118.
Prim	Lilienthal, H., Winneke, G., Brockhaus, A., and Molik, B. 1986. Pre- and postnatal lead-exposure in monkeys: effects on activity and learning set formation. <i>Neurobehav Toxicol Teratol.</i> 8(3): 265-72.
Unrel	Lindeman, R. C. 1975. Diverting the paralyzed larynx: a reversible procedure for intractable aspiration. <i>Laryngoscope</i> 85(1): 157-80.
Lead Shot	Linden H, Bjorklund A, Krogell C, Osara M, Soveri T, and Vikberg P. 1992 . Finnish review of lead poisoning in waterfowl. <i>Suomen Riista No.38.</i> : 60-68.
CP	Linder, G., Bollman, M., Callahan, C., Gillete, C., Nebeker, A., and Wilborn, D. 1998. Bioaccumulation and food-chain analysis for evaluating ecological risksin terrestrial and wetland habitats: availability-transfer factors(atfs) in 'soil right arrow soil macroinvertebrate right arrowamphibian ' food chains. <i>Superfund Risk Assessment in Soil Contamination Studies: Thirdvolume. Papers Presented at the Symposium on Superfund Risk Assessment,Held at San Diego, California, USA on 11-16 January 1998.</i> 51-65.

Rev	Linder, G., Bollman, M., Callahan, C., Gillete, C., Nebeker, A., Wilborn, D., and <Editors>. 1998. Bioaccumulation and food-chain analysis for evaluating ecological risks in terrestrial and wetland habitats: availability-transfer factors(atfs) in 'soil soil macroinvertebrate amphibian' food chains. <i>Superfund Risk Assessment in Soil Contamination Studies: Third Volume. Papers Presented at the Symposium on Superfund Risk Assessment, Held at San Diego, California, USA on 11-16 January 1998.</i> 51-65 .
Species	Lineres, M., Fayolle, L., Tauzin, J., and Juste, C. Accumulation of heavy metals in eisenia-foetida-andrei oligochaeta lumbricidae grown in garbage. <i>Agronomie (Paris).</i> 5 (9). 1985. 779-784.
No Dose	Link, LP and Pensinger, RR. 1966. Lead toxicosis in swine. <i>Am. J. Vet. Res.</i> 27: 759.
FL	Litvinov, N. N., Lamentova, T. G., and Kazachkov, V. I. 1991. Structural-functional changes in the Liver of Pregnant Rats and Their Fetuses in Exposure to Cadmium Benzene and Lead Nitrate. <i>Gig Sanit.</i> 0(5): 19-23.
Unrel	LIU, W. K. and WONG, M. H. Ultrastructural changes in gills of sarotherodon-mossambicus treated with chicken Manure. <i>Environ Res.</i> 40 (1). 1986. 164-171.
Alt	Liu, Z., Yang, Y., Silveira, D. C., Sarkisian, M. R., Tandon, P., Huang L-T, Stafstrom, C. E., and Holmes, G. L(A). 1999. Consequences of recurrent seizures during early brain development. <i>Neuroscience</i> 92(4): 1443-1454.
No Dose	Livesey, D. J., Dawson, R. G., Livesey, P. J., Barrett, J., and Spickett, T. J. 1986. Lead retention in blood and brain after preweaning low-level lead exposure in the rat. <i>Pharmacol Biochem Behav</i> 25(5): 1089-94.
Bio Acc	Llacuna, S., Gorriz, A., Sanpera, C., and Nadal, J. 1995. Metal accumulation in three species of passerine birds (emberiza cia, parus major, and turdus merula) subjected to air pollution from a coal-fired power plant. <i>Arch Environ Contamin Toxicol</i> . 28(3): 298-303.
Bio Acc	Lock, J. W., Thompson, D. R., Furness, R. W., and Bartle, J. A. Metal concentrations in seabirds of the new zealand region. <i>Environ. Pollut. (1991)</i> Volume Date 1992, 75(3): 289-300.
Lead Shot	Locke L N and Friend M. 1992. Lead poisoning of avian species other than waterfowl. <i>IWRB Special Publication No. 16.</i> : 19-22.
Lead Shot	Locke L N, Kerr S M, and Zoromski D. 1982. Lead poisoning in common loons (<i>Gavia immer</i>). <i>Avian Diseases.</i> 26(2): 392-396.
Prim	Logdberg, B., Berlin, M., and Schutz, A. 1987. Effects of lead exposure on pregnancy outcome and the fetal brain of squirrel monkeys. <i>Scand J Work Environ Health.</i> 13(2): 135-45.
Prim	Logdberg, B., Brun, A., Berlin, M., and Schutz, A. 1988. Congenital lead encephalopathy in monkeys. <i>Acta Neuropathol (Berl).</i> 77(2): 120-7.
Lead shot	Longcore, J. R., Andrews, R., Locke, L. N., Bagley, G. E., and Young, L. T. 1974. Toxicity of lead and proposed substitute shot to mallards. <i>U. S. Fish Wildl. Serv., Spec. Sci. Rep.: Wildl.</i> 183: 23 pp.
Lead Shot	Longcore J R, Corr P O, and Spencer H E Jr. 1982. Lead shot incidence in sediments and waterfowl gizzards from merrymeeting bay, maine. <i>Wildlife Society Bulletin.</i> 10(1): 3-10.

Lead Shot	Longcore, J. R., Locke, L. N., Bagley, G. E., and Andrews, R. 1974. <i>Significance of Lead Residues in Mallard Tissues</i> . iv+24pp.
Meth	Lopez, C. E., Castro, J. M., Gonzalez, V., Perez, J., Seco, H. M., and Fernandez, J. M. Determination of metal ions in algal solution samples by capillary electrophoresis. <i>J. Chromatogr. Sci. (1998)</i> 36(7): 352-356.
Phys	Lorenzo, A. V. and Gewirtz, M. 1977. Inhibition of (14c)tryptophan transport into brain of lead exposed neonatal rabbits. <i>Brain Res.</i> 132(2): 386-92.
Diss	Lorton, D. 1984. <i>The Effects of Lead Intoxication on the Developing CNS and Blood Vasculature of the Rat</i> : 321.
No Oral	Louis-Ferdinand, R. T., Brown, D. R., Fiddler, S. F., Daughtrey, W. C., and Klein, A. W. 1978. Morphometric and enzymatic effects of neonatal lead exposure in the rat brain. <i>Toxicol Appl Pharmacol.</i> 43(2): 351-60.
CP	Lu, Junxuan and Combs, G. F. Jr. Inhibition of pancreatic exocrine function by high levels of dietary zinc. <i>Proc. - Cornell Nutr. Conf. Feed Manuf. (1986)</i> 52-6.
Pb Behav	Lucchi, L., Memo, M., Airaghi, M. L., Spano, P. F., and Trabucchi, M. 1981. Chronic lead treatment induces in rat a specific and differential effect on dopamine receptors in different brain areas. <i>Brain Res.</i> 213(2): 397-404.
Rev	Lumeij, JT. 1985. Clinicopathologic aspects of lead poisoning in birds: a review. <i>Vet. Quart.</i> 7: 133-8.
In Vit	Lundholm, C. E. 1991. Influence of chlorinated hydrocarbons, hg2+ and methyl-hg+ on steroid hormone receptors from eggshell gland mucosa of domestic fowls and ducks. <i>Arch Toxicol.</i> 65(3): 220-7.
In Vit	Lundholm, C. E. and Mathson, K. 1986. Effect of some metal compounds on the calcium binding and calcium-magnesium atpase activity of eggshell gland mucosa homogenate from the domestic fowl. <i>Acta Pharmacol Toxicol</i> 59 (5): 410-415.
Phys	Luo, Z. 1993. <i>Coordinate Regulation of Dihydropyridine Receptors and Acetylcholinesterase: the Influence of Lead</i>
In Vit	LUO, Z. D. and BERMAN, H. A. 1997. The influence of Pb2+ on expression of acetylcholinesterase and the acetylcholine receptor. <i>Toxicology and Applied Pharmacology.</i> 145(2): 237-245.
Drug	Luthman, J., Olson, L., Bjorklund, H., Henschen, A., Hoffer, B., and Oskarsson, A. 1991. Combined lead acetate and disulfiram treatment-induced alterations of glial fibrillary acidic protein (gfa) immunoreactive astrocytes in brain smears. <i>Toxicology.</i> 65(3): 333-46.
FL	Lutz, W. 1993. [Preliminary studies of the effect of diseases and environmental pollution on the population dynamics of wild rabbits (oryctolagus cuniculus linnaeus, 1758) in the federal state of north rhine-westphalia (germany)]: <original> etudes preliminaires du role des maladies et de la pollution de l'environnement sur la dynamique des populations de lapins de garenne (oryctolagus cuniculus linnaeus, 1758) dans l'etat federe de rhenanie-westphalie (allemagne). <i>Rev Sci Tech.</i> 12(1): 27-34.

- FL** Lutz, W. and <Editors> S.A. de Crombrughe. 1985. Investigation of heavy metal contamination in north rhine-westphalia. *Transactions of the XVIIth Congress of the International Union of Game Biologists, Brussels, September 17-21, 1985. Part 2.* 849-856.
- FL** Lutz, W., Mayr, A., Mahnel, H., Winkelmann, J., Riess, P., and Lammers, H. J. 1990. First results of an investigation on the decline of rabbits *Oryctolagus-cuniculus* l. in consideration of the occurrence of myxomatosis in north Rhine-Westphalia West Germany. *Zeitschrift Fuer Jagdwissenschaft.* 36(2): 110-125.
- FL** Lutz, W. and Slamecka, J. 1997. Comparisons of lead and cadmium concentrations in brown hares (*Lepus europaeus pallas*) in agricultural and industrial areas of Germany and Slovakia. *Zeitschrift Fuer Jagdwissenschaft.* 43(3): 176-185.
- No Dose** Ma, T., Chen, H. H., and Ho, I. K. 1999. Effects of chronic lead (pb) exposure on neurobehavioral function and dopaminergic neurotransmitter receptors in rats. *Toxicol Lett.* 105(2): 111-21.
- No Oral** Ma, Tangeng, Chen, Hwei Hsien, Lim, Dong K., Hume, A. S., and Ho, Ing K. 1997. Effects of subacute lead exposure on [super(3)h]mk-801 binding in hippocampus and cerebral cortex in the adult rat. *Brain Res.* 760(1-2): 187-192.
- Rev** Ma, W. 1996. Lead in mammals. 281-296.
- Lead Shot** Ma, W. C. 1989. Effect of soil pollution with metallic lead pellets on lead bioaccumulation and organ/body weight alterations in small mammals. *Arch. Environ Contam Toxicol.* 18(4): 617-622.
- Bio Acc** Ma, W. C., Denneman, W., and Faber, J. 1991. Hazardous exposure of ground-living small mammals to cadmium and lead in contaminated terrestrial ecosystems. *Arch Environ Contam Toxicol.* 20(2): 266-70.
- Surv** Ma, WC. 1987. Heavy metal accumulation in the mole, *Talpa europea*, and earthworms as an indicator of metal bioavailability in terrestrial environments. *Bull. Environ. Contam. Toxicol.* 39: 933-8.
- Rev** Ma, WC. 1993. Methodological principles of using small mammals for ecological hazard assessment of chemical soil pollution, with examples on cadmium and lead. 357-371.
- No Dose** Ma, WC, van Wezel, H, and van den Ham, D. 1992.: 67 pp.
- Lead Shot** Macdonald, J. W., LiGoater, R., Atkinson, N. K., and Small, J. 1990. Further causes of death in scottish swans (cygnus spp.). *State Veterinary Journal.* 44(124): 81-93.
- No Dur** Macdonald, J. W., Randall, C. J., Ross, H. M., Moon, G. M., and Ruthven, A. D. 1983. Lead poisoning in captive birds of prey. *Veterinary Record.* 113(3): 65-66.
- Surv** MacNeil, J. D., Patterson, J. R., Salisbury, C. D. C., and Tessaro, S. V. 1990. An investigation of the trace element status of bison in Wood Buffalo National Park and of ranch-raised bison in Saskatchewan, Canada. *International Journal of Environmental Analytical Chemistry.* 41(3 + 4): 99-104.
- FL** Madej, J. A. and Zechalko, A. 1979. Effect of nutritional deficiencies on lead and cadmium toxicity in laboratory rats. part v. histopathological study of liver and kidneys. *Bromatol. Chem. Toksykol.* 12(4): 363-9.

Surv	Maedgen, J. L., Hacker, C. S., Schroder, G. D., and Weir, F. W. 1982. Bioaccumulation of lead and cadmium in the royal tern and sandwich tern. <i>Arch Environ Contam Toxicol.</i> 11(1): 99(4).
FL	Maehashi, Hiroshi. Toxicology of metals with a special emphasis on the biotransformation of arsenic and metal chelating agents, dmsa and dmps. <i>Matsumoto Shigaku (1997)</i> 23(3): 145-153.
Surv	Maes, J. and Gerber, G. B. 1978. Increased ala dehydratase activity and spleen weight in lead-intoxicated rats . a consequence of increased blood cell destruction. <i>Experientia.</i> 34(3): 381-382.
Lead Shot	Maestrini, N. 1970. (A lead poisoning case at a duck Farm.). <i>Nuova Vet.</i> 46(3): 163-171.
Unrel	Mahadevaiah, S., Mittwoch, U., and Moses, M. J. 1984. Pachytene chromosomes in male and female mice heterozygous for the is(7;1)40h insertion. <i>Chromosoma</i> 90(3): 163-9.
Unrel	Mahaffey, K. R. 1977. Mineral concentrations in animal tissues certain aspects of federal drug administration regulatory role. <i>Journal of Animal Science</i> 44 (3): 509-515.
Rev	Mahaffey, K. R. 1974. Nutritional factors and susceptibility to lead toxicity. <i>Environ Health Perspect.</i> 7: 107-12.
Drug	Mahaffey, K. R., Goyer, R. A., and Wilson, M. H. 1974. Influence of ethanol ingestion on lead toxicity in rats fed isocaloric diets. <i>Arch Environ Health.</i> 28(4): 217-22.
Rev	Mahaffey, KR. 1978. environmental exposure to lead. In: <i>the Biogeochemistry of Lead in the Environment.</i> Elsevier/North-Holland Biomedical Press.
Phys	Maher, P. A. stimulation of endothelial cell proliferation by vanadate is specific for microvascular endothelial cells. <i>J CELL PHYSIOL. Journal of Cellular Physiology.</i> 151 (3). 1992. 549-554.
Fate	Mailman, R. B. and Lewis, M. H. 1987. Neurotoxicants and central catecholamine systems. <i>Neurotoxicology.</i> 8(1): 123-39.
FL	Maisin, J. R., Lambiet-Collier, M., and de Saint-Georges, L. 1978. Llead toxicity in mice embryos]. <i>C R Seances Soc Biol Fil.</i> 172(5): 1041-3.
Fate	Malinowska, A. 1986. The level of manganese chromium and lead in chosen internal organs of sows and their fetuses during Pregnancy. <i>Med Weter.</i> 42(7): 399-402.
FL	Malinowska, A. 1988. Synergistic and antagonistic effect of some macroelements and trace elements on Pigs. <i>Med Weter.</i> 44(4): 242-245.
Rev	Malins, D. C. 1979. <i>Environmental Assessment of the Alaskan Continental Shelf. Volume 5. Biological Studies: Assessment of Available Literature on Effects of Oil Pollution on Biota in Arctic and Subarctic Waters.</i> <NOTE> Final Rept. 1 Jul 75-30 Sep 76
Diss	Malpas, P. B. 1996. <i>The Effect of Soil Parameters on the Bioavailability and Retention of Lead in Rats (Lime, Phosphate)</i>
Effl	Maly, M. S. 1984. Survivorship of meadow voles, microtus pennsylvanicus, from sewage sludge-treated fields. <i>Bull Environ Contam Toxicol.</i> 32(6): 724-732.

FL	Mamyrbayeva, Z. Z. h., Shalakhmetova, T. M., Kudriavtseva, M. V., and Kudriavtsev, B. N. 1998. [Effect of cadmium sulfate and strontium chloride on the glycogen content in hepatocytes of rats of various ages]: <original> vliianie sul'fata kadmii i khlorida strontsiia na sodержanie glikogena v gepatotsitakh krysa raznogo vozrasta. <i>Tsitologiya</i> . 40(5): 432-44.
Unrel	Mantovani, A. 1993. Reproductive risks from contaminants in drinking water. <i>Ann Ist Super Sanita</i> . 29(2): 317-26.
FL	Maracek, I., Lazar, L., Korenekova, B., Choma, J., and David, V. 1998. Residues of heavy metals and the prevalence of diseases in the reproductive organs of cows near a metallurgical works. <i>Slovensky Veterinarsky Casopis</i> . 23(3): 159-163.
Surv	March, G. L., John, T. M., McKeown, B. A., Sele, L., and George, J. C. 1976. The effects of lead poisoning on various plasma constituents in the Canada goose. <i>J. Wildl. Dis.</i> 12(1): 14-19.
Lead shot	Marcstrom, V., Danell, K., and Andersson, A. 1977. Lead shot pellets dispersed by hunters--ingested by ducks. <i>AMBIO/A Journal of the Human Environment</i> . VI(4): 235.
No Oral	Markovich, Daniel a and Knight, David. 1998. Renal Na-Si cotransporter Na-Si is inhibited by heavy metals. <i>American Journal of Physiology</i> . 274(2 Part 2): F283-F289.
Unrel	Markovits, Andres, Conejeros, Raul, Lopez, Luis, and Lutz, Mariane. 1992. Evaluation of marine microalga <i>Nannochloropsis</i> sp. as a potential dietary supplement. chemical, nutritional and short term toxicological evaluation in rats. <i>Nutr. Res. (N. Y.)</i> (1992) 12(10): 1273-84.
Bio Acc	Marn, C. M., Mirarchi, R. E., and Lisano, M. E. 1988. Diet affects lead retention in mourning doves. <i>Highlights of Agricultural Research - Alabama Agricultural Experiment Station</i> . 35(4): 5.
Lead Shot	Marn, C. M., Mirarchi, R. E., and Lisano, M. E. 1988. Effects of diet and cold exposure on captive female mourning doves dosed with lead shot. <i>Arch Environ Contam Toxicol</i> . 17(5): 589-94.
Mix	Marshall, SP, Hayward, FW, and Meagher, WR. 1963. Effects of feeding arsenic and lead upon their secretion in milk. <i>J. Dairy Sci</i> . 46: 580.
Unrel	Martin John H, Fitzwater Steve E, Gordon, R. Michael, Hunter Craig N, and Tanner Sara J. 1993. Iron, primary production and carbon-nitrogen flux studies during the JGOFS North Atlantic bloom experiment. <i>Deep-Sea Research Part II Topical Studies in Oceanography</i> 40(1-2): 115-134.
No Oral	Mas, A. and Arola, L. 1985. Cadmium and lead toxicity effects on zinc copper nickel and iron distribution in the developing chick embryo. <i>Comp. Biochem. Physiol. C, Pharmacol. Toxicol</i> . 80(1): 185-188.
Surv	Mashima, Ted Y., Fleming, W. James, and Stoskopf, Michael K. 1998. Metal concentrations in Oldsquaw (<i>Clangula hyemalis</i>) during an outbreak. <i>Ecotoxicol</i> . 7(2): p107(5).
Bio Acc	Mason, C. F. 1988. Concentrations of organochlorine residues and metals in tissues of otters <i>Lutra-lutra</i> from the British Isles UK 1985-1986. <i>Lutra</i> . 31(1): 62-67.
Bio Acc	Mason, C. F., Last, N. I., and Macdonald, S. M. 1986. Mercury, cadmium, and lead in British otters. <i>Bull Environ Contam Toxicol</i> . 37(6): 844-849.

No Dose	Massaro, E. J. and Massaro, T. F. 1986. the effects of lead exposure during development on higher order cognitive functioning in the rat. <i>Neurotoxicology</i> 7(2): 515-26.
Bio Acc	Massaro, E. J., Miller, G. D., Massaro, T. F., Woolley, D. E., and Cranmer, J. M. eds. 1984. multiple dose exposure effects on the tissue distribution of lead in the preweanling rat.: neurotoxicology of lead: reviews and recent advances. <i>Neurotoxicology</i> . 5(3): 333-352.
No Dose	Massaro, T. F., Miller, G. D., and Massaro, E. J. 1986. low-level lead exposure affects latent learning in the rat. <i>Neurobehav Toxicol Teratol</i> . 8(2): 109-13.
FL	Massi, A., Marsili, L., Focardi, S., Leonzio, C., and Cortone, P. 1990. trace metals and chlorinated hydrocarbons in tissues of egyptian vulture, neophron percnopterus. <i>Riv Ital Ornitol</i> . 60(1-2): p29-36.
Stain	Massmann, J., Schubert, I., Trimper, B., and Bucky, P. 1988. immune complex induced hematogenic cell infiltration of the aortic luminal border layer in rabbits. light microscopic studies of surface preparations. <i>Experimental Pathology</i> 33(2): 123-31.
CP	Matarazzo, W. J., Carbone, M. T., and Gray, I. 1979. murine lymphocyte activation by cadmium ii lead ii or chromium ii in drinking Water. <i>13th Annual Conference, Columbia, Mo., Usa, June 4-7, 1979. Proc Univ Mo Annu Conf Trace Subst Environ Health</i> . 13: 382-388.
Lead shot	Mateo, R., Belliure, J., Dolz, J. C., Serrano, J. M. A., and Guitart, R. 1998. high prevalences of lead poisoning in wintering waterfowl in spain. <i>Archives of Environmental Contamination and Toxicology</i> . 35(2): pp. 342-347.
Lead Shot	Mateo R, Carles Dolz J, Aguilar Serrano J M, Belliure J, and Guitart R. 1997. an epizootic of Lead Poisoning in Greater Flamingos (<i>Phoenicopterus Ruber Roseus</i>) in Spain. <i>Journal of Wildlife Diseases</i> . 33(1): 131-134.
Lead Shot	Mateo, R., Estrada, J., Paquet, J. Y., Riera, X., Dominguez, L., Guitart, R., and Martinez-vilalta, A. 1999. Lead shot ingestion by marsh harriers <i>Circus aeruginosus</i> from the Ebro delta, Spain. <i>Environmental Pollution</i> . 104(3): 435-440.
Lead Shot	Mateo, R., Martinez-vilalta, A., and Guitart, R. 1997. Lead shot pellets in the Ebro delta, Spain: densities in sediments and prevalence of exposure in waterfowl. <i>Environmental Pollution</i> . 96(3): 335-341.
Lead Shot	Mateo, R., Molina, R., Grifols, J., and Guitart, R. 1997. Lead poisoning in a free ranging griffon vulture (<i>Gyps fulvus</i>). <i>Veterinary Record</i> . 140(2): 47-48.
Surv	Mathews, R. C Jr, Davis, M. W., Morgan, E. L., and Mathews, T. J. 1975. Impact of anakeesta formation leachate mineralized components and pH on the shovel-nosed salamander <i>Leurognathus marmoratus</i> of the Great Smoky Mountains National Park. <i>ASB (ASSOC SOUTHEAST BIOL) BULL</i> . 22(2): 68.
Unrel	Mathiasson, S. 1993. Mute swans, <i>Cygnus olor</i> , killed from collision with electrical wires, a study of two situations in Sweden. <i>Environ Pollut</i> . 80(3): 239-246.
FL	Matsui, Tomoko, Matsumoto, Kazuya, and Kawamori, Masao. 1984. Acute intoxication by tetraethyllead. II. effects on the operant behavior in rats. <i>Kyorin Igakkai Zasshi</i> . 14(2): 129-35.
FL	Matsuoka, S. 1978. [Process in neurological disturbances of neuropathy (author's transl)]. <i>Rinsho Shinkeigaku</i> . 18(12): 773-8.

No Org	Matt, KJ. 1971. Lead contamination of some agricultural soils in western Canada. <i>Environ. Sci. Technol.</i> 5: 1199.
HHE	Mattsson, P., Albanus, L., and Frank, A. 1981. Cadmium and some other metals in liver and kidney from elk. basis for dietary recommendations. <i>Var Foda.</i> 33(8/9): 335-345.
Nut	Maurice, D. V., Jones, J. E., Dillon, C. R., and Weber, J. M. Chemical composition and nutritional value of Brazilian elodea (<i>Egeria densa</i>) for the chick. <i>Poult. Sci.</i> (1984) 63(2): 317-23 .
Lead Shot	Mautino, M. and Bell, J. U. 1986. Experimental lead toxicity in the ring-necked duck. <i>Environ Res.</i> 41(2): 538-45.
Lead Shot	Mautino, M. and Bell, J. U. 1987. Hematological evaluation of lead intoxication in mallards. <i>Bull Environ Contam Toxicol.</i> 38(1): 78-85.
FL	Mazhuga, P. M. 1992. [pathological changes induced by environmental chemical pollutants in tissues of the locomotor system]: <original> patologicheskie izmeneniia v tkaniakh lokomotornogo apparata pod vlianiem khimicheskikh zagriaznitelei prirodnoi sredy. <i>Vestn Ross Akad Med Nauk.</i> (5): 20-6.
In Vit	McBride, W. G. 1975. effects of suspected teratogens on fetal nerve cells. <i>Tests Teratogenicity in Vitro.</i> : 465-471.
No Dose	McCarren, M. and Eccles, C. U. 1983. neonatal lead exposure in rats: i. effects on activity and brain metals. <i>Neurobehav Toxicol Teratol</i> 5(5): 527-31.
Alt	McCarren, M. and Eccles, C. U. 1983. Neonatal lead exposure in rats: ii. effects on the hippocampal afterdischarge. <i>Neurobehav Toxicol Teratol.</i> 5(5): 533-40.
No Oral	McClain, R. M. and Becker, B. A. 1972. Effects of organolead compounds on rat embryonic and fetal development. <i>Toxicol Appl Pharmacol.</i> 21(2): 265-274.
No Oral	McClain, R. M. and Becker, B. A. 1975. Teratogenicity, fetal toxicity, and placental transfer of lead nitrate in rats. <i>Toxicol. Appl. Pharmacol.</i> 31(1): 72-82.
In Vit	McCuaig, L. 1976. Interference by divalent metals in the preparation of soluble intestinal alkaline phosphatase with n-butanal. <i>Preparative Biochemistry</i> 06(04): 295-306.
Unrel	McDowell, E. M. 1974. Unbuffered osmium staining in pars recta of the proximal tubule from rat kidney studied by thin and semi-thin section cytochemistry. <i>Histochemistry</i> 39(4): 335-44.
Fate	McDowell, J. and Kitchen, I. 1988. Perinatal lead exposure alters the development of delta- but not mu-opioid receptors in rat brain. <i>Br J Pharmacol.</i> 94(3): 933-7.
Diss	McFarland, D. J. 1978. <i>Effects of Neonatal Lead Exposure on Learning and Performance in the Rat</i> : 83.
No Oral	McGee, Beth L., Fisher, Daniel J., Yonkos, Lance T., Ziegler, Gregory P., and Turley, Steve. 1999. Assessment of sediment contamination, acute toxicity, and population viability of the estuarine amphipod <i>Leptocheirus plumulosus</i> in Baltimore harbor, Maryland, USA. <i>Environ. Toxicol. Chem.</i> 18(10): 2151-2160.

No Oral	McGowan, C. 1989. Influence of vitamin B6 status on aspects of lead poisoning in rats. <i>Toxicol Lett.</i> 47(1): 87-93.
Fate	McGowan, C. and Donaldson, W. E. 1987. Effect of lead toxicity on the organ concentration of glutathione and glutathione-related free amino acids in the chick. <i>Toxicol Lett (Amst).</i> 38(3): 265-270.
Mix	McGowan, C. and Donaldson, W. E. 1987. Lead effects in the chick during selenium deficiency. <i>Comp. Biochem. Physiol. C.</i> 88(1): 23-25.
Rev	McIntosh, M. J. 1986. <i>Investigations into the Neurochemical Aberrations Associated With Lead Exposure</i>
Abstract	McIntosh, MJ, Moore, MR, Blair, JA, Milburn, ME, and Leeming, RJ. 1982. lead and tetrahydrobiopterin metabolism in man and animals. <i>Med. Res. Soc. Abstr. Clin. Sci.</i> 63: 44.
Pb Behav	McLean, K., Parker, G. H., and Persinger, M. A. 1982. Lead in the water supply alters swimming-maze behavior in adult mice. <i>Percept Mot Skills</i> 55(2): 507-12.
Diss	McMurry, S. T. 1993. <i>Development of an in Situ Mammalian Biomonitor to Assess the Effect of Environmental Contaminants on Population and Community Health (Lead, Benzene, Population Dynamics)</i>
Unrel	McNamara, A. and Williams, D. F. Enzyme histochemistry of the tissue response to pure metal implants. <i>Journal of Biomedical Materials Research.</i> 18 (2). 1984. 185-206.
No Oral	McNamara, A. and Williams, D. F. 1981. The response to the intramuscular implantation of pure metals. <i>Biomaterials</i> 2(1): 33-40.
FL	Medras, K. and Zawirska, B. 1968. [Anatomopathological changes in various forms of porphyrin metabolic disorders]: <original> zmiany anatomopatologiczne w ro.ang.znych postaciach zaburzen metabolizmu porfiry. <i>Postepy Hig Med Dosw.</i> 22(4): 557-98.
Surv	Medrea, N., Avram, N., Serdaru, M., and Mehedintu, C. 1996. Heavy metals pollution effects on reproductive parameters of cattle in the industrial area Copsa mica (Romania). <i>Studies and Researches in Veterinary Medicine.</i> 4: 67-72.
FL	Medrea, N., Avram, N., Serdaru, M., and Mehedintu, C. 1996. Studies on the effects of some heavy metal pollutants (lead, cadmium, zinc, molybdenum, iron, chromium) on reproductive functions of cattle. <i>Revista Romana De Medicina Veterinara.</i> 6(2): 135-144.
Drug	Mehler, E. L., Habicht, J., and Brune, K. 1982. Quantum chemical analysis of structure-activity relationships in nonsteroidal anti-inflammatory drugs. <i>Mol Pharmacol.</i> 22(3): 525-8.
FL	Mel'nikov, N. N. 1990. Pesticides and the environment. <i>Agrokimiya.</i> .(12): 71-94.
Prim	Mele, P. C., Bushnell, P. J., and Bowman, R. E. 1984. Prolonged behavioral effects of early postnatal lead exposure in rhesus monkeys: fixed-interval responding and interactions with scopolamine and pentobarbital. <i>Neurobehav Toxicol Teratol.</i> 6(2): 129-35.
No Dose	Mellanby, K. 1971. Sea pollution. <i>Chem. and Ind. (London)</i> ; 40): 1120-1122

No Dose	Mello, C. F., Kraemer, C. K., Filippin, A., Morsch, V. M., Rodrigues, A. L., Martins, A. F., and Rubin, M. A. 1998. Effect of lead acetate on neurobehavioral development of rats. <i>Braz J Med Biol Res.</i> 31(7): 943-50.
No Oral	Mello, L. E. and Covolan, L. 1996. Spontaneous seizures preferentially injure interneurons in the pilocarpine model of chronic spontaneous seizures. <i>Epilepsy Research</i> 26(1): 123-9.
No Dose	Memo, M., Lucchi, L., Spano, P. F., and Trabucchi, M. 1981. Dose-dependent and reversible effects of lead on rat dopaminergic system. <i>Life Sci</i> 28(7): 795-9.
No Dose	Memo, M, Lucchi, L, Spano, PF, and Trabucchi, M. 1980. Effect of lead treatment on gabaergic receptor function in rat brain. <i>Toxic. Lett.</i> 6: 427-432.
No Dose	Memo, M, Lucchi, L, Spano, PF, and Trabucchi, M. 1980. Lack of a correlation between neurochemical and behavioral effects induced by damphetamine in chronically lead-treated rats. <i>Neuropharmacology.</i> 19: 795-99.
FL	Mengert, U., Fehlhaber, K., and Arwana, A. A. 1998. Investigating stress-induced endogenous microbial contamination of muscovy ducks in connection with feeding zinc-bacitracin. <i>Archiv Fur Geflugelkunde</i> 62(2): 49-54.
No Dur	Merchant, M. E., Shukla, S. S., and Akers, H. A. 1991. Lead concentrations in wing bones of the mottled duck. <i>Environ. Toxicol. Chem.</i> 10(11): 1503-1507.
Fate	Meredith, P. A., McIntosh, M. J., Petty, M. A., and Reid, J. L. 1988. Effects of lead exposure on rat brain catecholaminergic neurochemistry. <i>Comp Biochem Physiol C.</i> 89(2): 215-9.
Unrel	Merry, R. H. and Tiller, K. G. 1986. The effects of contamination of soil with copper, lead and arsenic on the growth and composition of plants. I Effects of season, genotype, soil temperature, and fertilizers. <i>Plant and Soil</i> . 91: 115-128.
FL	Mertin, D., Suevegova, K., Oravcova, E., Nitra, and Sviatko, P. 1994. Concentrations of some mineral elements in the mink body in the period of fur maturity: <original> koncentracia niektorych mineranych prvkov v tele noriek v období kozusínovej zrelosti. <i>Zivocisna Vyroba - UZPI.</i> 39(2): 121-27.
FL	Mestek, O., Deyl, Z., Miksik, I., Novotna, J., Pfeifer, I., and Herget, J. 1998. Accumulation of lead in tissues after its administration in drinking water to laboratory rats. <i>Physiol. Res. (Prague)</i> 47(3): 197-202 .
HHE	Meyer, I., Heinrich, J. , Trepka M.J., Krause, C., Schulz, C., Meyer, E., and Lippold, U. 19980100. The effect of lead in tap water on blood lead in children in a smelter town. <i>Sci. Total Environ</i> VOL. 209, NO. 2-3: pp. 255-271.
Abstract	Michaelsom, IA, Greenland, RD, and Roth, W. 1974. Increased brain norepinephrine turnover in lead exposed rats. <i>Pharmacologist.</i> 16: 250.
Gene	Michaelson, I. A. 1973. Effects of inorganic lead on rna, dna and protein content in the developing neonatal rat brain. <i>Toxicol Appl Pharmacol.</i> 26(4): 539-48.
No Dose	Michaelson, I. A. and Bradbury, M. 1982. Effect of early inorganic lead exposure on rat blood-brain barrier permeability to tyrosine or choline. <i>Biochem Pharmacol.</i> 31(10): 1881-5.

CP	Michaelson, I. A., Greenland, R. D., and Sauerhoff, M. W. 1975. <i>Studies of Lead Encephalopathy in the Developing Rat</i> . Comm. Eur. Communities, (Rep.) EUR, NEUR 5360, Proc. Int. Symp. Recent Adv. Assess. Health Eff. Environ. Pollut., Vol. 2805-15.
No Dose	Michaelson, I. A., Rafales, L. S., Bornschein, R. L., and Loch, R. K. 1978. Lead and hyperactivity in animals. <i>Psychopharmacol. Bull.</i> 14(3): 48-50.
Surv	Mierau, GW and Favara, BE. 1975. Lead poisoning in roadside populations of deer mice. <i>Environ. Pollut.</i> 8: 55-64.
FL	Mikaelian, I., Gauthier, F., Fitzgerald, G., Higgins, R., Claveau, R., and Martineau, D. 1997. Conditions observed at necropsy in quebec wild birds. <i>Medecin Veterinaire Du Quebec.</i> 27(3): 94-102.
Surv	Mikkelsen, R. L., Page, A. L., and Bingham, F. T. Geochemistry and health in California: recent experiences with selenium. <i>Trace Subst. Environ. Health (1986)</i> : 20, 413-23 .
FL	Milanov, Z. 1995. Biological indication of the heavy metal pollution with the help of the hare (<i>Lepus europaeus pall.</i>). <i>Nauka Za Gorata.</i> 32(2): 59-65.
FL	Milanov, Z., Bonchev, S., Vasilev, S., Angelov, L., and Tsachev, K. 1992. lead and cadmium concentrations in the internal organs of the gray rabbit (<i>lepus europaeus pall.</i>) in some regions of the upper thracian plain: <original> kontsentratsii na olovo i kadmij v'v v'treshnite organi na siviya zaek (<i>lepus europaeus pall.</i>) ot nyakoi rajoni na gornotrakijskata nizina. <i>Zhivotnov'Dni Nauki: <Subtitle>Animal Science.</i> 29(1-2): 82-87.
Pb Behav	Milar, Katharine S., Krigman, Martin R., and Grant, Lester D. 1981. effects of neonatal lead Exposure on Memory in Rats. <i>Neurobehav. Toxicol. Teratol.</i> 3(3): 369-73.
No COC	Miller, C. R., Zhu, S. Y., Victory, W., and Goyer, R. A. 1986. partitioning of renal zinc between metallothionein and EDTA after treatment of rats with calcium disodium EDTA. <i>Toxicol Appl Pharmacol.</i> 84 (3): 584-592.
Diss	Miller, G. D. 1986. <i>The Effects of Low-Level Lead Exposure on the Development of the Preweanling Rat.</i> Pennsylvania State Univ., University Park, PA. 134 pp.
Surv	Miller, J. and Boswell, F. C. 1981. Cadmium, lead and zinc in growing rats fed corn leaf tissue grown on soil amended with sewage sludge or heavy metal salts. <i>Environ Health Perspect.</i> 42: 197-202.
Unrel	Miller, J. J. a, Read, B. J., Wentz, D. J., and Heaney, D. J. 1996. Major and trace element content of shallow groundwater associated with dryland saline soils in southern alberta. <i>Water Quality Research Journal of Canada.</i> 31(1): 101-117.
CP	Miller, J. K. and Madsen, F. C. 1994. Transition metals, oxidative status, and animal health: do alterations in plasma fast-acting antioxidants lead to disease in livestock? <i>Biotechnology in the Feed Industry: Proceedings of Alltech's Tenth Annual Symposium</i> : 283-301.
Aquatic	Mills Edward L, Roseman Edward F, Rutzke Michael, Gutenmann Walter H, and Lisk Donald J(A). 1993. Contaminant and nutrient element levels in soft tissues of zebra and quagga mussels from waters of southern Lake Ontario. <i>Chemosphere</i> 27(8): 1465-1473.
Surv	Milne H and Ramsay N F. 1986. Poisoning of whooper swans (<i>cygnus cygnus</i>) by ingested lead in ne scotland. <i>Nature Conservancy Council Csd Report No.673</i> : 1-48.

Surv	Milton, Adrian and Johnson, Michael. 1999. Biomonitoring of contaminated mine tailings through age accumulation of trace metals in the bank vole (<i>Clethrionomys glareolus</i>). <i>J. Environ. Monit.</i> 1(3): 219-225.
No Oral	Minsker, D. H., Moskalski, N., Peter, C. P., Robertson, R. T., and Bokelman, D. L. 1982. Exposure of rats to lead nitrate in utero or post partum effects on morphology and behavior. <i>Biol. Neonate.</i> 41(3-4): 193-203.
CP	Miura, K., Nimura, E., and Imura, N. 1986. Effects of methylmercury on nerve fiber outgrowth of cultured chick dorsal root ganglia. <i>Fourth International Congress of Toxicology</i>
No Oral	Mizejewski, G. J., Antelman, D. E., Keenan, J. F., and Preiss, I. L. 1990. Effects of heavy metals on alpha-fetoprotein in maternal sera and amniotic fluid of pregnant mice. <i>Toxicology.</i> 64 (1). 1990. 19-32.
Fate	Modak, A. T., Purdy, R. H., and Stavinoha, W. B. 1978. Changes in acetylcholine concentration in mouse brain following ingestion of lead acetate in drinking water. <i>Drug Chem Toxicol.</i> 1(4): 373-89.
Pb Behav	Modak, A. T. and Stavinoha, W. B. 1979. Cholinergic system of mice during hypokinesia caused by chronic lead ingestion. <i>Neurobehav. Toxicol.</i> 1(2): 107-11.
No Dose	Modak, AT, Weintraub, ST, and Stavinhoa, WB. 1975. Effect of chronic ingestion of lead on the central cholinergic system in rat brain regions. <i>Toxic. Appl. Pharmac.</i> 34: 340-47.
Phys	Mohamed, Moustafa Moustafa. Direct introduction of microvolume samples into a rotating arc plasma jet. <i>Indian J. Pure Appl. Phys. (1997)</i> 35(10): 624-635.
No Oral	Momcilovic, B and Kostial, K. 1974. Kinetics of lead retention and distribution in suckling and adult rats. <i>Environ. Res.</i> 8: 214-220 .
FL	Monkiewicz, J. 1988. <i>Analysis of the Influence of the Legnica-Glogow Copper District on the Organism and Production of Cows</i> : 74p.
FL	Monkiewicz, J., Dynarowicz, I., Jaczewski, S., and Madej, J. A. 1977. Effects on rabbits of the prolonged administration of heavy metals. <i>Medycyna Weterynaryjna.</i> 33(8): 471-475.
Surv	Monkiewicz, J., Jaczewski, S., and Dynarowicz, I. 1975. Heavy metal content of the semen of bulls from various environments. <i>Medycyna Weterynaryjna.</i> 31(11): 684-686.
FL	Monkiewicz, J., Jaczewski, S., Pawlina, E. , and Andrzejak, R. 1984. The influence of intoxication of female rabbits with pb and cu ions on their reproduction.: <original title> wplyw zatrutowania krolc jonami pb i cu na ich rozrodczosc. <i>Med. Weter.</i> 40(5): 292-295.
FL	Monkiewicz, J., Jaczewski, S., Pawlina, E. , and Andrzejak, R. Akademia Rolnicza wroclaw Poland Katedra Genetyki i Hodowli Ogolnej Zwierzat. 1984. effect of intoxication with pb and cu ions on the reproduction of rabbits disorders; pollutants: <original> wplyw zatrutowania krolc jonami pb i cu na ich rozrodczosc. <i>Medycyna Weterynaryjna.</i> 40(5): 292-295.
In Vit	Monsees, T. K., Winterstein, U., Hayatpour, J., Schill, W. B., and Miska, W. Effect of heavy metals on the secretory function of testicular cells in culture. <i>Journal of Trace and Microprobe Techniques.</i> 16 (4). 1998. 427-435.

Lead Shot	Moore, J. L., Hohman, W. L., Stark, T. M., and Weisbrich, G. A. 1998. Shot prevalences and diets of diving ducks five years after ban on use of lead shotshells at catatoula lake, louisiana. <i>Journal of Wildlife Management</i> . 62(2): 564-569.
Lead Shot	Moore K. 1977. Investigations of waterfowl lead poisoning in california. <i>CAL-NEVA Wildlife</i> .: 19-26.
Alt	Moore, M. R., Meredith, P. A., Goldberg, A., Carr, K. E., Toner, P. G., and Lawrie, T. D. 1975. Cardiac effects of lead in drinking water of rats. <i>Clin Sci Mol Med</i> . 49(4): 337-41.
Rev	Moore, MR, Meredith, PA, and Goldberg, A. 1980. Lead and heme biosynthesis. 79-117.
Fate	Moorhouse, S. R., Carden, S., Drewitt, P. N., Eley, B. P., Hargreaves, R. J., and Pelling, D. 1988. The effect of chronic low level lead exposure on blood-brain barrier function in the developing rat. <i>Biochem Pharmacol</i> 37(23): 4539-47.
Surv	Mora, M. A., Lee, M. C., Jenny, J. P., Schultz, T. W., Sericano, J. L., and Clum, N. J. 1997. Potential effects of environmental contaminants on recovery of the Aplomado falcon in South Texas. <i>J Wildl Manag</i> . 61(4): 1288-1296.
FL	Morava, E., Gergely, A., Czegledi, P., Sulle, K., and Monostori, J. 1976. Effect of lead on the bone system of young rats. <i>Egeszsegtudomany</i> . 20(2): 175-80.
FL	Morawiec, M., Kryska, M., and Brzozowska, A. 1991. Effect of copper on protein metabolism in rats intoxicated with lead.: <original title> wpływ miedzi na metabolizm bialka u szczurow zatrutowanych ołowiem. <i>Bromatol. Chem. Toksykol</i> . 24(3-4): 305-308.
Surv	Morera, M., Sanpera, C., Crespo, S., Jover, L., and Ruiz, X. 1997. Inter- and intraclutch variability in heavy metals and selenium levels in audouin's gull eggs from the Ebro Delta, Spain. <i>Arch. Environ. Contam. Toxicol</i> . 33(1): 71-75.
Bio Acc	Morera, M. Universitat Autònoma de Barcelona Bellaterra Spain, Sanpera, C., Crespo, S., Jover, L., and Ruiz, X. Inter- and intraclutch variability in heavy metals and selenium levels. <i>Arch Environ Contam Toxicol</i> . V33, N1, P71(5)
In Vit	Moresco, R. M., Dall'Olio, R., Gandolfi, O., Govoni, S., Di Giovine, S., and Trabucchi, M. 1988. Lead neurotoxicity: a role for dopamine receptors. <i>Toxicology</i> . 53(2-3): 315-22.
Surv	Morgan, Hilary and Simms, Dennis L. [Cadmium contamination at shipham, england]. discussion and conclusions. <i>Sci. Total Environ</i> . (1988) 75(1): 135-43.
Abstract	Morimoto, Hiroshi, Noro, Harunobu, Otaki, Hiroyasu, and Takagi, Hisao. Influence of dietary minerals on their distribution in broilers. <i>Nippon Kakin Gakkaishi</i> (1978) 15(6): 296-301.
In Vit	Mornjakovic, Z., Nesic, L., and Kadic, M. 1995. [Effect of lead acetate on qualitative and quantitative characteristics of mammary mast cells in lactating rats]: <original> uticaj olovnog acetata na neke kvalitativne i kvantitativne karakteristike mamarnih mastocita kod pacova dojilja. <i>Med Arh</i> . 49(3-4): 71-4.
No Dose	Morris, HP, Lang, EP, Morris, HJ, and Grant, RL. 1938. <i>J. Pharmacol. Exp. Ther</i> . 64: 420.
No Dose	Morrison, J. H., Olton, D. S., Goldberg, A. M., and Silbergeld, E. K. 1975. Alterations in consummatory behavior of mice produced by dietary exposure to inorganic lead. <i>Dev Psychobiol</i> . 8(5): 389-96.

Rev	Morrissey, R. E., Lamb, J. C., Morris, R. W., Chapin, R. E., Gulati, D. K., and Heindel, J. J. 1989. Results and evaluations of 48 continuous breeding reproduction studies conducted in mice. <i>Fundam. Appl. Toxicol.</i> 13(4): 747-777.
No Dose	Morrissey, R. E., Lamb, J. C., Schwetz, B. A., Teague, J. L., and Morris, R. W. 1988. Association of sperm, vaginal cytology, and reproductive organ weight data with results of continuous breeding reproduction studies in swiss (cd-1) mice. <i>Fundam Appl Toxicol.</i> 11(2): 359-371.
Prim	Morse, P. A., Molfese, D., Laughlin, N. K., Linnville, S., and Wetzell, F. 1987. Categorical perception for voicing contrasts in normal and lead-treated rhesus monkeys: electrophysiological indices. <i>Brain and Language.</i> 30: 63-80.
Unrel	Moser, V. C., Becking, G. C., Cuomo, V., Frantik, E., Kulig, B. M., MacPhail, R. C., Tilson, H. A., Winneke, G., Brightwell, W. S., De Salvia, M. A., Gill, M. W., Haggerty, G. C., Hornychova, M., Lammers, J., Larsen, J. J., McDaniel, K. L., Nelson, B. K., and Ostergaard, G. 1997. The ipcs collaborative study on neurobehavioral screening methods: v. results of chemical testing. steering group. <i>Neurotoxicology.</i> 18(4): 969-1055.
Unrel	Moser, V. C., Tilson, H. A., MacPhail, R. C., Becking, G. C., Cuomo, V., Frantik, E., Kulig, B. M., and Winneke, G. 1997. The IPCS collaborative study on neurobehavioral screening methods: ii. protocol design and testing procedures. <i>Neurotoxicology.</i> 18(4): 929-38.
In Vitro	Moses, H. A. 1978. <i>Effect of Lead on Gamma Amino Butyric Acid Synthesis.</i> EPA/600/1-78/009.
Aquatic	Motas, C. pesticides. their effects on animals and man. water pollution aspects. <i>Ocotirea Nat.;</i> 14(1): 21-33; 1970 ; (REF:41)
Pb Behav	Motiff, James P., Penzien, Donald B. , and Scott, Duncan R. C. 1982. the effects of lead toxication on learning in rats. <i>Archives of Environmental Health.</i> 37(2): 85.
Lead Shot	Mudge, G. P. 1983. the incidence and significance of ingested lead pellet poisoning in british wildfowl. <i>Biol. Conserv.</i> 27(4): 333-372.
Lead Shot	Mudge, G. P. 1980. progress with ingested lead poisoning studies. <i>Wagbi Magazine.</i> (Autumn): 11-12.
Plant	Mueller, PK and Stanley, RL. 1970. <i>Origin of Lead in Surface Vegetation.</i> State of CA Dept. of Public Health, Air and Industrial Hygiene Laboratory, Berkley. AIHL Report No. 87
Mix	Mueller W-U and Streffer, C. risk to preimplantation mouse embryos of combinations of heavy metals and Radiation. European Late Effects Project (Eulep) Symposium on Effects after Combined Exposure to Ionizing Radiation and Chemical Substances Held in Connection with the Annual Meeting of the European Society for Radiation Biology, Pisa, Italy, September 19, 1986. <i>Int J Radiat Biol Relat Stud Phys Chem Med.</i> 51 (6). 1987. 997-1006.
In Vit	Mueller, W.-U., Streffer, C., Streffer, C., and Patrick, G. eds. 1984. Combined effects after exposure during the preimplantation Period. <i>Effects of Prenatal Irradiation with Special Emphasis on Late Effects.</i> 49-60.
Bio Acc	Mulhern, B. M., Reichel, W. L., Locke, L. N., Lamont, T. G., Belisle, A., Cromartie, E., Bagley, G. E., and Prouty, R. M. 1970. Organochlorine residues and autopsy data from bald eagles 1966-68. <i>Pestic Monit J.</i> 4(3): 141-4 .

No Dose	Munoz, C., Garbe, K., Lilienthal, H., and Winneke, G. 1989. Neuronal depletion of the amygdala resembles the learning deficits induced by low level lead exposure in rats. 11(3): 257-64.
Pb Behav	Munoz, C., Garbe, K., Lilienthal, H., and Winneke, G. 1986. Persistence of retention deficit in rats after neonatal lead exposure. <i>Neurotoxicology</i> 7(2): 569-80.
No Dose	Munoz, C., Garbe, K., Lilienthal, H., and Winneke, G. 1988. Significance of hippocampal dysfunction in low level lead exposure of rats. <i>Neurotoxicol Teratol</i> 10(3): 245-53.
CP	Munshower, Frank F. and Neuman, Dennis R. 1979. Pathways and distribution of some heavy metals in a grassland ecosystem. <i>Manage. Control Heavy Met. Environ. Int. Conf.</i> 206-9 Publisher: CEP Consultants Ltd., Edinburgh, Scot.
Stain	Murata, F., Momose, Y., and Nagata, T. 1977. Demonstration of intracytoplasmic glycogen of megakaryocytes and blood platelets by means of the periodic acid-thiocarbohydrazide-silver proteinate method. <i>Histochemistry</i> 52(4): 307-16.
Stain	Murata, F., Suganuma, T., Tsuyama, S., and Ihida, K. Mucous neck cells proposal that mucous neck cells are the precursor cells of the chief cells studies based on glycoconjugate cytochemistry. <i>Acta Anatomica Nipponica.</i> 63 (1). 1988. 12-19.
No Dose	Murphy, K. J. and Regan, C. M. 1999. Low-level lead exposure in the early postnatal period results in persisting neuroplastic deficits associated with memory consolidation. <i>J Neurochem.</i> 72(5): 2099-104.
Nut def	Murthy, L., Highhouse, S., Levin, L., Menden, E. E., and Petering, H. G. 1975. A study of the combined toxic effects of oral cadmium and lead in rats. <i>Trace Subst. Environ. Health</i> : 9, 395-401.
No Dose	Myers, R. R., Heckman, H. M., and Powell, H. C. 1983. Endoneurial fluid is hypertonic results of micro analysis and its significance in neuropathy. <i>J Neuropathol Exp Neurol.</i> 42(3): 217-24.
No Dose	Mykkanen, HM, Lancaster, MC, and Dickerson, JWT. 1982. Concentrations of lead in the soft tissues of male rats during long-term dietary exposure. <i>Environ. Res.</i> 28: 147-153.
CP	Myloie, A. A. Effect of ingested lead on tissue levels of copper, iron, zinc and manganese in rats. <i>Trace Substances In Environmental Health; ; Proceedings Of University Of Missouri's ... Annual Conference.</i> 1980. 1980. (14th) p. 195-202.
Rev	Myloie, A. A., Boseman, A., and Kyle, J. 1986. Metabolic interactions between lead and copper in rats ingesting lead acetate. <i>Biol. Trace Elem. Res.</i> 9(4): 221-232.
Fate	Myloie, A. A., Collins, H., Umbles, C., and Kyle, J. 1986. Erythrocyte superoxide dismutase activity and other parameters of copper status in rats ingesting lead acetate. <i>Toxicol Appl Pharmacol.</i> 82(3): 512-20.
Surv	Myloie, A. A., Hickmon, T., and Hill, G. 1981. Effects of supplemental magnesium on blood and tissue lead levels and toxicity of ingested lead in the Rat. <i>Trace Substances in Environ. HEALTH-XV</i> : 178-183.
Rev	Myloie, A. A., Moore, L., and Erogbogbo, U. 1977. Influence of dietary factors on blood and tissue lead concentrations and lead toxicity. <i>Toxicol Appl Pharmacol.</i> 41(2): 361-7 .

Alt	Myloie, A. A., Moore, L., Olyai, B., and Anderson, M. 1978. Increased susceptibility to lead toxicity in rats fed semipurified diets. <i>Environ Res.</i> 15(1): 57-64.
Phys	Myloie, A. A., Umbles, C., and Kyle, J. 1984. Effects of dietary copper supplementation on erythrocyte superoxide dismutase activity, ceruloplasmin and related parameters in rats ingesting lead acetate. <i>Trace Subst. Environ. Health.</i> 18: 497-505.
Mix	Myloie, Augusta A, Ariyo, Fatayi, and Kyle, Joseph. 1987. Effect of lead ingestion and copper supplementation in rats on copper. <i>Trace Subst in Environ Health 19th Conf, Columbia, Jun 3-6, 1985</i> : 317-319.
Drug	Nadeem, Ayesha, Khanna, T., and Vohora, S. B. 1999. Silver preparations used in indian systems of medicine: neuropsychobehavioural effects. <i>Indian J. Pharmacol.</i> 31(3): 214-221 .
FL	Nadeenko, V. G., Borzunova, E. A., and Petrova, N. N. 1990. Accumulation in the body of metals ingested with drinking water. <i>Gigiena i Sanitariya.</i> (6): 24-26.
FL	Nadeenko, V. G., Borzunova, E. A., and Petrova, N. N. Accumulation of metals administered with drinking water in animals. <i>Gig. Sanit. (1990)</i> 6: 24-6.
Fate	Naegle, S. R., Yousef, M. K., and Barton, J. T. Biokinetics of arsenic-74, cadmium-109, and lead-203: effects of age, ambient temperature and previous exposure. <i>Trace Subst. Environ. Health (1983)</i> : 17, 344-9.
Unrel	Nafe, L. A. 1988. Selected neurotoxins. <i>Vet Clin North Am Small Anim Pract.</i> 18(3): 593-604.
Mix	Nagymajtenyi, L., Schulz, H., Papp, A., and Desi, I. 1998. Developmental neurotoxicological effects of lead and dimethoate in animal experiments. <i>Neurotoxicology.</i> 19(4-5): 617-22.
Unrel	Nakano, H., Saito, K., Ogashiwa, M., and Suzuki, K. 1993. Referential derivation of epidural electroencephalogram in el mice. <i>Journal of Veterinary Medical Science</i> 55(1): 39-43.
Phys	Nakashima Yasuharu(A), Hayashi Kazuo, Inadome Tatsuro, Uenoyama Kazuhide, Hara Toshihiko, Kanemaru Takaaki, Sugioka Yoichi, and Noda Iwao. 1997. Hydroxyapatite-coating on titanium arc sprayed titanium implants. <i>Journal of Biomedical Materials Research</i> 35(3): 287-298.
Lead Shot	Nall J. 1979. Swans in Trouble. <i>Newsletter Dorset Naturalists' Trust</i> .
No Oral	Narbaitz, R., Marino, I., and Sarkar, K. 1985. Lead-induced early lesions in the brain of the chick embryo. <i>Teratology.</i> 32(3): 389-396.
Rev	NAS, Subcommittee on Mineral Toxicity Committee on Animal Nutrition. 1980.: 588.
Surv	Nasolodin, V. V., Dvorkin, V. A., and Kurkova, S. D. 1994. Bioavailability of trace elements and their interactions in the course of metabolism in the Body. <i>Gigiena I Sanitariya.</i> 0(9): 12-15.
Alt	Nation, J. R., Bourgeois, A. E., and Clark, D. E. 1983. Behavioral effects of chronic lead exposure in the adult rat. <i>Pharmacol Biochem Behav</i> 18(6): 833-40.
Pb Behav	Nation, J. R., Clark, D. E., Bourgeois, A. E., and Rogers, J. K. 1982. Conditioned suppression in the adult rat following chronic exposure to lead. <i>Toxicol Lett.</i> 14(1-2): 63-7.

Drug	Nation, J. R., Dugger, L. M., Dwyer, K. K., Bratton, G. R., and Grover, C. A. 1991. The effects of dietary lead on ethanol-reinforced responding. <i>Alcohol Alcohol.</i> 26(4): 473-80.
Pb Behav	Nation, J. R., Frye, G. D., Von Stultz, J., and Bratton, G. R. 1989. Effects of combined lead and cadmium exposure: changes in schedule-controlled responding and in dopamine, serotonin, and their metabolites. <i>Behav Neurosci.</i> 103(5): 1108-14.
Drug	Nation, J. R., Grover, C. A., and Bratton, G. R. 1991. Lead attenuates the antipunishment effects of ethanol. <i>Alcohol.</i> 8(1): 1-5.
Rev	Neathery, M. W. and Miller, W. J. 1975. Metabolism and toxicity of cadmium, mercury, and lead in animals: are view. <i>Journal of Dairy Science.</i> 58(12): 1767-1781.
Surv	Negro, J. J., Donazar, J. A., Hiraldo, F., Hernandez, L. M., and Fernandez, M. A. 1993. Organochlorine and heavy metal contamination in non-viable eggs and its relation to breeding success in a spanish population of lesser kestrels (<i>Falco naumanni</i>). <i>ENVIRON POLLUT.</i> 82(2): p201-205.
Mix	Nehru, B. and Dua, R. 1997. The effect of dietary selenium on lead neurotoxicity. <i>J Environ Pathol Toxicol Oncol.</i> 16(1): 47-50.
Rev	Nelson, B. K., Moorman, W. J., and Schrader, S. M. 1996. Review of experimental male-mediated behavioral and neurochemical disorders. <i>Neurotoxicol. Teratol.</i> 18(6): 611-616.
No Oral	Nelson, B. K., Moorman, W. J., Schrader, S. M., Shaw, P. B., and Krieg Jr., E. F. 1997. Paternal exposure of rabbits to lead: behavioral deficits in offspring. <i>Neurotoxicol. Teratol.</i> 19(3): 191-198.
Abstract	Nelson, HA. 1971. Lead poisoning. <i>J. Amer. Vet. Med. Assoc.</i> 158: 258.
Lead Shot	Nelson, T. A., Mitchell, C., and Abbott, C. 1989. Lead-shot ingestion by bald eagles in western arkansas USA. <i>Southwest Nat.</i> 34(2): 245-249.
Model	Nelson Y.M., Thampy R.J., Motelin G.K., Raini J.A., DiSante C.J., and Lion L.W.*. 1998. Model for trace metal exposure in filter-feeding flamingos at Alkaline Rift Valley Lake, Kenya. <i>Environmental Toxicology and Chemistry</i> 17(11): pp. 2302-2309.
Pb Behav	Newland, M. C., Yezhou, S., Logdberg, B., and Berlin, M. 1996. In utero lead exposure in squirrel monkeys : motor effects seen with schedule-controlled behavior. <i>Neurotoxicol Teratol.</i> 18(1): 33-40.
Prim	Newland, M. C., Yezhou, S., Logdberg, B., and Berlin, M. 1994. Prolonged behavioral effects of in utero exposure to lead or methyl mercury: reduced sensitivity to changes in reinforcement contingencies during behavioral transitions and in steady state. <i>Toxicol Appl Pharmacol.</i> 126(1): 6-15.
FL	Nezel, K. 1980. The carry-over behaviour of lead, cadmium and mercury in poultry. <i>Muhle + Mischfutertechnik.</i> 117(3): 30-32.
In Vit	Ng, T. B. and Liu, W. K. 1990. Toxic effect of heavy metals on cells isolated from the rat adrenal and testis. <i>In Vitro Cellular & Developmental Biology</i> 26(1): 24-8.

Unrel	Ngu Mary, Moya Elena, and Magan Naresh(A). 1998. Tolerance and uptake of cadmium, arsenic and lead by fusarium pathogens of cereals. <i>International Biodeterioration & Biodegradation</i> 42(1): 55-62.
Unrel	Nicholls, D. M., Angelow, R., Teichert-Kuliszewska, T., and Girgin, G. 1986. Effect of lead, cadmium and mercury on the tissue of young fish and rats: development of a bioindicator. <i>Technology Transfer Conference. Part B: Water Quality Research.</i> : 138-164.
Nut def	Nicol, D. C. and Smith, L. D. 1981. Responses to cobalt therapy in weaner cattle in southeast Queensland Australia. <i>Aust J Exp Agric Anim Husb.</i> 21(108): 27-31.
Stain	Nikov, S. 1972. (Methods for the diagnosis of liver diseases in cattle.). (Book) : 179pp.
In Vit	Nitisewojo, P. 1977. <i>Mercury and Other Heavy Metal Toxicity and Mitochondrial Dysfunction. Part of a Coordinated Programme of Isotopic Tracer-Aided Studies of the Biological Side-Effects of Foreign Chemical Residues in Food and Agriculture. Final Report for the Period 1 July 1974 - 30 June 1977</i>
Prim	Noack, S., Lilienthal, H., Winneke, G., and Stoltenburg-Didinger, G. 1996. Immunohistochemical localization of neuronal and glial calcium-binding proteins in hippocampus of chronically low level lead exposed rhesus monkeys. <i>Neurotoxicology.</i> 17(3-4): 679-84.
FL	Nogawa, K. 1969. [Experimental study of chronic lead poisoning with reference to fanconi syndrom]. <i>Nippon Eiseigaku Zasshi.</i> 24(3): 343-58.
FL	Nohara, M. 1986. Effects of stimulation to the hematopoietic organ on the blood picture of the rabbit having the experience of organic chlorinated compound Poisoning. <i>Tokyo Jikeikai Med J.</i> 101(2): 341-351.
HHE	Nomiyama, K. and Nomiyama, H. 1986. Modified trace element metabolism in cadmium-induced renal Dysfunctions. <i>Acta Pharmacol Toxicol.</i> 59(7): 427-430.
Acu	Nomiyama, K., Nomiyama, H., Kikuchi, T., and Yotoriyama, M. 1987. Tissue metal shifts by a single exposure to metals in rats. <i>Sangyo Ika Daigaku Zasshi</i> 9 Suppl: 95-110.
No Oral	Nomiyama, Kazuo, Nomiyama, Hiroko, Kikuchi, Toru, and Yotoriyama, Mamoru. Tissue metal shifts by a single exposure to metals in rats. <i>J. UOEH (1987)</i> 9(Suppl.): 95-110.
Prim	Nomiyama, Kazuo, Nomiyama, Hiroko, Nomura, Yasuo, and Tsukiji, Haruhisa. 1985 . Health effects of potassium dichromate in drinking water in monkeys. <i>Heavy Met. Environ. Int. Conf., 5th</i> : Volume 2, 125-7. Editor(s): Lekkas, Themistokles D. Publisher: CEP Consult., Edinburgh, UK.
Surv	Norheim, G., Skaare, J. U., and Wiig, O. 1992. Some heavy metals, essential elements, and chlorinated hydrocarbons in polar bear (<i>Ursus maritimus</i>) at Svalbard. <i>Environ Pollut.</i> 77(1): 51-57.
Surv	Norman, F. I., Garnham, J. S., and Lowe, K. W. 1993. Further notes on lead concentrations in tissues of waterfowl in Victoria. <i>Wildl. Res.</i> 20(5): 621-624.
Unrel	Nouaigui, H., Antoine, J. L., Masmoudi, M. L., Van Neste, D. J., and Lachapelle, J. M. 1989. [Invasive and non-invasive studies of the protective action of a silicon-containing cream and its excipient in skin irritation induced by sodium laurylsulfate]. <original> etudes invasive et non invasive du pouvoir protecteur d'une creme siliconee et de son excipient vis-a-vis de l'irritation

cutanee induite par le laurylsulfate de sodium. *Annales De Dermatologie Et De Venereologie* 116(5): 389-98.

- Alt** Novak, Jacqueline and Banks, Robert O. Lead and nickel alter the cardiorenal actions of endothelin in the rat. *Proc. Soc. Exp. Biol. Med.* (1995) 208(2): 191-8.
- FL** Novakova, S., Nikolchev, G., Mautner, G., Angelieva, R., and Dinoeva, S. 1983. [Effect of several microelements contained in drinking water on the development of atherosclerosis]. <original> prouchvane vliianieto na niakoi mikroelementi, sudurzhashti se v piteinite vodi, vurkhu razvitiето na aterosklerozata. *Problemi Na Khigienata* 8: 121-31.
- FL** Novakova, S. D. and Angelieva, R. S. 1980. Changes in some trace elements in the blood and organs of animals with experimental atherosclerosis. *Gigiena i Sanitariya* (7): 64-65.
- FL** Novikov, Yu. V., Plitman, S. I., Levin, A. I., Shniger, N. Kh., Ershova, T. N., Kagiroy, V. N., Tsareva, L. G., Kochetkova, T. A., Lastochkina, K. O., Tyuleneva, I. S., and Noarov, Yu. A. 1980. Health status of the population in relation to use of soft drinking water low in minerals. *Gigiena i Sanitariya* (12): 3-6.
- Anat** Novotny, G. E., Heuer, T., Schottelndreier, A., and Fleisgarten, C. 1994. Plasticity of innervation of the medulla of axillary lymph nodes in the rat after antigenic stimulation. *Anatomical Record* 238(2): 213-24.
- No Oral** NRC. 1972. *Lead: Airborne Lead in Perspective*. National Academy of Science. Washington, DC.
- Rev** NRCC. 1973. *Lead in the Canadian Environment*. Natl. Res. Coun. Canada Publ. 116.
- Surv** Nygard, T., Jordhoy, P., and Skare, J. U. 1994. Environmental pollutants in merlin in Norway. *Nina Forskningsrapport*.: 33p.
- Surv** Nyholm, Erik. 1986. uptake and effects of metals on birds and mammals in heavy metal contaminated areas. *Inst. Vatten- Luftvaardsforsk. [Publ.] B* IVL B 820, 50 pp.
- Mix** Nyholm, N. E. I. Umea University Umea Sweden. Influence of heavy metal exposure during different phases of the. *Arch Environ Contam Toxicol.* V35, N4, P632(6)
- Surv** Nyholm, N. EI. 1998. Influence of heavy metal exposure during different phases of the ontogeny on the development of pied flycatchers, *Ficedula hypoleuca*, in natural populations. *Arch Environ Contamin Toxicol.* 35(4): p632-637.
- Surv** Nyholm, N. EI, Sawicka-Kapusta, K., Swiergosz, R., and Laczewska, B. 1995. Effects of environmental pollution on breeding populations of birds in southern poland. *Water Air and Soil Pollution* . 85(2): 829-834.
- Rev** O'Flaherty, E. J., Adams, W. D., Hammond, P. B., and Taylor, E. 1986. Resistance of the rat to development of lead-induced renal functional deficits. *J Toxicol Environ Health.* 18(1): 61-75.
- Lead Shot** O'Halloran J. 1989. Swan songs. lethal lead and swan mortality. *IWC NEWS No.58*.: 4.
- Surv** O'Halloran, J. and Duggan, P. F. 1984. Lead levels in mute swans in cork. *Irish Birds.* 2(4): 501-514.

Lead Shot	O'Halloran J and Myers A A. 1987. Lead poisoning in mute swans and fishing practice in Ireland. <i>Biological Indicators of Pollution</i> . 183-191 .
Dead	O'Halloran, J., Myers, A. A., and Duggan, P. F. 1991. Lead poisoning in mute swans cygnus olor in Ireland: a review. <i>Wildfowl Supplement</i> .: 389-395.
Lead Shot	O'Halloran, J., Myers, A. A., and Duggan, P. F. 1988. Lead poisoning in swans and sources of contamination in Ireland. <i>J. Zool.</i> 216(2): 211-223.
Surv	O'halloran, J., Myers, A. A., and Duggan, P. F. 1989. Some sub-lethal effects of lead on mute swan <i>Cygnus-olor</i> . <i>J. Zool.</i> 218(4): 627-632.
Nut def	Oberley, T. D., Friedman, A. L., Moser, R., and Siegel, F. L. 1995. Effects of lead administration on developing rat kidney. ii. functional, morphologic, and immunohistochemical studies. <i>Toxicol Appl Pharmacol.</i> 131(1): 94-107.
Lead Shot	Ochiai, K., Jin, K., Goryo, M., Tsuzuki, T., and Itakura, C. 1993. Pathomorphologic findings of lead poisoning in white-fronted geese (<i>Anser albifrons</i>). <i>Vet Pathol.</i> 30(6): 522-8.
Lead Shot	Ochiai, K., Jin, K., Itakura, C., Goryo, M., Yamashita, K., Mizuno, N., Fujinaga, T., and Tsuzuki, T. 1992. Pathological study of lead poisoning in whooper swans (<i>Cygnus cygnus</i>) in japan. <i>AVIAN DIS</i> ; 36 (2). 1992. 313-323. 36(2): 313-323.
No Oral	Odenbro, A., Kihlstrom, I., and Kihlstrom, J. E. 1988. Perinatal growth retardation caused by triethyllead chloride treatment of mice during late gestation. <i>Pharmacol. Toxicol.</i> 63(4): 253-256.
Org Met	Odenbro, A. and Kihlstrom, J. E. 1977. Frequency of pregnancy and ova implantation in triethyl lead-treated mice. <i>Toxicol Appl Pharmacol.</i> 39(3): 359-363.
No Oral	Ogilvie, D. M. 1978. Effect of lead acetate on memory in mice. <i>Bulletin of Environmental Contamination and Toxicology.</i> 19(2): 143-146.
Pb Behav	Ogilvie, D. M. and Martin, A. H. 1982. Aggression and open-field activity of lead-exposed mice. <i>Arch Environ Contam Toxicol.</i> 11(2): 249-52.
Surv	Ogilvie, M. A. 1986. The mute swan cygnus olor in britain 1983. <i>Bird Study.</i> 33(2): 121-137.
Unrel	Ogilvie, M. A. 1981. The mute swan (cygnus olor) in britain, uk, 1978. <i>Bird Study.</i> 28(2): 87-105.
Surv	Ogle, M. C., Scanlon, P. F., Kirkpatrick, R. L., and Gwynn, J. V. 1985. Heavy metal concentrations in tissues of mink in Virginia. <i>Bull. Environ Contam Toxicol.</i> 35(1): 29-37.
Dead	Ogle, M. C., Scanlon, P. F., Kirkpatrick, R. L., and Gwynn, J. V. 1985. Heavy metal concentrations in tissues of mink <i>Mustela-vison</i> in Virginia USA. <i>BULL ENVIRON CONTAM TOXICOL.</i> 35(1): 29-27.
FL	Ohi, G., Seki, H., Maeda, H., Kano, T. , Akiyama, K., and Yagyu, H. 1970. Behavior of various parameters of lead poisoning in rabbits. <i>Tokyo Toritsu Eisei Kenkyusho Kenkyu Nempo.</i> 22: 193-8.

Surv	Ohlendorf, Harry M., Hothem, Roger L., Aldrich, Thomas W., and Krynsky, Alexander J. 1987. Selenium contamination of the grasslands, a major California waterfowl area. <i>Sci. Total Environ.</i> 66, 169-83.
Pb Behav	Ohnishi, A., Schilling, K., Brimijoin, W. S., Lambert, E. H., Fairbanks, V. F., and Dyck, P. J. 1977. Lead neuropathy. 1) morphometry, nerve conduction, and choline acetyltransferase transport: new finding of endoneurial edema associated with segmental demyelination. <i>J Neuropathol Exp Neurol</i> 36(3): 499-518.
Anat	Okamoto, T., Sugimura, M., and Kudo, N. 1976. Distribution of endocrine cells in duck digestive tracts. <i>Journal of the Faculty of Fisheries and Animal Husbandry, Hiroshima University</i> 15(2): 127-134.
Gene	Okhanashvili, T. S. 1988. Mutagenic effect in bone-marrow cell chromosomes of white mice and their progeny induced by chronic exposure to lead nitrate and cadmium chloride. <i>Soobshch Akad Nauk Gruz SSR.</i> 129(3): 601-604.
Food	Oller, W. L., Kendall, D. C., and Greenman, D. L. 1989. Variability of selected nutrients and contaminants monitored in rodent diets: a 6-year study. <i>J. Toxicol. Environ. Health.</i> 27(1): 47-56.
Unrel	Olson, L., Bjorklund, H., Ebendal, T., Hedlund K-O, and Hoffer, B. 1980. Factors regulating growth of catecholamine containing nerves as revealed by transplantation and explantation studies. Elliott, K. and G. Lawrenson (Ed.). Ciba Foundation Symposium, Vol. 83. <i>Development of the Autonomic Nervous System; London, England, Oct. 21-23</i> , X+389p. Pitman Books Ltd.: London, England (Dist. In North America by Ciba Pharmaceutical Company: Summit, N.j.). Illus. ISBN 0-272-79619-0. 0 (0). 1981. P213-231.
Unrel	Onizuka, K., Fukuda, A., Kunimatsu, M., Kumazaki, M., Sasaki, M., Takaku, A., and Nishino, H. 1996. Early cytopathic features in rat ischemia model and reconstruction by neural graft. <i>Experimental Neurology</i> 137(2): 324-32.
In Vit	Opanashuk, L. A. and Finkelstein, J. N. 1995. Relationship of lead-induced proteins to stress response proteins in astroglial cells. <i>Journal of Neuroscience Research</i> 42(5): 623-32.
Bio Acc	Ophus, E. M., Fagerland, G., and Gullvag, B. M. A fine structural study and energy-dispersive x-ray spectrometrical analysis of the metals present in ovarian and other tissues of normal lead-poisoned quail (corturnix coturnix Japonica). <i>Acta Zool (Stockh).</i> 56 (3). 1975 177-188
Org Met	Osborn, D., Every, W. J., and Bull, K. R. 1983. The toxicity of trialkyl lead compounds to birds. <i>Environ. Pollut. Ser. A, Ecol. Biol.</i> 31(4): 261-276.
CP	Osborn, D. and Young, Wendy. 1985. Bird mortalities on the river mersey: laboratory studies of the toxicity and effects on essential metals of triethyl- and trimethyllead. <i>Trace Elem. Man Anim. -- TEMA 5 Proc. Int. Symp., 5th</i> : Meeting Date 1984, 870-1. Editor(s): Mills, C. F.; Bremner, I.; Chesters, J. K. Publisher: CAB, Farnham Royal, Slough, UK.
Surv	Osborn, Daniel. 1985. Mass bird mortalities on the mersey estuary uk - incident, investigation, resolution and follow-up. <i>NATO Conf. Ser., 1 Ecoaccidents.</i> 11: 59-93.
Rev	Oskarsson, A. and Fowler, B. A. 1987. Alterations in renal heme biosynthesis during metal nephrotoxicity. <i>Ann.N.Y.Acad.Sci.</i> 514: 268-277.

No COC	Oskarsson, A., Ljungberg, T., Stahle, L., Tossman, U., and Ungerstedt, U. 1986. Behavioral and neurochemical effects after combined perinatal treatment of rats with lead and disulfiram. <i>Neurobehav Toxicol Teratol.</i> 8(5): 591-9.
Drug	Oskarsson, A., Olson, L., Palmer, M. R., Lind, B., Bjorklund, H., and Hoffer, B. 1986. Increased lead concentration in brain and potentiation of lead-induced neuronal depression in rats after combined treatment with lead and disulfiram. <i>Environ Res.</i> 41(2): 623-32.
Bio Acc	Osowski, S. L., Brewer, L. W., Baker, O. E., and Cobb, G. P. 1995. The decline of mink in georgia, north carolina, and south carolina: the role of contaminants. <i>Arch Environ Contam Toxicol.</i> 29(3): 418-23.
Unrel	Ostrowski, S. R., Schilling, R., Farrar, J. A., Fikes, J., Beasley, V. R., and Hudson, R. F. 1990. Blood lead values in dogs from a rural area (Champaign, IL in 1987). <i>Vet Hum Toxicol.</i> 32(1): 40-2.
Rev	Osweiler G and VanGelder G. 1978. Epidemiology of lead posioning in animals. 143-177.
No Org	Otero, Perez XL. 1998. effects of nesting yellow-legged gulls (<i>Larus cachinnans pallas</i>) on the heavy metal content of soils in the Cies islands (Galicia, north-west Spain). <i>Marine Pollution Bulletin</i> . 36(4): p267-272.
FL	Ouweneel G. 1987. [Lead poisoning in Geese.]. <i>Vogeljaar.</i> 35(2): 84-87.
Diss	Overmann, S. R. 1976. <i>Behavioral Effects of Asymptomatic Developmental Plumbism in Rats</i> : 136.
No Dose	Overmann, S. R. 1977. Behavioral effects of asymptomatic lead exposure during neo natal development in rats. <i>Toxicol Appl Pharmacol.</i> 41(3): 459-72.
Pb Behav	Overmann, S. R., Fox, D. A., and Woolley, D. E. 1979. Neurobehavioral ontogeny of neonatally lead-exposed rats. I. reflex development and somatic indexes. <i>Neurotoxicology</i> 1(1): 125-47.
Unrel	Ovtscharoff, W., Eusterschulte, B., Zienecker, R., Reisert, I., and Pilgrim, C. 1992. Sex differences in densities of dopaminergic fibers and gabaergic neurons in the prenatal rat striatum. <i>Journal of Comparative Neurology</i> 323(2): 299-304.
FL	Ozols, A. Ya., Sheshukova, T. A., Gutmane, L. A., Basova, N. A., Apsite, M. R., and Antonyuk, Z. F. 1991. Functional state of the digestive system of chickens fed with a diettreated with the fungicide tilt. <i>Sel'Skokkhozyaistvennaya Biologiya</i> (No.4): 53-56.
Surv	Pace III, R. M., Hohman, W. L., and Custer, T. W. 1999. Lead effects on body composition and organ size of wintering canvasbacks, <i>Aythya valisineria</i> , in Louisiana. <i>Wildl. Biol.</i> 5(1): 3-10.
Pb Behav	Padich, R. and Zenick, H. 1977. The effects of developmental and-or direct lead exposure on fixed ratio behavior in the rat. <i>Pharmacol Biochem Behav.</i> 6(4): 371-75.
Plant	Page, AL, Ganje, TJ, and Joshi, MS. 1971. Lead quantities in plants, soil, and air near some major highways in southern CA. <i>Hilgardia.</i> 41: 1.
Lead Shot	Pain D. 1992. Lead Poisoning in Birds: a Southern European Perspective. <i>Iwrb Special PUBLICATION No.20.</i> : 109-114.

Surv	Pain, D. J. 1989. Hematological parameters as predictors of blood lead and indicators of lead poisoning in the black duck (<i>Anas rubripes</i>). <i>Environ. Pollut.</i> 60(1-2): 67-81.
Diss	Pain, D. J. 1987. <i>Lead Poisoning in Waterfowl: an Investigation of Sources and Screening Techniques</i>
Lead Shot	Pain D J. 1992. lead poisoning of waterfowl: a review. <i>IWRB Special Publication No.16.</i> : 7-13.
Lead Shot	Pain, D. J. and Amiard-triquet, C. 1993. lead poisoning of raptors in France and elsewhere. <i>Ecotoxicol Environ Saf.</i> 25(2): 183-192.
Lead Shot	Pain, D. J., Amiard Triquet, C., Bavoux, C., Burneleau, G., Eon, L., and Nicolau Guillaumet, P. 1993. lead poisoning in populations of marsh harriers <i>Circus aeruginosus</i> in the Camargue and Charente-maritime, France. <i>Ibis.</i> 135(4): 379-386.
Lead Shot	Pain, D. J., Amiard-Triquet, C., and Sylvestre, C. 1992. tissue lead concentrations and shot ingestion in nine species of waterbirds from the Camargue (France). <i>Ecotoxicol Environ Saf.</i> 24(2): 217-33.
Surv	Pain, D. J., Burneleau, G., Bavoux, C., and Wyatt, C. 1999. levels of polychlorinated biphenyls, organochlorine pesticides, mercury and lead in relation to shell thickness in marsh harrier (<i>Circus aeruginosus</i>) eggs from Charente-maritime, France. <i>Environ. Poll.</i> 104(1): 61-68.
Chem Meth	Pain, D. J., Metayer, C., and Amiard, J. C. 1993. Lead determination in avian blood : application to a study of lead contamination in raptors from France. <i>International Journal of Environmental Analytical Chemistry</i> 53(1): 29-35.
Lead Shot	Pain, D. J. and Rattner, B. A. 1988. Mortality and hematology associated with the ingestion of one number four lead shot in black ducks, <i>Anas rubripes</i> . <i>Bull Environ Contam Toxicol.</i> 40(2): 159-64.
Surv	Pain, D. J., Sears, J., and Newton, I. 1995. Lead concentrations in birds of prey in britain. <i>Environ. Poll.</i> 87(2): 173-180.
Nut	Pais, I., El-Sabai, A., Abaza, M., Radnai, G., <Editors> Anke, M., and Meissner, D. 1994. Nutritional application of trace element-enriched yeasts. <Document Title> <i>Mengen- Und Spurenelemente. 14. Arbeitstagung, Jena</i> 25./26. November 1994. 573-576.
FL	Pakarinen R, Nyberg M, and Alanko T. 1989. A brood of the white-backed woodpecker died of lead intoxication. <i>Lintumies.</i> 24(5): 216-218.
Alt	Palmer, M. R., Bjorklund, H., Taylor, D. A., Seiger, A., Olson, L., and Hoffer, B. J. 1984. Chronic lead exposure of the developing brain: electrophysiological abnormalities of cerebellar purkinje neurons. <i>Neurotoxicology.</i> 5(3): 149-66.
Mix	Panemangalore, M. and Bebe, F. N. 1996. Effects of low oral lead and cadmium exposure and zinc status of heme metabolites in weanling rats. <i>Int J Occup Med Environ Health.</i> 9(2): 141-51.
Mix	Panigrahi, S., Plumb, V. E., and Machin, D. H. 1989. Effects of dietary cottonseed meal with and without iron treatment on laying hens. <i>British Poultry Science.</i> 30 (3): 641-652. 641-652.
Bio Acc	Pankakoski, E., Hyvarinen, H., Jalkanen, M., and Koivisto, I. 1993. Accumulation of heavy metals in the mole in Finland. <i>Environ Pollut.</i> 80(1): 9-16.

Unrel	Pankakoski Erkki(A), Hyvarinen Heikki, Jalkanen Marita(A), and Koivisto Ilkka. 1993. accumulation of heavy metals in the mole in Finland. <i>Environmental Pollution</i> 80(1): 9-16.
Bio Acc	Pankakoski Erkki(A), Koivisto Ilkka, Hyvarinen Heikki, and Terhivuo Juhani. 1994. Shrews as indicators of heavy metal pollution. <i>Carnegie Museum of Natural History Special Publication</i> 0(18): 137-149.
HHE	Papp, J. P., Gay, P. C., Dodson, V. N., and Pollard, H. M. 119-1923. Potassium chloride treatment in thallotoxicosis. <i>Ann. Internal Med.</i> ; 71(1)
FL	Park, J. H. and Kim, C. S. 1984. effects of over-dosed lead and its interaction with iron, copper, zinc or protein supplement in chicks. <i>Korean Journal of Veterinary Research</i> . V. 24(1) P. 24-30
FL	Park, J. H. Korea Advanced Inst. of Science and Technology Seoul Korea R. and Kim, C. S. . 1985. Nickel toxicity and its interaction with zinc, copper and lead in growing chicks. <i>Korean Journal of Veterinary Research</i> . V. 25(2) P. 145-148
No Oral	Parker, D. and Turk, J. L. Delay in the development of the allergic response to metals following intratracheal instillation. <i>Int Arch Allergy Appl Immunol</i> . 57 (4). 1978 289-293
Unrel	Parnell, J. F., Ainley, D. G., Blokpoel, H., Cain, B., Custer, T. W., Dusi, J. L., Kress, S., Kushlan, J. A., Southern, W. E., Stenzel, L. E. and others. 1988. Colonial waterbird management in North America. <i>Colon Waterbirds</i> . 11(2): 129-169.
Bio Acc	Parslow, J. L. F., Thomas, G. J., and Williams, T. D. 1982. Heavy metals in the livers of waterfowl from the ouse washes, England. <i>Environ. Pollut. Ser. A</i> 29(4): 317-27.
Phys	Patel, A. J., Michaelson, I. A., Cremer, J. E., and Balazs, R. 1974. Metabolism of carbon-14-labeled glucose by the brains of suckling rats intoxicated with inorganic lead. <i>J. Neurochem</i> . 22(4): 581-90.
No COC	Paternain, J. L. Univ of Barcelona Reus Spain, Ortega, A., Domingo, J. L., Llobet, J. M., and Corbella, J. Oral meso-2,3-dimercaptosuccinic acid in pregnant sprague-dawley rats. <i>J Toxicol Environ Health</i> . 30(3): 191-7.
IMM	Patra, R. C. and D. Swarup. 2000. Effect of lead on erythrocytic antioxidant defence, lipid peroxide level and thiol groups in calves. <i>Research in Veterinary Science</i> 68(1): 71-74.
Diss	Patrick, G. W. 1980. <i>Lead-Induced Changes in the Neuronal Development of the Cat and the Rat</i> .
Unrel	Patriquin David G, Blaikie Holly, Patriquin Maria J, and Yang Chengzhi. 1993. On-farm measurements of pH, electrical conductivity and nitrate in soil extracts for monitoring coupling and decoupling of nutrient cycles. <i>Biological Agriculture & Horticulture</i> 9(3): 231-272.
Lead Shot	Pattee, O. H., Wiemeyer, S. N., Mulhern, B. M., Sileo, L., and Carpenter, J. W. 1981. Experimental lead-shot poisoning in bald eagles. <i>J. Wildl. Manage</i> . 45(3): 806-810.
Surv	Patterson, C. and Settle, D. 1993. New mechanisms in lead biodynamics at ultra-low levels. <i>Neurotoxicology</i> . 14(2-3): 291-9.
Bio Acc	Peles, J. D. and Barrett, G. W. 1997. Assessment of metal uptake and genetic damage in small mammals. <i>Bull Environ Contam Toxicol</i> . 59(2): 279(6).

Surv	Peles, J. D. and Barrett, G. W. Assessment of metal uptake and genetic damage in small mammals. <i>Bull Environ Contam Toxicol.</i> 59(2): 279.
Surv	Pellantova, J., Hudec, K., Kredl, F., Svobodnik, J., and Svobodova, R. 1989. Organochlorine pesticides PCB and heavy metals residues in eggs of the black-headed gull <i>Larus-ridibundus</i> in czechoslovakia. <i>FOLIA ZOOL.</i> 38(1): 79-86.
Lead Shot	Pennycott, T. W. 1998. Lead poisoning and parasitism in a flock of mute swans (<i>Cygnus olor</i>) in Scotland. <i>Vet. Rec.</i> 142(1): 13-17.
Not Avail	Pentschew, A., Garro, F., and Schweda, P. 1965. <i>Systematized Dysoric Encephalopathy in the Suckling Rat Produced by Lead</i> . AD-644 779/XAB
Lead Shot	Perco F, Leonzio C, Focardi S, Fossi C, and Renzoni A. 1983. Intossicazione da piombo in due cigni reali della laguna de marano (Nord-est Italia). <i>Avocetta.</i> 7(2-3): 105-116.
Phys	Perry, H. M. Jr, Erlanger, M. W., and Perry, E. F. 1988. Increase in the blood pressure of rats chronically fed low levels of lead. <i>Environ Health Perspect</i> 78: 107-11.
CP	Petering, H. G. 1974. the effect of cadmium and lead on copper and zinc metabolism. 1973. <i>Trace Element Metabolism in Animals, No. 2. Proceedings of the Second International Symposium. Madison, Wis., USA.. June 18-22, 1973.</i> 311-325.
Mix	Petering, H. G. 1980. The influence of dietary zinc and copper on the biologic effects of orally ingested lead in the rat. <i>Ann. NY Acad. Sci.</i> 355: 298-308.
Fate	Petering, H. G. 1978. Some observations on the interaction of zinc, copper, and iron metabolism in lead and cadmium toxicity. <i>Environ Health Perspect.</i> 25: 141-5.
Surv	Petering, H. G., Murthy, L., and Cerklewski, F. L. 1977. Role of nutrition in heavy metal toxicity. <i>Biochemical Effects of Environmental Pollutants, Edited by S. D. Lee and B. Peirano</i> : pp. 365-376.
Gene	Peters, B., Stoltenburg, G., Hummel, M., Herbst, H., Altmann, L., and Wiegand, H. 1994. Effects of chronic low level lead exposure on the expression of GFAP and vimentin mrna in the rat brain hippocampus analysed by in situ hybridization. <i>Neurotoxicology.</i> 15(3): 685-93.
Lead Shot	PETERS, M. S. and AFTON, A. D. 1993. Effects of deep tillage on redistribution of lead shot and chufa flatsedge at Cathahoula lake, Louisiana. <i>Wildlife Society Bulletin.</i> 21(4): 471-479.
Pb Behav	Petit, T. L and Alfano, D. P. 1979. Differential experience following developmental lead exposure: effects on brain and behavior. <i>Pharmacol. Biochem. Behav.</i> 11(2): 165-171.
Drug	Petit, T. L., LeBoutillier, J. C., and Brooks, W. J. 1992. Altered sensitivity to NMDA following developmental lead exposure in rats. <i>Physiol Behav.</i> 52(4): 687-93.
In Vit	Pfeifer, F. and Schacht, S. Development and validation of genotoxicological and ecotoxicological tests for evaluating soil retention. <i>Forschungsverbund: Biol. Verfahren Bodensanierung (1998)</i> : A76-A85 Publisher: Umweltbundesamt, Berlin, Germany.
FL	Piasecka, M. 1993. Influence of protractedly applied lead ions (II) on the rats spermatozoa. <i>Roczniki Pomorskiej Akademii Medycznej w Szczecinie.</i> 39(0): 39-56.

CP	Piasek, M and Kostial, K. 1985. Duration of exposure to lead and reproductive performance in rats. International Conference Heavy Metals in the Environment, Vol. 1. 463-5. Edinburgh. CEP Consultants.
CP	Piasek, M and Kostial, K. 1990. Reproductive performance in rats perinatally exposed to lead. 496-8. Environmental Contamination, 4th International Conference, Barcelona, Spain, 1990. Edinburgh. CEP Consultants.
Rev	Piasek, M., Kostial, K., and Laskey, J. W. 1996. Experimental studies on reproductive and perinatal effects of lead and cadmium. <i>Environ. Manage. Health.</i> 7(4): 29-32.
FL	Piasek, M., Schonwald, N., Blanusa, M., Kostial, K., and Laskey, J. W. 1996. Biomarkers of heavy metal reproductive effects and interaction with essential elements in experimental studies on female rats. <i>Arh. Hig. Rada. Toksikol.</i> 47(3): 245-259.
Unrel	Piatt, J. F. and Van Pelt, T. I. 1997. Mass-mortality of guillemots (<i>Uria aalge</i>) in the gulf of Alaska in 1993. <i>Marine Pollution Bulletin.</i> 34(8): 656-662.
Abstract	Piepho, RW, Ryan, CF, and Lacz, JP. 1976. The effects of chronic lead intoxication on the gamma-aminobutyric acid content of the rat CNS. <i>Pharmacologist.</i> 18: 125.
Bio Acc	Pilastro, A., Congiu, L., Tallandini, L., and Turchetto, M. 1993. The use of bird feathers for the monitoring of cadmium pollution. <i>Arch Environ Contam Toxicol.</i> 24(3): p355(4).
Surv	Pinowski, J., Barkowska, M., Kruszewica, A. H., and Kruszewica, A. G. 1994. The causes of the mortality of eggs and nestlings of <i>Passer spp.</i> <i>Journal of Biosciences (Bangalore).</i> 19(4): 441-451.
Surv	Pinowski, J., Romanowski, J., Barkowska, M., Sawicka-Kapusta, K., Kaminski, P., and Kruszewicz, A. G. 1993. Lead and cadmium in relation to body weight and mortality of the house sparrow <i>Passer domesticus</i> and tree sparrow <i>Passer montanus</i> nestlings. <i>Acta Ornithologica (Warsaw).</i> 28(1): 63-68.
HHE	Piomelli, S. 1980. Effects of low level lead exposure on heme metabolism. In: <i>Low Level Lead Exposure the Clinical Implications of Current Research.</i> 67-74. Raven Press, New York.
Abstract	Piomelli, S., Seaman, C., and Kapoor, S. 1987. Lead-induced abnormalities of porphyrin metabolism - the relationship with iron-deficiency. <i>Annals Of The New York Academy Of Sciences V514, Dec, P278-288</i>
Surv	Pisa, J. and Cibulka, J. 1989. Cadmium, lead, mercury, copper and zinc content in hair and cervical mucus in cattle kept in industrial area in czechoslovakia. <i>EKOLOGIA-CSSR.</i> 8(4): 421-432.
HHE	Pitkin, RM. 1979. Discussion of effects of dietary lead and zinc in pregnancy. <i>Am. J. Obstet. Gynecol.</i> 135: 945.
Unrel	Pittman, T. L. 1988. <i>Minerals Yearbook, 1988: Alaska</i>
Mineral	Pittman, T. L. 1992. <i>Minerals Yearbook, 1990: Alaska.</i> <NOTE> <i>Annual Rept</i>
Surv	Platt, S. R., Helmick, K. E., Graham, J., Bennett, R. A., Phillips, L., Chrisman, C. L., and Ginn, P. E. 1999. Peripheral neuropathy in a turkey vulture with lead toxicosis. <i>J. Am. Vet. Med. Assoc.</i> 214(8): 1218-1220 .

No COC	Plus, R. 1992. A review of in-vivo studies of porphyrins and unexpected fluorescences an interpretation of the results. <i>Medical Hypotheses</i> . 37 (1): 49-57.
Unrel	Poeggel, G. and Bernstein, H. G. 1981. Towards a specific histochemical localization of adenylate cyclase in the rat hippocampus. I. methodical aspects. <i>Acta Histochemica</i> 69(2): 171-5.
Lead Shot	Pokras, M. A. and Chafel, R. 1992. Lead toxicosis from ingested fishing sinkers in adult common loons. <i>J Zoo Wildl Med</i> . 23(1): 92(6).
FL	Ponomareva, T. V. and Merkushev, G. N. 1978. Effects of Some Nonradioactive and Radioactive Chemical Compounds on Spleen Structure. <i>Arkhiv Anatomii Gistologii I Embriologii</i> . 74(4): 47-52.
Unrel	Pospisilova, V., Kapeller, K., and Vranakova, V. The Rat Superior Cervical Ganglion During Prenatal Development. <i>Folia Morphologica (Prague)</i> . 32 (3). 1984. 213-217.
Unrel	Prall, R. C. The Physician's Role in Prevention of Mental and Emotional Disorders. <i>Pa. Med.</i> ; 75: 71-78; 1972 ; (Ref:40)
Mix	Press, M. F. 1985. Lead-induced Permeability Changes in Immature Vessels of the Developing Cerebellar Microcirculation. <i>Acta Neuropathol (Berl)</i> . 67(1-2): 86-95.
Dup	Press, M. F. 1977. Neuronal Development in the Cerebellum of Lead Poisoned Neonatal Rats. <i>Acta Neuropathol</i> . 40(3): 259-268.
Bio Acc	Prestrud P(a), Norheim, G., Sivertsen, T., and Daae, H. L. 1994. Levels of Toxic and Essential Elements in Arctic Fox in Svalbard. <i>Polar Biology</i> 14(3): 155-159.
Bio Acc	Price, Pw, Rathcke, Bj, and Gentry, Da. 1974. Lead in Terrestrial Arthropods: Evidence for Biological Concentration . <i>Envir. Ent.</i> 3: 370-372.
Bio Acc	Prouty, R. M., Pattee, O. H., and Schmeling, S. K. 1982. Ddt Poisoning in a Cooper's Hawk Collected in 1980. <i>Vol. 28, No. 3, Pp. 319-321 Bull. Environ. Contam. Toxicol</i> .
Bio Acc	Prpic-majic, D, Karacic, V, and Skender, L. 1990. A Follow-up Study of Lead Absorption in Cows as an Indicator of Environmental Lead Pollution. <i>Bull. Environ. Contam. Toxicol</i> . 45: 19-24.
Acu	Pryor, G. T., Uyeno, E. T., Tilson, H. A., and Mitchell, C. L. 1983. Assessment of Chemicals Using a Battery of Neurobehavioral Tests: a Comparative Study. <i>Neurobehavioral Toxicology and Teratology</i> 5(1): 91-117.
Bio Acc	Pulliainen, E., Lajunen, L. H. J., Itamies, J., and Anttila, R. 1984. Lead and Cadmium in the Liver and Muscles of the Mountain Hare <i>Lepus-timidus</i> in Northern Finland. <i>Ann Zool Fenn</i> . 21(2): 149-152.
Prim	Purser, D. A., Berrill, K. R., and Majeed, S. K. 1983. Effects of Lead Exposure on Peripheral Nerve in the Cynomolgus Monkey. <i>Br J Ind Med</i> . 40(4): 402-12.
Plant	Qian, Jin-hong, Zayed, Adel, Zhu, Yong-liang, Yu, Mei, and Terry, Norman. Phytoaccumulation of Trace Elements by Wetland Plants: Iii. Uptake and Accumulation of Ten Trace Elements by Twelve Plant Species. <i>J. Environ. Qual.</i> (1999) 28(5): 1448-1455.

Nut Def	Rader, J. I., Celesk, E. M., Peeler, J. T., and Mahaffey, K. R. 1982. Effect of Lead Acetate on Rats Fed Diets Containing Low Levels of Folic Acid. <i>Drug Nutr Interact.</i> 1(2): 131-42.
FL	Radzanowska, G. 1989. Effect of Lead, Copper and Selenium on Haematological and Biochemical Indices of Hen's Blood. <i>Zeszyty Naukowe Akademii Rolniczej We Wroclawiu, Zootechnika.</i> (31): 5-27.
FL	Radzanowska, G. Akademia Rolnicza Wroclaw Poland Katedra Genetyki I Ogolnej Hodowli Zwierzat. 1989. Effect of Lead, Copper and Selenium Feeding on Haematological and Biochemical Indices of Hen Blood. <Original> Wplyw Podawania Olowiu, Miedzi I Selenu Na Wskazniki Hematologiczne I Biochemiczne Krwi Kur. <i>Zeszyty Naukowe Akademii Rolniczej We Wroclawiu. Zootechnika.</i> (No. 179) P. 5-27
No Dose	Rafales, Ls, Greenland, Rd, Zenick, H, Goldsmith, M, and Michaelson, Ia. 1981. Responsiveness to D-amphetamine in Lead Exposed Rats as Measured by Steady State Levels of Catecholamines and Locomotor Acitivity. <i>Neurobehav. Toxic. Teratol.</i> 3: 363-67.
FL	Ragland, W. L., Bakalli, R. I., Pesti, G. M., Mazija, H., Domi, X., Novak, R., and Konjufca, V. H. 1994. Immune Modulation of Chickens by Dietary Calcium and Lead. <i>Krmiva.</i> 36(1): 19-23.
Drug	Raj, P., Husain, I., and Singhal, K. 1994. Synthesis and Biological Studies on Some Organo-tin and Lead Halo and Mixed Halo-pseudohalo Anionic Complexes. <i>Arzneimittelforschung.</i> 44(2): 178-81.
CP	Rambeck, W. A., Bruckner, C., Meier, S., Zucker, H., Kollmer, W. E. and Others. 1988. Cadmium Bioavailability and the Influence of Feed Components in Chickens. <i>Trace Elem. Anal. Chem. Med. Biol., Proc. Int. Workshop, 5th.</i> : P418-22.
In Vit	Ramin, S., Kedzierski, W., and Porter, J. 1992. Neurotoxic Effects of Lead on Hypothalamic Dopaminergic Neurons. <i>Am J Obstet Gynecol</i> 166(1pt 2): 352.
Lead Shot	Ramo C, Sanchez C, and Hernandez Saint Aubin L. 1992. Lead Poisoning of Greater Flamingos Phoenicopterus Ruber. <i>Wildfowl.</i> 43: 220-222.
Bio Acc	Rana, S. V. 1975. On the Distribution of Heavy Metals in the Ovary of Common Ground Squirrel, Funambulus Pennanti: a Histochemical Study. <i>Acta Histochem.</i> 54(2): 290-294.
No Dose	Rana, S. V. and Kumar, A. 1977. Some Observations on the Intake of Inorganic Lead and Animal Growth. <i>Bull. Environ. Contam. Toxicol.</i> 17(6): 759-763.
Phys	Rana, S. V. S., Prakash, R., Kumar, A., and Sharma, C. B. 1985. A Study of Glycogen in the Liver of Metal-fed Rats. <i>Toxicol Lett.</i> 29(1): 1-4.
Chem Meth	Rao, D. Muralidhar, Ramaiah, E. Kondanda, and Ram, Kashi. 1995. Chemical Equilibrium Studies on Some Bivalent Metal Chelates of Substituted 2-(Phenylhydrazono) Propanoic Acids. <i>Proc. Natl. Acad. Sci. India, Sect. A</i> 65(4): 403-407.
Chem Meth	Rao, D. Muralidhar, Reddy, G. Nivedita, Ramaiah, E. Kodanda, and Ram, Kashi. 1995. Complex Formation of Some Bivalent Metal Ions with P- Tolylylhydrazonopropanoic Acid in Ethanol-water Medium. <i>Acta Cienc. Indica Chem.</i> 21(3): 111-114.
Mix	Rao, Ghanta N. and Knapka, Joseph J. Contaminant and Nutrient Concentrations of Natural Ingredient Rat and Mouse Diet Used in Chemical Toxicology Studies. <i>Fundam. Appl. Toxicol.</i> (1987) 9(2): 329-38.

CP	Rasile, D. A., Donovanick, P. J., and Burright, R. G. 1990. The Effects of Low-level Lead Exposure During Different Developmental Periods on Growth, Behavioral Activity, and Spatial Discrimination in Male Binghamton Heterogeneous Stock Mice . <i>Abstr Soc Neurosci</i> 16(1): 445.
Unrel	Raskin, Y., Zajdel, L., and Priel, I. E. 1994. [Cat Scratch Disease]. <i>Harefuah</i> 126(12): 710-4, 763.
Stain	Rastogi, N., Frehel, C., Ryter, A., and David, H. L. Comparative Ultrastructure of Mycobacterium-leprae and Mycobacterium-avium Grown in Experimental Hosts. <i>Ann Microbiol (Paris). Annales De Microbiologie (Paris)</i> . 133 (1). 1982. 109-128.
Lead Shot	Rattner, B. A., Fleming, W. J., and Bunck, C. M. 1989. Comparative Toxicity of Lead Shot in Black Ducks (<i>Anas rubripes</i>) and Mallards (<i>Anas platyrhynchos</i>). <i>J Wildl Dis.</i> 25(2): 175-83.
Diss	Read, H. J. 1987. <i>the Effects of Heavy Metal Pollution on Woodland Leaf Litter Faunal Communities</i> : Page 2547.
FL	Rebsdorf, A. 1973 . Lethality in Danish Wild Ducks Due to Lead Poisoning. <i>Nord. Veterinaarmed.</i> 25(3): 168-9.
Rev	Regan, C. M. 1989. Lead-impaired Neurodevelopment. Mechanisms and Threshold Values in the Rodent. <i>Neurotoxicol. Teratol.</i> 11(6): 533-537.
Rev	Regan, C. M. 1993. Neural Cell Adhesion Molecules, Neuronal Development and Lead Toxicity. <i>Neurotoxicology.</i> 14(2-3): 69-74.
Pb Behav	Regan, C. M. and Keegan, K. 1991. Neuroteratological Consequences of Chronic Low-level Lead Exposure. <i>Dev. Pharmacol. Ther.</i> 15(3-4): 189-195.
FL	Regiusne, M. A., Anke, M., and Szenthihalyi, S. 1985. Examination of Mineral Supply of Horses. <i>Allattenyesz Takarmanyozas.</i> 34(1): 83-90.
Surv	Reichel, W. L., Schmeling, S. K., Cromartie, E., Kaiser, T. E., Krynitsky, A. I., Lamont, T. G., and Mulhern, B. M. 1984. Pesticide, Pcb, and Lead Residues and Necropsy Data for Bald Eagles. <i>Environ. Monitor. Assess.</i> 4(4): 395(9).
No Oral	Reichertova, E., Micek, J., Panakova, E., Koncekova, Z., and Cizmar, J. 1981. Effect of Dust from Magnesite Works on Avian Embryo. <i>Folia Morphol(prague)</i> 29:280-283 29(280-283)
FL	Reichlmayr-lais, A. M. and Kirchgessner, M. 1981. [Activity Changes of Different Enzymes in Dietary Lead Deficiency]: <Original> Aktivitats-veranderungen Verschiedener Enzyme Im Alimentaren Blei-mangel. <i>Z Tierphysiol Tierernahr Futtermittelkd.</i> 46(3): 145-50.
Fate	Reichlmayr-lais, A. M. and Kirchgessner, M. 1986. Activity of the Enzymes Lipase Alpha Amylase and Carboxypeptidase a in Pancreas of Rats in Lead Deficiency. <i>J Anim Physiol Anim Nutr.</i> 56(2): 123-7.
Surv	Reichlmayr-lais, A. M. and Kirchgessner, M. 1981. Contents of Iron Copper and Zinc in New Borns and in Liver and Spleen of Growing Rats in Nutritional Lead Deficiency. <i>Z Tierphysiol Tierernaehr Futtermittelkd.</i> 46(1): 8-14.
FL	Reichlmayr-lais, A. M. and Kirchgessner, M. 1981. Depletion Studies on the Essentiality of Lead for Growing Rats. <i>Archiv Fur Tierernahrung.</i> 31(11/12): 731-737.

Nut Def	Reichlmayr-lais, A. M. and Kirchgessner, M. 1986. Effects of Lead Deficiency on Lipid Metabolism. <i>Z Ernahrungswiss.</i> 25(3): 165-70 .
FL	Reichlmayr-lais, A. M. and Kirchgessner, M. 1981. [Essentiality of Lead for Growth and Metabolism]. <i>Z Tierphysiol Tierernahr Futtermittelkd.</i> 46(1-2): 1-8.
FL	Reichlmayr-lais, A. M. and Kirchgessner, M. 1981. [Hematologic Changes in Nutritional Lead Deficiency]: <Original> Hamatologische Veranderungen Bei Alimentarem Bleimangel. <i>Ann Nutr Metab.</i> 25(5): 281-8.
FL	Reichlmayr-lais, A. M and Kirchgessner, M. 1993. Lead Deficiency in Lead-depleted Rats and in Their Offspring. <i>Journal of Animal Physiology and Animal Nutrition.</i> 70(4-5): 246-252.
FL	Reichlmayr-lais, A. M. and Kirchgessner, M. 1981. Lead Depletion Studies with Rats to the Essentiality of Lead. <i>Arch Tierernaehr.</i> 31(11-12): 731-38.
FL	Reichrtova, E., Takac, L., Kahanec, J., Sulicova, L., and Kovacikova, Z. Bioindication of Magnesite Emissions on the F1 Generation of Rabbits . Iii. Bioaccumulation of Contaminating Metals. <i>Cesk. Hyg. (1987)</i> 32(6): 350-4.
CP	Reiser M H and Temple S A. 1981. Effects of Chronic Lead Ingestion on Birds of Prey. <i>Recent Advances in the Study of Raptor Diseases. Proceedings of the International Symposium on Diseases of Birds of Prey.</i> 21-25.
Surv	Renzoni, A., Focardi, S., Fossi, C., Leonzio, C., and Mayol, J. Comparison Between Concentrations of Mercury and Other Contaminants in Eggs and Tissues of Cory's Shearwater <i>Calonectris-diomedea</i> Collected on Atlantic and Mediterranean Islands. <i>Environ Pollut Ser a Ecol Biol</i> ; 40 (1). 1986. 17-36.
Prim	Reuhl, K. R., Rice, D. C., Gilbert, S. G., and Mallett, J. 1989. Effects of Chronic Developmental Lead Exposure on Monkey Neuroanatomy: Visual System. <i>Toxicol Appl Pharmacol.</i> 99(3): 501-9.
FL	Reyners, H., De Reyners, E. G., Van Der Parren, J., and Maisin, J. R. 1978. [Development of Equilibrium of Glial Populations in the Cerebral Cortex of Lead Intoxicated Rats]: <Original> Evolution De L'equilibre Des Populations Gliales Dans Le Cortex Cerebral du Rat Intoxique Au Plomb. <i>C R Seances Soc Biol Fil</i> 172(5): 998-1002.
CP	Reyners, H., Gianfelici De Reyners, E., Maisin, J. R., Winneke, G., and Csicsaky, M. 1981. Effects of Different Heavy Metals (Cadmium, Thallium, Zinc, and Lead) in the Central Nervous System: a Morphological Assay. <i>Heavy Met. Environ. Int. Conf., 3rd</i> : 495-7 Publisher: Cep Consult. Ltd., Edinburgh, Uk.
FL	Rhee, S. J., Park, G. Y., and Kim, K. Y. 1993. Effects of Dietary Vitamin E and Selenium on Hematopoiesis and Antioxidative Detoxification Mechanism in Lead Poisoned Rats. <i>Journal of the Korean Society of Food and Nutrition</i> 22(6): 651-657.
Acu	Rhoads, K. and Sanders, C. L. 1985. Lung Clearance, Translocation, and Acute Toxicity of Arsenic, Beryllium, Cadmium, Cobalt, Lead, Selenium, Vanadium, and Ytterbium Oxides Following Deposition in Rat Lung. <i>Environmental Research</i> 36(2): 359-378.
Unrel	Ricaurte, G. A. Mdma Neurotoxicity--permanent or Transient. <i>Crisp Data Base National Institutes of Health</i>

Prim	Rice, D. C. 1984. Behavioral Deficit (Delayed Matching to Sample) in Monkeys Exposed from Birth to Low Levels of Lead. <i>Toxicol Appl Pharmacol.</i> 75(2): 337-45.
Prim	Rice, D. C. 1985. Chronic Low-lead Exposure from Birth Produces Deficits in Discrimination Reversal in Monkeys. <i>Toxicol. Appl. Pharmacol.</i> 77(2): 201-10.
Prim	Rice, D. C. 1988. Chronic Low-level Lead Exposure in Monkeys Does Not Affect Simple Reaction Time. <i>Neurotoxicology.</i> 9(1): 105-7.
Prim	Rice, D. C. 1985. Effect of Lead on Schedule-controlled Behavior in Monkeys. <i>Neurol. Neurobiol.</i> 13: 473-86.
Prim	Rice, D. C. 1992. Lead Exposure During Different Developmental Periods Produces Different Effects on Fi Performance in Monkeys Tested as Juveniles and Adults. <i>Neurotoxicology.</i> 13(4): 757-70.
Prim	Rice, D. C. 1990. Lead-induced Behavioral Impairment on a Spatial Discrimination Reversal Task in Monkeys Exposed During Different Periods of Development. <i>Toxicol. Appl. Pharmacol.</i> 106(2): 327-33.
Prim	Rice, D. C. 1993. Lead-induced Changes in Learning: Evidence for Behavioral Mechanisms from Experimental Animal Studies. <i>Neurotoxicology.</i> 14(2-3): 167-178.
Prim	Rice, D. C. 1986. Techniques for Assessing Behavioral Toxicology and Teratology in the Monkey. <i>Adv. Behav. Pharmacol.</i> 5: 135-50.
Prim	Rice, D. C. and Gilbert, S. G. 1995. Effects of Developmental Methylmercury Exposure or Lifetime Lead Exposure on Vibration Sensitivity Function in Monkeys. <i>Toxicol Appl Pharmacol.</i> 134(1): 161-9.
Prim	Rice, D. C. and Gilbert, S. G. 1990. Lack of Sensitive Period for Lead-induced Behavior Impairment on a Spatial Delayed Alternation Task in Monkeys. <i>Toxicol. Appl. Pharmacol.</i> 103(2): 364-73.
Prim	Rice, D. C. and Gilbert, S. G. 1985. Low Lead Exposure from Birth Produces Behavioral Toxicity (Drl) in Monkeys. <i>Toxicol. Appl. Pharmacol.</i> 80(3): 421-6.
Prim	Rice, D. C., Gilbert, S. G., and Willes, R. F. 1979. Neo Natal Low Level Lead Exposure in Monkeys Loco Motor Activity Schedule Controlled Behavior and the Effects of Amphetamine. <i>Toxicol Appl Pharmacol.</i> 51(3): 503-514.
Prim	Rice, D. C. and Karpinski, K. F. 1988. Lifetime Low-level Lead Exposure Produces Deficits in Delayed Alternation in Adult Monkeys. <i>Neurotoxicology and Teratology.</i> 10(3): 207-214.
Prim	Rice, D. C. and Willes, R. F. 1979. Neonatal Low-level Lead Exposure in Monkeys (Macaca Fascicularis): Effect on Two-choice Non-spatial Form Discrimination. <i>J. Environ. Pathol. Toxicol.</i> 2(4): 1195-203.
Alt	Richer, C. A. 1984. <i>classical Conditioning, Fuller Brain Weight Mice, and Low-level Neonatal Lead Exposure (Development, Learning)</i>
Surv	Rickard, W. H. and Fitzner, R. E. 1985. Mineral Content of Canada Goose Branta-canadensis-moffiti Eggs and Implications for Environmental Surveillance along the Columbia River, Washington, Usa. <i>Northwest Sci.</i> 59(1): 28-32.

No Oral	Ridgway, L. P. and Karnofsky, D. A. 1952. The Effects of Metals on the Chick Embryo: Toxicity and Production of Abnormalities in Development. <i>Ann N Y Acad Sci.</i> 55: 203-215.
Unrel	Rieber Mary Strasberg and Rieber Manuel(a). 1994. Uv Radiation Induces Dna Fragmentation and Cell Death in B16 Melanoma Sensitized by Bromodeoxyuridine: Impaired C-jun Induction and Defective Tyrosine Phosphorylation Signalling. <i>Biochemical and Biophysical Research Communications</i> 203(3): 1629-1637.
Surv	Riera De Martinez Villa, N., Torres De Mercau, G., Martinez Riera, N., Soria, D. E. Santos N, and Vitalone, H. 1993. [Lead: Histopathological Findings in Experimental Contamination]: <Original> Plomo: Hallazgos Histopatologicos En Contaminacion Experimental. <i>Acta Gastroenterol Latinoam.</i> 23(3): 159-63.
Surv	Roberts, R. D., Johnson, M. S., and Hutton, M. 1978. Lead Contamination of Small Mammals from Abandoned Metalliferous Mines. <i>Environ. Poll.</i> 15(1): 61-69.
Rev	Robinson, J. 1973. Industrial and Agricultural Pollution and the Environment. <i>Roy. Soc. Health J.</i> 93(2): 62-68,106
Surv	Rocke, T. E. 1995. Quarterly Wildlife Mortality Report. <i>J. Wild. Dis.</i> 31(3 Suppl.): None.
Lead Shot	Rocke T E, Brand C J, and Mensik J G. 1997. Site-specific Lead Exposure from Lead Pellet Ingestion in Sentinel Mallards. <i>Journal of Wildlife Management.</i> 61(1): 228-234.
Lead Shot	Rocke, T. E. and Samuel, M. D. 1991. Effects of Lead Shot Ingestion on Selected Cells of the Mallard Immune System. <i>J Wildl Dis.</i> 27(1): 1-9.
Fate	Rodolfo-sioson, S. A. and Ahrens, F. A. 1980. The Effects of Lead on Collagen Biosynthesis in Neonatal Rats. <i>Res. Commun. Chem. Pathol. Pharmacol.</i> 29(2): 17-28.
Pb Behav	Rodrigues, A. L., Rocha, J. B., Mello, C. F., and Souza, D. O. 1996. Effect of Perinatal Lead Exposure on Rat Behaviour in Open-field and Two-way Avoidance Tasks. <i>Pharmacol Toxicol</i> 79(3): 150-6.
No Dose	Rodrigues, A. L., Rubin, M. A., Souza, D. O., and De Mello, C. F. 1993. Lead Exposure and Latent Learning Ability of Adult Female Rats. <i>Behav Neural Biol.</i> 60(3): 274-9.
Lead Shot	Rogers J P. Status of Proposal for Use of Iron Shot in Waterfowl Hunting. <i>International Waterfowl Symposium</i> 1 1975. 117: 176-179.
Rev	Rom, Wn. 1976. Effects of Lead on the Female and Reproduction: a Review. <i>Mt. Sinai J. Med.</i> 43: 544-552.
Dup	Ronis, M. J., Gandy, J., and Badger, T. 1998. Endocrine Mechanisms Underlying Reproductive Toxicity in the Developing Rat Chronically Exposed to Dietary Lead. <i>J. Toxicol. Environ. Health.</i> 54(2): 77-99.
Dup	Ronis, Martin J. J., Badger, T. M., Shema, S. J., Roberson, P. K., and Shaikh, F. 1998. Effects of Pubertal Growth and Reproduction in Rats Exposed to Lead Perinatally or Continuously Throughout Development. <i>J. Toxicol. Environ. Health.</i> 53(4): 327.
Meth	Ronkko, S. 1992. Purification and Characterization of Phospholipase A-2 from Bovine Prostate. <i>International Journal of Andrology</i> 15(5): 394-406.

Aquatic	Roper, J. M., Cherry, D. S., Simmers, J. W., and Tatem, H. E. 1997. Bioaccumulation of Toxicants in the Zebra Mussel, <i>Dreissena polymorpha</i> , at the Times Beach Confined Disposal Facility, Buffalo, New York. <i>Environ. Pollut.</i> 94(2): 117-129 .
Aquatic	Roper, J. M(a), Cherry, D. S., Simmers, J. W., and Tatem, H. E. 1996. Bioaccumulation of Toxicants in the Zebra Mussel, <i>Dreissena polymorpha</i> , at the Times Beach Confined Disposal Facility, Buffalo, New York. <i>Environmental Pollution</i> 94(2): 117-129.
Gene	Ros Maria A, Sefton Mark, and Nieto, M. Angela(a). 1997. Slug, a Zinc Finger Gene Previously Implicated in the Early Patterning of the Mesoderm and the Neural Crest, Is Also Involved in Chick Limb Development. <i>Development (Cambridge)</i> 124(9): 1821-1829.
Diss	Roscoe, D. E. 1978. Pathology of Plumbism in Waterfowl and Development of a Simplediagnostic Blood Test. <i>Dissertation Abstracts International.</i> 39b(2): 458.
Lead Shot	Roscoe, D. E., Widjeskog, L., and Stansley, W. 1989. Lead Poisoning of Northern Pintail Ducks Feeding in a Tidal Meadow Contaminated with Shot from a Trap and Skeet Range. <i>Bull Environ Contam Toxicol.</i> 42(2): 226-233.
No Oral	Rosen, J. B., Berman, R. F., Beuthin, F. C., and Louis-ferdinand, R. T. 1985. Age of Testing as a Factor in the Behavioral Effects of Early Lead Exposure in Rats. <i>Pharmacol Biochem Behav.</i> 23(1): 49-54.
No Dose	Rosenblum, W. I. and Johnson, M. G. 1968. Neuropathologic Changes Produced in Suckling Mice by Adding Lead to the Maternal Diet. <i>Arch. Pathol.</i> 85(6): 640-648.
Unrel	Rossouw, J., Offermeier, J., and Van Rooyen, J. M. 1987. Apparent Central Neurotransmitter Receptor Changes Induced by Low-level Lead Exposure During Different Developmental Phases in the Rat. <i>Toxicol Appl Pharmacol.</i> 91(1): 132-9.
FL	Rothuizen, J. and Van Den Ingh, T. S. 1998. [Hepatitis in Dogs; a Review]. <Original> Hepatitis Bij De Hond; Een Overzicht. <i>Tijdschrift Voor Diergeneeskunde</i> 123(8): 246-52.
HHE	Roush, W. 1995. Protein Studies Try to Puzzle out Alzheimer's Tangles [News] [See Comments]. <i>Science.</i> 267(5199): 793-4.
Unrel	Roux, D. J., Badenhorst, J. E., du Preez, H. H., and Steyn, G. J. 1994. Note on the Occurrence of Selected Trace Metals and Organic Compounds in Water, Sediment and Biota of the Crocodile River, Eastern Transvaal, South Africa. <i>Water S A.</i> 20(4): 333-340.
CP	Rowles, T. K., Blaker, W. D., and Tiffany-castiglioni, E. 1989. Neurochemical Effects of Prenatal Lead Exposure in Guinea Pigs . <i>Abstr Soc Neurosci</i> 15(2): 1022.
Aquatic	Rowney A.C., Droste R.I., and Macrae C.r. 1986. Sediment and Ecosystem Characteristics of a Detention Lake Receiving Urban Runoff. <i>Water Pollut. Res. J. Can</i> Vol. 21, No. 4: Pp. 460-473.
Unrel	Ruan, D. Y., Chen, J. T., Zhao, C., Xu, Y. Z., Wang, M., and Zhao, W. F. 1998. Impairment of Long-term Potentiation and Paired-pulse Facilitation in Rat Hippocampal Dentate Gyrus Following Developmental Lead Exposure in Vivo. <i>Brain Res.</i> 806(2): 196-201.
FL	Ruan, D. Y., Tang, L. X., Zhao, C., and Guo, Y. J. 1994. Effects of Lead on Temporal Response Properties of Retinal Ganglion Cells in Developing Rats. <i>Sci China B.</i> 37(5): 538-46.

No Dose	Ruan, D. Y., Tang, L. X., Zhao, C., and Guo, Y. J. 1994. Effects of Low-level Lead on Retinal Ganglion Sustained and Transient Cells in Developing Rats. <i>Neurotoxicol Teratol.</i> 16(1): 47-53.
FL	Ruan, S., Gu, Z., and Ma, G. 1998. [Effects of Lead on Neurone Cells and Distribution of Calcium in Rat Brain]. <i>Chung Hua Yu Fang I Hsueh Tsa Chih.</i> 32(3): 150-2.
Unrel	Ruff, M. D., <Editors> Mcdougald, L. R., Joyner, L. P., and Long, P. L. 1986. Reasons for Inadequate Nutrient Utilization During Avian Coccidiosis: Areview. 169-185.
No Dose	Ruhr, Lp. 1984. Blood Lead, Delta-aminolevulinic Dehydratase, and Free Erythrocyte Porphyrins in Normal Cattle. <i>Vet. Hum. Toxicol.</i> 26: 105-7.
Alt	Ryden, Eva Birgitta. 1986. <i>the Effect of Lead on Cholinergic Contractile Function in the Forestomach, Ileum and Colon of the Male Wistar Rat (Colic)</i>
FL	Ryu, J. M. and Kim, M. K. 1996. Effect of Dietary Cysteine Level on Cadmium and Lead Toxicity in Rats. <i>The Korean Journal of Nutrition</i> 29(6): 597-607.
In Vit	Sabbioni, E., Pozzi, G., Devos, S., Pintar, A., Casella, L., and Fischbach, M. 1993. The Intensity of Vanadium(v)-induced Cytotoxicity and Morphological Transformation in Balb/3t3 Cells Is Dependent on Glutathione-mediated Bio reduction to Vanadium(iv). <i>Carcinogenesis</i> 14(12): 2565-8.
Phys	Safronova, L. D(a). 1999. Electron Microscopic Analysis of Synaptonemal Complexes in Male Hybrids. <i>Ontogenez</i> 30(4): 255-266.
Surv	Sahoo, G., Sahoo, R. K., and Mohanty-hejmadi, P. 1996. Distribution of Heavy Metals in the Eggs and Hatchlings of Olive Ridley Sea Turtle , <i>Lepidochelys Olivacea</i> , from Gahirmatha, Orissa. <i>Indian Journal of Marine Sciences.</i> 25(4): 371-372.
FL	Sakar, D. 1984. <i>[Microsomal Chicken Embryo Liver Monooxidase as Metabolic Compound for the Investigation of Xenobiotic Toxity]: <Original> Mikrosomalne Monooksidaze Jetre Pilecih Embrija Kao Metabolicki Sustav Za Ispitivanje Toksichnosti Ksenobiotika</i>
FL	Salahi, A. 1982. <i>fast Transport Facility for Activation Analysis with High-energy Neutrons. <Note> Thesis (Dr. Techn.). Inis-mf-8945</i>
Unrel	Salapina, O. A., Zhukotskii, A. V., Gribkov, E. N., Gutorov, E. I., Smolyaninov, V. V., and Mironov, A. A. The Changes of the Organization of Tissue Mosaic of Rat Arterial Endothelium During Postnatal Ontogenesis. <i>Ontogenez. Ontogenez.</i> 23 (1). 1992. 58-66.
Surv	Salisbury, C. D. C., Chan, W., and Saschenbrecker, P. W. 1991. Multi-element Concentrations in Liver and Kidney Tissues from Five Species of Canadian Slaughter Animals. <i>J Assoc off Anal Chem.</i> 74(4): 587-591.
HHE	Saltman, P. 1983. Trace Elements and Blood Pressure. <i>Ann Intern Med.</i> 98(5 Pt 2): 823-7.
Surv	Samuel, M. D., Bowers, E. F., and Franson, J. C. 1992. Lead Exposure and Recovery Rates of Black Ducks Banded in Tennessee. <i>J. Wildl. Dis.</i> 28(4): 555-561.
Lead Shot	Sanderson G C. Lead Poisoning Mortality. <i>Iwrp Special Publication No.16.</i> 1992: 14-18.

Lead Shot	Sanderson, G. C., Anderson, W. L., Foley, G. L., Duncan, K. L., Skowron, L. M., Brawn, J. D., and Seets, J. W. Toxicity of Ingested Bismuth Alloy Shot in Game-farm Mallards: Chronic Health Effects and Effects on Reproduction. <i>Illinois Natural History Survey Bulletin</i> ; 35 (3-4). 1997. 215-252.
Lead Shot	Sanderson, G. C., Anderson, W. L., Foley, G. L., Skowron, L. M., Brawn, J. D., and Seets, J. W. Acute Toxicity of Ingested Bismuth Alloy Shot in Game-farm Mallards. <i>Illinois Natural History Survey Bulletin</i> ; 35 (3-4). 1997. 183-215.
Lead Shot	Sanderson, G. C., Norton, H. W., and Hurley, S. S. 1981. Effects of Ingested Lead-iron Shot on Mallards. <i>Ill. Nat. Hist. Surv. Bull.</i> 116: 1-13.
No Oral	Sanderson, Glen C., Anderson, William L., Foley, George L., Havera, Stephen P., Skowron, Loretta M., Brawn, Jeffrey W., Taylor, Gale D., and Seets, James W. Effects of Lead, Iron, and Bismuth Alloy Shot Embedded in the Breast Muscles of Game-farm Mallards. <i>J. Wildl. Dis.</i> (1998) 34(4): 688-697.
Drug	Sanner, C., Elliott, J. L., and Snider, W. D. 1994. Upregulation of Nmdari Mrna Induced by Mk-801 Is Associated with Massive Death of Axotomized Motor Neurones in Adult Rats. <i>Neurobiology of Disease</i> 1(3): 121-9.
Unrel	Santella, M. L. and Mcdonald, R. 1996. <i>Development of Ni(sub 3)al Alloys for Use as Transfer Rolls in Hot Processing of Steels. Crada Final Report. <Note> Progress Rept. Ornl/m-5113</i>
No Control	Santos Anderson, R. M., Tso, M. O. , Valdes, J. J., and Annau, Z. 1984. Chronic Lead Administration in Neonatal Rats: Electron Microscopy of the Retina. <i>J. Neuropathol. Exp. Neurol.</i> 43(2): 175-187.
No Oral	Satija, N. K. and Seth, T. D. 1978. Dopamine and Noradrenaline Levels in the Brains of Lead and Zincpoisoned Rats. <i>Toxicology.</i> 10(1): 13-16.
Fate	Sato, S. M., Frazier, J. M., and Goldberg, A. M. 1984. Perturbation of a Hippocampal Zinc-binding Pool after Postnatal Lead Exposure in Rats. <i>Exp Neurol.</i> 85(3): 620-30.
In Vit	Sauer, Glenn R., Adkisson, H. D., Genge, B. R., and Wuthier, R. E. Regulatory Effect of Endogenous Zinc and Inhibitory Action of Toxic Metal Ions in Calcium Accumulation by Matrix Vesicles in Vitro. <i>Bone Miner.</i> (1989) 7(3): 233-44.
No Dose	Sauerhoff, M. W. and Michaelson, I. A. 1973. Hyperactivity and Brain Catecholamines in Lead-exposed Developing Rats. <i>Science.</i> 182(116): 1022-1024.
Chem Meth	Savage, I. and Haswell, S. J(a) . 1998. The Development of Analytical Methodology for Simultaneous Trace Elemental Analysis of Blood Plasma Samples Using Total Reflection X-ray FLuorescence Spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> 13(10): 1119-1122.
No Dose	Sawicka-kapusta, K. 1979. Roe Deer Capreolus-capreolus Antlers as Bio Indicators of Environmental Pollution in Southern Poland. <i>Environ Pollut.</i> 19(4): 283-294.
No Dur	Sawicka-Kapusta, K. and Zakrzewska, M. 1994. Effect of Cadmium and Lead on Postnatal Development and Mortality of Rodents. <i>Polish Ecological Studies.</i> 20(1-2): 43-50.
Mix	Saxena, D. K., Lal, B., and Chandra, S. V. 1987. Effect of Lead on Fetal Development in Rats Fed with 8% Casein Diet. <i>Bull. Environ. Contam. Toxicol.</i> 39(4): 641-646.

Nut Def	Saxena, D. K., Murthy, R. C., Lal, B., and Chandra, S. V. 1989. Lead Induced Testicular Changes in Protein Malnourished Rats. <i>Folia Histochem. Cytobiol.</i> 27(1): 57-61.
Surv	Scanlon, P. F., Kendall, R. J., Lochmiller, R. L. II, and Kirkpatrick, R. L. 1983. Lead Concentrations in Pine Voles (<i>Microtus pinetorum</i>) from 2 Virginia (USA) Orchards. <i>Environ Pollut.ser.b Chem.phys.</i> 6(2): 157-160.
FL	Schaeffer, N., Mertel, A., and Rost, R. 1991. Breeding Density, Breeding Success and Egg and Nestling Losses in the Tengmalm's Owl <i>Aegolius funereus</i> in Northeast Bavaria. <i>Vogelwelt.</i> 112(6): P216-225.
Rev	Scheuhammer, A. M. 1989.: 3-15.
Rev	Scheuhammer, A. M. 1987. The Chronic Toxicity of Aluminum Cadmium Mercury and Lead in Birds a Review. <i>Environ Pollut.</i> 46(4): P263-296.
Mix	Scheuhammer, A. M. 1996. Influence of Reduced Dietary Calcium on the Accumulation and Effects of Lead, Cadmium, and Aluminum in Birds. <i>Environmental Pollution.</i> 94(3): 337-343.
Unrel	Scheuhammer, A. M. and Dickson, K. M. 1996. Patterns of Environmental Lead Exposure in Waterfowl in Eastern Canada. <i>Ambio.</i> 25(1): 14-20.
Lead Shot	Scheuhammer, A. M. and Norris, S. L. 1996. The Ecotoxicology of Lead Shot and Lead Fishing Weights. <i>Ecotoxicology</i> 5(5): 279-295.
Surv	Scheuhammer, A. M., Rogers, C. A., and Bond, D. 1999. Elevated Lead Exposure in American Woodcock (<i>Scolopax minor</i>) in Eastern Canada. <i>Arch Environ. Contam. Toxicol.</i> 36(3): 334-340.
Surv	Schlesinger W and Potter G. 1974. Lead, Copper, and Cadmium Concentrations in Small Mammals in the Hubbard Brook Experimental Forest. <i>Oikos.</i> 25: 148-152.
No Oral	Schlick E, Mengel K, and Friedberg, K. 1983. The Effect of Low Lead Doses in Vitro and in Vivo on the D-Ala D Acitivity of Erythrocytes, Bone Marrow Cell, Liver and Brain of the Mouse. <i>Arch. Toxicol.</i> 53: 193-205.
CP	Schlipkoeter, H. W. and Winneke, G. 1980. <i>behavioral Studies on the Effects of Ingested Lead on the Developing Central Nervous System of Rats</i>
FL	Schmidt, Heinz, Klein, Jochen, and Kotter, Ludwig. 1986. Analysis of Hares and Free Living Rabbits to Compile a Geographical Register for the Effects of Toxic Metals. <i>Fleischwirtschaft.</i> 66(10): 1526-9.
Org Met	Schmidt, J. C. and Czech, D. A. 1977. Effect of Tetraethyl Lead and Restricted Food Intake on Locomotor Activity in the Rat. <i>Pharmacol., Biochem. Behav.</i> 7(6): 489-92.
Surv	Schmitt, N, Brown, G, Devlin, El, Larsen, Aa, Mccausland, Ed, and Saville, Jm. 1971. Lead Poisoning in Horses: an Environmental Health Hazard. <i>Arch. Environ. Health.</i> 23: 185-195.
Gene	Schmitt, T. J., Zawia, N., and Harry, G. J. 1996. Gap-43 Mrna Expression in the Developing Rat Brain: Alterations Following Lead-acetate Exposure. <i>Neurotoxicology.</i> 17(2): 407-14.
Surv	Schmitz R A, Aguirre a A, Cook R S, and Baldassarre G A. 1990. Lead Poisoning of Caribbean Flamingos in Yucatan, Mexico. <i>Wildlife Society Bulletin.</i> 18(4): 399-404.

Unrel	Schoemaker, N. J., Lumeij, J. T., Dorrestein, G. M., and Beynen, A. C. 1999. Diet-related Problems in Pet Birds. <i>Tijdschrift Voor Diergeneeskunde</i> 124(2): 39-43.
FL	Schoemaker, N. J., Lumeij, J. T., Dorrestein, G. M., and Beynen, A. C. 1999. [Nutrition-related Problems in Pet Birds]. <Original> Voedingsgerelateerde Problemen Bij Gezelschapsvogels. <i>Tijdschrift Voor Diergeneeskunde</i> 124(2): 39-43.
Bio Acc	Schoof, R. A., Butcher, M. K., Sellstone, C., Ball, R. W., Fricke, J. R., Keller, V., and Keehn, B. 1995. An Assessment of Lead Absorption from Soil Affected by Smelter Emissions. <i>Environmental Geochemistry and Health</i> . 17(4): 189-199.
FL	Schraishuhn, J. 1989. [Light and Electron Microscopic Examinations of Calf Kidneys after Loading with Subtoxic Amounts of Lead and Cadmium]: <Original> Licht- Und Elektronenmikroskopische Untersuchungen von Kaelbernieren Nach Belastung Mit Subtoxischen Blei- Und Cadmiummengen
No COC	Schroeder, H. A., Nason, A. P., and Balassa, J. J. 1967. Trace Metals in Rat Tissues as Influenced by Calcium in Water. <i>Journal of Nutrition</i> 93(3): 331-6.
Org Met	Schroeder, T., Avery, D. D., and Cross, H. A. 1972. Tetraethyl Lead Dose Response Curve for Mortality in Laboratory Rats. <i>Experientia</i> . 28(8): 923-4.
Dup	Schroeder, HA, Balassa, JJ, and Vinton, WH Jr. 1965. Chromium, cadmium and lead in rats: Effects on life span, tumors and tissue levels. <i>J. Nutr.</i> 86: 51.
Rev	Schubert, J. 1973. Heavy Metals--toxicity and Environmental Pollution. <i>Adv Exp Med Biol.</i> 40: 239-97.
CP	Schumacher, C. P. and Windebank, A. J. 1994. Growth Factor Role in Prevention of Metal-induced Neurotoxicity. <i>46th Annual Meeting of the American Academy of Neurology</i>
Diss	Schumann, A. M. 1977. <i>the Effects of Inorganic Lead on the Central Catecholaminergic System of the Rodent with Emphasis on Postnatally Exposed Rats and Mice</i> : 163.
Lead Shot	Schwab, D. Sr. and Padgett, T. M. 1988. Lead Poisoning in a Free Ranging Pekin Duck (<i>Anas platyrhynchos</i>) from Chesapeake, Virginia. <i>Va. J. Sci.</i> 39(4): 412-413.
HHE	Schwartz, J. and Otto, D. 1991. Lead and Minor Hearing Impairment. <i>Arch. environ Health</i> . 46(5): 300-305.
Chem Meth	Schweisthal, M. R., Frost, C. C., and Brinn, J. E. 1975. Stains for A, B, and D Cells in Fetal Rat Islets. <i>Stain Technology</i> 50(3): 161-70.
Bio Acc	Sears, J. 1988. Assessment of Body Condition in Live Birds Measurements of Protein and Fat Reserves in the Mute Swan <i>Cygnus-olor</i> . <i>J Zool (Lond)</i> . 216(2): 295-308.
Ecol	Sears, J. 1986. Mute Swans in the Thames Valley. <i>Runnymede Ringing Group Report</i> . 36-37.
Lead Shot	Sears, J. 1989. A Review of Lead Poisoning among the River Thames England Uk Mute Swan <i>Cygnus-olor</i> Population. <i>Wildfowl</i> . 0(40): 151-152.
Dead	Sears, J. and Hunt, A. 1991. Lead Poisoning in Mute Swans, <i>Cygnus Olor</i> , in England. <i>Wildfowl Supplement</i> .: 383-388.

Org Met	Seawright, A. A., Brown, A. W., Aldridge, W. N., Verschoyle, R. D., and Street, B. W. 1980. Neuropathological Changes Caused by Trialkyllead Compounds in the Rat. <i>Dev Toxicol Environ Sci.</i> 8: 71-4.
Unrel	Sefton, M., Sanchez, S., and Nieto, M. A. 1998. Conserved and Divergent Roles for Members of the Snail Family of Transcription Factors in the Chick and Mouse Embryo. <i>Development</i> 125(16): 3111-21.
Org Met	Seidman, B. C. and Verity, M. A. 1987. Selective Inhibition of Synaptosomal Gamma Aminobutyric Acid Uptake by Triethyllead Role of Energy Transduction and Chloride Ion. <i>J Neurochem.</i> 48(4): 1142-49.
In Vit	Seigel, Gj, Fogt, Sk, and Hurley, Mj. 1977. Lead Actions on Sodium plus Potassium Adenine Triphosphatase from Electrophax, Rat Brain, and Rat Kidney. 465-493.
No Oral	Seki, H., Kano, T., Akiyama, K., Maeda, H., and Yagyu, H. 1971. Behavior of Various Indices of Lead Poisoning in Rabbits. <i>Rinsho Byori.</i> 19(suppl): 186.
FL	Seki, H., Maeda, H., Ohi, G., and Yagyu, H. 1974. Effect of Lead Acetate on Learning and Memory in Rats. <i>Tokyo Toritsu Eisei Kenkyusho Kenkyu Nempo.</i> 25: 381-4.
Rev	Selby, L. A., Case, A. A., Dorn, C. R., and Wagstaff, D. J. 1974. Public Health Hazards Associated with Arsenic Poisoning in Cattle. <i>Journal of the American Veterinary Medical Association</i> 165(no.11): 1010-1014.
No Dose	Selvin-testa, A. 1991. Chronic Lead Exposure Induces Alterations on Local Circuit Neurons. <i>Microsc. Electron. Biol. Cellular.</i> 15(1): 25-39.
FL	Selvin-testa, A., Palacios-pru, E., Colina, R., and Diaz, M. 1984. [Chronic Poisoning by Low Doses of Lead: its Effects on the Cerebral Cortex of Rats]: <Original> Intoxicacion Cronica Por Plomo a Dosis Bajas: Sus Efectos En La Corteza Cerebral De Rata. <i>Acta Cient Venez.</i> 35(2): 131-5.
Phys	Shackelford, M. E. 1984. <i>effects of Dietary Lead Treatment on Vitamin D Metabolism in Nonpregnant Rats, Lactating Rats, and Suckling Pups</i> : 245.
Pb Behav	Shafiq-ur-rehman. 1991. Effects of Lead on the Behavioral Complex Stereotypes and Regional Brain Dopamine Levels in Rats. <i>Arch Environ Contam Toxicol.</i> 20(4): 527-30.
Pb Behav	Shafiq-ur-rehman(a). 1999. Circadian Rhythm of Stereotyped Complex Behaviours in Rats in Environmental Lead Exposure. <i>Progress in Neuro-psychopharmacology & Biological Psychiatry</i> 23(1): 149-159.
Surv	Shahin, Usama, Yi, Seung-muk, Paode, Rajendra D., and Holsen, Thomas M. Long-term Elemental Dry Deposition Fluxes Measured Around Lake Michigan with an Automated Dry Deposition Sampler. <i>Environ. Sci. Technol.</i> (2000) 34(10): 1887-1892 .
HHE	Shaltout, A. A., Guthrie, R., Moussa, M., Kandil, H., Hassan, M. F., Dosari, L., Hunt, M. C. J., and Fernando, N. P. 1989. Erythrocyte Protoporphyrin Screening for Lead-poisoning in Bedouin Children - a Study from Kuwait. <i>Journal of Tropical Pediatrics</i> 35(2): 87-91.
Rev	Shapiro, M. M., Tritschler, J. M., and Ulm, R. A. 1973. Lead Contamination. Chronic and Acute Behavioral Effects in the Albino Rat. <i>Bull. Psychon. Soc.</i> 2(2): 94-6.

Bio Acc	Sharma, Rp, Street, Jc, Shupe, JI, and Boureier, Dr. 1982. Accumulation and Depletion of Cadmium and Lead in Tissues and Milk Lactating Cows Fed Small Amounts of the Metals. <i>J. Dairy Sci.</i> 65: 972-9.
Rev	Shellenberger, M. K. 1984. Effects of Early Lead Exposure on Neurotransmitter Systems in the Brain. A Review with Commentary. <i>Neurotoxicology.</i> 5(3): 177-212.
Fate	Sheppard, S. C., Evenden, W. G., and Schwartz, W. J. 1995. Ingested Soil: Bioavailability of Sorbed Lead, Cadmium, Cesium, Iodine, and Mercury. <i>Journal of Environmental Quality.</i> 24(3): 498-505.
FL	Shi, S., Chen, Z., and Liang, Y. 1995. [Effects of Lead on Neurobehavior and Neurochemistry in Rats]. <i>Chung Hua Yu Fang I Hsueh Tsa Chih.</i> 29(2): 80-2.
FL	Shigeta, S., Aikawa, H., Misawa, T., Yoshida, T., Momotani, H., and Suzuki, K. 1986. Strain Difference in Learning Impairment in Rats Following Lead Administration During Brain Development. <i>Tokai J Exp Clin Med.</i> 11(4): 241-7.
FL	Shigeta, S., Misawa, T., Aikawa, H., Hirase, F., and Nagata, M. 1979. [Effects of Lead on Sidman Avoidance Behavior by Lever Pressing in Rats (Author's Transl)]. <i>Nippon Eiseigaku Zasshi.</i> 34(5): 677-82.
FL	Shigeta, S., Misawa, T., Aikawa, H., and Yokoyama, M. 1980. [Effects of Learning Schedules on Operant Behavior in Lead Administered Rats (Author's Transl)]. <i>Nippon Eiseigaku Zasshi.</i> 35(5): 752-60.
FL	Shigeta, S., Miyake, K., and Misawa, T. 1989. Critical Period of Brain Development in Learning Caused by Lead Exposure in Rats. <i>Tokai J Exp Clin Med.</i> 14(2): 147-52.
FL	Shih Borling and Hsu Ali. 1998. Effects of Dietary Lead Levels on Performance, Lead Retention And excretion in Country Chickens. <i>Journal of Taiwan Livestock Research.</i> 31(3): 279-287.
Gene	Shimanuki, Mizuki, Goebel, Mark, Yanagida, Mitsuhiro, and Toda, Takashi. Fission Yeast Sts1+ Gene Encodes a Protein Similar to the Chicken Lamin B Receptor and Is Implicated in Pleiotropic Drug-sensitivity, Divalent Cation-sensitivity, and Osmoregulation. <i>Mol. Biol. Cell</i> (1992) 3(3): 263-73.
FL	Shimojo, N., Asano, N., and Yamaguchi, S. 1983. [Lead Absorption after Low Level Lead Exposure and Behavioral Effects of Such Exposure in Neonatal Rats]. <i>Nippon Eiseigaku Zasshi.</i> 38(4): 797-805.
Unrel	Shimoshima, Chizuko, Nishioka, Chihiro, Takiyama, Kazuyoshi, Yuge, Osamu, and Katayama, Yoshiho. Influences of Protein Malnutrition on Amino Acid Composition, Trace Metal Elements and Tensile Strength of Rat Hairs. <i>J. Nutr. Sci. Vitaminol.</i> (1988) 34(1): 67-78.
Rev	Shore, R. F. and Douben, P. E. 1994. Predicting Ecotoxicological Impacts of Environmental Contaminants on Terrestrial Small Mammals. <i>Rev. Environ. Contam. Toxicol.</i> 134: 49-89.
FL	Shtabskii, B. M. and Shatinskaia, I. G. 1985. [Evaluation of the Cumulative Properties of Harmful Substances by the Subchronic Toxicity Test]: <Original> Ob Otsenke Kumuliativnykh Svoistv Vrednykh Veshchestv Po Testu Subkhronicheskoi Toksichnosti. <i>Gig Sanit.</i> (3): 57-60.
Meth	Shtabskiy, B. M. and Shatinskaya, I. G. 1985. Subchronic Toxicity Test for Evaluation of Cumulative Characteristics of Noxious Substances. <i>Gig. Sanit.</i> 3: 57-60.

FL	Shtannikov, E. V., Stepanova, N. Y., Il'in, I. E., and Eliseev, Y. Y. 1980. Long-term Effects of the Influence of Transformation Products of Pesticides and Surfactants. <i>Gig Sanit.</i> (6): 14-16.
Rev	Shukla, G. S. and Singhal, R. L. 1984. The Present Status of Biological Effects of Toxic Metals in the Environment: Lead, Cadmium, and Manganese. <i>Can J Physiol Pharmacol.</i> 62(8): 1015-31.
Diss	Shulman, L. M. 1998. <i>the Effects of Dopamine on Rod Photoreceptor Na(+),K(+)-atpase Activity and the Effects of Lead on the Retinal Dopaminergic System (Sodium,potassium-atpase)</i>
No Control	Shupe, JI, Binns, W, James, Lf, and Keeler, Rf. 1967 <i>j. Am. Vet. Med. Assoc.</i> 151: 198.
Rev	Silbergeld, E. K. 1983. Indirectly Acting Neurotoxins. <i>Acta Psychiatr Scand Suppl.</i> 303: 16-25.
HHE	Silbergeld, E. K. 1975. Low Level Lead Toxicity. <i>Recent Advances in the Assessment of the Health Effects of Environmental Pollution. Vol. II. Luxembourg:commission of the European Communities, Directorate general Scientific and Technical Information And information Management</i> : 793-803.
HHE	Silbergeld, E. K. 1976. Neurochemical and Pharmacological Studies of Central Nervous System Lead Toxicology. <i>Health Effects of Occupational Lead and Arsenic Exposure: a Symposium; Carnow, B.w., Ed.</i>
Pb Behav	Silbergeld, E. K. and Goldberg, A. M. 1973. A Lead-induced Behavioral Disorder. <i>Life Sci.</i> 13(9): 1275-1283.
No Oral	Silbergeld, E. K., Hruska, R. E., Bradley, D., Lamon, J. M., and Frykholm, B. C. 1982. Neurotoxic Aspects of Porphyrinopathies: Lead and Succinylacetone. <i>Environ Res.</i> 29(2): 459-471.
Fate	Silbergeld, E. K. and Lamon, J. M. 1982. Effects of Altered Porphyrin Synthesis on Brain Neurochemistry. <i>Neurobehav Toxicol Teratol.</i> 4(6): 635-42.
Not Prim	Silbergeld, Ek and Chisholm Jr, Jj. 1976. Lead Poisoning: Altered Urinary Catecholamine Metabolites as Indicators of Intoxication in Mice and Children. <i>Science.</i> 192: 153-55.
Rev	Silbergeld, Ek Goldberg Am. 1975. Pharmacological and Neurochemical Investigations of Lead-induced Hyperactivity. <i>Neuropharmacology.</i> 14: 431-444.
Lead Shot	Sileo, L., Jones, R. N., and Hatch, R. C. 1973. The Effect of Ingested Lead Shot on the Electrocardiogram of Canada Geese. <i>Avian Diseases.</i> 17(no.2): 308-313.
No COC	Silva, A. J., Fleshman, D. G., and Shore, B. 1973. The Effects of Penicillamine on the Body Burdens of Several Heavy Metals. <i>Health Physics</i> 24(5): 535-9.
FL	Simek, M., Dvorak, R., Zendulka, I., Musil, V., and Krasa, A. 1990. Effect of Supplementary Dolomite on Rumen Fermentation and Metabolic indicators in Cattle During Fattening. <i>Sbornik Vedeckych Praci Vyzkumneho Ustavu Vyzivy Zvirat Pohorelice</i> (23): 27-31.
Mix	Simmons, Jane Ellen, Yang, Raymond S. H., Svendsgaard, David J., Thompson, Morrow B., Seely, John C., and McDonald, Anthony. 1994. Toxicology Studies of a Chemical Mixture of 25 Groundwater Contaminants: Hepatic and Renal Assessment, Response to Carbon Tetrachloride

Challenge, and Influence of Treatment-induced Water Restriction. *J. Toxicol. Environ. Health* 43(3): 305-25.

- Anat** Simon, H. 1981. [Dopaminergic A10 Neurons and Frontal System (Author's Transl)]. <Original> Neurones Dopaminergiques A10 et Systeme Frontal. *Journal De Physiologie* 77(1): 81-95.
- CP** Simon, N., Siklosi, C., and Koszo, F. 1978. Influence of Environmental Factors on Porphyrin Metabolism. *Diagn. Ther. Porphyrins Lead Intox. Int. Symp. Clin. Biochem.* Meeting Date 1977, 145-50. Editor(s): Doss, Manfred. Publisher: Springer, Berlin, Fed. Rep. Ger.
- FL** Simonik, I. 1991. Chemical Contamination of Cervical Mucus in Cows in Relation to Conception and Age: <Original> Kontaminace Cervikalniho Hlenu Krav Chemickymi Prvky Ve Vztahu Ke Konceptci a Veku. *Veterinarni Medicina - Uvtiz.* 36(4): 193-202.
- FL** Simonik, I. A, Pavelka, J., and Kudlac, E. 1991. Chemical Contamination of Cervical Mucus in Cows in Relation to Conception and Age. *Veterinarni Medicina - Uvtiz.* 36(4): 193-202.
- Imm** Sin, Y. M. and Woo, P. T. K. 1992. Inflammatory Response and Resistance in Lead-treated Mice. *Bull Environ Contam Toxicol.* 48(4): 502-507.
- Prim** Singh, A., Cullen, C., Dykeman, A., Rice, D., and Foster, W. 1993. Chronic Lead Exposure Induces Ultrastructural Alterations in the Monkey Testis. *J Submicrosc Cytol Pathol.* 25(4): 479-86.
- In Vit** Singh, A. K. 1994. Age-dependent Neurotoxicity in Rats Chronically Exposed to Low Level Lead Ingestion: Phospholipid Metabolism in Synaptosomes and Microvessels. *Toxicol Ind Health.* 10(1-2): 89-101.
- In Vit** Singh, A. K. 1993. Age-dependent Neurotoxicity in Rats Chronically Exposed to Low Levels of Lead: Calcium Homeostasis in Central Neurons. *Neurotoxicology.* 14(4): 417-27.
- Gene** Singh, A. K. 1993. Effects of Chronic Low-level Lead Exposure on Mrna Expression, Adp-ribosylation and Photoaffinity Labeling with [Alpha-32p]guanine Triphosphate-gamma-azidoanilide of Gtp-binding Proteins in Neurons Isolated from the Brain of Neonatal and Adult Rats. *Biochem Pharmacol.* 45(5): 1107-14.
- Phys** Singh, A. K. and Jiang, Y. 1997. Comparative Effects of Age and Chronic Low-level Lead Exposure on Calcium Mobilization from Intracellular Calcium Stores in Brain Samples Obtained from the Neonatal and the Adult Rats. *Comparative Biochemistry and Physiology C Pharmacology Toxicology & Endocrinology.* 117(1): 89-98.
- Surv** Singh, J., Parkash, P., and Gupta, G. S(a). 1999. State of Pregnancy Modifies Lead Toxicity in Mice. *Biological Trace Element Research.* 67(3): 205-213.
- No Dose** Singh, C., Saxena, D. K., Murthy, R. C., and Chandra, S. V. 1993. Embryo-fetal Development Influenced by Lead Exposure in Iron-deficient Rats. *Hum. Exp. Toxicol.* 12(1): 25-28. Ref ID: 2878
- Drug** Six, K. M. and Goyer, R. A. 1970. Experimental Enhancement of Lead Toxicity by Low Dietary Calcium. *J. Lab. Clin. Med.* 76(6): 933-942.
- Drug** Six, K. M. and Goyer, R. A. 1972. The Influence of Iron Deficiency on Tissue Content and Toxicity of Ingested Lead in the Rat. *J. Lab. Clin. Med.* 79(1): 128-136.

FL	Skal'nyi, A. V., Slavin, F. I., Myasoedov, S. P., Shvarts, I. A., and Drozdov, E. S. Hair Content of Lead, Antimony, Chromium, Cadmium, Titanium, Nickel and Strontium under Chronic Alcohol Intoxication. <i>Gig. Sanit. (1990) (5)</i> : 80-2.
FL	Skare, J. U. 1995. Environmental Toxicology Research at a Veterinary College-veterinary Institute. <i>Norsk Veterinaertidsskrift</i> . 107(4): 363-376.
Lead Shot	Smeller, J. M., Slickers, K., and Bush, M. 1978. Effect of Feeding on Plasma Uric Acid Levels in Snakes. <i>American Journal of Veterinary Research</i> . 39(9): 1556-1557.
Lead Shot	Smit, T., Bakhuizen, T., and Moraal, L. G. 1988. Metallic Lead as a Source of Lead Intoxication in the Netherlands. <i>Limosa</i> . 61(3-4): 175-178.
Fate	Smith, C. M., Deluca, H. F., Tanaka, Y., and Mahaffey, K. R. 1981. Effect of Lead Ingestion on Functions of Vitamin D and its Metabolites. <i>J Nutr</i> . 111(8): 1321-9.
No Oral	Smith, D. F. 1978. Learned Aversion and Rearing Movement in Rats Given Lithium Chloride, Lead(ii) Chloride or Sodium Chloride. <i>Experientia</i> 34(9): 1200-1.
Lead Shot	Smith, O. L., Goede, A., and Blackhall, S. A. 1995. Lead Contamination of Waterfowl in Tasmania by Ingestion of Shotgun Pellets from Duck Shooting. <i>Wildlife Research</i> . 22(5): 611-623.
Alt	Smith, S. D. and Winter, W. G. 1980. <i>studies of Rat Limb Peripheral Nerve Regeneration</i> . <Note> <i>Annual Rept. 1 Apr 79-1 Jan 80. Tr-1</i>
Unrel	Smith, W. 1986. Regional Reports. Midwest. <i>Eyas</i> . 9(2): 12-14.
Phys	Smokovitis, A., Kokolis, N., Alexaki, E., and Tsafaris, F. 1990. Transplacental Effect of Lead Compounds on Tissue Plasminogen Activator Activity, Plasminogen Activator Inhibition and Plasmin Inhibition. <i>Biology of the Neonate</i> 58(1): 41-49.
Unrel	Snowdon, C. T. 1977. A Nutritional Basis for Lead Pica. <i>Physiol Behav</i> . 18(5): 885-93.
Surv	Snyder, N. F. R., Snyder, H., Lincer, J. L., and Reynolds, R. T. 1973. Organochlorines, Heavy Metals, and the Biology of North American Accipiters. <i>Bioscience</i> . 23(5): 300-305.
Pb Behav	Sobotka, T. J., Brodie, R. E., and Cook, M. P. 1975. Psychophysiologic Effects of Early Lead Exposure. <i>Toxicology</i> 5(2): 175-91.
No Dose	Sobotka, T. J. and Cook, M. P. 1974. Postnatal Lead Acetate Exposure in Rats: Possible Relationship to Minimal Brain Dysfunction. <i>Am. J. Ment. Defic</i> . 79(1): 5-9.
No Dose	Sokol, R. Z. 1990. The Effect of Duration of Exposure on the Expression of Lead Toxicity on the Male Reproductive Axis. <i>J. Androl</i> . 11(6): 521-526. Ref ID: 2885
FL	Soliman, M. and Attia, M. 1980. Histological and Histochemical Changes in the Oral and Para-oral Structures of Experimental Plumbism. <i>Egypt Dent J</i> . 26(1): 1-14.
Lead Shot	Soveri T, Lindgren E, Oksanen A, and Hirvi T. 1992. Lead Poisoning in Swans. <i>Suomen Riista No.38.</i> : 56-59.

Diss	Spahn, S. A. 1997. <i>Colonial Wading Birds as Bioindicators of Food Chain Contamination by Heavy Metals and Organohalogenes: Relationship among Tissue Concentration, Growth Rates, and Reproduction (Ibis, non Sacrificial Sampling)</i>
Surv	Spalding, M. G., Steible, C. K., Sundlof, S. F., and Forrester, D. J. 1997. Metal and Organochlorine Contaminants in Tissue of Nestling Wading Birds of (Ciconiiformes) from Southern Florida. <i>Florida Field Naturalist</i> . 25(2): 42-50.
No Org	Sparks, B. D. and Meadus, F. W. The Development of an Infiltrated Lead/iron Composite Material for Use as a Non-toxic Bird Shot. <i>Composites (1978)</i> 9(1): 37-9.
Abstract	Sparling, Dw. 1988. Dietary Effects of Al, Ca, and Pb on Black Duck and Mallard Ducklings. <i>Abstr. Soc. Envir. Toxic. Chem.</i> : 9-36.
Nut Def	Speich, M., Metayer, C., Arnaud, P., Nguyen, V. G., Bousquet, B., and Boiteau, H. L. 1983. Low Lead Doses and Atherogenic Diet in Rabbits: Biochemical Results in Blood. <i>Ann Nutr Metab</i> 27(6): 521-30.
Phys	Speich, M., Metayer, C., Bousquet, B., Arnaud, P., Van Goc Nguyen, and Boiteau, H. L. 1982. Low-level Lead Exposure, Atherogenic Diet and Their Combined Effect: Results in Rabbits Concerning Plasma Calcium and Magnesium and Erythrocyte Magnesium. <i>Magnesium-bull.</i> 4(1): 28-32.
No Dur	Spence, I., Chen, H., Drew, C., and Johnston, G. A. 1987. Effect of Chronic Lead Treatment on the Development of Neuromuscular Connections in the Rat. <i>Neurotoxicology</i> . 8(3): 403-410.
Mix	Spickett, J. T. and Bell, R. R. 1983. The Influence of Dietary Phosphate on the Toxicity of Orally Ingested Lead in Rats. <i>Food Chem Toxicol.</i> 21(2): 157-61.
FL	Sporn, A., Dinu, I., Boghianu, L., Ozeranschi, L., and Botescu, E. 1971. Effect of Small Lead Doses on the Growth of the White Rat and the Activity of Certain Liver and Serum Enzymes. <i>Nahrung</i> . 15(4): 373-80.
Acu	Sporn, Alfred and Cirstea, Adriana. Determination of the Concomitant Action of Arsenic, Copper, Zinc, Lead, and Tin; Acute Toxicity. <i>Igiena (1969)</i> 18(2): 81-90.
FL	Sporn, Alfred, Dinu, Ileana, and Stoenescu, Liana. Toxicity of Zinc, Copper, Lead, and Arsenic. <i>Igiena (1968)</i> 17(12): 717-24.
Mix	Sporn Dinnistoenscul, A. 1965-1973. Influence of Concomitant Administration of Arsenic, Lead, Copper and Zinc on the Activity of Some Hepatic Enzymes and on the (Sic) Oxidative Phosphorylation. <i>Rev. Roumaine Biochim.</i> ; 6(1)
Lead Shot	Spray, C. J. and Milne, H. 1988. The Incidence of Lead Poisoning among Whooper and Mute Swans <i>Cygnus-cygnus</i> and <i>Cygnus-olor</i> in Scotland Uk. <i>Biol Conserv.</i> 44(4): 265-282.
FL	Srebocan, E. 1985.[<i>On Lead Distribution and Histologic Changes in Organs of Chickens Experimentally Poisoned with Lead Acetate</i>]: <Original> <i>O Raspodjeli Olova I Histoloskim Promjenama U Parenhimskim Organima Pilica Eksperimentalno Trovanim Olovnm Acetatom</i>
Lead Shot	Srebocan, E. and Rattner, B. A. 1988. Heat Exposure and the Toxicity of One Number Four Lead Shot in Mallards, <i>Anas Platyrhynchos</i> . <i>Bull Environ Contam Toxicol.</i> 40(2): 165-9.

Unrel	Srivastav, A. K. and Swarup, K. 1982. Morphology and Distribution of Calcitonin Cells in the House Shrew, <i>Suncus Murinus</i> . <i>Archives D'anatomie Microscopique et De Morphologie Experimentale</i> ; 71
In Vit	Srivastava, D., Hurwitz, R. L., and Fox, D. A. 1995. Lead- and Calcium-mediated Inhibition of Bovine Rod Cgmp Phosphodiesterase: Interactions with Magnesium. <i>Toxicol Appl Pharmacol</i> . 134(1): 43-52.
Abstract	Srivastava, U and Thakur, Ml. 1981. Effect of Lead Exposure on the Cellular Growth of the Brain in the Rat Progeny. 191.
FL	Sroczyński, J., Zajusz, K., Kossmann, S., and Wegiel, A. 1967. Effect of Experimental Lead Poisoning on the Development of Athero Sclerosis Rat Rabbit. <i>Pol Arch Med Wewn</i> . 38(5): 641-646.
Drug	Sroczyński, J., Zajusz, K., Kossmann, S., and Wegiel, A. 1968. The Effect of Experimental Lead Poisoning on the Development of Atherosclerosis. <i>Pol Med J</i> . 7(1): 196-201.
Unrel	St. John, P. 1993. Yodelers of the North. <i>Am Birds</i> . 47(2): 202-209.
Herp	Stansley, W. and Roscoe, D. E. 1996. The Uptake and Effects of Lead in Small Mammals and Frogs at a Trap and Skeet Range. <i>Arch.environ Contam Toxicol</i> . 30(2): 220-226.
Unrel	Stanton, N. V., Gunter, E. W., Parsons, P. J., and Field, P. H. 1989. Empirically Determined Lead-poisoning Screening Cutoff for the Protofluor-z Hematofluorometer. <i>Clinical Chemistry</i> 35(10): 2104-2107.
Unrel	Steffek, A. J. and Mujwid, D. K. 1976. <i>scanning Electron Microscopy of Vertebrate Craniofacial Development. (A Morphological Analysis of Neural Crest Cell Migration and Facial Fusion)</i> . <Note> Final Rept. 30 Apr 73-29 Apr 75
Surv	Steidl, R. J., Griffin, C. R., and Niles, L. J. 1991. Contaminant Levels of Osprey Eggs and Prey Reflect Regional Differences in Reproductive Success. <i>J. Wildl. Manage</i> . 55(4): 601-608.
No Dose	Steiss, J. E., Braund, K. G., and Clark, E. G. 1985. Inability to Experimentally Produce a Polyneuropathy in Dogs Given Chronic Oral Low Level Lead. <i>Can. J. Comp. Med</i> . 49(4): 401-404.
FL	Stekar, J. M. A., Berisha, B., Demaj, A., Bakalli, R., and Rozhaja, D. 1994. The Influence of Lead on Some Physiological Parameters in Hens. <i>Zbornik Biotehniske Fakultete Univerze V Ljubljani: Kmetijstvo (Zootehnika)</i> . 64: 111-119.
FL	Stenberg, A. I., Zaeva, G. N., Rysina, T. Z., Krinitskaya, N. A., Bogatykh, T. A., and Safronova, A. M. 1980. Study of the Effect of Food Contaminants on Rat Embryogenesis and Progeny. <i>Vopr. Pitan.</i> (6): 51-5.
Lead Shot	Stendell, R. C. 1980. Dietary Exposure of Kestrels to Lead. <i>Journal of Wildlife Management</i> . 44(2): 527-530.
Mix	Stendell, R. C., Beyer, W. N., and Stehn, R. A. 1989. Accumulation of Lead and Organochlorine Residues in Captive American Kestrels Fed Pine Voles from Apple Orchards. <i>J Wildl Dis</i> . 25(3): 388-391.

Surv	Stendell, R. C., Smith, R. I., Burnham, K. P., and Christensen, R. E. 1979. <i>Exposure of Waterfowl to Lead a Nationwide Survey of Residues in Wing Bones of Seven Species, 1972-73</i> . U. S., Fish Wildl. Serv., Spec. Sci. Rep.223
Fate	Stephens, M. C. and Gerber, G. B. 1981. Development of Glycolipids and Gangliosides in Lead Treated Neonatal Rats. <i>Toxicol Lett.</i> 7(4-5): 373-8.
No Efect	Sterling, Gh, O'Neill, KJ, McCafferty, Mr, and O'Neill, Jj. 1982. Effect of Chronic Lead Ingestion by Rats on Glucose Metabolism and Acetylcholine Synthesis in Cerebral Cortex Slices. <i>J. Neurochem.</i> 39: 592-6.
Surv	Stevens, J. B. 1991. Disposition of Toxic Metals in the Agricultural Food Chain: 1. Steady-state Bovine Milk Biotransfer Factors. <i>Environ Sci Technol.</i> 25(7): 1289-1294.
Fate	Stevenson, A. J., Kacew, S., and Singhal, R. L. 1977. Influence of Lead on Hepatic, Renal and Pulmonary Nucleic Acid, Polyamine, and Cyclic Adenosine 3',5'-monophosphate Metabolism in Neonatal Rats. <i>Toxicol. Appl. Pharmacol.</i> 40(1): 161-70.
HHE	Stickl, H. A. 1991. [Injury to the Immune System by Food Contaminated by Environmental Toxins]: <Original> Schädigung Des Immunsystems Über Kontaminierte Nahrung Durch Umweltgifte. <i>Zentralbl Hyg Umweltmed.</i> 191(2-3): 232-40.
Unrel	Stoll, U., Barth, B., Scheerer, N., Schneider, E., and Kiefer, J. 1996. Hprt Mutations in V79 Chinese Hamster Cells Induced by Accelerated Ni, Au and Pb Ions. <i>International Journal of Radiation Biology</i> 70(1): 15-22.
In Vit	Stoll, U., Schneider, E., and Kiefer, J. Mutation Induction to 6tg-resistance in Chinese Hamster V79 Cells after Heavy Ion Exposure. <i>Gsi-rep. (1991) Gsi 91-1</i> , 223
Gene	Stoltenburg-didinger, G., Punder, I., Peters, B., Marcinkowski, M., Herbst, H., Winneke, G., and Wiegand, H. 1996. Glial Fibrillary Acidic Protein and Rna Expression in Adult Rat Hippocampus Following Low-level Lead Exposure During Development. <i>Histochem Cell Biol.</i> 105(6): 431-42.
Abstract	Stone, C. and Soares, J. H. 1974. Studies on the Metabolism of Lead in the Japanese Quail. <i>Poultry Sci.</i> 53: 1982.
Surv	Stone, C. L., Mahaffey, K. R., and Fox, M. R. 1979. A Rapid Bioassay System for Lead Using Young Japanese Quail. <i>J Environ Pathol Toxicol.</i> 2(3): 767-79.
Surv	Storelli, M. M., Ceci, E., and Marcotrigiano, G. O. 1998. Distribution of Heavy Metal Residues in Some Tissues of <i>Caretta caretta</i> (Linnaeus) Specimen Beached along the Adriatic Sea (Italy). <i>Bull. Environ. Contam. Toxicol.</i> 60(4): 546-552.
Surv	Stout, I. J. and Cornwell, G. W. 1976. Nonhunting Mortality of Fledged North American Waterfowl. <i>J. Wildl. Manage.</i> 40(4): 681-693.
No Dose	Stowe, H. D. and Goyer, R. A. 1971. Reproductive Ability and Progeny of F 1 Lead-toxic Rats. <i>Fertil. Steril.</i> 22(11): 755-760.
Nut Def	Stowe, H. D., Goyer, R. A., Krigman, M., Wilson, M., and Cates, M. 1973. Experimental Oral Lead Toxicity in Young Dogs. Clinical and Morphologic Effects. <i>Arch.pathol.</i> 95(2): 106-116.

No Control	Stowe, H. D. and Vandeveld, M. 1979. Lead-induced Encephalopathy in Dogs Fed High Fat, Low Calcium Diets. <i>J. Neuropathol. Exp. Neurol.</i> 38(5): 463-474.
FL	Stoyanov, M., Bajkov, B., Nikolov, I., Gugova, M., Nestorova, Y., and Khristov, M. 1997. Study on the Effect of Heavy Metals on Ram Reproduction. <i>Zhivotnov'dni Nauki.</i> 34(5-6): 134-136.
FL	Stoyanov, M., Baykov, B., and Gugova, M. 1994. Mathematical Model for Chemical Elements Contents Assessment in Egg-production Ecotechnical Systems. <i>Dokladi Na B"lgarskata Akademiya Na Naukite</i> 47(5): 115-118.
Bio Acc	Struger, J., Elliott, J. E., and Weseloh, D. V. 1987. Metals and Essential Elements in Herring Gulls from the Great Lakes 1983 Usa Canada. <i>J Great.lakes.res.</i> 13(1): 43-55.
Aquatic	Stuijzand S.c., Kraak M.h.s., Wink Y.a., and Davids, C. 1995. Short-term Effects of Nickel on the Filtration Rate of the Zebra Mussel Dreissena Polymorpha. <i>Bull. Environ. Contam. Toxicol</i> Vol. 54, No. 3: Pp. 376-381.
Unrel	Su, Xiu-rong, Li, Tai-wu, Ding, Ming-jin, and Chien, Paul K. Evaluation on Nutritive Value of Portunus Trituberculatus. <i>Chin. J. Oceanol. Limnol. (1997)</i> 15(2): 168-172 .
Aquatic	Su, Xiurong, Li, Taiwu, Ouyang, Fen, and Liu, Ping. Study on the Nutritive Compositions of Portunus Trituberculatus. <i>Yingyang Xuebao (1996)</i> 18(3): 342-346 .
FL	Su, Y. C., Yang, C. L., Lu, J. J., Lin, P. H., and Lo, D. Y. 1998. The Physiological Response and Carcass Hygiene of Dairy Goats at Different Lead Acetate and Copper Sulfate Levels. <i>Journal of the Chinese Society of Veterinary Science.</i> 24(4): 214-226.
No COC	Subramanyam, C., Mallamo, J. P., Dority, J. A. Jr, Earley, W. G., Kumar, V., Aimone, L. D., Ault, B., Miller, M. S., Luttinger, D. A., and Dehaven-hudkins, D. L. 1995. Discovery of 6,11-ethano-12,12-diaryl-6,11-dihydrobenzo[b]quinolizinium Cations, a Novel Class of N-methyl-d-aspartate Antagonists. <i>Journal of Medicinal Chemistry</i> 38(1): 21-7.
Surv	Sudip Dey, Stafford, R., Roy, M. K. D., Bhattacharjee, C. R., Khathing, D. T., Bhattacharjee, P. C., and Dkhar, P. S. 1999. Metal Toxicity and Trace Element Deficiency in Some Wild Animal Species from North-east India, as Revealed by Cellular, Bio-inorganic and Behavioural Studies. <i>Current Science.</i> 77(2): 276-280.
FL	Sugizaki, M. and Bastos-ramos, W. P. 1984. Lead Incorporation of Chick Embryo. <i>Rev Cienc Biomed; 5 (0). 1984 (Recd. 1985). 1-6.</i> 5(0): 1-6.
Surv	Sukhanov, B. P., Korolev, A. A., Marninchuk, A. N., and Merzliakova, N. M. 1990. [Experimental Study of the Protective Role of Calcium in Lead Poisoning]. <i>Gig Sanit.(12):</i> 47-9.
Phys	Sun, Ye-ming, Favre, Isabelle, Schild, Laurent, and Moczydlowski, Edward. On the Structural Basis for Size-selective Permeation of Organic Cations Through the Voltage-gated Sodium Channel: Effect of Alanine Mutations at the Deka Locus on Selectivity, Inhibition by Ca ²⁺ and H ⁺ , and Molecular Sieving. <i>J. Gen. Physiol. (1997)</i> 110(6): 693-715.
Chem Meth	Sunde, Torbjorn Asbjornsson. 1992. <i>Nuclear Microscopy: Technology and Applications in Biology</i> : Page 124.
No Oral	Sundstroem, R. and Karlsson, B. 1987. Myelin Basic Protein in Brains of Rats with Low Dose Lead Encephalopathy. <i>Arch. Toxicol.</i> 59(5): 341-345.

No Oral	Sundstrom, R., Conradi, N. G., and Sourander, P. 1984. Vulnerability to Lead in Protein-deprived Suckling Rats. <i>Acta Neuropathol (Berl)</i> . 62(4): 276-83.
FL	Surcel, Didi, Gabor, Silvia, Anca, Zoe, and Ciugudeanu, Maria. 1981. Interactions Between Lead, Arsenic and Selenium on Some Immunological Parameters. <i>Rev. Ig. Bacteriol., Virusol., Parazitol., Epidemiol., Pneumoftiziol., Ig.</i> 30(2): 123-30.
Unrel	Sutherland, D. R., Stewart, A. K., and Keating, A. 1993. Cd34 Antigen: Molecular Features and Potential Clinical Applications. <i>Stem Cells (Dayt)</i> . 11(Suppl 3): 50-7.
In Vit	Suzuki, Keiji, Kawaharada, Umeko, Tamura, Yuji, and Nakajima, Katsuyuki. 1991. Effects of Metals on Rat Glioma Cells (C6). <i>Biomed. Res. Trace Elem</i> 2(2): 111-12 .
Drug	Suzuki, T. and Yoshida, A. 1979. Effect of Dietary Supplementation of Iron and Ascorbic Acid on Lead Toxicity in Rats. <i>J Nutr.</i> 109(6): 983-8.
Drug	Suzuki, T. and Yoshida, A. 1979. Effectiveness of Dietary Iron and Ascorbic Acid in the Prevention and Cure of Moderately Long-term Lead Toxicity in Rats. <i>J Nutr.</i> 109(11): 1974-8.
In Vit	Suzuki, Y., Morita, I., Yamane, Y., and Murota, S. Preventive Effects of Zinc on Cadmium-induced Inhibition of Alkaline Phosphatase Activity and Mineralization Activity in Osteoblast-like Cells Mc-3t3-e1. <i>J Pharmacobio-dyn; 12 (2). 1989. 94-99.</i>
Org Met	Swartzwelder, H. S. 1985. Central Neurotoxicity after Exposure to Organic Lead: Susceptibility to Seizures. <i>Neurosci Lett.</i> 58(2): 225-8.
Bio Acc	Swiergosz, R., Sawicka-kapusta, K., Nyholm, N. Ei, Zwolinska, A., and Orkisz, A. 1998. Effects of Environmental Metal Pollution on Breeding Populations of Pied and Collared Flycatchers in Niepolomice Forest, Southern Poland. <i>Environmental Pollution</i> . 102(2-3): 213-220.
Drug	Szarek, J. and Khan, M. Z. 1993. Concurrent Exposure to Lead, Selenium or Monensin Effects on Hepaticporphyrin Levels in Broiler Chickens During Acute Toxicosis. <i>Scandinavian Journal of Laboratory Animal Science.</i> 20(4): 231-234.
Bio Acc	Szefer, P. and Falandysz, J. 1987. Trace Metals in the Soft Tissues of Scaup Ducks (<i>Aythya marila L.</i>) Wintering in Gdansk Bay, Baltic Sea . <i>Sci Total Environ.</i> 65: 203-213.
Nut Def	Szymczak, J., Zechalko, A., and Biernat, J. 1983. Effect of Fodder Fat Type on Blood Plasma Lipids in Rats Intoxicated with Lead. <i>Bromatol. Chem. Toksykol.</i> 16(2): 89-94.
Nut	Szymczak, J., Zechalko, A., and Biernat, J. 1983. Effect of the Kind of Dietary Fat on Serum Lipids in Rats Intoxicatedwith Lead. <i>Bromatologia I Chemia Toksykologiczna.</i> 16(2): 89-93.
Surv	Szymczak, M. R. and Adrian, W. J. 1978. Lead Poisoning in Canada Geese in Southeast Colorado. <i>J. Wildl. Manage.</i> 42(2): 299-306.
FL	Tachampa, S. 1976. <i>effect of Chronic Lead Contamination on the Development of Experimentalacute Hepatosis, Nephrosis and Diabetes Mellitus in Rats.</i>
FL	Talaeva, I. U. G., Chugunikhina, N. V., Takhirov, M. T., and Khasanova, M. I. 1991. [The Elaboration of a Complex of Indices for the Intensiveness of an Experimental Infectious Process to Be Used in Hygienic Research]. <Original> Razrabotka Kompleksa Pokazatelei Intensivnosti Eksperimental'nogo Infektsionnogo Protsessa Pri Ispol'zovanii Ego V Gigienicheskikh Issledovaniikh. <i>Gigiena I Sanitariia</i> (11): 53-6.

Unrel	Tallon, J. L., Loram, J. W., Williams, G. V. M., Cooper, J. R., Fisher, I. R., Johnson, J. D., Staines, M. P., and Bernhard, C. Critical Doping in Overdoped High-TC Superconductors. A Quantum Critical Point? <i>Phys. Status Solidi B</i> (1999) 215(1): 531-540.
Rev	Talmage, S. S. and Walton, B. T. 1991. Small Mammals as Monitors of Environmental Contaminants. <i>Rev Environ Contam Toxicol.</i> 119: 47-145.
Alt	Talsma, Daniel M. 1985. <i>A Study of the Effects of Lead and Light on the Retina (Peroxidation)</i>
Fate	Tandon, S. K., Flora, S. J. S., and Singh, S. 1984. Influence of Vitamin B-complex Deficiency on Lead Intoxication in Young Rats. <i>Indian J Med Res.</i> 80(oct.): 444-48.
Nut Def	Tandon, S. K., Khandelwal, S., Jain, V. K., and Mathur, N. Influence of Dietary Iron Deficiency on Acute Metal Intoxication. <i>Biometals</i> (1993) 6(2): 133-8.
Nut Def	Tandon, S. K., Khandelwal, S., Jain, V. K., and Mathur, N. Influence of Dietary Iron Deficiency on Nickel, Lead and Cadmium Intoxication. <i>Sci. Total Environ.</i> (1994) 148(2-3): 167-73.
FL	Tang, H. W., Liang, Y. X., and Hu, X. H. 1994. Effects of Low Level Lead Exposure on Behavior of Young Rats. <i>Chung Kuo Yao Li Hsueh Pao.</i> 15(4): 316-9.
Rev	Task Group Metal Interact, Int. 1978. Factors Influencing Metabolism and Toxicity of Metals a Consensus Report. <i>Environ Health Perspect.</i> 25: 3-41.
No Dose	Taylor, D, Nathanson, J, Hoffer, B, Olson, L, and Seiger, A. 1978. Lead Blockade of Norepinephrine-induced Inhibition of Cerebellar Purkinje Neurons. <i>J. Pharmac. Exp. Ther.</i> 206: 371-381.
Pb Behav	Taylor, D. H., Noland, E. A., Brubaker, C. M., Crofton, K. M., and Bull, R. J. 1982. Low Level Lead (Pb) Exposure Produces Learning Deficits in Young Rat Pups. <i>Neurobehav Toxicol Teratol</i> 4(3): 311-4.
Unrel	Taylor, J. D., Gibson, J. A., and Yeates, C. E. F. 1991. Furazolidone Toxicity in Dairy Calves. <i>Australian Veterinary Journal</i> 68(5): 182-183.
In Vit	Tchernitchin, A. N., Villagra, R., and Tchernitchin, N. N. 1997. Effect of Chronic Exposure to Lead on Immature Rat Leucocytes. <i>Medical Science Research.</i> 25(5): 355-357.
No Oral	Tchernitchin, N. N., Tchernitchin, A. N., Mena, M. A., Villarroel, L., Guzman, C., and Poloni, P. 1998. Effect of Subacute Exposure to Lead on Responses to Estrogen in the Immature Rat Uterus. <i>Bull.environ Contam Toxicol.</i> 60(5): 759-765.
Acu	Tchernitchin, N. N., Villagra, A., and Tchernitchin, A. N. 1998. Antiestrogenic Activity of Lead. <i>Environmental Toxicology and Water Quality.</i> 13(1): 43.
Model	Tennekoon, G., Aitchison, C. S., Frangia, J., Price, D. L., and Goldberg, A. M. 1979. Chronic Lead Intoxication: Effects on Developing Optic Nerve. <i>Ann Neurol</i> 5(6): 558-64.
Phys	Tessitore, L., Perletti, G. P., Sesca, E., Pani, P., Dianzani, M. U., and Piccinini, F. 1994. Protein Kinase C Isozyme Pattern in Liver Hyperplasia. <i>Biochem Biophys Res Commun.</i> 205(1): 208-14.

Mix	Thawley, D. G., Willoughby, R. A., Mcsherry, B. J., Macleod, G. K., Mackay, K. H., and Michell, W. R. 1977. Toxic Interactions among Pb, Zn, and Cd with Varying Levels of Dietary ca and Vitamin D: Hematological System. <i>Environ Res.</i> 14(3): 463-75.
Fate	Thawley, David G. 1975. Toxic Interactions among Lead, Zinc, and Cadmium with Varying Levels of Dietary Calcium and Vitamin D in Rats. <i>Dissertation.</i>
Bio Acc	Theis, M and Gregory, D. 1994. Residues of Lead, Cadmium, and Arsenic in Livers of Mexican Free-tailed Bats. <i>Bull. Environ. Contam. Toxicol.</i> 52(5): 641-648.
Bact	Thind, I. S. and Khan, M. Y. 1978. Potentiation of the Neurovirulence of Langat Virus Infection by Lead Intoxication in Mice. <i>Exp. Mol. Pathol.</i> 29(3): 342-347.
Bact	Thind, I. S. and Singh, N. P. 1977. Potentiation of Langat Virus Infection by Lead Intoxication--influence on Host Defenses. <i>Acta Virol.</i> 21(4): 317-325.
Lead Shot	Thomas G. 1982. Anglers - Watch Your Weights. <i>Birds.</i> 9(1): 35-36.
Lead Shot	Thomas, Vernon G. 1997. Attitudes and Issues Preventing Bans on Toxic Lead Shot and Sinkers in North America and Europe. <i>Environmental Values.</i> 6(2): 185.
Rev	Thompson, L. J., Hall, J. O., and Meerdink, G. L. 1991. Toxic Effects of Trace Element Excess. <i>Veterinary Clinics of North America, Food Animal Practice.</i> 7(1): 277-306.
Unrel	Thorp, B. H. and Duff, S. R. I. 1988. Effect of Unilateral Weight-bearing on Pelvic Limb Development Inbroiler Fowls: Vascular Studies. <i>Research in Veterinary Science</i> 44(2): 164-174.
Unrel	Threadgold, L. T. and Arme, C. 1974. Hymenolepis Diminuta: an Electron Microscope Study of Ion Absorption. <i>Experimental Parasitology</i> 35(3): 475-91.
Fate	Thrivikraman, K. V., Agrawal, R., and Randhava, R. 1978. Effect of Lead Toxicity on Ascorbic Acid Content of Liver and Brain in Albino Rats Fed Low and High Protein Diets. <i>Indian J. Nutr. Diet.</i> 15(6): 200-4.
Prim	Tigges, M., Hendrickson, A. E., and Tigges, J. 1984. Anatomical Consequences of Long-term Monocular Eyelid Closure on Lateral Geniculate Nucleus and Striate Cortex in Squirrel Monkey. <i>Journal of Comparative Neurology</i> 227(1): 1-13.
Org Met	Tilson, H. A., Mactutus, C. F., Mclamb, R. L., and Burne, T. A. 1982. Characterization of Triethyllead Chloride Neurotoxicity in Adult Rats. <i>Neurobehav. Toxicol. Teratol.</i> 4(6): 671-81.
Unrel	Tippett, F. E., Padgett, G. A., Eyster, G., Blanchard, G., and Bell, T. 1987. Primary Hypertension in a Colony of Dogs. <i>Hypertension.</i> 9(1): 49-58.
Lead Shot	Tirelli, E., Maestrini, N., Govoni, S., Catelli, E., and Serra, R. 1996. Lead Contamination in the Mallard Anas Platyrhynchos in Italy. <i>Bulletin of Environmental Contamination and Toxicology.</i> 56(5): 729-733.
No Dose	Toews, A. D., Kolber, A., Hayward, J., Krigman, M. R., and Morell, P. 1978. Experimental Lead Encephalopathy in the Suckling Rat: Concentration of Lead in Cellular Fractions Enriched in Brain Capillaries. <i>Brain Res.</i> 147(1): 131-8.

Fate	Toews, A. D., Krigman, M. R., Thomas, D. J., and Morell, P. 1980. Effect of Inorganic Lead Exposure on Myelination in the Rat. <i>Neurochem Res</i> 5(6): 605-16.
Fate	Tokarski, E. and Reio, L. 1978. Effect of Lead Poisoning on the Thiamine Status and Function in Liver and Blood of Rats. <i>Acta Chem Scand [B]</i> . 32(5): 375-9.
Anat	Tomczok, J., Grzybek, H., Sliwa, W., and Panz, B. 1988. Ultrastructural Aspects of the Small Intestinal Lead Toxicology. Part Ii. The Small Intestine Goblet Cells of Rats During Lead Poisoning. <i>Experimental Pathology</i> 35(2): 93-100.
Meth	Tomczok, J., Sliwa-tomczok, W., and Grzybek, H. 1991. The Small Intestinal Enterocytes of Rats During Lead Poisoning: the Application of the Timm Sulphide Silver Method and an Ultrastructural Study. <i>Experimental Pathology</i> 42(2): 107-13.
FL	Toncheva, E. and Stanchev, K. 1987. A Study on the Effect of Lead on Some Biochemical Parameters of Broiler Chick Liver and Jejunum Enterocytes. <i>Zhivotnov'd Nauki</i> . 24(10): 79-82.
FL	Toncheva, E. and Stanchev, Kh. 1988. Effect of Lead and Cadmium on the Activity of Some Zinc-containing Enzymes in the Kidneys of Broiler Chickens. <i>Zhivotnov'dni Nauki</i> . 25(2): 74-77.
No Oral	Torre, C. and De Giorgis, P. L. 1982. Effects of Tetraethyllead (Tel) on the Embryonic Development. <i>Studi Sassari Sez</i> . 2(60): 14-17.
Lead Shot	Townsend P. 1984. <i>white Spirit, Fly Free. One Man's Fight to Save Britain's Swans.</i>
No Oral	Tripathi, Neelima, Kannan, G. M., Pant, B. P., Jaiswal, D. K., Malhotra, P. R., and Flora, S. J. S. Arsenic-induced Changes in Certain Neurotransmitter Levels and Their Recoveries Following Chelation in Rat Whole Brain. <i>Toxicol. Lett. (1997)</i> 92(3): 201-208 .
Food	Troeger, K., Reuter, G., and Schneider, D. 1983. Use of Dried Chicken Manure in Cattle Feeding, from the Aspects of Meathygiene and Feed Technology. I. Microorganisms, Nutrients and Residuesin Battery-hen Manure and Maize Silage Used as Basal Feed. <i>Berliner Und Munchener Tierarztliche Wochenschrift</i> 96(11): 388-397.
Lead Shot	Trost, R. E. 1981. Dynamics of Grit Selection and Retention in Captive Mallards (Anas Platyrhynchos). <i>J Wildl Manage</i> . 45(1): 64-73.
Lead Shot	Trost, Robert Edward. 1984. <i>ecological Aspects of Canada Geese and Other Waterfowl in the Mississippi Flyway</i>
No Oral	Tsuchiya, H., Shima, S., Kurita, H., Ito, T., Kato, Y., Kato, Y., and Tachikawa, S. 1987. Effects of Maternal Exposure to Six Heavy Metals on Fetal Development. <i>Bull Environ Contam Toxicol</i> . 38(4): 580-7.
No Oral	Tsujii, H. and Hoshishima, K. 1979. Effect of the Administration of Trace Amounts of Metals to Pregnant Mice upon the Behavior and Learning of Their Offspring. <i>Shinshu Daigaku Nogakubu Kiyo(j Fac Agric Shinshu Univ)</i> . 16: 13-28.
Rev	Tsung-ming, S. and Hanin, I. 1978. Chronic Lead Exposure in Immature Animals Neurochemical Correlates. <i>Life Sci</i> . 23(9): 877-888.

Bio Acc	Tsuzuki, Toshihumi, Kotani, Reiko, Hattori, Keisaku, and Inoue, Katsuhiro. Environmental Pollution and Wild Birds in Hokkaido. Vi. <i>Hokkaidoritsu Eisei Kenkyusho Ho (1976)</i> : 26, 125-6.
Lead Shot	Tudge, C. 1992. Birds of Prey Fly Again. <i>New Sci.</i> 135(1835): 22(5).
Bio Acc	Tull-singleton, S., Kimball, S., and Mcbee, K. 1994. Correlative Analysis of Heavy Metal Bioconcentration and Genetic Damage in White-footed Mice <i>Peromyscus Leucopus</i> from a Hazardous Waste Site. <i>Bul Environ Contamin Toxicol</i> . 52(5): 667-672.
Phys	Turk, G. C. and Kingston, H. M. Laser-enhanced Ionization Spectrometry Following Matrix Modification by Automated Chelation Chromatography for the Analysis of Biological and Environmental Reference Materials. <i>Journal of Analytical Atomic Spectrometry</i> . 5 (7). 1990. 595-602.
FL	Turnbull, J. and Brodeur, J. 1984. Effect of Growth Retardation on the Permeability of the Blood-brain Barrier in Young Rats Exposed to Lead. <i>Can. J. Physiol. Pharmacol.</i> 62(1): 142-5.
Surv	Turner, J. C., Solly, S. R. B., Mol-krijnen, J. C. M., and Shanks, V. 1978. Organochlorine, Fluorine, and Heavy-metal Levels in Some Birds from Newzealand Estuaries. <i>New Zealand Journal of Science</i> 21(1): 99-102.
Lead Shot	Twiss, M. P., Thomas, V. G., Bachmann, R. W., Jones, J. R., Peters, R. H., and Soballe, D. M. Eds. 1995. Lead Toxicosis in Canadian Loons: the Problem and Legislative Solutions. <i>Lake Reserv. Manage.</i> 11(2): 198.
Acu	Ueng, T. H., Ueng, Y. F., Chen, T. L., and Alvares, A. P. 1991. The Relationship Between Induction of Metallothionein and Inhibition of Monooxygenases by Cadmium and Lead. <i>J Chin Biochem Soc.</i> 20(2): 87-98.
FL	Umurzakov, T. 1984. The Use of Wool Growth Rate in Selection of Grey Karakul Sheep. <i>Doklady Vsesoyuznoi Akademii Sel'skokhozyaistvennykh Nauk</i> (4): 22-23.
Rev	Underwood, E. J. 1981. <i>The Mineral Nutrition of Livestock</i> . Commonwealth Agricultural Bureaux, 180pp. Farnham Royal, Slough UK.
No Org	Upreti, R. K. 1995. Membrane-vanadium Interaction: A Toxicokinetic Evaluation. <i>Molecular and Cellular Biochemistry</i> . 153(1/2): 167-171.
No Dose	Uriu-hare, Janet Y., Swan, Shanna H., Bui, Linh M., Neutra, Raymond R., and Keen, Carl L. Drinking Water Source and Reproductive Outcomes in Sprague-Dawley Rats. <i>Reprod. Toxicol. (1995)</i> 9(6): 549-61.
Unrel	Uryu, K., Hirunagi, K., Sakai, H., and Fujioka, T. 1990. Ultrastructural and Cytochemical Studies of the Subcommissural Organ in the Domestic Chicken with Special Reference to the Apical Secretion. <i>Okajimas Folia Anatomica Japonica</i> 67(2-3): 141-51.
Anat	Ushiki, T. and Fujita, T. 1986. Backscattered Electron Imaging. Its Application to Biological Specimens Stained with Heavy Metals. <i>Archivum Histologicum Japonicum</i> 49(1): 139-54.
Nut Def	Uthus, E. O. and Nielsen, F. H. 1988. Effects in Rats of Iron on Lead Deprivation. <i>Biol Trace Elem Res.</i> 16(2): 155-64.

Bio Acc	Uzieblo, L., Ligoeki, M., Hapanowicz, B., and Romaniszyn, K. 1993. Heavy Metals and Fluorine Content of Hen's Eggs Derived from Different Place of Origin. <i>Vol. 26, No. 2, Pp. 91-96</i> Bromatol. Chem. Toksykol.
Bio Acc	Vadhanavikit, S., Ip, C., and Ganther, H. E. Metabolites of Sodium Selenite and Methylated Selenium Compounds Administered at Cancer Chemoprevention Levels in the Rat. <i>Xenobiotica</i> (1993) 23(7): 731-45.
FL	Vadkovskaya, I. K., Vadkovskii, V. B., and Kagan, L. M. Peculiarities of Microelement Composition of Game Birds. <i>Ekologiya (Sverdlovsk)</i> (1988) (4): 78-80 .
Bio Acc	Van Barneveld, Aa and Van Den Hamer, Cja. 1985. Influence of ca and Mg on the Uptake and Deposition of Pb and Cd in Mice. <i>Toxicol. Appl. Pharmacol.</i> 79: 1-10.
No Oral	Van Den Berg, K. J., Lammers, J. H., Hoogendijk, E. M., and Kulig, B. M. 1996. Changes in Regional Brain Gfap Levels and Behavioral Functioning Following Subchronic Lead Acetate Exposure in Adult Rats. <i>Neurotoxicology</i> 17(3-4): 725-34.
Dead	Van Den Brink, N. W. and Ma, W. C. 1998. Spatial and Temporal Trends in Levels of Trace Metals and Pcb's in the European Badger Meles Meles (L., 1758) in the Netherlands: Implications for Reproduction. <i>Sci Total Environ.</i> 222(1-2): 107-18.
Surv	Van Der Veen, N. G. and Vreman, K. 1986. Transfer of Cadmium Lead Mercury and Arsenic from Feed into Various Organs and Tissues of Fattening Lambs. <i>Neth J Agric Sci.</i> 34(2): 145-154.
Surv	Van Eeden, P. H. and Schoonbee, H. J. 1996. Metal Concentrations in Liver, Kidney, Bone and Blood of Three Species of Birds from a Metal-polluted Wetland. <i>Water S a (Pretoria).</i> 22(4): P351-372.
Species	Van Eeden Ph and Schoonbee, H. J. 1993. Metal Concentrations in Sediments and Some Organisms from a Polluted Wetland. <i>S Afr J Wildl Res</i> 23(1): 12-16.
Abstract	Van Gelder, G. A., Buck, W. B., Osweiler, G. D., and Stahr, H. M. 1972. Research Activities of a Veterinary Toxicology Laboratory. <i>Clinical Toxicology</i> 5(2): 271-81.
Meth	Van Gelder, G. A., Carson, T. L., Smith, R. M., Buck, W. B., and Karas, G. G. 1973. Neurophysiologic and Behavioral Toxicologic Testing to Detect Subclinical Neurologic Alterations Induced by Environmental Toxicants. <i>J Am Vet Med Assoc.</i> 163(9): 1033-5.
FL	Van Hoof, a Km, Wallis, D. E. Vries Mf, and Bokdam, J. 1994. The Risk of Lead and Cadmium Contamination for Cattle on Heathland. <i>Levende Natuur.</i> 95(2): 43-50.
Mix	Van Vleet, J. F. 1982. Amounts of Twelve Elements Required to Induce Selenium Vitamin E Deficiency in Ducklings. <i>Am. J. Vet. Res.</i> 43(5): 851-857.
In Vitro	Vandeputte, D. F., Jacob, W. A., and Van Grieken Re. Influence of Fixation Procedures on the Microanalysis of Lead-induced Intranuclear Inclusions in Rat Kidney. <i>J Histochem Cytochem;</i> 38 (3). 1990. 331-338.
Dead	Vanulsen, F. W. One Hundred Poisoned Dogs. <i>Tijdschr. Diergeneesk.</i> 99(18): 947-948; 1974.(2 References)

No Dose	Varma, M. M., Joshi, S. R., Adeyemi, A. O., Sudip, D., Bhattacharjee, C. R., Arjun, J., Das, M., and Choudhury, S. 1974. Mutagenicity and Infertility Following Administration of Leadsub-acetate to Swiss Male Mice. Abnormalities in Surface Ultrastructural Features and Infraredabsorption Characteristics of the Lens of Albino Mice Born to Femalesreceiving Oral Doses of Lead During Pregnancy. <i>Experientia</i> . 30(5): 486-487.
Surv	Vassileva, L., Vassilev, M., Angelov, L., Angelova, L., Anke, M., Groppel, B., Guertler, H., Gruen, M., Lombeck, I., and Schneider, H. J. 1991. Investigations on the Effect of Increasing Lead and Cadmium Supplements to the Diet on Accumulation and Residue Formation in Different Tissues of Fattening Pigs: <Original> Untersuchungen Ueber Den Einfluss Steigender Blei- Und Cadmiumzulagen Im Futter Auf Die Kumulierung Und Auf Die Rueckstandsbildung in Verschiedenen Geweben von Mastschweinen. [<i>Macro and Trace Elements</i>]: <Original> Mengen- Und Spurenelemente : 382-389.
Mix	Veen, N. G. Van Der and Vreman, K. 1986. Transfer of Cadmium, Lead, Mercury and Arsenic from Feed into Variousorgans and Tissues of Fattening Lambs. <i>Netherlands Journal of Agricultural Science</i> 34(2): 145-153.
Mix	Veeramachaneni, D. N. R. and Amann, J. S. Palmer and R P. 1995. Sexual Dysfunction and Abnormal Acrosomes in Rabbits Following Infantile Exposure to a Mixture of Chemical Contaminants in Drinking Water. <i>Biology of Reproduction</i> 52(suppl. 1): 171.
Lead Shot	Veit, H. P., Kendall, R. J., and Scanlon, P. F. 1983. The Effect of Lead Shot Ingestion on the Testes of Adult Ringed Turtledoves Streptopelia-risoria. <i>Avian Dis.</i> 27(2): 442-452.
Pb Behav	Venkatakrishna-bhatt, H. 1984. Influence of Oral Lead Acetate on Cognitive Functions and Learning in Rats. <i>Water, Air, Soil Pollut.</i> 23(4): 375-80.
Rev	Venugopal, B. and Luckey, T. D. 1978. <i>Metal Toxicity in Mammals</i> 2
No Dose	Verlangieri, A. J. 1979. Prenatal and Postnatal Chronic Lead Intoxication and Running Wheel Activity in the Rat. <i>Pharmacol Biochem Behav.</i> 11(1): 95-8.
Surv	Verma, M. P., Sharma, R. P., and Street, J. C. 1978. Hepatic and Renal Metallothionein Concentrations in Cows, Swine, and Chickens Given Cadmium and Lead in Feed. <i>Am J Vet Res.</i> 39(12): 1911-5.
Pb Behav	Vickers, C. and Paterson, A. T. 1986. Two Types of Chronic Lead Treatment in C-57bl-6 Mice Interaction with Behavior Determinants of Pain. <i>Life Sci</i> 40(1): 47-54.
Rev	Victory, W. 1988. Evidence for Effects of Chronic Lead Exposure on Blood Pressure in Experimental Animals: an Overview. <i>Environ Health Perspect.</i> 78: 71-6.
No Dose	Victory, W., Vander, A. J., Shulak, J. M., Schoeps, P., and Julius, S. 1982. Lead, Hypertension, and the Renin-angiotensin System in Rats. <i>J Lab Clin Med.</i> 99(3): 354-62.
No Oral	Villagra, R., Tchernitchin, N. N., and Tchernitchin, A. N. 1997. Effect of Subacute Exposure to Lead and Estrogen on Immature Pre- Weaning Rat Leukocytes. <i>Bull.envIRON Contam Toxicol.</i> 58(2): 190-197.
In Vit	Villanueva, R., Albaladejo, R., Ortega, P., Astasio, P., Gil, A., Calle, M. E., and Dominguez-rojas, V. 1997. Chemotaxis of Mouse Peritoneal Macrophages Following Exposure to Lead. <i>Bull Environ Contam Toxicol.</i> 59(1): 159-63.

- FL** Vimercati, F., Ambrosi, L., Di Nunno, C., and De Stasio, G. 1970. [Histochemical Behavior of Lactate Dehydrogenase, Succinate Dehydrogenase and Alkaline Phosphatase of the Kidney in Experimental Saturnism]: <Original> Comportamento Istochimico Della Lattico-deidrogenasi, Della Succino-deidrogenasi E Della Fosfatasi Alcalina Del Rene in Corso Di Saturnismo Sperimentale. *Med Lav.* 61(3): 154-61.
- Rev** Vincent, A. L., Rodrick, G. E., and Sodeman, W. A. Jr. 1979. The Pathology of the Mongolian Gerbil (*Meriones Unguiculatus*): a Review. *Lab Anim Sci.* 29(5): 645-51.
- Rev** Vistica, D. T. and Ahrens, F. A. 1977. Microvascular Effects of Lead in the Neonatal Rat. Part 2. An Ultrastructural Study. *Exp. Mol. Pathol.* 26(1): 139-154.
- FL** Viuf, B. T. 1992. Report, 4: Department of Chemical Analyses (Additives and Undesirable Substances). <Original> 4: Meddelelser Fra Kemisk Afdeling. *Plantedirektoratets Beretning. Foder, Goedning, Voksemedier, Ef-stoetteordninger. (No.1) P.* 59-79
- Mix** Vodela, J. K., Lenz, S. D., Renden, J. A., and Kemppainen, B. W. Reproductive Performance Altered by Chemical Mixture. *Toxicologist* 1996 Mar;30(1 Pt 2):192
- Mix** Vodela, J. K., Lenz, S. D., Renden, J. A., McElhenney, W. H., and Kemppainen, B. W. 1997. Drinking Water Contaminants (Arsenic, Cadmium, Lead, Benzene, and Trichloroethylene): 2. Effects on Reproductive Performance, Egg Quality, and Embryo Toxicity in Broiler Breeders. *Poultry Science.* 76(11): 1493-1500.
- Mix** Vodela, J. K., Renden, J. A., Lenz, S. D., McElhenney, W. H., and Kemppainen, B. W. 1997. Drinking Water Contaminants (Arsenic, Cadmium, Lead, Benzene, and Trichloroethylene): 1. Interaction of Contaminants with Nutritional Status on General Performance and Immune Function in Broiler Chickens. *Poultry Science.* 76(11): 1474-1492.
- FL** Vodichenska, T. S. 1992. [The Effect of Chronic Combined Exposure to Nickel and Lead on the Enzymatic Indices in Body Uptake with the Drinking Water]. <Original> Vliianie Na Khronichnoto Kombinirano Vuzdeistvie S Nikel I Olovo Vurkhu Niakoi Enzimni Pokazateli Pri Postupvaneto Im V Organizm S Piteinite Vodi. *Problemi Na Khigienata* 17: 48-56.
- FL** Vodichenska, T. S. 1991. [Experimental Data on the Biological Effect of Nickel and Lead Contained in the Drinking Water Acting in Combination]. <Original> Eksperimentalni Danni Za Biologichniia Efekt Na Nikela I Olovoto, Sudurzhashti Se V Piteinite Vodi, Pri Kombinirano Deistvie. *Problemi Na Khigienata* 16: 24-33.
- FL** Vodichenska, T. S. 1986. [Toxic Action of Nickel When Taken up by the Body from the Drinking Water]. <Original> Vurkhu Niakoi Strani Ot Toksichnoto Deistvie Na Nikela Pri Postupvaneto Mu V Organizma S Piteinite Vody. *Problemi Na Khigienata* 11: 14-24.
- FL** Vodichenska, T. S. and Budeva, B. 1993. [An Experimental Study of the Atherogenic Effect of the Vanadium and Nickel Contained in Drinking Water When Combined]. <Original> Eksperimentalno Prouchvane Vurkhu Aterogenniiia Efekt Na Vanadiia I Nikela, Sudurzhashti Se V Piteinite Vodi, Pri Kombinirano Deistvie. *Problemi Na Khigienata* 18: 50-62.
- FL** Vodichenska, T. S. S. and Dinoeva, S. K. 1980. [Lead Content in the Water Reservoirs and its Effect on the Development of Experimental Arteriosclerosis]: <Original> Soderzhanie Svintsa V Vodoistochnikakh I Ego Vliianie Na Razvitie Eksperimental'nogo Ateroskleroza. *Gig Sanit.*(11): 69-72.

- FL** Vogt, H. and Nezel, K. 1976. The Effect of Various Levels of Lead in Broiler- and Laying-rations on the Performance of the Birds and on Residues in Tissues and Eggs. Communication I. The Effect of Various Levels of Lead on the Performance of the Birds. *Arch. Gefluegelkd.* 40(4): 124-30.
- Abstract** Vogt, H., Nezel, K., and Matthes, S. 1976. The Effect of Various Levels of Lead and Cadmium in Broiler and Laying Rations on the Performance of the Birds and on the Residues in Tissues and Eggs. *Nutr Metab.* 20(3): 205.
- FL** Volmer, K., Doell, G., and Herzog, A. Determination of Various Elements in the Foot Horn of the Mouflon Ovis-ammon-musimon with Healthy and Fully-grown Feet. *Zeitschrift Fuer Jagdwissenschaft.* 31 (3). 1985. 140-146.
- FL** Votyakov, A. V. and Krasovskii, G. N. Activity of .Beta.-galactosidase in Seminal Fluid and Gonad Tissue as a Biochemical Criterion of Gonadotoxic Effects of Chemical Substances. *Gig. Sanit. (1989)* (3): 62-3.
- Abstract** Vreman, K. and De Ruig W G. Supplementation of Diet with Arsenic Lead Cadmium and Mercury in Lactating Dairy Cows and Young Fattening Bulls Appearance of Various Heavy Metals in Various Edible Tissues. *34th Convention of the Society for the Nutritional Physiology of Domestic Animals, Goettingen, West Germany, March 12-14, 1980. Z Tierphysiol Tierernaehr Futtermittelk.* 44 (1). 1980. 10-11.
- FL** Vreman, K. and Ruig, W. G. De. 1980. Supplements of Arsenic, Lead, Cadmium and Mercury for Lactating Dairy cows and Young Fattening Bulls. The Transfer (Of the Heavy Metals) To different Edible Tissues. *Zeitschrift Fur Tierphysiologie, Tierernahrung Und Futtermittelkunde* 44(1): 10-11.
- Mix** Vreman, K., Van Der Veen, N. G., Van Der Molen, E. J., and De Ruig, W. G. 1986. Transfer of Cadmium Lead Mercury and Arsenic from Feed into Milk and Various Tissues of Dairy Cows Chemical and Pathological Data. *Neth J Agric Sci.* 34(2): 129-144.
- Diss** Vreman, K. and Veen, N. G. Van Der. 1981. Carry-over of Lead, Cadmium, Mercury and Arsenic from Animal Feed To edible Products of Fattening Lambs. <Document Title>rapport, Instituut Voor Veevoedingsonderzoek "Hoorn". (136): 17 Pp.
- Mix** Vyaizenen, G. and Budyanu, I. 1995. Sapropel During Finishing (Of Pigs). *Svinovodstvo (Moskva)* (5): 5-7.
- Mix** Vyaizenen, G., Savin, V., Tokar', A., Gulyaev, V., Zinkevich, V., Kuznetsova, I., Chugunova, Yu., Nikitina, Yu., Fedotov, A., and Marinets, R. 1997. Reduction of the Concentration of Heavy Metals in Pork. *Svinovodstvo (Moskva)* (1): 18-22.
- Unrel** Vyaizenen, G. N., Tokar', A. I., Gulyaev, V. A., Marinets, R. M., and Struchkov, A. A. 1998. Conifer Extract for Obtaining Ecologically Clean Product. *Kormoproizvodstvo* (1): 28-29.
- Lead Shot** Vyas, N. B., Spann, J. W., and et Al. Lead Poisoning of Passerines at a Trap and Skeet Range. *Environmental Pollution.* 107: 159-166.
- No Dose** Vyskocil, A., Cizkova, M., and Tejnorova, I. 1995. Effect of Prenatal and Postnatal Exposure to Lead on Kidney Function in Male and Female Rats. *J. Appl. Toxicol.* 15(4): 327-328.

FL	Vyskocil, A., Fiala, Z., Tejnoroova, I., and Tusl, M. 1991. Stress Reaction in Developing Rats Exposed to 1% Lead Acetate. <i>Sb. Ved. Pr. Lek. Fak. Karlovy Univerzity Hradci Kralove</i> . 34(3): 287-295.
No Oral	Waalkes, M. P. and Klaassen, C. D. 1985. Concentration of Metallothionein in Major Organs of Rats after Administration of Various Metals. <i>Fundam Appl Toxicol</i> ; 5 (3). 473-477.
Fate	Wagstaff, D. J. 1979. Effects of Dietary Lead Acetate on Hepatic Detoxication Enzyme Activity. <i>Bull Environ Contam Toxicol</i> . 23(6): 753-8.
Mix	Wakefield, R. C. and Sawyer, C. D. 1986. <i>use of Composted Sewage Sludge on Roadside Vegetation</i> . <Note> Research Rept. Contrib-2353; Fhwa/ri/rd-86/01b
Model	Walsh, C. T. and Ryden, E. B. 1984. The Effect of Chronic Ingestion of Lead on Gastrointestinal Transit in Rats. <i>Toxicol Appl Pharmacol</i> . 75(3): 485-95.
Org Met	Walsh, T. J. and Tilson, H. A. 1984. Neurobehavioral Toxicology of the Organoleads. <i>Neurotoxicology</i> . 5(3): 67-86.
In Vit	Wang, T. S., Kuo, C. F., Jan, K. Y., and Huang, H. Arsenite Induces Apoptosis in Chinese Hamster Ovary Cells by Generation of Reactive Oxygen Species. <i>Journal of Cellular Physiology</i> ; 169 (2). 1996. 256-268.
Model	Wapnir, R. A., Exeni, R. A., Mcvicar, M., and Lipshitz, F. 1977. Experimental Lead Poisoning and Intestinal Transport of Glucose, Amino Acids, and Sodium. <i>Pediatr Res</i> 11(3 Pt 1): 153-7.
In Vit	Wapnir, R. A., Goldstein, L., and Moak, S. A. 1984. Effects of Lead on Gamma-glutamyl Transpeptidase and (Na ⁺ -K ⁺)-adenosine Triphosphatase of the Small Intestinal Mucosa. <i>J Environ Pathol Toxicol Oncol</i> . 5(4-5): 101-7.
Alt	Wapnir, R. A., Moak, S. A., and Lifshitz, F. 1980. Malnutrition During Development: Effects on Later Susceptibility to Lead Poisoning. <i>Am J Clin Nutr</i> . 33(5): 1071-6.
Drug	Wapnir, R. A., Moak, S. A., and Lifshitz, F. 1980. Reduction of Lead Toxicity on the Kidney and the Small Intestinal Mucosa by Kaolin and Pectin in the Diet. <i>Am J Clin Nutr</i> . 33(11): 2303-10.
Surv	Warren, R. J., Wallace, B. M., Bush, P. B., Madej, J. A., and Radzanowska, G. 1990. Trace Elements in Migrating Blue-winged Teal: Seasonal-, Sex- and Age-class Variations.: the Effect of Copper and Selenium Administration on Histopathological Picture of Organs and Accumulation of Metals in Hens. <i>Environ Toxicol Chem</i> . 9(4): 521-528.
Surv	Warren, Robert J., Wallace, Billy M., and Bush, Parshall B. 1990. Trace Elements in Migrating Blue-winged Teal: Seasonal-, Sex- and Age-class Variations. <i>Environ. Toxicol. Chem</i> . 9(4): P521-8.
In Vit	Wasserman, R. H. 1979. <i>molecular Mechanisms of the Epithelial Transport of Toxic Metal Ions, Particularly Mercury, Cadmium, Lead, Arsenic, Zinc, and Copper</i> . Progress Report, January 1, 1979-december 31, 1979
In Vit	Wasserman, R. H. and Fullmer, C. S. 1986. <i>molecular Mechanisms of the Epithelial Transport of Toxic Metal Ions</i> . Final Report, September 1, 1975-december 31, 1985. Doe/ev/02792-12
Diss	Waterman, S. 1995. <i>immune Mechanisms in Lead Induced Neurotoxicity (Autoantibodies)</i>

Lead Shot	Wayland, M. and Bollinger, T. 1999. Lead Exposure and Poisoning in Bald Eagles and Golden Eagles in the Canadian Prairie Provinces. <i>Environmental Pollution</i> 104(3): 341-350.
Pb Behav	Weerasuriya, A., Curran, G. L., and Poduslo, J. F. 1990. Physiological Changes in the Sciatic Nerve Endoneurium of Lead-intoxicated Rats: a Model of Endoneurial Homeostasis. <i>Brain Res</i> 517(1-2): 1-6.
CP	Weinreich, K., Stelte, W., and Bitsch, I. 1977. Effect of Lead Acetate on the Spontaneous Activity of Young Rats. <i>Nutr. Metab., V21, Nsuppl. 1, P201-3</i> . 21(suppl. 1): 201-3.
Rev	Weiss, B. 1978. The Behavioral Toxicology of Metals. <i>Fed Proc.</i> 37(1): 22-27.
No COC	Weiss, B. 1995. Neurobehavioral Toxicity of Metals. <i>Chronic Aif3 Administration: 2. Selected Historical Observations</i> .
Surv	Weseloh, D. V. C., Rodrigue, J., Blokpoel, H., and Ewins, P. J. 1997. Contaminant Concentrations in Eggs of Black Terns (<i>Chlidonias niger</i>) from Southern Ontario and Southern Quebec, 1989-1996. <i>Colonial Waterbirds</i> . 20(3): 604-616.
Mix	Westing, T. W., Fontenot, J. P., and Webb, K. E. Jr. 1985. Characterization of Mineral Element Profiles in Animal Waste and Tissues from Cattle Fed Waste. 2. Steers Fed Cattle Feedlot Waste. <i>Journal of Animal Science</i> . 61(3): 682-691.
Meth	Weston, Andrea, Brown, Phyllis R., Heckenberg, Allan L., Jandik, Petr, and Jones, William R. Effect of Electrolyte Composition on the Separation of Inorganic Metal Cations by Capillary Ion Electrophoresis. <i>J. Chromatogr. (1992)</i> 602(1-2): 249-56.
Bio Acc	Weyers, B., Gluck, E., and Stoeppler, M. 1988. Investigation of the Significance of Heavy Metal Contents of Blackbird Feathers. <i>Sci Total Environ.</i> 77(1): 61-7.
Mix	Wheeler, W. E. and Oltjen, R. R. 1979. Cement Kiln Dust in Complete Diets for Finishing Steers and Growing Lambs. <i>J Anim Sci: Journal of Animal Science: 48 (3).</i> . 48(3): 658-665.
CP	Whisenhunt, J. E. and Maurice, D. V. The Response of Egg Shell Quality to Dietary Manganese and Lead. <i>Meeting of the Southern Poultry Science Society. Poult Sci.</i> 60 (7). 1981. 1609.
Surv	White, D. H. and Cromartie, E. 1985. Bird Use and Heavy Metal Accumulation in Waterbirds at Dredge Disposal Impoundments, Corpus Christi, Texas. <i>Bull Environ Contam Toxicol.</i> 34(2): 295-300.
Surv	White, D. H. and Geitner, J. G. H. 1996. Environmental Contaminants and Productivity in an Extinct Heronry at Charleston Harbor, South Carolina, U.S.A. 1984. <i>Environmental Monitoring and Assessment.</i> 40(2): 137-141.
Surv	White, D. H., King, K. A., and Prouty, R. M. 1980. Significance of Organo Chlorine and Heavy Metal Residues in Wintering Shore Birds at Corpus-christi Texas Usa 1976-1977. <i>Pestic Monit J.</i> 14(2): 58-63.
Surv	White, D. H., King, K. A., and Prouty, R. M. 1980. Significance of Organochlorine and Heavy Metal Residues in Wintering Shorebirds at Corpus Christi, Texas, 1976-77. <i>Pestic. Monit. J.</i> 14(2): 58-63.

No COC	White, J. M. and Holtzman, S. G. Further Characterization of the 3 Choice Morphine Cyclazocine and Saline Discrimination Paradigm Opioids with Agonist and Antagonist Properties. <i>Journal of Pharmacology and Experimental Therapeutics</i> . 224 (1). 1983. 95-99.
Acu	White, Wb, Clifford, Pa, and Calvery, Ho. 1943. The Lethal Dose of Lead for the Cow. The Elimination of Ingested Lead Through the Milk. <i>J. Amer. Vet. Med. Ass.</i> 102: 292.
Lead Shot	Whitehead, P. J. and Tschirner, K. 1991. Lead Shot Ingestion and Lead Poisoning of Magpie Geese <i>Anseranas Semipalmata</i> Foraging in a Northern Australian Hunting Reserve. <i>Biol Conserv.</i> 58(1): 99-118.
Rev	Who. 1977. Environmental Health Criteria. 3. Lead.
No Oral	Wide, M. and Nilsson, O. 1977. Differential Susceptibility of the Embryo to Inorganic Lead During Periimplantation in the Mouse. <i>Teratology</i> . 16(3): 273-6.
Unrel	Wideman, R. F. Jr, Kirby, Y. K., Owen, R. L., and French, H. 1997. Chronic Unilateral Occlusion of an Extrapulmonary Primary Bronchus Induces Pulmonary Hypertension Syndrome (Ascites) in Male and Female Broilers. <i>Poultry Science</i> 76(2): 400-4.
Fate	Widmer, H. R., Butikofer, E. E., Schlumpf, M., and Lichtensteiger, W. 1991. Pre- and Postnatal Lead Exposure Affects the Serotonergic System in the Immature Rat Brain. <i>Experientia</i> . 47(5): 463-6.
Pb Behav	Widmer, H. R., Vedder, H., Schlumpf, M., and Lichtensteiger, W. 1992. Concurrent Changes in Regional Cholinergic Parameters and Nest Odor Preference in the Early Postnatal Rat after Lead Exposure. <i>Neurotoxicology</i> 13(3): 615-24.
Fate	Widzowski, D. V., Finkelstein, J. N., Pokora, M. J., and Cory-slechta, D. A. 1994. Time Course of Postnatal Lead-induced Changes in Dopamine Receptors and Their Relationship to Changes in Dopamine Sensitivity. <i>Neurotoxicology</i> 15(4): 853-65.
Surv	Wiemeyer, S. N., Frenzel, R. W., Anthony, R. G., Mcclelland, B. R., and Knight, R. L. 1989. Environmental Contaminants in Blood of Western Bald Eagles. <i>J Raptor Res.</i> 23(4): 140-146.
Surv	Wiemeyer, S. N., Jurek, R. M., and Moore, J. F. 1986. Environmental Contaminants in Surrogates Foods and Feathers of California Condors <i>Gymnogyps-californianus</i> . <i>Environ Monit Assess.</i> 6(1): P91-111.
Surv	Wiemeyer, S. N., Lamont, T. G., and Locke, L. N. 1980. Residues of Environmental Pollutants and Necropsy Data for Eastern Usa Ospreys (<i>Pandion Haliaetus</i>), 1964-1973. <i>Estuaries</i> . 3(3): 155-167.
Surv	Wiemeyer, Stanley N., Schmeling, Sheila K., and Anderson, Allen. 1987. Environmental Pollutant and Necropsy Data for Ospreys from the Eastern United States, 1975-1982. <i>J. Wildl. Dis.</i> 23(2): 279-91 .
No Oral	Wight, P. A. L., Dewar, W. A., Saunderson, C. L., Wiemeyer, S. N., Jurek, R. M., and Moore, J. F. 1986. Zinc Toxicity in the Fowl Ultrastructural Pathology and Relationship to Selenium Lead and Copper: Environmental Contaminants in Surrogates Foods and Feathers of California Condors <i>Gymnogyps-californianus</i> . <i>Avian Pathol.</i> 15(1): 23-38.

Species	Williams, Phillip L. and Dusenbery, David B. 1988. Using the Nematode <i>Caenorhabditis Elegans</i> to Predict Mammalian Acute Lethality to Metallic Salts. <i>Toxicol. Ind. Health</i> (1988) 4(4): 469-78 .
Rev	Williams, S. N. and McDowell, L. R. 1985. Newly Discovered and Toxic Elements. <i>Animal Feeding and Nutrition: Nutrition of Grazing Ruminants in Warm Climates.</i> 317-338.
No Dose	Willoughby, Ra, Macdonald, Ae, Mcsherry, Bj, and Brown, G. 1972. Lead and Zinc Poisoning and the Interaction Between Pb and Zn Poisoning in the Foal. <i>Can. J. Comp. Med.</i> 36: 348.
No Dose	Willoughby, Ra, Macdonald, E, Mcsherry, Bj, and Brown, G. 1972. The Interaction of Toxic Amounts of Lead and Zinc Fed to Young Growing Horses . <i>Vet. Rec.</i> 91: 382.
No Dose	Willoughby, Ra, Thirapatsokun, T, and Mcsherry, Bj. 1972. Influence of Rations Low in Calcium and Phosphorus on Blood and Tissue Lead Concentrations in the Horse. <i>Amer. J. Vet. Res.</i> 33: 1165.
Surv	Wilson, K. W., Head, P. C., and Jones, P. D. 1986. Mersey Estuary Uk Bird Mortalities Causes Consequences and Correctives. <i>Water Sci Technol; International Association on Water Pollution Research and Control/natural Environment Research Council Specialized Conference on Estuarine and Coastal Pollution: Detection.</i> 18(4-5): 171-180.
Lead Shot	Wilson, L. K., Elliott, J. E., Langelier, K. M., Scheuhammer, A. M., and Bowes, V. 1998. Lead Poisoning of Trumpeter Swans, <i>Cygnus Buccinator</i> , in British Columbia, 1976-1994. <i>Canadian Field-naturalist.</i> 112(2): 204-211.
Fate	Windebank, A. J., McCall, J. T., Hunder, H. G., and Dyck, P. J. 1980. The Endoneurial Content of Lead Related to the Onset and Severity of Segmental Demyelination. <i>J Neuropathol Exp Neurol.</i> 39(6): 692-9.
Rev	Winder, C. and Carmichael, N. G. 1985. The Experimental Administration of Lead to Rats in Neuropathological and Behavioural Studies. <i>J. Appl. Toxicol.</i> 5(3): 140-147.
Rev	Winder, C. and Kitchen, I. 1984. Lead Neurotoxicity: a Review of the Biochemical, Neurochemical and Drug Induced Behavioural Evidence. <i>Prog. Neurobiol.</i> 22(1): 59-87.
Dead	Windingstad, R. M. 1988. Nonhunting Mortality in Sandhill Cranes. <i>J. Wildl. Manage.</i> 52(2): 260-263.
Surv	Windingstad, R. M., Duncan, R. M., and Thronburg, D. 1983. Outbreak of Avian Cholera on the Wintering Grounds of the Mississippi Valley Canada Goose Flock. <i>J. Wildl. Dis.</i> 19(2): 95-97.
Lead Shot	Windingstad, R. M. and Hinds, L. S. Iii. 1987. Lead Poisoning in Canada Geese on Plum Island Massachusetts Usa. <i>J Wildl Dis.</i> 23(3): 438-442.
Dead	Windingstad, R. M., Kerr, S. M., and Locke, L. N. 1984. Lead Poisoning of Sandhill Cranes (<i>Grus Canadensis</i>). <i>Prarie Naturalist.</i> 16(1): 21-24.
Sed	Winger, P. V., Lasier, P. J., White, D. H., and Seginak, J. T. 2000. Effects of Contaminants in Dredge Material from the Lower Savannah River . <i>Arch. Environ. Contam. Toxicol.</i> 38(1): 128-136 .

Surv	Winger, P. V(a), Lasier, P. J., White, D. H., and Seginak, J. T. 2000. Effects of Contaminants in Dredge Material from the Lower Savannah River. <i>Archives of Environmental Contamination and Toxicology</i> 38(1): 128-136.
Pb Behav	Winneke, G., Lilienthal, H., and Werner, W. 1982. Task-dependent Neurobehavioral Effects of Lead in Rats. <i>Arch. Toxicol., Suppl.</i> 5: 84-93.
FL	Winter, R. and Piskorska, D. 1984. Effects of Low Doses of Lead and Cadmium on the Activities of Glyoxalase I and Glyoxalase II in Liver and Brain of Rats. <i>Med Pr;</i> 35 (3). 35(3): 177-183.
Drug	Wise, A. 1981. Protective Action of Calcium Phytate Against Acute Lead Toxicity in Mice. <i>Bull. Environ. Contam. Toxicol.</i> 27(5): 630-633.
FL	Wittmann, M. 1992 . <i>Investigations on the Selective Feed Intake of Broilers Dependent on Varying Lead Supply</i>]: <Original> Untersuchungen Zur Selektiven Futteraufnahme von Broilern Bei Unterschiedlicher Bleibelastung
FL	Wittmann, M., Kirchgessner, M., and Roth, F. X. 1994. Self-selection of Lead Supplemented Diets by Broilers. 2. Effects Ofdifferent Dietary Lead Contents. <i>Archiv Fur Geflugelkunde.</i> 58(2): 54-61.
FL	Wittmann, M., Kirchgessner, M., and Roth, F. X. 1994. Self-selection of Lead Supplemented Diets by Broilers. 4. Importance Ofexperience on Subsequent Feed Selection. <i>Archiv Fur Geflugelkunde.</i> 58(4): 156-161.
FL	Wittmann, M., Roth, F. X., and Kirchgessner, M. 1994. Self-selection of Lead Supplemented Diets by Broilers. 1. Effects Oflead on Performance of Broilers. <i>Archiv Fur Geflugelkunde.</i> 58(1): 38-45.
FL	Wittmann, M., Roth, F. X., and Kirchgessner, M. 1994. Self-selection of Lead Supplemented Diets by Chicks. 1. Effects of Lead on Performance of Chicks. <i>Arch. Gefluegelkd.</i> 58(1): 38-45 .
FL	Wojcik, A., Borzecki, Z., Tyszko, U., and Burek, G. 1987. [Effect of Long-term Administration of Lead Acetate on the Behavior of Experimental Animals]: <Original> Wplyw Przewleklego Dzialania Związku Ołowiu Na Zachowanie Sie Zwierzat Doswiadczalnych. <i>Ann Univ Mariae Curie Sklodowska [Med].</i> 42: 29-34.
FL	Wojcik, A. and Kubajka, J. 1990. [Experimental Study of Heavy Metal Interactions in Mice]: <Original> Eksperymentalne Badania Interakcji Metali Cie.ang.zkich U Myszy. <i>Ann Univ Mariae Curie Sklodowska [Med].</i> 45: 21-6.
Stain	Womble, M. D. 1986. The Clustering of Acetylcholine Receptors and Formation of Neuromuscular Junctions in Regenerating Mammalian Muscle Grafts. <i>American Journal of Anatomy</i> 176(2): 191-205.
Species	Wong, M. H., Chan, K. M., and Liu, W. K. Trace Metal Concentrations in Tilapia Fed with Pig and Chicken Manure. <i>Conserv. Recycl. (1984)</i> 7(2-4): 351-60.
Surv	Wood, P. B., Viverette, C., Goodrich, L., Pokras, M., and Tibbott, C. 1996. Environmental Contaminant Levels in Sharp-shinned Hawks from the Eastern United States. <i>Journal of Raptor Research.</i> 30(3): 136-144.

CP	Woolley, D. E. and Woolley-efigenio, N. D. 1983. Specific Dietary Components Alter the Toxicity of Lead Exposure in the Postweaning Rat. <i>Proc West Pharmacol Soc.</i> 26: 179-83.
Dead	Wren, C. D. 1984. Distribution of Metals in Tissues of Beaver, Raccoon and Otter from Ontario, Canada. <i>Sci Total Environ.</i> 34(1-2): 177-184.
Unrel	Xu, Xiuju, Xiao, Menglan, Li, Feng, Wang, Xiaoning, and Li, Meixian. Nutritional and Safety Evaluation of Delipidized Castor Bean Proteins. <i>Shipin Kexue (Beijing) (1990)</i> : 122, 8-9.
No Dose	Xu, Y. Z., Ruan, D. Y., Wu, Y., Jiang, Y. B., Chen, S. Y., Chen, J., and Shi, P. 1998. Nitric Oxide Affects Ltp in Area Ca1 and Ca3 of Hippocampus in Low-level Lead-exposed Rat. <i>Neurotoxicol Teratol.</i> 20(1): 69-73.
Org Met	Yagminas, A. P., Little, P. B., Rousseaux, C. G., Franklin, C. A., and Villeneuve, D. C. 1992. Neuropathologic Findings in Young Male Rats in a Subchronic Oral Toxicity Study Using Triethyl Lead. <i>Fundam Appl Toxicol.</i> 19(3): 380-387.
Diss	Yamamoto, B. K. 1981. <i>Chronic Dietary Lead Administration During Different Developmental Stages: Activity Changes and Neurochemical Correlates</i>
Drug	Yamamoto, B. K. and Kutscher, C. L. 1981. Drug and Food-deprivation Modulation of Activity in Rats Given Chronic Dietary Lead: Significance of Type of Activity Measure. <i>Pharmacol Biochem Behav.</i> 15(3): 505-12.
Meth	Yamamoto, B. K. and Kutscher, C. L. 1980. Using Profiles of Saccharin and Water Drinking to Detect and Discriminate Actions of Drugs and Toxicants. <i>Pharmacol Biochem Behav.</i> 13(4): 507-12.
No Oral	Yamamoto, T., Yamaguchi, M., and Suketa, Y. 1974. Calcium Accumulation in Liver and Calcium Mobilization in Bone of Lead-poisoned Rats. <i>Toxicol. Appl. Pharmacol.</i> 27(1): 204-205.
Bio Acc	Yang, Zhixiao, Wang, Hongcun, and Yu, Min. Manufacture and Trace Element Analysis in Trace Element-rich Nutrient Powder. <i>Shipin Kexue (Beijing) (1991)</i> : 137, 34-5.
FL	Yata S, Hara H, Kitano H, and Arai S. 1993. A Case of Lead Poisoning in Wild Mallard. <i>Journal of the Japan Veterinary Medical Association.</i> 46(3): 257-260.
Acu	Yoshikawa, Hiroshi. Preventive Effect of Pretreatment with Low Dose of Metals on the Acute Toxicity of Metals in Mice. <i>Ind. Health (1970)</i> 8(4): 184-91.
In Vit	Young, R. J A, Bodt, B. A., and Heitkamp, D. H. 1995. Action of Metallic Ions on the Precocious Development by Rabbit Sperm of Motion Patterns That Are Characteristic of Hyperactivated Motility. <i>Molecular Reproduction and Development.</i> 41(2): 239-248.
Mix	Young, R. W., Furr, A. K., Stoewsand, G. S., Bache, C. A., and Lisk, D. J. 1978. Lead and Other Elements in Tissues of Guinea Pigs Fed Crown Vetch Grown Adjacent to a Highway. <i>Cornell Veterinarian</i> 68(4): 521-9.
Surv	Young, R. W., Ridgely, S. L., Blue, J. T., Bache, C. A., and Lisk, D. J. 1986. Lead in Tissues of Woodchucks Fed Crown Vetch Growing Adjacent to a Highway. <i>J. Toxicol. Environ. Health.</i> 19(1): 91-96.

Imm	Youssef, S. A., El-sanousi, A. A., Afifi, N. A., and El Brawy, A. M. 1996. Effect of Subclinical Lead Toxicity on the Immune Response of Chickens to Newcastle Disease Virus Vaccine. <i>Res. Vet. Sci.</i> 60(1): 13-16.
Unrel	Yu, Ping, Yan, Jinling, and Huang, Meng. Extraction of the Active Constituents of Fugus Ovary and Their Properties. <i>Tianran Chanwu Yanjiu Yu Kaifa (1999)</i> 11(5): 51-54.
FL	Yuan, Hongbing and Zhang, Gong. Combined Effects of Lead, Cadmium and Arsenic on Renal Trace Element Levels in Mice. <i>Gongye Weisheng Yu Zhiyebing (1991)</i> 17(2): 70-2 .
No Dose	Yuhl, D. E., Burrig, R. G., Donovick, P. J., and Cypess, R. H. 1985. Behavioral Effects of Early Lead Exposure and Subsequent Toxocariasis in Mice. <i>J Toxicol Environ Health</i> 16(2): 315-21.
Diss	Zaiser, A. E. 1997. <i>the Effects of Prenatal and Postnatal Exposure to Inorganic Lead on Long-term Potentiation in Vivo and Spatial Learning in the Rat (Memory Recall)</i>
No Dose	Zaiser, A. E. and Miletic, V. 1997. Prenatal and Postnatal Chronic Exposure to Low Levels of Inorganic Lead Attenuates Long-term Potentiation in the Adult Rat Hippocampus in Vivo. <i>Neurosci Lett.</i> 239(2-3): 128-30.
No Control	Zajac, C. S. and Abel, E. L. 1990. Lack of Lead Effects on Fetal Development and Offspring Learning When Combined with Alcohol in the Long-evans Rat. <i>Teratology.</i> 41(1): 33-41.
Bio Acc	Zakrzewska, M. 1988. Effect of Lead on Postnatal Development of the Bank Vole (<i>Clethrionomys glareolus</i>). <i>Arch. Environ. Contam. Toxicol.</i> 17(3): 365-371.
Unrel	Zaopska-downar, B. Silver-absorptive Cells in the Liver Parenchyma I. Histological and Ultrastructural Studies. <i>Folia Morphologica (Prague).</i> 37 (2). 1989. 126-141.
Unrel	Zapolska-downar, B. 1989. Silver-absorptive Cells in Liver Parenchyma. I. Histological and Ultrastructural Studies. <i>Folia Morphologica</i> 37(2): 136-41.
Acute	Zareba, G. and Chmielnicka, J. 1992. Disturbances in heme biosynthesis in rabbits after administration per os of low doses of tin or lead. <i>Biol Trace Elem Res</i> 34(2): 115-22.
Drug	Zargham Khan, M., Szarek, J., and Rotkiewicz, T. 1994. Monensin Toxicosis in Broiler Chicks Concurrently Fed Selenium or Lead:light and Ultrastructural Alterations. <i>Pakistan Veterinary Journal.</i> 14(2): 67-72.
Bio Acc	Zatta, P., Cervellin, D., Favarato, M., Gerotto, M., and Mattiello, G. Microelemental Concentration in the Ontogenesis of Rat Brain. <i>Trace Elem. Electrolytes (1994)</i> 11(3): 143-7.
In Vit	Zawia, N. H., Evers, L. B., and Harry, G. J. 1994. Developmental Profiles of Ornithine Decarboxylase Activity in the Hippocampus, Neocortex and Cerebellum: Modulation Following Lead Exposure. <i>Int J Dev Neurosci.</i> 12(1): 25-30.
No Dose	Zawia, N. H., Evers, L. B., Kodavanti, P. R., and Harry, G. J. 1994. Modulation of Developmental Cerebellar Ornithine Decarboxylase Activity by Lead-acetate. <i>Neurotoxicology.</i> 15(4): 903-11.
FL	Zechalko, A. 1979 . Effect of Nutritional Deficiencies on the Toxicity of Lead and Cadmium in Experimental Rats. Part Iii. Enzymic Studies on Blood Serum. <i>Bromatol. Chem. Toksykol.</i> 12(2): 161-167.

Surv	Zechalko, A. 1979. Effect of Nutritional Deficiencies on the Toxicity of Lead and Cadmium in Experimental Rats. Part Iv. Metal Content in Animal Tissues. <i>Bromatol. Chem. Toksykol.</i> 12(3): 211-223.
Mix	Zechalko, A. 1979. Effect of Nutritional Deficiency on the Toxicity of Lead and Cadmium Inexperimental Rats. 1. General Studies. <i>Bromatologia I Chemia Tokskologiczna.</i> 12(1): 43-51.
FL	Zechalko, A., Biernat, J., and Szymczak, J. 1985. Effect of Calcium Deficiency on Hematological Indices and Serum and Liver Enzymes Activities in Rats Intoxicated with Lead Cadmium Mercury and with Lead plus Cadmium plus Mercury. <i>Bromatol Chem Toksykol: Bromatologia I Chemia Toksykologiczna.</i> 18(3): 165-172.
Surv	Zechalko, A., Biernat, J., and Szymczak, J. 1987. Effect of Calcium Deficiency on Metal Cumulation in Tissues of Rats Intoxicated with Lead, Cadmium, or Mercury or with All These Elements Concomitantly. <i>Bromatol. Chem. Toksykol.</i> 20(3-4): 196-202.
FL	Zechalko, A. and Madej, J. A. 1979. Effect of Nutritional Deficiencies on Lead and Cadmium Toxicity in Laboratory Rats. Part Vi. Histopathological Study and Brain Lead Levels. <i>Bromatol. Chem. Toksykol.</i> 12(4): 371-6.
FL	Zechalko, A., Madej, J. A., and Szymczak, J. 1983. Effect of Lead and the Kind of Fat in the Diet on Morphological Changes in the Liver and Kidneys of Rats. <i>Bromatologia I Chemia Toksykologiczna.</i> 16(2): 95-98.
Acu	Zegarska, Z., Kilkowska, K., and Romankiewicz-wozniczko, G. 1974. Developmental Defects in White Rats Caused by Acute Lead Poisoning. <i>Folia Morphol (Warsz).</i> 33(1): 23-8.
Acu	Zegarska, Z. and Zegarski, W. 1968. The Behavior of Some Enzymes in the Liver in the Course of Subacute Experimental Lead Poisoning. <i>Acta Med Pol.</i> 9(1): 119-27.
Drug	Zenick, H. and Goldsmith, M. 1981. Drug Discrimination Learning in Lead-exposed Rats. <i>Science.</i> 212(4494): 569-71.
Abstract	Zenick, H, Lasley, S, Greenland, R, and Michaelson, Ia. 1981. Brain Levels and Attenuated Response to D-amphetamine in Lead Exposed Rats. <i>Fedn. Proc.</i> 40: 700.
No Dose	Zenick, H, Rodriquez, W, Ward, J, and Elkington, B. 1979. Deficits in Fixed Interval Performance Following Prenatal and Postnatal Lead Exposure. <i>Dv. Psychobiol.</i> 12: 509-514.
Pb Behav	Zenick, H., Ward, J., Rodriquez, W., Aragon, P., and Scrivseth, R. 1979. Offspring Open Field Performance Following Maternal Lead Exposure: a Question of Dosage and Nutritional Status. <i>Pharmacol Biochem Behav</i> 11 Suppl: 35-8.
FL	Zhitnikov, A. I. and Mazhuga, P. M. 1986. [Changes in the Metabolism of Chondrocytes after Chronic Intake of Phenol and Lead]: <Original> Izmeneniia Metabolizma Khondrotsitov Pri Khronicheskom Postuplenii V Organizm Fenola I Svintsa. <i>Arkh Anat Gistol Embriol.</i> 90(1): 72-6.
FL	Zhitnikov, A. I. and Mazhuga, P. M. 1988. [Chondrocyte Metabolism in Growing and Definitive Cartilage Exposed to Lead Acetate]. <i>Tsitol Genet.</i> 22(2): 3-7.
HHE	Zimmermann, W., Schweisfurth, C., and Gerdes-gotz, T. 1970. [Injuriousness to Health of Drinking Water Polluted with Mineral Oil Products or Lead Compounds]: <Original> Untersuchungen Zur Frage Der Gesundheitsschadlichkeit von Trinkwasser, Das Mit

Mineralolprodukten Bzw. Bleiverbindungen Verunreinigt Ist. *Arch Hyg Bakteriol.* 154(1): 8-13.

- No Control** Zmudzki, J., Bratton, G. R., Womac, C., and Rowe, L. D. 1984. The Influence of Milk Diet, Grain Diet, and Method of Dosing on Lead Toxicity in Young Calves. *Toxicology and Applied pharmacology.* 76(3)
- No Control** Zmudzki, J., Bratton, G. R., Womac, C., and Rowe, L. D. Jr. 1985. Low Dose Lead Effects in Calves Fed a Whole Milk Diet. *Bull. environ Contam Toxicol.* 35(5): 612-619.
- No Control** Zmudzki, J., Bratton, G. R., Womac, C. W., Rowe, L. D. Jr., and Wagner, B. 1986. Lactose and Milk Replacer Influence on Lead Absorption and Lead Toxicity in Calves. *Bull. environ Contam Toxicol.* 36(3): 356-363.
- FL** Zmudzki, J. and Szkoda, J. Trace Elements Content of Hen Eggs in Poland. *Bromatologia I Chemia Toksykologiczna;* 29 (1). 1996. 55-57.
- Prim** Zook, B. C., London, W. T., Dimaggio, J. F., Rothblat, L. A., Sauer, R. M., and Sever, J. L. 1980. Experimental Lead Paint Poisoning in Nonhuman Primates. Ii. Clinical Pathologic Findings and Behavioral Effects. *J Med Primatol.* 9(5): 286-303.
- Prim** Zook, B. C., London, W. T., Wilpizeski, C. R., and Sever, J. L. 1980. Experimental Lead Paint Poisoning in Nonhuman Primates. Iii. Pathologic Findings. *J Med Primatol.* 9(6): 343-60.
- No Dose** Zook, Bc, Carpenter, JI, and Leeds, Eb. 1969. Lead Poisoning in Dogs. *J. Amer. Vet. Med. Ass.* 155: 1329-42.
- Model** Zuch, C. L., O'mara, D. J., and Cory-slechta, D. A. 1998 . Low-level Lead Exposure Selectively Enhances Dopamine Overflow in Nucleus Accumbens: an in Vivo Electrochemistry Time Course Assessment. *Toxicol Appl Pharmacol.* 150(1): 174-85.
- Unrel** Zuri I and Terkel J. 1996. Locomotor Patterns, Territory, and Tunnel Utilization in the Mole-rat Spalax Ehrenbergi. *Journal of Zoology.* 240(1): 123-140.
- Lead Shot** Zwank P J, Wright V L, Shealy P M, and Newsom J D. 1985. Lead Toxicosis in Waterfowl on Two Major Wintering Areas in Louisiana. *Wildlife Society Bulletin.* 13(1): 17-26.

Literature Rejection Categories		
Rejection Criteria	Description	Receptor
ABSTRACT (Abstract)	Abstracts of journal publications or conference presentations.	Wildlife Plants and Soil Invertebrates
ACUTE STUDIES (Acu)	Single oral dose or exposure duration of three days or less.	Wildlife
AIR POLLUTION (Air P)	Studies describing the results for air pollution studies.	Wildlife Plants and Soil Invertebrates
ALTERED RECEPTOR (Alt)	Studies that describe the effects of the contaminant on surgically-altered or chemically-modified receptors (e.g., right nephrectomy, left renal artery ligation, hormone implant, etc.).	Wildlife
AQUATIC STUDIES (Aquatic)	Studies that investigate toxicity in aquatic organisms.	Wildlife Plants and Soil Invertebrates
ANATOMICAL STUDIES (Anat)	Studies of anatomy. Instance where the contaminant is used in physical studies (e.g., silver nitrate staining for histology).	Wildlife
BACTERIA (Bact)	Studies on bacteria or susceptibility to bacterial infection.	Wildlife Plants and Soil Invertebrates
BIOACCUMULATION SURVEY (Bio Acc)	Studies reporting the measurement of the concentration of the contaminant in tissues.	Wildlife Plants and Soil Invertebrates
BIOLOGICAL PRODUCT (BioP)	Studies of biological toxicants, including venoms, fungal toxins, <i>Bacillus thuringiensis</i> , other plant, animal, or microbial extracts or toxins.	Wildlife Plants and Soil Invertebrates
BIOMARKER (Biom)	Studies reporting results for a biomarker having no reported association with an adverse effect and an exposure dose (or concentration).	Wildlife
CARCINOGENICITY STUDIES (Carcin)	Studies that report data only for carcinogenic endpoints such as tumor induction. Papers that report systemic toxicity data are retained for coding of appropriate endpoints.	Wildlife Plants and Soil Invertebrates
CHEMICAL METHODS (Chem Meth)	Studies reporting methods for determination of contaminants, purification of chemicals, etc. Studies describing the preparation and analysis of the contaminant in the tissues of the receptor.	Wildlife Plants and Soil Invertebrates
CONFERENCE PROCEEDINGS (CP)	Studies reported in conference and symposium proceedings.	Wildlife Plants and Soil Invertebrates
DEAD (Dead)	Studies reporting results for dead organisms. Studies reporting field mortalities with necropsy data where it is not possible to establish the dose to the organism.	Wildlife Plants and Soil Invertebrates
DISSERTATIONS (Diss)	Dissertations are excluded. However, dissertations are flagged for possible future use.	Wildlife
DRUG (Drug)	Studies reporting results for testing of drug and therapeutic effects and side-effects. Therapeutic drugs include vitamins and minerals. Studies of some minerals may be included if there is potential for adverse effects.	Wildlife Plants and Soil Invertebrates
DUPLICATE DATA (Dup)	Studies reporting results that are duplicated in a separate publication. The publication with the earlier year is used.	Wildlife Plants and Soil Invertebrates

Literature Rejection Categories		
Rejection Criteria	Description	Receptor
ECOLOGICAL INTERACTIONS (Ecol)	Studies of ecological processes that do not investigate effects of contaminant exposure (e.g., studies of “silver” fox natural history; studies on ferrets identified in iron search).	Wildlife Plants and Soil Invertebrates
EFFLUENT (Effl)	Studies reporting effects of effluent, sewage, or polluted runoff.	Wildlife Plants and Soil Invertebrates
ECOLOGICALLY RELEVANT ENDPOINT (ERE)	Studies reporting a result for endpoints considered as ecologically relevant but is not used for deriving Eco-SSLs (e.g., behavior, mortality).	Plants and Soil Invertebrates
CONTAMINANT FATE/METABOLISM (Fate)	Studies reporting what happens to the contaminant, rather than what happens to the organism. Studies describing the intermediary metabolism of the contaminant (e.g., radioactive tracer studies) without description of adverse effects.	Wildlife Plants and Soil Invertebrates
FOREIGN LANGUAGE (FL)	Studies in languages other than English.	Wildlife Plants and Soil Invertebrates
FOOD STUDIES (Food)	Food science studies conducted to improve production of food for human consumption.	Wildlife
FUNGUS (Fungus)	Studies on fungus.	Wildlife Plants and Soil Invertebrates
GENE (Gene)	Studies of genotoxicity (chromosomal aberrations and mutagenicity).	Wildlife Plants and Soil Invertebrates
HUMAN HEALTH (HHE)	Studies with human subjects.	Wildlife Plants and Soil Invertebrates
IMMUNOLOGY (IMM)	Studies on the effects of contaminants on immunological endpoints.	Wildlife Plants and Soil Invertebrates
INVERTEBRATE (Invert)	Studies that investigate the effects of contaminants on terrestrial invertebrates are excluded.	Wildlife
IN VITRO (In Vit)	<i>In vitro</i> studies, including exposure of cell cultures, excised tissues and/or excised organs.	Wildlife Plants and Soil Invertebrates
LEAD SHOT (Lead shot)	Studies administering lead shot as the exposure form. These studies are labeled separately for possible later retrieval and review.	Wildlife
MEDIA (Media)	Authors must report that the study was conducted using natural or artificial soil. Studies conducted in pore water or any other aqueous phase (e.g., hydroponic solution), filter paper, petri dishes, manure, organic or histosoils (e.g., peat muck, humus), are not considered suitable for use in defining soil screening levels.	Plants and Soil Invertebrates
METHODS (Meth)	Studies reporting methods or methods development without usable toxicity test results for specific endpoints.	Wildlife Plants and Soil Invertebrates
MINERAL REQUIREMENTS (Mineral)	Studies examining the minerals required for better production of animals for human consumption, unless there is potential for adverse effects.	Wildlife
MIXTURE (Mix)	Studies that report data for combinations of single toxicants (e.g. cadmium and copper) are excluded. Exposure in a field setting from contaminated natural soils or waste application to soil may be coded as Field Survey.	Wildlife Plants and Soil Invertebrates

Literature Rejection Categories		
Rejection Criteria	Description	Receptor
MODELING (Model)	Studies reporting the use of existing data for modeling, i.e., no new organism toxicity data are reported. Studies which extrapolate effects based on known relationships between parameters and adverse effects.	Wildlife Plants and Soil Invertebrates
NO CONTAMINANT OF CONCERN (No COC)	Studies that do not examine the toxicity of Eco-SSL contaminants of concern.	Wildlife Plants and Soil Invertebrates
NO CONTROL (No Control)	Studies which lack a control or which have a control that is classified as invalid for derivation of TRVs.	Wildlife Plants and Soil Invertebrates
NO DATA (No Data)	Studies for which results are stated in text but no data is provided. Also refers to studies with insufficient data where results are reported for only one organism per exposure concentration or dose (wildlife).	Wildlife Plants and Soil Invertebrates
NO DOSE or CONC (No Dose)	Studies with no usable dose or concentration reported, or an insufficient number of doses/concentrations are used based on Eco-SSL SOPs. These are usually identified after examination of full paper. This includes studies which examine effects after exposure to contaminant ceases. This also includes studies where offspring are exposed in utero and/or lactation by doses to parents and then after weaning to similar concentrations as their parents. Dose cannot be determined.	Wildlife Plants and Soil Invertebrates
NO DURATION (No Dur)	Studies with no exposure duration. These are usually identified after examination of full paper.	Wildlife Plants and Soil Invertebrates
NO EFFECT (No Efect)	Studies with no relevant effect evaluated in a biological test species or data not reported for effect discussed.	Wildlife Plants and Soil Invertebrates
NO ORAL (No Oral)	Studies using non-oral routes of contaminant administration including intraperitoneal injection, other injection, inhalation, and dermal exposures.	Wildlife
NO ORGANISM (No Org) or NO SPECIES	Studies that do not examine or test a viable organism (also see in vitro rejection category).	Wildlife Plants and Soil Invertebrates
NOT AVAILABLE (Not Avail)	Papers that could not be located. Citation from electronic searches may be incorrect or the source is not readily available.	Wildlife Plants and Soil Invertebrates
NOT PRIMARY (Not Prim)	Papers that are not the original compilation and/or publication of the experimental data.	Wildlife Plants and Soil Invertebrates
NO TOXICANT (No Tox)	No toxicant used. Publications often report responses to changes in water or soil chemistry variables, e.g., pH or temperature. Such publications are not included.	Wildlife Plants and Soil Invertebrates
NO TOX DATA (No Tox Data)	Studies where toxicant used but no results reported that had a negative impact (plants and soil invertebrates).	Plants and Soil Invertebrates
NUTRIENT (Nutrient)	Nutrition studies reporting no concentration related negative impact.	Plants and Soil Invertebrates
NUTRIENT DEFICIENCY (Nut def)	Studies of the effects of nutrient deficiencies. Nutritional deficient diet is identified by the author. If reviewer is uncertain then the administrator should be consulted. Effects associated with added nutrients are coded.	Wildlife
NUTRITION (Nut)	Studies examining the best or minimum level of a chemical in the diet for improvement of health or maintenance of animals in captivity.	Wildlife
OTHER AMBIENT CONDITIONS (OAC)	Studies which examine other ambient conditions: pH, salinity, DO, UV, radiation, etc.	Wildlife Plants and Soil Invertebrates

Literature Rejection Categories		
Rejection Criteria	Description	Receptor
OIL (Oil)	Studies which examine the effects of oil and petroleum products.	Wildlife Plants and Soil Invertebrates
OM, pH (OM, pH)	Organic matter content of the test soil must be reported by the authors, but may be presented in one of the following ways; total organic carbon (TOC), particulate organic carbon (POC), organic carbon (OC), coarse particulate organic matter (CPOM), particulate organic matter (POM), ash free dry weight of soil, ash free dry mass of soil, percent organic matter, percent peat, loss on ignition (LOI), organic matter content (OMC). With the exception of studies on non-ionizing substances, the study must report the pH of the soil, and the soil pH should be within the range of \$4 and #8.5. Studies that do not report pH or report pH outside this range are rejected.	Plants and Soil Invertebrates
ORGANIC METAL (Org Met)	Studies which examine the effects of organic metals. This includes tetraethyl lead, triethyl lead, chromium picolinate, phenylarsonic acid, roxarsone, 3-nitro-4-phenylarsonic acid, zinc phosphide, monomethylarsonic acid (MMA), dimethylarsinic acid (DMA), trimethylarsine oxide (TMAO), or arsenobetaine (AsBe) and other organo metallic fungicides. Metal acetates and methionines are not rejected and are evaluated.	Wildlife
LEAD BEHAVIOR OR HIGH DOSE MODELS (Pb Behav)	There are a high number of studies in the literature that expose rats or mice to high concentrations of lead in drinking water (0.1, 1 to 2% solutions) and then observe behavior in offspring, and/or pathology changes in the brain of the exposed dam and/or the progeny. Only a representative subset of these studies were coded. Behavior studies examining complex behavior (learned tasks) were also not coded.	Wildlife
PHYSIOLOGY STUDIES (Phys)	Physiology studies where adverse effects are not associated with exposure to contaminants of concern.	Wildlife
PLANT (Plant)	Studies of terrestrial plants are excluded.	Wildlife
PRIMATE (Prim)	Primate studies are excluded.	Wildlife
PUBL AS (Publ as)	The author states that the information in this report has been published in another source. Data are recorded from only one source. The secondary citation is noted as Publ As.	Wildlife Plants and Soil Invertebrates
QSAR (QSAR)	Derivation of Quantitative Structure-Activity Relationships (QSAR) is a form of modeling. QSAR publications are rejected if raw toxicity data are not reported or if the toxicity data are published elsewhere as original data.	Wildlife Plants and Soil Invertebrates
REGULATIONS (Reg)	Regulations and related publications that are not a primary source of data.	Wildlife Plants and Soil Invertebrates
REVIEW (Rev)	Studies in which the data reported in the article are not primary data from research conducted by the author. The publication is a compilation of data published elsewhere. These publications are reviewed manually to identify other relevant literature.	Wildlife Plants and Soil Invertebrates

Literature Rejection Categories		
Rejection Criteria	Description	Receptor
SEDIMENT CONC (Sed)	Studies in which the only exposure concentration/dose reported is for the level of a toxicant in sediment.	Wildlife Plants and Soil Invertebrates
SCORE (Score)	Papers in which all studies had data evaluation scores at or lower then the acceptable cut-off (#10 of 18) for plants and soil invertebrates).	Plants and Soil Invertebrates
SEDIMENT CONC (Sed)	Studies in which the only exposure concentration/dose reported is for the level of a toxicant in sediment.	Wildlife Plants and Soil Invertebrates
SLUDGE	Studies on the effects of ingestion of soils amended with sewage sludge.	Wildlife Plants and Soil Invertebrates
SOIL CONC (Soil)	Studies in which the only exposure concentration/dose reported is for the level of a toxicant in soil.	Wildlife
SPECIES	Studies in which the species of concern was not a terrestrial invertebrate or plant or mammal or bird.	Plants and Soil Invertebrates Wildlife
STRESSOR (QAC)	Studies examining the interaction of a stressor (e.g., radiation, heat, etc.) and the contaminant, where the effect of the contaminant alone cannot be isolated.	Wildlife Plants and Soil Invertebrates
SURVEY (Surv)	Studies reporting the toxicity of a contaminant in the field over a period of time. Often neither a duration nor an exposure concentration is reported.	Wildlife Plants and Soil Invertebrates
REPTILE OR AMPHIBIAN (Herp)	Studies on reptiles and amphibians. These papers flagged for possible later review.	Wildlife Plants and Soil Invertebrates
UNRELATED (Unrel)	Studies that are unrelated to contaminant exposure and response and/or the receptor groups of interest.	Wildlife
WATER QUALITY STUDY (Wqual)	Studies of water quality.	Wildlife Plants and Soil Invertebrates
YEAST (Yeast)	Studies of yeast.	Wildlife Plants and Soil Invertebrates

This Page Intentionally Left Blank



Appendix 5-1

*Avian Toxicity Data Extracted and Reviewed for Wildlife Toxicity
Reference Value (TRV) - Lead*

March 2005

This page intentionally left blank

Appendix 5.1 Avian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead

Page 1 of 3

Ref		Exposure																				Effects					Conversion to mg/kg bw/day				Result		Data Evaluation Score											
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Test Location	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg/day or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total	
Biochemical																																												
1	2860	Scheuhammer, 1987	Lead nitrate	100	Zebra finch (<i>Poephila guttata</i>)	7	0/1/5/10/30/50/100	ug/g diet	N		ADL	U	FD	35	d	NR	NR	AD	M	C	Lab	ENZ	ALAD	BL	1.0	5.0	N	0.99	N	0.0578	0.0584	0.292	10	10	5	10	5	1	8	10	6	4	69	
2	2608	Edens and Garlich, 1983	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	4	0/1/10/100	mg/kg diet	N		ADL	U	FD	5	w	6	w	JV	F	C	Lab	CHM	CALC	BL	1.0	10.0	N	0.155	Y	0.030	0.194	1.94	10	10	5	5	5	1	8	10	10	4	68	
3	2608	Edens and Garlich, 1983	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	4	0/1/10/100	mg/kg diet	N		ADL	U	FD	5	w	6	d	JV	F	C	Lab	CHM	CALC	BL	1.0	10.0	Y	0.155	Y	0.030	0.194	1.94	10	10	5	5	7	1	8	10	10	4	70	
4	2624	Finley et al., 1976	Lead nitrate	100	Mallard (<i>Anas platyrhynchos</i>)	4	0/1.76/5.13/21.63	mg/kg diet	Y	10.4	ADL	M	FD	12	w	1	yr	AD	M	C	Lab	ENZ	ALAD	BL	1.76	5.13	Y	1.162	Y	0.119	0.201	0.586	10	10	10	10	7	1	10	10	6	4	78	
5	2608	Edens and Garlich, 1983	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	5	0/50/100/200/400	mg/kg diet	N		ADL	U	FD	2	w	NR	NR	AD	F	C	Lab	CHM	CALC	BL	100	200	Y	1.78	Y	0.111	6.24	12.5	10	10	5	5	7	1	10	10	10	4	72	
6	2779	Morgan et al., 1975	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/1/10/100/1000	mg/kg diet	N		ADL	U	FD	5	w	6	d	JV	NR	C	Lab	CHM	HMGL	BL	100	1000	Y	0.11	N	0.0138	12.6	126	10	10	5	5	6	1	8	10	10	4	69	
7	2779	Morgan et al., 1975	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/10/100/500/1000	mg/kg diet	N		ADL	U	FD	5	w	1	d	JV	NR	C	Lab	CHM	HMGL	BL	100	500	Y	0.09	N	0.0121	13.5	67.4	10	10	5	5	6	1	8	10	10	4	69	
8	6463	Stone et al., 1981	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/25/50/100/200	mg/kg diet	N		NR	U	FD	14	d	1	d	JV	B	C	Lab	CHM	HMGL	BL	200		N	0.0444	N	0.0077	34.5		10	10	5	10	5	1	4	10	10	4	69	
9	2606	Edens et al., 1976	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/1/10/100/1000	ug/g diet	N		ADL	U	FD	12	w	0	d	JV	F	C	Lab	CHM	CALC	BL		1.0	N	0.159	N	0.0152		0.111	10	10	5	5	5	1	4	10	10	7	67	
10	2636	Franson et al., 1983	Lead metallic	100	American kestrel (<i>Falco sparverius</i>)	3	0/9.67/54.0	mg/kg diet	Y	56.7	DLY	M	FD	6	mo	1-6	yr	AD	B	C	FieldA	ENZ	ALAD	BL		9.67	Y	0.1505	N	0.0170		2.52	10	10	10	10	6	1	4	10	6	4	71	
11	14770	Kendall and Scanlon, 1982	Lead acetate	100	Ringed Turtle Dove (<i>Streptopelia risoria</i>)	4	0.0/25.0/50.0/75.0	mg/kg bw/d	N		1 per d	U	GV	7	d	NR	NR	AD	M	V	Lab	ENZ	ALAD	BL		25.0	Y	0.1392	N	0.0161		25.0	10	8	10	5	10	1	4	10	6	4	68	
12	11651	Hoffman et al, 1985	Metallic lead powder	100	American kestrel (<i>Falco sparverius</i>)	4	0/25/125/625	mg/kg bw/d	Y		DLY	U	GV	10	d	1	d	JV	NR	V	Lab	CHM	HMGL	BL		25.0	N	0.0753	N	0.0108		26.3	10	8	10	10	10	1	4	10	10	4	77	
13	2609	Edens and Melvin, 1989	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	2	0/500	mg/kg diet	N		ADL	U	FD	7	w	14	w	JV	F	C	Lab	CHM	CALC	PL		500	Y	0.145	Y	0.027		93.1	10	10	5	5	7	1	4	10	10	4	66	
Behavior																																												
14	2624	Finley et al., 1976	Lead nitrate	100	Mallard (<i>Anas platyrhynchos</i>)	4	0/1.76/5.13/21.63	mg/kg diet	Y	10.4	ADL	M	FD	12	w	1	yr	AD	M	C	Lab	FDB	FCNS	WO	21.6		Y	1.162	Y	0.119	2.47		10	10	10	10	7	4	4	1	6	4	66	
15	2608	Edens and Garlich, 1983	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	5	0/50/100/200/400	mg/kg diet	N		ADL	U	FD	10	w	NR	NR	AD	F	C	Lab	FDB	FCNS	WO	50.0	100	Y	1.81	Y	0.118	3.26	6.52	10	10	5	5	7	4	10	10	10	4	75	
16	14768	Damron et al, 1969	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	4	0/10/100/1000	mg/kg diet	N		DLY	U	FD	4	w	4	w	JV	NR	C	Lab	FDB	FEFF	WO	100	1000	N	1.042	Y	0.0740	7.10	71.0	10	10	5	5	6	4	8	10	10	4	72	
17	2809	Pattec 1984	Metallic lead	100	American kestrel (<i>Falco sparverius</i>)	3	0/19.80/104.40	mg/kg diet	N		DLY	M	FD	6	mo	1-6	yr	AD	B	C	FieldA	FDB	FCNS	WO	104		Y	0.1439	N	0.0165	12.0		10	10	10	10	6	4	4	1	10	10	75	
18	14768	Damron et al, 1969	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	4	0/100/1000/2000	mg/kg diet	N		DLY	U	FD	4	w	4	w	JV	NR	C	Lab	FDB	FEFF	WO	1000	2000	N	1.042	Y	0.0640	61.4	123	10	10	5	5	6	4	10	10	10	4	74	
19	1285	Donaldson and McGowan, 1989	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	5	0/500/1000/1500/2000	mg/kg diet	N		NR	U	FD	20	d	1	d	JV	M	C	Lab	FDB	FEFF	WO	2000		Y	0.378	N	0.0309	163		10	10	5	5	6	4	4	10	10	4	68	
20	2517	Bafundo et al.	Lead acetate trihydrate	100	Chicken (<i>Gallus domesticus</i>)	4	0/1100/2200/3300	mg/kg diet	N		ADL	U	FD	14	d	8	d	JV	M	C	Lab	BEH	FEFF	WO	2200	3300	N	0.084	N	0.0116	304	456	10	10	5	5	5	4	10	10	10	4	73	
21	2608	Edens and Garlich, 1983	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	4	0/1/10/100	mg/kg diet	N		ADL	U	FD	5	w	1	d	JV	F	C	Lab	FDB	FCNS	WO	10.0	100	Y	0.155	Y	0.0300	1.94	19.4	10	10	5	5	7	4	8	10	10	4	71	
22	2526	Barthalmus et al., 1977	Lead acetate	100	Pigeon (<i>Columba livia</i>)	4	0/6.25/12.5/25.0	mg/kg bw/d	N		DLY	U	GV	17	d	NR	NR	AD	M	C	Lab	BEH	NMVM	WO		6.25	Y	0.48	N	0.0361		6.25	10	8	10	5	10	4	4	10	6	4	71	
23	2898	Stone and Soares, 1976	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	3	0/500/1000	mg/kg diet	N		ADL	U	FD	32	d	NR	NR	AD	F	C	Lab	FDB	FCNS	WO		500	Y	0.103	N	0.0133		64.3	10	10	5	5	6	4	4	10	10	4	68	
24	2609	Edens and Melvin, 1989	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	2	0/500	mg/kg diet	N		ADL	U	FD	7	w	14	w	JV	F	C	Lab	FDB	FCNS	WO		500	Y	0.145	Y	0.027		93.1	10	10	5	5	7	4	4	10	10	4	69	
25	2517	Bafundo et al.	Lead acetate trihydrate	100	Chicken (<i>Gallus domesticus</i>)	2	0/3300	mg/kg diet	N		ADL	U	FD	14	d	8	d	JV	M	C	Lab	BEH	FEFF	WO		3300	N	0.084	N	0.0116		456	10	10	5	5	5	4	4	10	10	4	67	
Physiology																																												
26	2608	Edens and Garlich, 1983	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	5	0/50/100/200/400	mg/kg diet	N		ADL	U	FD	10	w	NR	NR	AD	F	C	Lab	PHY	SKIR	FE	100	200	Y	1.78	Y	0.111	6.24	12.5	10	10	5	5	7	4	10	10	10	4	75	
Pathology																																												
27	2624	Finley et al., 1976	Lead nitrate	100	Mallard (<i>Anas platyrhynchos</i>)	4	0/1.76/5.13/21.63	mg/kg diet	Y	10.4	ADL	M	FD	12	w	1	yr	AD	M	C	Lab	GRS	BDWT	WO	21.6		Y	1.162	Y	0.														

Appendix 5.1 Avian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead

Page 2 of 3

Ref				Exposure														Effects					Conversion to mg/kg bw/day			Result		Data Evaluation Score															
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Test Location	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg/day or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total
51	2608	Edens and Garlich, 1983	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	3	0/25/50	mg/kg diet	N		ADL	U	FD	4	w	NR	NR	LB	F	C	Lab	REP	PROG	WO	25.0	50.0	N	1.81	Y	0.118	1.63	3.26	10	10	5	5	5	10	10	10	4	79	
52	2771	Meluzzi et al., 1996	Lead oxide	100	Chicken (<i>Gallus domesticus</i>)	4	0/20/30/100	mg/kg diet	N		NR	U	FD	30	d	22	w	LB	F	C	Lab	EGG	ALWT	EG	20.0	30.0	N	1.042	Y	0.1403	2.69	4.04	10	10	5	10	6	10	10	10	6	4	81
53	2668	Haegeler et al. 1974	Lead mixture	100	Mallard (<i>Anas platyrhynchos</i>)	2	0/100	mg/kg diet	N		ADL	U	FD	76	d	NR	NR	AD	F	C	FieldA	EGG	ESTH	EG	100		N	1.1	N	0.0619	5.63		10	10	5	10	5	10	4	10	3	4	71
54	2809	Pattec 1984	Metallic lead	100	American kestrel (<i>Falco sparverius</i>)	3	0/19.80/104.40	mg/kg diet	N		DLY	M	FD	6	mo	1-6	yr	AD	F	C	FieldA	REP	RSUC	WO	104		Y	0.1439	N	0.0165	12.0		10	10	10	10	6	10	4	10	10	10	90
55	2779	Morgan et al., 1975	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/1/10/100/1000	mg/kg diet	N		ADL	U	FD	5	w	6	d	JV	M	C	Lab	REP	TEWT	TE	100	1000	Y	0.11	N	0.0138	12.6	126	10	10	5	5	6	10	8	10	10	4	78
56	2779	Morgan et al., 1975	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/10/100/500/1000	mg/kg diet	N		ADL	U	FD	5	w	1	d	JV	M	C	Lab	REP	TEWT	TE	500	1000	Y	0.09	N	0.0121	67.4	135	10	10	5	5	6	10	10	10	4	80	
57	2898	Stone and Soares, 1976	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	3	0/500/1000	mg/kg diet	N		ADL	U	FD	32	d	NR	NR	AD	F	C	Lab	REP	PROG	WO	1000		Y	0.113	N	0.0141	125		10	10	5	5	6	10	4	3	10	4	67
58	2606	Edens et al., 1976	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/1/10/100/1000	ug/g diet	N		ADL	U	FD	12	w	0	d	LB	B	C	Lab	REP	EGPN	EG		1.0	Y	0.159	N	0.0175		0.111	10	10	5	5	6	10	4	10	10	7	77
59	2608	Edens and Garlich, 1983	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	4	0/1/10/100	mg/kg diet	N		ADL	U	FD	12	w	NR	NR	LB	F	C	Lab	REP	PROG	WO		1.0	Y	0.155	Y	0.030		0.194	10	10	5	5	7	10	4	10	10	4	75
60	2608	Edens and Garlich, 1983	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	5	0/50/100/200/400	mg/kg diet	N		ADL	U	FD	10	w	NR	NR	LB	F	C	Lab	REP	PROG	WO		50.0	Y	1.81	Y	0.118		3.26	10	10	5	5	7	10	4	10	10	4	75
61	2734	Kendall and Scanlon, 1981	Lead acetate	100	Ringed Turtle Dove (<i>Streptopelia risoria</i>)	2	0/100	mg/L	N		ADL	U	DR	11	w	NR	NR	AD	M	C	Lab	REP	TEWT	TE		100	N	0.123	N	0.014491		11.8	10	5	5	5	5	10	4	10	10	4	68
62	2609	Edens and Melvin, 1989	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	2	0/500	mg/kg diet	N		ADL	U	FD	1	w	14	w	JV	F	C	Lab	REP	TPRD	WO		500	Y	0.145	Y	0.027		93.1	10	10	5	5	7	10	4	10	10	4	75
63	2898	Stone and Soares, 1976	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	2	0/3000	mg/kg diet	N		ADL	U	FD	27	d	NR	NR	AD	F	C	Lab	REP	PROG	WO		3000	Y	0.11	N	0.0138		377	10	10	5	5	6	10	4	10	10	4	74
Growth																																											
64	2608	Edens and Garlich, 1983	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	4	0/1/10/100	mg/kg diet	N		ADL	U	FD	5	w	1	d	JV	F	C	Lab	GRO	BDWT	WO	10.0	100	Y	0.147	Y	0.0230	1.56	15.6	10	10	5	5	7	8	8	10	10	4	77
65	6291	Stone and Fox, 1984	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	3	0/5.4/16.2	mg/kg diet	N		ADL	U	FD	2	w	1	d	JV	B	C	Lab	GRO	BDWT	WO	16.2		Y	0.0455	N	0.007786	2.77		10	10	5	5	6	8	4	10	10	4	72
66	2897	Stone et al., 1977	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	2	0/25	mg/kg diet	N		ADL	U	FD	2	w	1	d	JV	NR	C	Lab	GRO	BDWT	WO	25.0		Y	0.036	N	0.006685	4.64		10	10	5	5	6	8	4	8	10	4	70
67	2609	Edens and Melvin, 1989	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	3	0/50/500	mg/kg diet	N		ADL	U	FD	4	w	0	d	JV	F	C	Lab	GRO	BDWT	WO	50.0	500	Y	0.13	N	0.0154	5.93	59.3	10	10	5	5	6	8	8	10	10	4	76
68	14768	Damron et al, 1969	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	4	0/100/1000/2000	mg/kg diet	N		DLY	U	FD	4	w	4	w	JV	NR	C	Lab	GRO	BDWT	WO	100	1000	N	1.042	Y	0.0640	6.1	61.4	10	10	5	5	6	8	8	10	10	4	76
69	14768	Damron et al., 1969	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	4	0/10/100/1000	mg/kg diet	N		DLY	U	FD	4	w	4	w	JV	NR	C	Lab	GRO	BDWT	WO	100	1000	N	1.042	Y	0.0740	7.1	71.0	10	10	5	5	6	8	8	10	10	4	76
70	2606	Edens et al., 1976	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/1/10/100/1000	ug/g diet	N		ADL	U	FD	12	w	0	d	JV	F	C	Lab	GRO	BDWT	WO	100	1000	Y	0.157	N	0.0174	11.1	111	10	10	5	5	6	8	8	10	10	7	79
71	2605	Edens, 1985	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/1/10/100/1000	mg/kg diet	N		NR	U	FD	12	w	1	w	JV	F	C	NR	GRO	BDWT	WO	100	1000	Y	0.154	N	0.0172	11.2	112	10	10	5	5	6	8	8	10	10	4	76
72	2779	Morgan et al., 1975	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/1/10/100/1000	mg/kg diet	N		ADL	U	FD	2	w	6	d	JV	NR	C	Lab	GRO	BDWT	WO	100	1000	Y	0.11	N	0.0138	12.6	126	10	10	5	5	6	8	8	10	10	4	76
73	2779	Morgan et al., 1975	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/10/100/500/1000	mg/kg diet	N		ADL	U	FD	1	w	1	d	JV	NR	C	Lab	GRO	BDWT	WO	100	500	Y	0.09	N	0.0121	13.5	67.4	10	10	5	5	6	8	8	10	10	4	76
74	1387	Howell and Hill, 1978	Lead dichloride	100	Chicken (<i>Gallus domesticus</i>)	2	0/200	mg/kg diet	N		ADL	U	FD	21	d	1	d	JV	B	C	Lab	GRO	BDWT	WO	200		N	0.564	N	0.0401	14.2		10	10	5	10	5						

Appendix 5.1 Avian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead

Page 3 of 3

Ref			Exposure																			Effects					Conversion to mg/kg bw/day				Result		Data Evaluation Score											
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Test Location	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg/day or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total	
104	2513	Anders et al., 1982	Lead acetate	100	Pigeon (<i>Columba livia</i>)	2	0/6.25	mg/kg bw/d	N		DLY	U	GV	4	w	NR	NR	AD	M	C	Lab	MOR	MORT	WO		6.25	Y	0.605	N	0.0420		6.3	10	8	10	5	10	9	4	10	3	4	73	
105	2579	Cupo and Donaldson, 1987	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	2	0/2000	mg/kg diet	N		ADL	U	FD	21	d	1	d	JV	M	C	Lab	MOR	MORT	WO		2000	Y	0.233	N	0.0225		194	10	10	5	5	6	9	4	10	10	4	73	
106	1415	Khan et al, 1993	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	2	0/400	mg/kg bw	N		EOD	U	GV	7	d	43	d	JV	F	C	Lab	MOR	MORT	WO		400	N	1.6	N	0.0790		400	10	8	10	5	10	9	4	10	10	4	80	
Data Not Used to Derive Wildlife Toxicity Reference Value																																												
107	14638	Redig et al., 1991	Lead acetate	100	Red-tailed hawk (<i>Buteo jamaicensis</i>)	2	0/0.82	mg/kg bw/d	N		DLY	U	GV	24	d	NR	NR	AD	B	C	Lab	ITX	INTX	WO	0.820		N	1	N	na	0.820		10	8	5	5	10	4	4	1	3	4	54	
108	3736	Jordan and Bhatnagar, 1990	Lead acetate	54.61	Duck (<i>Anas platyrhynchos</i>)	2	0/80	mg/kg diet	N		ADL	U	FD	12	w	7	mo	JV	F	C	Lab	ENZ	GSTR	LI	80.0		N	1.1	N	0.0619	1.71		10	10	5	5	5	1	4	6	10	4	60	
109	2764	Mazliah et al., 1989	Lead acetate	54.61	Chicken (<i>Gallus domesticus</i>)	2	0/5	mg/kg bw/d	N		DLY	U	GV	25	w	1	d	JV	B	V	Lab	CHM	CALC	EG	5.0		Y	2	N	0.0914	2.73		10	8	10	5	10	1	4	1	3	4	56	
110	2764	Mazliah et al., 1989	Lead acetate	54.61	Chicken (<i>Gallus domesticus</i>)	2	0/5	mg/kg bw/d	N		DLY	U	GV	25	w	42	w	JV	B	V	Lab	GRO	BDWT	WO	5.0		Y	2	N	0.0914	2.73		10	8	10	5	10	8	4	1	3	4	63	
111	2764	Mazliah et al., 1989	Lead acetate	54.61	Chicken (<i>Gallus domesticus</i>)	2	0/5	mg/kg bw/d	N		DLY	U	GV	25	w	1	d	JV	F	V	Lab	REP	PROG	WO	5.0		Y	2	N	0.0914	2.73		10	8	10	5	10	10	4	1	3	4	65	
112	6291	Stone and Fox, 1984	lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	3	0/5.4/16.2	mg/kg diet	N		ADL	U	FD	14	d	NR	NR	AD	B	C	Lab	CHM	HMGL	BL	16.2		Y	0.0455	N	0.0078	2.77		10	10	5	5	6	1	4	10	10	4	65	
113	2608	Edens and Garlich, 1983	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	3	0/25/50	mg/kg diet	N		ADL	U	FD	4	w	NR	NR	NR	F	C	Lab	CHM	CALC	BL	50.0		N	1.81	Y	0.118	3.26		10	10	5	5	5	1	4	8	10	4	62	
114	2521	Baksi and Kenny, 1979	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/0.032/0.32/3.2/16.0	mg/ml	N		NR	U	DR	15	d	1	w	JV	F	C	NR	CHM	VTD3	KI	0.032	0.32	Y	0.08	N	0.0109	4.34	43.4	10	5	5	5	6	1	8	10	10	4	64	
115	2668	Haegele et al. 1974	Lead mixture	100	Mallard (<i>Anas platyrhynchos</i>)	2	0/100	mg/kg diet	N		ADL	U	FD	85	d	NR	NR	SM	F	C	FieldA	ITX	INTX	WO	100		N	1.2	N	0.0655	5.46		10	10	5	10	5	4	4	1	6	4	59	
116	2668	Haegele et al. 1974	Lead mixture	100	Mallard (<i>Anas platyrhynchos</i>)	2	0/100	mg/kg diet	N		ADL	U	FD	85	d	NR	NR	SM	F	C	FieldA	MOR	MORT	WO	100		N	1.1	N	0.0619	5.63		10	10	5	10	5	9	4	1	3	4	61	
117	2771	Meluzzi et al., 1996	Lead oxide	100	Chicken (<i>Gallus domesticus</i>)	4	0/20/30/100	mg/kg diet	N		NR	U	FD	75	d	22	w	JV	F	C	Lab	FDB	FCNS	WO	100		N	1.6	Y	0.1403	8.77		10	10	5	10	6	4	4	1	6	4	60	
118	2591	Dietz et al., 1979	Lead acetate	100	Pigeon (<i>Columba livia</i>)	2	0/6.25	mg/org	N		7 per w	U	GV	6	d	NR	NR	AD	M	V	Lab	MOR	MORT	WO	6.25		Y	0.48	N	0.0361	13.0		10	8	5	5	6	9	4	10	3	4	64	
119	25894	Dauwe, et al. 2002	Lead acetate	100	Zebra finch (<i>Poephila guttata</i>)	3	0/25/100	mg/L	N		ADL	U	DR	10	d	NR	NR	AD	M	C	Lab	MOR	MORT	WO	25.0	100	N	0.001	N	0.00058	14.4	57.7	10	5	5	5	5	9	8	10	3	4	64	
120	2573	ConNr et al., 1994	Lead	100	Nrthern Bobwhites	2	0/360	mg/kg diet	N		ADL	U	FD	21	d	17	w	JV	M	C	Lab	FDB	FCNS	WO	360		N	0.16	Y	0.0110	24.8		10	10	5	4	6	4	4	1	3	4	51	
121	2573	ConNr et al., 1994	Lead	100	Nrthern Bobwhites	2	0/360	mg/kg diet	N		ADL	U	FD	21	d	17	w	JV	M	C	Lab	GRO	BDWT	WO	360		N	0.16	Y	0.0110	24.8		10	10	5	4	6	8	4	1	3	4	55	
122	2744	Latta and Donaldson, 1986	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	2	0/1000	mg/kg diet	N		ADL	U	FD	3	w	1	d	JV	M	C	Lab	MOR	SURV	WO	1000		N	1.3	N	0.0690	53.1		10	10	5	5	5	9	4	1	10	4	63	
123	2638	Frederick, 1976	Lead nitrate	100	Mallard (<i>Anas platyrhynchos</i>)	4	0/5/50/500	mg/kg diet	N		ADL	U	FD	8	d	9	d	JV	NR	V	FieldA	BEH	NMVM	WO	500		N	0.092	N	0.0123	66.9		10	10	5	10	5	4	4	1	10	4	63	
124	2609	Edens and Melvin, 1989	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	2	0/500	mg/kg diet	N		ADL	U	FD	7	w	14	w	JV	F	C	Lab	GRO	BDWT	WO	500		Y	0.145	Y	0.027	93.1		10	10	5	5	7	8	4	1	10	4	64	
125	2779	Morgan et al., 1975	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	5	0/1/10/100/1000	mg/kg diet	N		ADL	U	FD	5	w	6	d	JV	M	C	Lab	ORW	SMIX	AR	1000		Y	0.11	N	0.0138	126		10	10	5	5	6	4	4	3	10	4	61	
126	2724	Johnsen and Damron 1982	Lead acetate	100	Goose (<i>Anser cygnide</i> s)	5	0/500/1000/1500/2000	mg/kg diet	N		ADL	U	FD	12	w	26	w	JV	NR	C	FieldA	FDB	FCNS	WO	2000		N	2.27	Y	0.2220	196		10	10	5	5	6	4	4	1	10	4	59	
127	2724	Johnsen and Damron 1982	Lead acetate	100	Goose (Anser cygNides)	5	0/500/1000/1500/2000	mg/kg diet	N		ADL	U	FD	12	w	26	w	JV	NR	C	FieldA	GRO	BDWT	WO	2000		N	2.27	Y	0.2220	196		10	10	5	5	6	8	4	1	10	4	63	
128	2635	Franson and Custer, 1982	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	2	0/1850	mg/kg diet	N		ADL	U	FD	28	d	1	d	JV	NR	C	Lab	MOR	MORT	WO	1850		Y	0.1614	N	0.0178	203		10	10	5	5	6	9	4	1	10	4	64	
129	2898	Stone and Soares, 1976	Lead acetate	100	Japanese quail (<i>Coturnix japonica</i>)	2	0/3000	mg/kg diet	N		ADL	U	FD	27	d	NR	NR	AD	F	C	Lab	GRO	BDWT	WO	3000		Y	0.11	N	0.0138	377		10	10	5	5	6	8	4	3	10	4	65	
130	14383	Simpson et al, 1970	Lead acetate	100	Chicken (<i>Gallus domesticus</i>)	3	0/5000/10000	mg/kg diet	N		DLY	U																																



Appendix 6-1

*Mammalian Toxicity Data Extracted and Reviewed for Wildlife
Toxicity Reference Value (TRV) - Lead*

March 2005

This page intentionally left blank

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 1 of 12

Ref		Exposure																				Effects					Conversion to mg/kg bw/day			Result		Data Evaluation Score										
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total
Biochemical																																										
1	2737	Kimmel et al., 1980	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/0.92/4.7/8.9	mg/kg bw/d	N		ADL	U	DR	10	w	21	d	JV	F	V	ENZ	ALAD	UR	0.920	4.70	Y	0.3	N	0.0335	0.920	4.70	10	5	5	5	10	1	8	10	10	7	71
2	3873	Horwitt and Cowgill, 1937	Lead acetate	100	Dog (<i>Canis familiaris</i>)	3	0/27/102	mg/kg diet	N		DLY	M	FD	7	mo	NR	NR	JV	NR	C	CHM	HMGL	BL	27.0	102	Y	12.8	N	0.5586	1.18	4.45	10	10	10	5	6	1	8	10	10	4	74
3	3747	Azar et al., 1973	lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/18/62/141/548	mg/kg diet	N		NR	M	FD	2	yr	NR	NR	NR	B	C	ENZ	ALAD	BL	18.0	62.0	N	0.51	N	0.0395	1.39	4.80	10	10	10	5	5	1	8	10	10	4	73
4	3830	Carson et al., 1973	Lead	100	Sheep (<i>Ovis aries</i>)	3	0/2.3/4.5	mg/kg bw/d	N		DLY	U	FD	27	w	NR	NR	GE	F	C	CHM	PCLV	BL	2.30	4.5	N	na	Y	0.227	2.30	4.50	10	10	5	4	10	1	10	10	10	4	74
5	3747	Azar et al., 1973	lead acetate	100	Dog (<i>Canis familiaris</i>)	5	0/16/57/155/576	mg/kg diet	N		NR	M	FD	2	yr	NR	NR	NR	B	C	ENZ	ALAD	BL	57.0	155	N	14	N	0.60128	2.45	6.66	10	10	10	5	5	1	10	10	10	4	75
6	11831	Jessup and Shott, 1969	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/10/50/100/1000	mg/kg diet	N		ADL	U	FD	12	mo	70	d	LC	B	C	ENZ	G6PD	BL	50.0	100	Y	0.286	N	0.02455	4.29	8.58	10	10	5	5	6	1	10	10	10	4	71
7	2675	Hammond et al., 1989	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/50/250/500	mg/L	N		ADL	U	DR	23	d	22	d	JV	F	C	CHM	SOMC	BL	50.0	250	N	0.204	N	0.02368	5.80	29.0	10	5	5	5	5	1	8	10	10	7	66
8	2756	Mahaffey et al., 1973	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	7	0/0.19/0.70/2.8/5.9/12.9/24.3	mg/kg bw/d	N		NR	U	DR	10	w	NR	NR	JV	M	C	CHM	HMCT	BL	5.90	12.95	Y	0.337	N	0.0372	5.90	12.9	10	5	5	5	10	1	10	10	10	4	70
9	2666	Gupta et al., 1995	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	4	0/10/25/50	mg/kg bw	N		DLY	U	GV	52	d	2	mo	GE	F	C	ENZ	ALAD	KI	25.0	50.0	Y	0.025	N	0.00331	13.7	27.3	10	8	10	5	10	1	10	10	3	4	71
10	3889	Logner et al., 1984	Lead sulfate	100	Cattle (<i>Bos taurus</i>)	4	0/16/43/305	mg/kg bw/d	N		DLY	U	FD	6	w	74	d	JV	M	C	CHM	PCLV	BL	16.0	43.0	Y	129.94	Y	3.64	16.0	43.0	10	10	5	10	10	1	10	10	10	4	80
11	2524	Barratt et al., 1989	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/0.3/33/300	mg/kg bw	N		DLY	U	GV	9	w	10	w	JV	M	C	CHM	PRTL	LI	33.0	330	N	0.217	N	0.01957	18.0	180	10	8	10	5	10	1	8	10	10	4	76
12	3704	Fick et al., 1976	Lead acetate	100	Sheep (<i>Ovis aries</i>)	5	0/10/100/500/1000	mg/kg diet	N		DLY	U	FD	84	d	NR	NR	JV	M	C	CHM	HMGL	BL	1000		Y	37	Y	1.21	32.7		10	10	5	5	7	1	4	10	10	4	66
13	2507	Agodi et al., 1990	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/50	mg/kg bw	N		DLY	U	GV	28	d	2	d	JV	B	V	ENZ	SCDH	BR	50.0		Y	0.0531	N	0.00615	50.0		10	8	10	5	10	1	4	8	10	4	70
14	2733	Kempinas et. al 1988	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/0.5/1.0	g/L	N		ADL	U	DR	90	d	NR	NR	AD	M	C	CHM	HMCT	SM	0.500	1.000	Y	0.12	N	0.01469	61.2	122	10	5	5	5	6	1	10	10	10	4	66
15	2923	Vyskocil et al., 1995	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/81.3/320	mg/kg bw/d	N		ADL	U	DR	1	mo	9-10	w	SM	F	C	CHM	GBCM	UR	81.3	320	Y	0.25	N	0.02843	81.3	320	10	5	5	5	10	1	8	10	10	4	68
16	2815	Petrusz et al., 1979	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/25/100/200	mg/kg bw/d	N		DLY	U	GV	18	d	2	d	JV	F	C	HRM	Other	PI	100	200	Y	0.037	N	0.00457	100	200	10	8	10	5	10	1	10	10	10	4	78
17	2680	Harry et al., 1985	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/200	mg/kg bw	N		DLY	U	GV	29	d	2	d	JV	B	V	CHM	PRTL	BR	200		Y	0.065	N	0.00726	200		10	8	10	5	10	1	4	10	10	4	72
18	2922	Vyskocil et al., 1989	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/0.5/1/2	% in water	N		ADL	U	DR	1	mo	8	w	JV	M	C	CHM	B2MG	UR	0.500	1.00	Y	0.2	N	0.02326	320	640	10	5	5	5	6	1	10	10	10	4	66
19	2697	Holtzman et al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/400/800/1600	mg/kg bw/d	N		DLY	U	GV	14	d	18	d	JV	NR	C	CHM	PCLV	BL	400	800	N	0.267	N	0.0232	400	800	10	8	10	5	10	1	10	10	10	4	78
20	2697	Holtzman et al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/400/800/1600/2400	mg/kg bw/d	N		DLY	U	GV	14	d	14	d	JV	NR	C	CHM	PCLV	BL	800	1600	N	0.267	N	0.0232	800	1600	10	8	10	5	10	1	10	10	10	4	78
21	2697	Holtzman et al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/2400/3200	mg/kg bw/d	N		DLY	U	GV	14	d	20	d	JV	NR	C	CHM	PCLV	BL	2400	3200	N	0.267	N	0.0232	2400	3200	10	8	10	5	10	1	10	10	10	4	78
22	14380	Lynch et al, 1975	Lead carbonate	77.55	Cattle (<i>Bos taurus</i>)	4	0/0.64/1.28/2.57	mg/kg bw/d	N		3 per w	U	OR	7	w	1	w	JV	M	C	ENZ	ALAD	BL		0.640	Y	67	N	2.17766	0.496	10	8	10	10	10	1	4	10	10	4	77	
23	2877	Singh and Ashraf, 1989	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/1.0	mg/kg bw/d	N		6 per w	U	GV	10	w	5	d	JV	B	C	HRM	NORE	BR		1.00	N	0.235	N	0.02089	1.00		10	8	10	5	10	1	4	10	10	4	72
24	2789	Nehru and Kaushal, 1991	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/2.5/5/25	mg/kg bw/d	N		DLY	U	GV	15	d	NR	NR	NR	F	C	ENZ	SCDH	KI		2.50	N	0.4	N	0.03235	1.37		10	8	10	5	10	1	4	10	10	4	72
25	3709	Lassen and Buck, 1979	Lead acetate	100	Pig (<i>Sus scrofa</i>)	5																																				

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 2 of 12

Ref		Exposure																				Effects					Conversion to mg/kg bw/day		Result		Data Evaluation Score												
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total	
52	2889	Sourgens et al., 1987	Lead acetate trihydrate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/45/900/4580	mg/L	N		ADL	U	DR	30	d	NR	NR	JV	B	C	FDB	WCON	WO	900	4580	Y	0.246	N	0.02802	56.0	285	10	5	5	5	6	4	8	10	10	4	67	
53	2923	Vyskocil et al., 1995	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/81.3/320	mg/kg bw/d	N		ADL	U	DR	2	mo	9-10	w	SM	F	C	FDB	WCON	WO	81.3	320	Y	0.25	N	0.02843	81.3	320	10	5	5	5	10	4	8	10	10	4	71	
54	2870	Shailesh Kumar and Desiraju, 1990	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/100/400	mg/kg bw	N		6 per w	U	GV	58	d	2	d	JV	B	C	FDB	FCNS	WO	100	400	Y	0.075	N	0.00817	100	400	10	8	10	5	10	4	8	10	10	4	79	
55	2758	Maker et al., 1973	Lead carbonate	100	Mouse (<i>Mus musculus</i>)	7	0/0.08/0.16/0.4/0.5/1.0/2.0	% in diet	N		NR	U	FD	28	d	NR	NR	LC	F	C	AVO	FOOD	WO	0.0800	0.160	N	0.0325	N	0.00411	101	202	10	10	5	5	5	4	10	10	10	4	73	
56	2758	Maker et al., 1973	Lead carbonate	100	Mouse (<i>Mus musculus</i>)	7	0/0.08/0.16/0.4/0.5/1.0/2.0	% in diet	N		NR	U	FD	28	d	NR	NR	LC	F	C	AVO	FOOD	WO	0.0800	0.160	N	0.0325	N	0.00411	101	202	10	10	5	5	5	4	10	10	10	4	73	
57	2888	Sokol et al., 1985	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	3	0/0.1/0.3	% water	N		ADL	U	DR	30	d	52	d	JV	M	C	FDB	WCON	WO	0.100	0.300	N	0.33188	Y	0.103	169	508	10	5	5	5	7	4	10	10	10	4	70	
58	3937	Yagminas et al., 1990	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/200	mg/kg bw/d	N		5 per w	U	GV	91	d	NR	NR	JV	M	C	FDB	FCNS	WO	200		Y	0.454	N	0.0359	200		10	8	10	5	10	4	4	1	10	10	4	66
59	633	Lockett and Leary, 1986	Lead	100	Rat (<i>Rattus norvegicus</i>)	2	0/5	mg/L	N		ADL	UX	DR	16	mo	NR	NR	JV	M	C	BEH	ACTV	WO		5.00	N	0.217	N	0.02503		0.577	10	5	10	4	5	4	4	10	10	4	66	
60	2502	Wolfe et al, 1996	Lead acetate trihydrate	100	Rat (<i>Rattus norvegicus</i>)	5	0/23.03/47.26/81.96/206.52	mg/kg bw/d	N		ADL	M	DR	1	w	94	d	JV	M	C	FDB	WCON	WO		23.0	Y	0.40311	Y	0.0297		23.0	10	5	10	5	10	4	4	10	10	4	72	
61	2677	Hammond et al., 1993	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/250	mg/L	N		ADL	U	DR	26	d	22	d	JV	F	V	FDB	WCON	WO		250	Y	0.175	N	0.02062		29.5	10	5	5	5	6	4	4	10	10	7	66	
62	2677	Hammond et al., 1993	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/250	mg/L	N		ADL	U	DR	14	d	26	d	JV	F	V	FDB	WCON	WO		250	Y	0.15	N	0.01795		29.9	10	5	5	5	6	4	4	10	10	7	66	
63	12025	Kishi et al., 1983	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/45/90/180	mg/kg bw	N		DLY	U	GV	18	d	3	d	JV	M	C	BEH	RRSP	WO		45	Y	0.0503	N	0.00588		45.0	10	8	10	5	10	4	4	10	10	4	75	
64	617	Nation et al., 1990	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/500	mg/kg diet	N		ADL	U	FD	61	d	50	d	JV	M	C	BEH	ACTP	WO		500	Y	0.2	N	0.0183		45.7	10	10	5	5	6	4	4	10	10	4	68	
65	2807	Pankakoski et al., 1994	Lead	100	Shrew (<i>Sorex araneus</i>)	4	0/371/423/1052	mg/kg diet	N		ADL	M	FD	31	d	NR	NR	JV	B	C	FDB	FCNS	WO		371	Y	0.0071	N	0.00118		61.5	10	10	10	4	6	4	4	10	10	4	72	
66	2502	Wolfe et al, 1996	Lead acetate trihydrate	100	Rat (<i>Rattus norvegicus</i>)	2	0/0.3	mg/kg bw/d	N		ADL	M	DR	1	w	99	d	JV	B	C	FDB	WCON	WO		194	Y	0.455	Y	0.02179		194	10	5	10	5	10	4	4	10	10	4	72	
67	2669	Hallen et al., 1995	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/200	mg/kg bw	N		NR	U	DR	13	w	NR	NR	GE	F	C	FDB	WCON	WO		200	Y	0.2	N	0.02326		200	10	5	5	5	10	4	4	10	10	4	67	
68	2817	Piasekand Kostial, 1987	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/216/420/639.36	mg/kg bw/d	N		ADL	U	DR	18	w	NR	NR	JV	M	C	FDB	WCON	WO		216	Y	0.25	Y	0.04		216	10	5	5	5	10	4	4	10	10	4	67	
69	10239	Barrett and Livesey, 1983	Lead	100	Rat (<i>Rattus norvegicus</i>)	4	0/0.2/0.4/1.0	% in diet	N		DLY	U	FD	10	d	NR	NR	LC	F	C	BEH	ACTV	WO		0.200	Y	0.324	Y	0.05235		323	10	10	5	10	7	4	4	10	10	4	74	
70	2818	Piasek and Kostial 1991	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/750	mg/kg bw/d	N		NR	U	DR	20	w	10	w	GE	F	C	FDB	WCON	WO		750	Y	0.2681	N	0.03028		750	10	5	5	5	10	4	4	10	10	4	67	
71	2837	Gulati et al, 1985	Lead acetate trihydrate	100	Mouse (<i>Mus musculus</i>)	4	0/4.98/10.055/20.52	mg/ml	Y		ADL	M	DR	1	w	11	w	JV	F	C	FDB	WCON	WO		4.98	Y	0.028	Y	0.00414		775	10	5	10	5	7	4	4	10	10	4	69	
72	2774	Michaelson and Sauerhoff, 1974	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/5	% in diet	N		ADL	U	FD	18	d	NR	NR	LC	F	C	FDB	FCNS	WO		5.00	N	0.35	Y	0.0432		6170	10	10	5	5	6	4	4	10	10	4	68	
Physiology																																											
73	21113	Boscolo et al, 1992	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/15/30/60	mg/L	N		ADL	U	DR	14	mo	NR	NR	JV	M	C	PHY	BLPR	BL	15.0	30.0	N	0.267	N	0.03016	1.69	3.39	10	5	5	5	5	4	10	10	10	4	68	
74	820	Sawicka-Kapusta et al., 1987	Lead nitrate	100	Bank vole (<i>Clethrionomys glareolu</i>)	3	0/1.1/34.6	mg/kg bw/d	N		DLY	M	FD	20	d	NR	NR	AD	B	C	PHY	GPHY	WO	34.6		Y	0.022	N	Variable	34.6		10	10	10	10	10	4	4	1	6	4	69	
75	3889	Logner et al., 1984	Lead sulfate	100	Cattle (<i>Bos taurus</i>)	4	0/16/43/305	mg/kg bw/d	N		DLY	U	FD	7	w	74	d	JV	M	C	PHY	BTMP	WO	43.0		Y	137.43	Y	3.64	43.0		10	10	5	10	10	4	4	8	10	10	4	75
76	2829	Rader et. al. 1981	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/16.1	mg/kg bw/d	N		NR	U	DR	5	w	NR	NR	JV	M	C	PHY	EXCR	UR		16.1	Y	0.341	N	0.03759		16.1	10	5	5	5	10	4	4	10	10	4	67	
77	2806	Rudra Pal et al., 1975	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/100	mg/kg bw/d	N		NR	U	FD	4	w	NR	NR	JV	M	C	PHY	EXCR	UR	</																			

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 3 of 12

Ref			Exposure																				Effects					Conversion to mg/kg bw/day		Result		Data Evaluation Score										
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total
103	3879	Karmakar et al., 1986	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/44	mg/kg bw/d	N		NR	U	GV	30	d	NR	NR	AD	B	C	HIS	GHIS	MT		44.0	Y	0.3	N	0.02554		44.0	10	8	10	5	10	4	4	10	10	4	75
104	20974	Al-Omar et al, 2000	Lead oxide	92.83	Mouse (<i>Mus musculus</i>)	2	0/50	mg/kg bw/d	N		DLY	M	GV	5	w	NR	NR	JV	M	V	HIS	USTR	SV		50.0	Y	0.02063	N	0.00283		46.4	10	8	10	10	10	4	4	10	10	4	80
105	2929	White, 1977	Lead carbonate	100	Dog (<i>Canis familiaris</i>)	2	0/50	mg/kg bw	N		DLY	U	OR	5	w	<1	yr	JV	NR	C	HIS	GHIS	LI		50.0	N	10.45	N	0.4728		50.0	10	8	10	10	10	4	4	10	10	4	80
106	2807	Pankakoski et al., 1994	Lead	100	Shrew (<i>Sorex araneus</i>)	4	0/371/423/1052	mg/kg diet	N		ADL	M	FD	31	d	NR	NR	JV	B	C	HIS	GHIS	KI		371	Y	0.0071	N	0.00118		61.5	10	10	10	4	6	4	4	10	10	4	72
107	2806	Rudra Pal et al., 1975	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/100	mg/kg bw/d	N		NR	U	FD	4	w	NR	NR	JV	M	C	ORW	SMIX	KI		100	Y	0.11	N	0.01119		100	10	10	5	5	10	4	4	10	10	4	72
108	2870	Shailesh Kumar and Desiraju, 1990	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/100/400	mg/kg bw	N		6 per w	U	GV	58	d	2	d	JV	B	C	ORW	ORWT	BR		100	Y	0.075	N	0.00817		100	10	8	10	5	10	4	4	10	10	4	75
109	2548	Brown, 1974	Lead acetate	54.61	Rabbit (<i>Oryctolagus cuniculus</i>)	2	0/5000	mg/kg diet	N		ADL	U	FD	5	mo	5	mo	JV	B	C	HIS	GHIS	EY		5000	Y	3.2	N	0.17873		153	10	10	5	5	6	4	4	10	10	4	68
110	2502	Wolfe et al, 1996	Lead acetate trihydrate	100	Rat (<i>Rattus norvegicus</i>)	2	0/171.27	mg/kg bw/d	N		ADL	M	DR	4	w	99	d	JV	M	C	ORW	ORWT	AR		171	Y	0.51751	Y	0.02276		171	10	5	10	5	10	4	4	10	10	4	72
111	2680	Harry et al., 1985	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/200	mg/kg bw	N		DLY	U	GV	29	d	2	d	JV	F	V	ORW	ORWT	BR		200	Y	0.065	N	0.00726		200	10	8	10	5	10	4	4	10	10	4	75
112	3937	Yagminas et al., 1990	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/200	mg/kg bw/d	N		5 per w	U	GV	91	d	NR	NR	JV	M	C	ORW	ORWT	KI		200	Y	0.454	N	0.0359		200	10	8	10	5	10	4	4	10	10	4	75
113	2827	Press 1975	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/328	mg/kg bw/d	N		DLY	U	GV	7	d	1	d	JV	B	C	ITX	PARL	WO		328	N	0.248	N	0.02184		328	10	8	10	5	10	4	4	10	10	4	75
114	2697	Holtzman et al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/400/800/1200	mg/kg bw/d	N		DLY	U	GV	14	d	20	d	JV	NR	C	HIS	ENCP	BR		400	N	0.267	N	0.0232		400	10	8	10	5	10	4	4	10	10	4	75
115	2911	Toews et al., 1983	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/400	mg/kg bw/d	N		6 per w	U	GV	28	d	2	d	JV	M	C	ORW	ORWT	BR		400	Y	0.075	N	0.00817		400	10	8	10	5	10	4	4	10	10	4	75
116	2546	Brashear et al., 1978	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/1.0	g/kg bw/d	N		DLY	U	GV	18	d	2	d	JV	B	C	ORW	ORWT	BR		1.00	N	0.248	N	0.02184		1000	10	8	10	10	10	4	4	10	10	4	80
117	14822	Gerber et al, 1978	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/1.0	% in diet	N		NR	U	FD	1	mo	0	d	JV	NR	C	ORW	ORWT	BR		1.00	Y	0.0406	N	0.0049		1220	10	10	5	5	6	4	4	10	10	4	68
118	2604	Dyck et al., 1980	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4	% in diet	N		NR	U	FD	12	w	NR	NR	AD	NR	C	HIS	GHIS	NE		4.00	Y	0.25	N	0.0220		2730	10	10	5	10	6	4	4	10	3	4	66
119	2782	Myers et al., 1979	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/6	% in diet	N		NR	U	FD	7	w	NR	NR	AD	B	C	HIS	GHIS	NE		6.00	N	0.5	N	0.03886		3620	10	10	5	10	5	4	4	10	10	4	72
120	2774	Michaelson and Sauerhoff, 1974	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/5	% in diet	N		ADL	U	FD	17	d	NR	NR	LC	F	C	GRS	BDWT	WO		5.00	N	0.35	N	0.0432		6170	10	10	5	5	6	4	4	10	10	4	68
Reproduction																																										
121	2658	Grant et al., 1980	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/0.07/0.71/7/38	mg/kg bw/d	N		ADL	U	DR	62	d	21	d	GE	F	C	REP	PRWT	WO	0.710	7.00	Y	0.325	N	0.036	0.710	7.00	10	5	5	5	10	10	8	10	10	4	77
122	2593	Dilts and Ahokas, 1979	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	6	0/10/50/100/200/500	mg/L	N		ADL	U	DR	21	d	NR	NR	GE	F	C	REP	PRWT	WO	10.0	50.0	Y	0.370	Y	0.037	1.00	5.00	10	5	5	5	7	10	8	10	10	4	74
123	2642	Gandley et al., 1999	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/25/250	mg/L	N		ADL	U	DR	35	d	NR	NR	AD	M	C	REP	RSUC	WO	25.0	250	N	0.6	N	0.06251	2.60	26.0	10	5	5	5	5	10	8	10	10	4	72
124	2658	Grant et al., 1980	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/0.64/3/6	mg/kg bw/d	N		ADL	U	DR	62	d	21	d	GE	B	C	REP	PRWT	WO	3.00	6.00	Y	0.29	N	0.03249	3.00	6.00	10	5	5	5	10	10	10	10	4	79	
125	3830	Carson et al., 1973	Lead	100	Sheep (<i>Ovis aries</i>)	3	0/2.3/4.5	mg/kg bw/d	N		DLY	U	FD	27	w	NR	NR	GE	F	C	REP	RSUC	WO	4.50		N	na	Y	0.227	4.50		10	10	5	4	10	10	4	1	10	4	68
126	2592	Dilts and Ahokas, 1980	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	6	0/10/50/100/200/500	mg/L	N		ADL	U	DR	21	d	NR	NR	GE	F	C	REP	PRWT	WO	50.0	100	Y	0.3	Y	0.03	5.00	10.0	10	5	5	5	7	10	10	10	10	4	76
127	2876	Sierra and Tiffany-Castiglioni, 1992	Lead acetate	100	Guinea pig (<i>Cavia porcellus</i>)	3	0/5.5/11.0	mg/kg bw/d	N		DLY	U	DR	40	d	NR	NR	GE	F	C	REP	PRWT	WO	5.50		N	1.0	N		5.50		10	5	5	5	10</						

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 4 of 12

Ref		Exposure																				Effects					Conversion to mg/kg bw/day		Result		Data Evaluation Score											
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total
155	10239	Barrett and Livesey, 1983	Lead	100	Rat (<i>Rattus norvegicus</i>)	4	0/0.2/0.4/1.0	% in diet	N		DLY	U	FD	4	d	NR	NR	LC	F	C	REP	PRWT	WO	0.400	1.00	Y	0.311	Y	0.04675	601	1500	10	10	5	10	7	10	10	10	4	86	
156	2817	Piasekand Kostial, 1987	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/216/420/639.36	mg/kg bw/d	N		ADL	U	DR	13	w	NR	NR	JV	M	C	REP	FERT	WO	639		N	0.25	Y	0.04	639		10	5	5	5	10	10	4	3	10	4	66
157	2725	Junaid et al., 1997	Lead acetate	100	Mouse (<i>Mus musculus</i>)	4	0/2/4/8	mg/kg bw/d	N		5 per w	U	GV	60	d	NR	NR	AD	F	V	REP	RPRD	OV		2.00	Y	0.025	N	0.00331		2.00	10	8	10	5	10	10	4	10	6	4	77
158	15125	Morris et al, 1938	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/1269/9307.8	ug/org/d	N		ADL	U	FD	339	d	26-27	d	JV	B	C	REP	PRWT	WO		1269	Y	0.509	N	0.03943		2.49	10	10	5	5	6	10	4	10	10	4	74
159	66	Schroeder and Mitchener, 1971	Lead	100	Rat (<i>Rattus norvegicus</i>)	2	0/25	ppm in mg/L	N		ADL	U	DR	9	mo	21	d	JV	F	C	REP	DEYO	WO		25.0	N	0.179	N	0.02105		2.94	10	5	5	4	5	10	4	10	10	4	67
160	66	Schroeder and Mitchener, 1971	Lead	100	Mouse (<i>Mus musculus</i>)	2	0/25	mg/L	N		ADL	U	DR	6	mo	21	d	JV	F	C	REP	DEYO	WO		25.0	N	0.0225	N	0.00326		3.62	10	5	5	4	5	10	4	10	10	4	67
161	2666	Gupta et al., 1995	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	4	0/10/25/50	mg/kg bw	N		DLY	U	GV	52	d	2	mo	GE	F	C	REP	PROG	EM		10.0	Y	0.025	N	0.00331		5.46	10	8	10	5	10	10	4	10	10	4	81
162	2857	Saxena et. al. 1989	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/1.920	mg/org/d	N		ADL	U	DR	120	d	1	d	GE	M	C	REP	SPCL	TE		1.92	Y	0.284	N	0.03189		6.76	10	5	5	5	6	10	4	10	10	4	69
163	2568	Cernochova and Kamarad, 1992	Lead dinitrate	100	Mouse (<i>Mus musculus</i>)	2	0/21.75	mg/org	N		ADL	U	DR	5	w	NR	NR	AD	M	C	REP	TEDG	TE		0.614	N	0.0375	N	0.00516		16.6	10	5	5	10	5	10	4	10	3	4	66
164	20974	Al-Omar et al, 2000	Lead oxide	92.83	Mouse (<i>Mus musculus</i>)	2	0/50	mg/kg bw/d	N		DLY	M	GV	2	w	NR	NR	JV	M	V	REP	SPCL	SM		50.0	Y	0.02343	N	0.00314		46.4	10	8	10	10	10	10	4	10	10	4	86
165	3935	Winneke et al., 1977	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/49.6	mg/kg bw/d	N		NR	U	FD	102	d	NR	NR	GE	F	C	REP	PROG	WO		49.6	Y	0.35	N	0.02899		49.6	10	10	5	5	10	10	4	10	10	4	78
166	2528	Batra et al., 1998	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/50	mg/kg bw/d	N		DLY	U	GV	3	mo	8	w	SM	M	C	REP	TEDG	TE		50.0	Y	0.15	N	0.01444		50.0	10	8	10	5	10	10	4	10	10	4	81
167	3864	Hayashi, 1983	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/500	mg/L	N		ADL	U	DR	18	d	NR	NR	GE	F	C	REP	PRWT	WO		500	N	0.32	N	0.0355		55.5	10	5	5	5	5	10	4	10	10	4	68
168	2733	Kempinas et. al 1988	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/0.5/1.0	g/L	N		ADL	U	DR	90	d	NR	NR	AD	M	C	REP	SPCL	SM		0.500	Y	0.12	N	0.01469		61.2	10	5	5	5	6	10	4	10	10	4	69
169	2598	Donald et al., 1981	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	2	0/0.13	% in water	N		DLY	U	DR	23	d	NR	NR	GE	F	C	REP	PRWT	WO		0.130	Y	0.325	N	0.0360		78.6	10	5	5	5	6	10	4	10	10	4	69
170	2599	Donald et al., 1986	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	2	0/0.13	% in water	N		DLY	U	DR	62	d	NR	NR	GE	F	C	REP	PRWT	WO		0.130	Y	0.03	N	0.00422		99.8	10	5	5	5	6	10	4	10	10	4	69
171	2906	Talcott and Koller, 1983	Lead acetate	100	Mouse (<i>Mus musculus</i>)	2	0/1000	mg/L	N		NR	U	DR	18	w	6-8	w	LC	F	C	REP	PRWT	WO		1000	Y	0.03755	N	0.00516		137	10	5	5	5	6	10	4	10	10	4	69
172	2723	Johansson and Wide, 1986	Lead chloride	100	Mouse (<i>Mus musculus</i>)	2	0/1	g/L	N		ADL	U	DR	12	w	9	w	SM	M	C	REP	PRFM	WO		1.00	Y	0.0334	N	0.00465		139	10	5	5	10	6	10	4	10	10	4	74
173	2713	Jacquet et al., 1997	Lead	100	Mouse (<i>Mus musculus</i>)	4	0/0.125/0.25/0.5	% in diet	N		NR	U	FD	18	d	NR	NR	GE	F	C	REP	PRWT	WO		0.125	N	0.0375	N	0.00462		154	10	10	5	4	5	10	4	10	10	4	72
174	2502	Wolfe et al, 1996	Lead acetate trihydrate	100	Rat (<i>Rattus norvegicus</i>)	2	0/171.27	mg/kg bw/d	N		ADL	M	DR	4	w	99	d	JV	M	C	REP	SPCL	SM		171	Y	0.51751	Y	0.02276		171	10	5	10	5	10	10	4	10	10	4	78
175	14750	Blanusa, et al, 1989	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/1500/3500/5500/7500	mg/L	N		NR	U	DR	6	w	4	mo	GE	F	C	REP	RHIS	WO		1500	Y	0.19	N	0.02221		175	10	5	5	5	6	10	4	10	10	4	69
176	14816	Cramer et al, 1980	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/600	mg/org/d	N		ADL	U	DR	22	d	NR	NR	GE	F	C	REP	PRWT	WO		60.0	N	0.338	N	0.0373		178	10	5	5	5	5	10	4	10	10	4	69
177	2888	Sokol et al., 1985	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	3	0/0.1/0.3	% water	N		ADL	U	DR	30	d	52	d	JV	M	C	REP	GREP	PY		0.100	Y	0.37188	Y	0.135		198	10	5	5	5	7	10	4	10	10	4	70
178	2669	Hallen et al., 1995	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/200	mg/kg bw	N		NR	U	DR	13	w	NR	NR	GE	F	C	REP	PRWT	WO		200	Y	0.2	N	0.02326		200	10	5	5	5	10	10	4	10	10	4	

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 5 of 12

Ref			Exposure																			Effects					Conversion to mg/kg bw/day				Result		Data Evaluation Score										
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total	
208	2871	Sharma and Kanwar, 1985	Lead acetate	100	Mouse (<i>Mus musculus</i>)	2	0/61.6	mg/org	N		NR	U	DR	14	w	NR	NR	GE	B	C	REP	PROG	WO		61.6	Y	0.031	Y	0.007		1990	10	5	5	5	7	10	4	10	10	4	70	
209	14824	Goldstein et al, 1974	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4	% in diet	N		ADL	U	FD	16	d	NR	NR	LC	F	C	REP	PROG	WO		4.00	N	0.35	N	0.02899		2570	10	10	5	10	5	10	4	10	10	4	78	
210	14827	Holtzman et al, 1980	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4	% in diet	N		ADL	U	FD	7	d	NR	NR	LC	F	C	REP	PRWT	WO		4.00	N	0.35	N	0.02899		2570	10	10	5	10	5	10	4	10	10	4	78	
211	2741	Krigman et al., 1974	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4	% in diet	N		ADL	U	FD	25	d	NR	NR	LC	F	C	REP	PRWT	WO		4.00	N	0.35	N	0.02899		2570	10	10	5	10	5	10	4	10	10	4	78	
212	2811	Pentschew and Garro 1966	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4.0	% in diet	NR		NR	M	FD	27	d	NR	NR	LC	F	C	REP	PROG	WO		4.5	N	0.248	N	0.02184		2840	10	10	10	5	5	10	4	10	10	4	78	
213	2871	Sharma and Kanwar, 1985	Lead acetate	100	Mouse (<i>Mus musculus</i>)	2	0/58	mg/org	N		NR	U	DR	14	w	21	d	JV	B	C	REP	PROG	WO		58.0	Y	0.016	Y	0.00041		3630	10	5	5	5	7	10	4	10	10	4	70	
214	2774	Michaelson and Sauerhoff, 1974	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/5	% in diet	N		ADL	U	FD	17	d	NR	NR	LC	F	C	REP	PRWT	WO		5.00	N	0.35	N	0.0432		6170	10	10	5	5	6	10	4	10	10	4	74	
Growth																																											
215	14386	Willoughby et al., 1972	Lead carbonate	100	Horse (<i>Equus caballus</i>)	2	0/30	mg/kg diet	N		DLY	U	FD	15	w	20 to 21	w	JV	M	C	GRO	BDWT	WO	30.0		N	181.44	Y	1.151	0.150		10	10	5	10	6	8	4	1	10	4	68	
216	2634	Fox et.al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/0.5	ug/g bw/d	N		ADL	U	FD	21	d	0	d	JV	F	C	GRO	BDWT	WO	0.500		N	0.179	N	0.0167	0.500		10	10	5	5	10	8	4	1	10	4	67	
217	2593	Dilts and Ahokas, 1979	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	6	0/10/50/100/200/500	mg/L	N		ADL	U	DR	21	d	NR	NR	GE	F	C	GRO	BDWT	WO	10.0	50.0	Y	0.370	Y	0.037	1.00	5.00	10	5	5	5	7	8	8	10	10	4	72	
218	2737	Kimmel et al., 1980	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/0.13/1.27/13/69	mg/kg bw/d	N		ADL	U	DR	7	d	50	d	AD	F	V	GRO	BDWT	WO	1.27	13	Y	0.325	N	0.036	1.27	13.0	10	5	5	5	10	8	6	10	10	4	73	
219	14380	Lynch et al, 1975	Lead carbonate	77.55	Cattle (<i>Bos taurus</i>)	4	0/0.64/1.28/2.57	mg/kg bw/d	N		3 per w	U	OR	7	w	1	w	JV	M	C	GRO	BDWT	WO	2.57		Y	61	N	2.01603	1.99		10	8	10	10	10	8	4	1	10	4	75	
220	2930	Wiebe and Barr, 1988	Lead chloride	100	Rat (<i>Rattus norvegicus</i>)	3	0/20/200	mg/kg	N		NR	U	DR	14	d	21	d	JV	F	C	GRO	BDWT	WO	20.0		Y	0.1228	N	0.0150	2.40		10	5	5	10	6	8	4	10	10	4	72	
221	14446	Schroeder et al, 1963	Lead	100	Rat (<i>Rattus norvegicus</i>)	2	0/25	mg/L	N		DLY	U	DR	332	d	28	d	JV	B	C	GRO	BDWT	WO	25.0		Y	0.1575	N	0.01876	2.98		10	5	5	4	6	8	4	10	10	4	66	
222	2737	Kimmel et al., 1980	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/0.92/4.7/8.9	mg/kg bw/d	N		ADL	U	DR	7	w	21	d	GE	F	V	GRO	BDWT	WO	4.70	8.90	Y	0.3	N	0.0335	4.70	8.90	10	5	5	5	10	8	10	10	10	7	80	
223	3873	Horwitt and Cowgill, 1937	Lead acetate	100	Dog (<i>Canis familiaris</i>)	3	0/27/102	mg/kg diet	N		DLY	M	FD	7	mo	NR	NR	JV	NR	C	GRO	BDWT	WO	102		Y	9.3	N	0.42959	4.71		10	10	10	5	6	8	4	1	10	4	68	
224	2944	Zheng et al., 1996	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/50/250	mg/L	N		ADL	U	DR	30	d	22-24	d	JV	M	C	GRO	BDWT	WO	50.0	250	Y	0.27	N	0.0305	5.64	28.2	10	5	5	5	6	8	8	10	10	4	71	
225	2675	Hammond et al., 1989	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/50/250/500	mg/L	N		ADL	U	DR	23	d	22	d	JV	F	C	GRO	BDWT	WO	50.0	250	N	0.204	N	0.02368	5.80	29.0	10	5	5	5	5	8	8	10	10	7	73	
226	3711	Lynch et al., 1976	Lead carbonate	100	Cattle (<i>Bos taurus</i>)	3	0/4.16/7.79	mg/kg bw/d	N		3 per w	U	OR	84	d	NR	NR	JV	M	C	GRO	BDWT	WO	7.79		Y	80.2	Y	0.157	7.79		10	8	10	10	10	8	4	6	10	4	80	
227	2830	Rader et al., 1981	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/9.1	mg/kg bw/d	N		1 per w	U	OR	6	w	NR	NR	AD	M	C	GRO	BDWT	WO	9.10		Y	0.475	N	0.03726	9.10		10	8	5	5	10	8	4	10	3	4	67	
228	2788	Nehru et al., 1997	Lead	100	Rat (<i>Rattus norvegicus</i>)	2	0/20	mg/kg bw	N		EOD	U	GV	8	w	NR	NR	JV	F	C	GRO	BDWT	WO	10.0		Y	0.18125	N	0.01688	10.0		10	8	10	4	10	8	4	10	10	4	78	
229	2660	Gruber et al., 1997	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/100/5000	mg/L	N		DLY	U	DR	6	mo	NR	NR	AD	M	C	GRO	BDWT	WO	100	5000	Y	0.483	N	0.05143	10.6	532	10	5	5	5	6	8	6	10	10	4	69	
230	2751	Lorenzo et al., 1978	Lead nitrate	62.56	Rabbit (<i>Oryctolagus cuniculus</i>)	3	0/10.7/50.4	mg/kg bw/d	N		DLY	U	GV	10	d	1	d	JV	F	C	GRO	BDWT	WO	10.7	50.44	N	1	N	0.0687	10.7	50.4	10	8	5	10	5	8	8	10	10	4	78	
231	21143	El-Gazzar et al, 1978	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/100	mg/L	N		NR	U	DR	140	d	21	d	JV	M	C	GRO	BDWT	WO	100		Y	0.443	N	0.04758	10.7		10	5	5	5	6	8	4	10	10	4	67	
232	2830	Rader et al., 1981	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/15.1	mg/kg bw/d	N		ADL	U	DR	6	w	NR	NR	JV	M	C	GRO	BDWT	WO	15.1		Y	0.337	N	0.0372	15.1		10	5	5	5	10	8	4	10	1			

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 6 of 12

Ref			Exposure																	Effects					Conversion to mg/kg bw/day		Result		Data Evaluation Score													
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total
260	2783	Mykkanen et al., 1980	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/0.5/1/2	% in diet	N		ADL	U	FD	1	w	NR	NR	LC	F	C	GRO	BDWT	WO	0.500	1.00	N	0.32	N	0.02693	230	460	10	10	5	5	5	8	10	10	10	4	77
261	2889	Sourgens et al., 1987	Lead acetate trihydrate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/45/900/4580	mg/L	N		ADL	U	DR	30	d	NR	NR	JV	M	C	GRO	BDWT	WO	4580		Y	0.246	N	0.02802	285		10	5	5	5	6	8	4	10	10	4	67
262	3847	Exon et al., 1979	Lead acetate	100	Mouse (<i>Mus musculus</i>)	5	0/13/130/1300/2600	mg/L	N		ADL	U	DR	10	w	NR	NR	JV	M	C	GRO	BDWT	WO	2600		Y	0.0334	N	0.00465	362		10	5	5	5	6	8	4	10	10	4	67
263	2887	Sokol, 1989	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/6000	mg/L	N		ADL	U	DR	30	d	52	d	JV	M	C	GRO	BDWT	WO	6000		Y	0.32	N	0.0355	364		10	5	5	5	6	8	4	10	10	4	67
264	2697	Holtzman et al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/400/800/1600	mg/kg bw/d	N		DLY	U	GV	14	d	14	d	JV	NR	C	GRO	BDWT	WO	400	800	N	0.267	N	0.0232	400	800	10	8	10	5	10	8	10	10	10	4	85
265	2697	Holtzman et al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/400/800/1600/2400	mg/kg bw/d	N		DLY	U	GV	14	d	20	d	JV	NR	C	GRO	BDWT	WO	400	800	N	0.267	N	0.0232	400	800	10	8	10	5	10	8	10	10	10	4	85
266	14822	Gerber et al, 1978	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/0.5	% in diet	N		NR	U	FD	14	mo	0	d	JV	NR	C	GRO	BDWT	WO	0.500		Y	0.278	N	0.0240	431		10	10	5	5	6	8	4	8	10	4	70
267	14795	Brady, et al, 1975	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/240	mg/org	N		DLY	U	GV	102	d	30	d	LC	F	C	GRO	BDWT	WO	240		N	0.297	N	0.02533	441		10	8	10	5	7	8	4	1	10	4	67
268	2896	Stewart et al., 1998	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	4	0/193/390/977	mg/kg bw/d	N		DLY	U	GV	12	d	6	d	JV	M	C	GRO	BDWT	WO	977		Y	0.00853	N	0.00137	534		10	8	10	5	10	8	4	10	10	4	79
269	2758	Maker et al., 1973	Lead carbonate	100	Mouse (<i>Mus musculus</i>)	7	0/0.08/0.16/0.4/0.5/1.0/2.0	% in diet	N		NR	U	FD	30	d	NR	NR	LC	F	C	GRO	BDWT	WO	0.500	1.00	N	0.0325	N	0.00411	632	1260	10	10	5	5	5	8	10	10	10	4	77
270	2869	Selvin-Testa et. al. 1997	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/1	% in water	N		ADL	U	DR	126	d	1	d	GE	F	C	GRO	BDWT	WO	1.00		N	0.156	N	0.0186	651		10	5	5	5	5	8	4	10	10	4	66
271	2818	Piasek and Kostial 1991	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/750	mg/kg bw/d	N		NR	U	DR	20	w	10	w	GE	F	C	GRO	BDWT	WO	750		Y	0.2681	N	0.03028	750		10	5	5	5	10	8	4	10	10	4	71
272	2758	Maker et al., 1973	Lead carbonate	100	Mouse (<i>Mus musculus</i>)	7	0/0.08/0.16/0.4/0.5/1.0/2.0	% in diet	N		NR	U	FD	28	d	NR	NR	LC	F	C	GRO	BDWT	WO	1.00	2.00	N	0.0325	N	0.00411	1260	2530	10	10	5	5	5	8	10	10	10	4	77
273	10239	Barrett and Livesey, 1983	Lead	100	Rat (<i>Rattus norvegicus</i>)	4	0/0.2/0.4/1.0	% in diet	N		DLY	U	FD	18	d	NR	NR	LC	F	C	GRO	BDWT	WO	1.00		Y	0.296	Y	0.054	1500		10	10	5	10	7	8	4	3	10	4	71
274	252	Schroeder et al, 1970	Lead nitrate	100	Rat (<i>Rattus norvegicus</i>)	2	0/25	mg/L	N		ADL	U	DR	9	d	21	d	JV	M	C	GRO	BDWT	WO		25.0	Y	0.0557	N	0.00736		3.3	10	5	5	10	6	8	4	10	10	4	72
275	14377	Kelliher, et al. 1973	Lead acetate	100	Cattle (<i>Bos taurus</i>)	2	0.015	g/kg bw/d	N		CON	U	FD	283	d	7	mo	JV	M	C	GRO	BDWT	WO		0.0150	Y	260	N	6.63842		15.0	10	10	5	5	10	8	4	10	10	4	76
276	2670	Hamilton and O'Flaherty, 1994	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/250/1000	mg/L	N		ADL	U	DR	92	d	25	d	GE	F	V	MPH	GMPH	TB		250	Y	0.224	N	0.02575		28.7	10	5	5	5	6	8	4	10	10	7	70
277	2678	Hammond and Succop, 1995	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/250	mg/L	N		ADL	U	DR	5	d	26	d	JV	F	C	GRO	BDWT	WO		250	N	0.204	N	0.02368		29.0	10	5	5	5	5	8	4	10	10	4	66
278	2671	Hamilton et al., 1994	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/250/500/1000	mg/L	N		ADL	U	DR	7	d	25	d	GE	F	V	GRO	BDWT	WO		250	N	0.202	N	0.02346		29.0	10	5	5	5	5	8	4	10	10	4	66
279	2677	Hammond et al., 1993	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/250	mg/L	N		ADL	U	DR	26	d	22	d	JV	F	V	GRO	BDWT	WO		250	Y	0.175	N	0.02062		29.5	10	5	5	5	6	8	4	10	10	7	70
280	2677	Hammond et al., 1993	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/250	mg/L	N		ADL	U	DR	14	d	26	d	JV	F	V	MPH	Other	TA		250	N	0.15	N	0.01795		29.9	10	5	5	5	5	8	4	10	10	7	69
281	2776	Minnema and Hammond, 1994	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/250	mg/L	N		NR	U	DR	10	d	26	d	JV	F	V	GRO	BDWT	WO		250	Y	0.13	N	0.01578		30.4	10	5	5	5	6	8	4	10	10	4	67
282	20974	Al-Omar et al, 2000	Lead oxide	92.83	Mouse (<i>Mus musculus</i>)	2	0/50	mg/kg bw/d	N		DLY	M	GV	3	w	NR	NR	JV	M	V	GRO	BDWT	WO		50.0	Y	0.02197	N	0.00298		46.4	10	8	10	10	10	8	4	10	10	4	84
283	2929	White, 1977	Lead carbonate	100	Dog (<i>Canis familiaris</i>)	2	0/50	mg/kg bw	N		DLY	U	OR	5	w	<1	yr	JV	NR	C	GRO	BDWT	WO		50	N	10.45	N	0.4728		50.0											

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 7 of 12

Ref			Exposure																				Effects					Conversion to mg/kg bw/day			Result		Data Evaluation Score										
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total	
312	2720	Jessup, 1967	Lead acetate	100	Rabbit (<i>Oryctolagus cuniculus</i>)	3	0/54.6/546	mg/kg diet	N		ADL	U	FD	10	d	NR	NR	GE	F	C	MOR	MORT	WO	546		N	4.1	N	0.2191	29.2		10	10	5	5	5	9	4	10	10	4	72	
313	3709	Lassen and Buck, 1979	Lead acetate	100	Pig (<i>Sus scrofa</i>)	5	0/3.77/7.54/15.09/30.17	mg/kg bw/d	N		DLY	U	DR	13	w	6	w	JV	NR	C	MOR	MORT	WO	30.2		Y	24	N	1.72912	30.2		10	5	10	5	10	9	4	1	10	4	68	
314	14852	Bankowska and Hine, 1985	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/350	mg/L	N		ADL	U	DR	4	w	NR	NR	JV	M	C	MOR	MORT	WO	350		Y	0.22	N	0.02534	40.3		10	5	5	5	6	9	4	10	10	4	68	
315	20974	Al-Omar et al, 2000	Lead oxide	92.83	Mouse (<i>Mus musculus</i>)	2	0/50	mg/kg bw/d	N		DLY	M	GV	5	w	NR	NR	JV	M	V	MOR	MORT	WO	50.0		Y	0.02063	N	0.00283	46.4		10	8	10	10	10	9	4	10	10	4	85	
316	2565	Carpenter, 1982	Lead acetate	100	Hamster (<i>Mesocricetus auratus</i>)	2	0/547	mg/L	N		ADL	U	DR	51	d	15	w	GE	F	C	MOR	MORT	WO	547		Y	0.167	N	0.0198	64.8		10	5	5	5	6	9	4	10	10	4	68	
317	2565	Carpenter, 1982	Lead acetate	100	Hamster (<i>Mesocricetus auratus</i>)	2	0/547	mg/L	N		ADL	U	DR	14	d	11	w	GE	F	C	MOR	MORT	WO	547		Y	0.163	N	0.0193	64.9		10	5	5	5	6	9	4	10	10	4	68	
318	11831	Jessup and Shott, 1969	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/10/50/100/1000	mg/kg diet	N		ADL	U	FD	92	w	21	d	JV	B	C	MOR	SURV	WO	1000		Y	0.615	N	0.04607	74.9		10	10	5	5	6	9	4	10	10	4	73	
319	2721	Jessup, 1969	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/10/100/1000	mg/kg diet	N		ADL	U	FD	8	w	NR	NR	GE	B	C	MOR	SURV	WO	1000		Y	0.46	N	0.0363	78.8		10	10	5	5	6	9	4	10	10	4	73	
320	3747	Azar et al., 1973	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/1130/2102	mg/kg diet	N		NR	M	FD	2	yr	NR	NR	NR	M	C	MOR	MORT	WO	1130	2102	N	0.51	N	0.0395	87.5	163	10	10	10	5	5	9	10	10	10	4	83	
321	2502	Wolfe et al, 1996	Lead acetate trihydrate	100	Rat (<i>Rattus norvegicus</i>)	5	0/0.78/20.64/41.24/103.63	mg/kg bw/d	N		ADL	M	DR	24	w	94	d	JV	M	C	MOR	MORT	WO	104		Y	0.75394	Y	0.026	104		10	5	10	5	10	9	4	10	10	4	77	
322	2750	Lessler and Wright, 1976	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/68	mg/org/d	N		ADL	U	FD	24	w	NR	NR	YO	M	C	MOR	MORT	WO	68.0		Y	0.400	N	0.03235	170		10	10	5	5	6	9	4	10	10	4	73	
323	2750	Lessler and Wright, 1976	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/68	mg/org/d	N		ADL	U	FD	8	w	NR	NR	MA	M	C	MOR	MORT	WO	68.0		Y	0.4	N	0.03235	170		10	10	5	5	6	9	4	10	3	4	66	
324	2815	Petrusz et al., 1979	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/25/100/200	mg/kg bw/d	N		DLY	U	GV	18	d	2	d	JV	B	C	MOR	MORT	WO	200		N	0.035	N	0.00437	200		10	8	10	5	10	9	4	10	10	4	80	
325	2799	Ogilvie and Martin, 1981	Lead acetate	100	Mouse (<i>Mus musculus</i>)	2	0/2732	mg/L	N		NR	U	DR	10	mo	NR	NR	AD	M	C	MOR	MORT	WO	2732		Y	0.034	N	0.00472	379		10	5	5	5	6	9	4	10	10	4	68	
326	2697	Holtzman et al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/400/800/1600/2400	mg/kg bw/d	N		DLY	U	GV	14	d	20	d	JV	NR	C	MOR	MORT	WO	400	800	N	0.267	N	0.0232	400	800	10	8	10	5	10	9	10	10	10	4	86	
327	2697	Holtzman et al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/400/800/1600	mg/kg bw/d	N		DLY	U	GV	14	d	24	d	JV	NR	C	MOR	MORT	WO	400	800	N	0.267	N	0.0232	400	800	10	8	10	5	10	9	10	10	10	4	86	
328	2836	Rasile et al. 1995	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	2	0/0.5	% in water	N		ADL	U	DR	98	d	50-100	d	GE	F	C	MOR	MORT	WO	0.500		Y	0.018	N	0.00266	404		10	5	5	5	6	9	4	10	10	4	68	
329	2817	Piasekand Kostial, 1987	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/216/420/639.36	mg/kg bw/d	N		ADL	U	DR	18	w	NR	NR	JV	M	C	MOR	MORT	WO	639		Y	0.25	Y	0.04	639		10	5	5	5	10	9	4	10	10	4	72	
330	2697	Holtzman et al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/1600/2000/2400	mg/kg bw/d	N		DLY	U	GV	14	d	24	d	JV	NR	C	MOR	MORT	WO	2000	2400	N	0.267	N	0.0232	2000	2400	10	8	10	5	10	9	10	10	10	4	86	
331	2697	Holtzman et al., 1982	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	3	0/2400/3200	mg/kg bw/d	N		DLY	U	GV	14	d	14	d	JV	NR	C	MOR	MORT	WO	3200		N	0.267	N	0.0232	3200		10	8	10	5	10	9	4	10	10	4	80	
332	3701	Kanisawa and Schroeder, 1969	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/5	mg/L	N		DLY	U	DR	727	d	30	d	JV	F	C	MOR	LFSP	WO		5.00	N	0.248	N	0.02823		0.569	10	5	5	5	5	9	4	10	10	4	67	
333	3940	Zmudski et al., 1983	Lead acetate	100	Cattle (<i>Bos taurus</i>)	4	0/2.7/5.0/20	mg/kg bw/d	N		DLY	U	DR	21	d	10	w	JV	M	C	MOR	MORT	WO		2.70	Y	55	N	3.64722		2.70	10	5	5	5	10	9	4	10	10	4	72	
334	14446	Schroeder et al, 1963	Lead	100	Rat (<i>Rattus norvegicus</i>)	2	0/25	mg/L	N		DLY	U	DR	6	mo	28	d	JV	B	C	MOR	SURV	WO		25.0	Y	0.2251	N	0.02587		2.87	10	5	5	5	4	6	9	4	10	10	4	67
335	14447	Schroeder et al, 1964	Divalent Lead	100	Mouse (<i>Mus musculus</i>)	2	0/25	mg/L	N		DLY	U	DR	21	mo	21	d	JV	M	C	MOR	SURV	WO		25.0	N	0.0375	Y	0.00465		3.10	10	5	5	10	6	9	4	10	10	4	73	
336	14803	Wells, et.al, 1986	Lead acetate	100	Cattle (<i>Bos taurus</i>)	2	0/20	mg/kg bw/d	N		DLY	U	DR	8	d	3	mo	JV	M	C	MOR	MORT	WO		20.0	N	na	N	na		20.0	10	5	5	5	10	9	4	10				

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 8 of 12

Ref			Exposure																				Effects					Conversion to mg/kg bw/day				Result		Data Evaluation Score									
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total	
364	2640	Freundt and Ibrahim, 1990	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/100	mg/L	N		ADL	U	DR	91	d	NR	NR	AD	F	C	GRO	BDWT	WO	100		Y	0.295	N	0.033	6.11		10	5	5	5	6	8	4	1	10	4	58	
365	2857	Saxena et. al. 1989	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/1.920	mg/org/d	N		ADL	U	DR	120	d	NR	NR	JV	M	C	GRO	BDWT	WO	1.92		Y	0.284	N	0.03189	6.76		10	5	5	5	6	8	4	6	10	4	63	
366	3821	Boscolo et al., 1988	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/0.06	mg/ml	N		ADL	U	DR	18	mo	NR	NR	NR	M	C	GRO	BDWT	WO	0.0600		N	0.267	N	0.03016	6.78		10	5	5	5	5	8	4	1	10	4	57	
367	3821	Boscolo et al., 1988	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/0.06	mg/ml	N		ADL	U	DR	18	mo	NR	NR	JV	M	C	REP	TEDG	TE	0.0600		N	0.267	N	0.03016	6.78		10	5	5	5	5	10	4	1	10	4	59	
368	2737	Kimmel et al., 1980	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/0.92/4.7/8.9	mg/kg bw/d	N		ADL	U	DR	10	w	21	d	GE	F	V	FDB	FCNS	WO	8.90		Y	300	N	16.7898	8.90		10	5	5	5	10	4	4	1	10	7	61	
369	2830	Rader et al., 1981	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/9.3	mg/kg bw/d	N		ADL	U	DR	6	w	NR	NR	AD	M	C	GRO	BDWT	WO	9.30		Y	0.468	N	0.04999	9.30		10	5	5	5	10	8	4	10	3	4	64	
370	2770	McMurry et al., 1995	Lead acetate	100	Cotton rat (<i>Sigmodon hispidus</i>)	3	0/2.2/30.4	mg/org	N		ADL	U	DR	13	w	NR	NR	AD	M	C	CHM	LMPH	BL	2.20	30.4	Y	0.1698	N	na	13.0	179	10	5	5	5	6	1	6	10	6	4	58	
371	2770	McMurry et al., 1995	Lead acetate	100	Cotton rat (<i>Sigmodon hispidus</i>)	3	0/2.2/30.4	mg/org	N		ADL	U	DR	13	w	NR	NR	AD	M	C	ORW	SMIX	SP	2.20	30.4	Y	0.1698	N	na	13.0	179	10	5	5	5	6	4	6	10	6	4	61	
372	2563	Camoratto et al., 1993	Lead nitrate	100	Rat (<i>Rattus norvegicus</i>)	2	0/125	mg/L	N		ADL	U	DR	49	d	NR	NR	GE	F	C	FDB	WCON	WO	125		N	0.35	N	0.03849	13.7		10	5	5	10	5	4	4	1	10	4	58	
373	2563	Camoratto et al., 1993	Lead nitrate	100	Rat (<i>Rattus norvegicus</i>)	2	0/125	mg/L	N		ADL	U	DR	49	d	2	d	JV	F	C	HRM	Other	MT	125		N	0.35	N	0.03849	13.7		10	5	5	10	5	1	4	1	10	4	55	
374	2563	Camoratto et al., 1993	Lead nitrate	100	Rat (<i>Rattus norvegicus</i>)	2	0/125	mg/L	N		ADL	U	DR	49	d	NR	NR	GE	F	C	GRO	BDWT	WO	125		N	0.35	N	0.03849	13.7		10	5	5	10	5	8	4	1	10	4	62	
375	2563	Camoratto et al., 1993	Lead nitrate	100	Rat (<i>Rattus norvegicus</i>)	2	0/125	mg/L	N		ADL	U	DR	23	d	NR	NR	GE	F	C	REP	PRWT	WO	125		N	0.35	N	0.03849	13.7		10	5	5	10	5	10	4	1	10	4	64	
376	2829	Rader et. al. 1981	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/16.1	mg/kg bw/d	N		NR	U	DR	7	w	NR	NR	AD	M	C	GRO	BDWT	WO	16.1		Y	0.392	N	0.043	16.1		10	5	5	5	10	8	4	10	3	4	64	
377	2918	Verlangieri et al., 1983	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/74.5	mg/L	N		ADL	U	DR	52	w	NR	NR	JV	B	C	GRO	BDWT	WO	74.5		Y	0.606	Y	0.13366	16.4		10	5	5	5	7	8	4	6	10	4	64	
378	14822	Gerber et al, 1978	Lead acetate	100	Mouse (<i>Mus musculus</i>)	3	0/0.1/1.0	mg/ml	N		NR	U	DR	10	d	0	d	JV	M	C	ENZ	ALAD	BR	0.100	1.00	Y	0.00452	N	0.0008	17.0	170	10	5	5	5	6	1	8	10	10	4	64	
379	2905	Tafelski and Lamperti, 1975	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/1/5/10	mg/org	N		DLY	U	GV	29	d	NR	NR	SM	F	C	HIS	GHIS	OV	10.0		Y	0.289	N	0.02476	18.9		10	8	10	5	6	4	4	1	6	4	58	
380	2905	Tafelski and Lamperti, 1975	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/1/5/10	mg/org	N		DLY	U	GV	29	d	NR	NR	SM	F	C	REP	RPRD	UT	10.0		Y	0.289	N	0.02476	18.9		10	8	10	5	6	10	4	1	6	4	64	
381	2575	Corpas et al , 1995	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/39.26	mg/kg bw/d	N		ADL	U	DR	3	w	NR	NR	GE	F	C	FDB	WCON	WO	39.3		N	0.32	Y	0.04248	21.4		10	5	5	5	10	4	4	3	10	4	60	
382	2756	Mahaffey et al., 1973	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	7	0/0.19/0.70/2.8/5.9/12.9/24.3	mg/kg bw/d	N		NR	U	DR	10	w	NR	NR	JV	M	C	ORW	ORWT	KI	24.3		Y	0.31	N	0.0345	24.3		10	5	5	5	10	4	4	8	10	4	65	
383	2943	Zenick et al., 1979	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	3	0/200/400	mg/kg	N		DLY	U	DR	121	d	21	d	GE	F	C	BEH	ACTV	WO	400		N	0.204	N	0.0237	25.4		10	5	5	5	5	4	4	1	10	4	53	
384	2943	Zenick et al., 1979	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	3	0/200/400	mg/L	N		DLY	U	DR	121	d	21	d	GE	F	C	GRO	BDWT	WO	400		N	0.204	N	0.0237	25.4		10	5	5	5	5	8	4	1	10	4	57	
385	10607	Cerklewski, 1980	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/250	mg/kg diet	N		NR	U	FD	20	d	70	d	LC	F	C	GRO	BDWT	WO	250		Y	0.363	Y	0.04	27.5		10	10	5	5	7	8	4	1	10	4	64	
386	2720	Jessup, 1967	Lead acetate	100	Rabbit (<i>Oryctolagus cuniculus</i>)	3	0/54.6/546	mg/kg diet	N		ADL	U	FD	10	d	NR	NR	GE	F	C	REP	Other	UT	546		N	4.1	N	0.2191	29.2		10	10	5	5	5	10	4	1	10	4	64	
387	3704	Fick et al., 1976	Lead acetate	100	Sheep (<i>Ovis aries</i>)	5	0/10/100/500/1000	mg/kg diet	N		DLY	U	FD	84	d	NR	NR	JV	M	C	FDB	FCNS	WO	1000		Y	37	Y	1.21	32.7		10	10	5	5	7	4	4	6	10	4	65	
388	2682</																																										

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 9 of 12

Ref			Exposure																				Effects					Conversion to mg/kg bw/day		Result		Data Evaluation Score										
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total
417	2721	Jessup, 1969	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/10/100/1000	mg/kg diet	N		ADL	U	FD	8	w	NR	NR	GE	B	C	FDB	FCNS	WO	1000		Y	0.46	N	0.0363	78.8		10	10	5	5	6	4	4	1	10	4	59
418	2721	Jessup, 1969	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/10/100/1000	mg/kg diet	N		ADL	U	FD	8	w	NR	NR	GE	B	C	GRO	BDWT	WO	1000		Y	0.46	N	0.0363	78.8		10	10	5	5	6	8	4	1	10	4	63
419	2721	Jessup, 1969	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/10/100/1000	mg/kg diet	N		ADL	U	FD	14	w	NR	NR	GE	F	C	REP	FERT	NR	1000		Y	0.255	N	0.0223	87.6		10	10	5	5	6	10	4	1	10	4	65
420	2743	Kristensen et al., 1995	Lead chloride	100	Mouse (<i>Mus musculus</i>)	2	0/0.75	g/L	N		ADL	U	DR	6	w	9	w	JV	F	C	GRO	BDWT	WO	0.750		Y	0.0365	N	0.00503	103		10	5	5	10	6	8	4	1	10	4	63
421	2502	Wolfe et al, 1996	Lead acetate trihydrate	100	Rat (<i>Rattus norvegicus</i>)	5	0/0.78/20.64/41.24/103.63	mg/kg bw/d	N		ADL	M	DR	24	w	94	d	JV	M	C	HRM	TSTR	BL	104		Y	0.75394	Y	0.026	104		10	5	10	5	10	1	4	3	10	4	62
422	14709	Zirkin et al., 1985	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	6	0/500/1000/2000/4000/8000	mg/L	N		NR	U	DR	130	d	40	d	JV	M	C	HRM	TSTR	BL	2000	4000	N	0.51	N	0.05401	116	231	10	5	5	5	5	5	1	10	10	4	65
423	2671	Hamilton et al., 1994	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/250/500/1000	mg/L	N		ADL	U	DR	77	d	25	d	GE	F	V	CHM	PHOS	SR	1000		N	0.202	N	0.02346	116		10	5	5	5	5	1	4	10	10	4	59
424	2671	Hamilton et al., 1994	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/250/500/1000	mg/L	N		ADL	U	DR	77	d	25	d	GE	F	V	FDB	FCNS	WO	1000		N	0.202	N	0.02346	116		10	5	5	5	5	4	4	10	10	4	62
425	14799	Goyer et al., 1970	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	6	0/2.3/7.0/12/21/67/220	mg/org/d	N		NR	U	DR	10	w	NR	NR	JV	M	C	CHM	RETI	BL	21.0	67.0	Y	0.175	N	0.02062	120	383	10	5	5	5	6	1	8	10	10	4	64
426	14802	Hejtmancik, et. al, 1982	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/0.2	% in water	N		ADL	U	DR	21	d	NR	NR	JV	F	C	FDB	WCON	WO	0.200		N	0.317	N	0.0352	121		10	5	5	5	5	4	4	1	10	4	53
427	14802	Hejtmancik, et. al, 1982	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/0.2	% in water	N		ADL	U	DR	21	d	NR	NR	LC	F	C	REP	PRWT	WO	0.200		N	0.317	N	0.0352	121		10	5	5	5	5	10	4	1	10	4	59
428	2723	Johansson and Wide, 1986	Lead chloride	100	Mouse (<i>Mus musculus</i>)	2	0/1	g/L	N		ADL	U	DR	12	w	9	w	SM	M	C	HRM	TSTR	WO	1.00		Y	0.0334	N	0.00465	139		10	5	5	10	6	1	4	3	10	4	58
429	14825	Govoni et al, 1980	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	3	0/0.04/2.5	g/L	N		DLY	U	DR	20	d	60	d	JV	F	V	REP	PRWT	WO	2.50		N	0.35	N	0.03849	150		10	5	5	5	5	10	4	6	10	4	64
430	2548	Brown, 1974	Lead acetate	54.61	Rabbit (<i>Oryctolagus cuniculus</i>)	2	0/5000	mg/kg diet	N		ADL	U	FD	23	mo	NR	NR	AD	B	C	PHY	GPHY	EY	5000		Y	3.2	N	0.17873	153		10	10	5	5	6	4	4	6	10	4	64
431	2770	McMurry et al., 1995	Lead acetate	100	Cotton rat (<i>Sigmodon hispidus</i>)	3	0/2.1/28.8	mg/org	N		ADL	U	DR	7	w	NR	NR	AD	M	C	FDB	WCON	WO	28.8		Y	0.1698	N	na	170		10	5	5	5	6	4	4	10	6	4	59
432	2770	McMurry et al., 1995	Lead acetate	100	Cotton rat (<i>Sigmodon hispidus</i>)	3	0/2.1/28.8	mg/org	N		ADL	U	DR	7	w	NR	NR	AD	M	C	MOR	MORT	WO	28.8		Y	0.1698	N	na	170		10	5	5	5	6	9	4	10	6	4	64
433	2770	McMurry et al., 1995	Lead acetate	100	Cotton rat (<i>Sigmodon hispidus</i>)	3	0/2.2/30.4	mg/org	N		ADL	U	DR	13	w	NR	NR	AD	M	C	FDB	WCON	WO	30.4		Y	0.1698	N	na	179		10	5	5	5	6	4	4	10	6	4	59
434	14376	Hsu et al, 1975	Lead acetate	100	Pig (<i>Sus scrofa</i>)	2	0/1000	mg/kg diet	N		ADL	U	FD	13	w	4	w	JV	NR	NR	FDB	FCNS	WO	1000		Y	7.5	Y	1.296	173		10	10	5	5	7	4	4	3	10	4	62
435	2770	McMurry et al., 1995	Lead acetate	100	Cotton rat (<i>Sigmodon hispidus</i>)	3	0/2.2/30.4	mg/org	N		ADL	U	DR	13	w	NR	NR	AD	M	C	MOR	MORT	WO	30.4		Y	0.1698	N	na	179		10	5	5	5	6	9	4	10	6	4	64
436	2770	McMurry et al., 1995	Lead acetate	100	Cotton rat (<i>Sigmodon hispidus</i>)	3	0/2.2/30.4	mg/org	N		ADL	U	DR	13	w	NR	NR	AD	M	C	REP	TEWT	TE	30.4		Y	0.1698	N	na	179		10	5	5	5	6	10	4	3	6	4	58
437	814	Koller and Roan, 1977	Lead acetate	100	Mouse (<i>Mus musculus</i>)	4	0/13/130/1300	mg/L	N		NR	U	DR	70	d	28	d	JV	NR	C	ENZ	ACPH	MT	1300		Y	0.024	N	0.00345	187		10	5	5	5	6	1	4	1	10	4	51
438	814	Koller and Roan, 1977	Lead acetate	100	Mouse (<i>Mus musculus</i>)	4	0/13/130/1300	mg/L	N		NR	U	DR	70	d	28	d	JV	NR	C	GRO	BDWT	WO	1300		Y	0.024	N	0.00345	187		10	5	5	5	6	8	4	1	10	4	58
439	2924	Wadi and Ahmad, 1999	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	3	0/0.25/0.5	% in water	N		ADL	U	DR	6	w	7	w	SM	M	C	FDB	FCNS	WO	0.250	0.500	Y	0.0398	N	0.00544	187	373	10	5	5	5	6	4	10	10	6	4	65
440	2886	Sokol, 1987	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/3000	mg/L	N		ADL	U	DR	30	d	52	d	JV	M	C	FDB	WCON	WO	3000		N	0.217	N	0.02503	189		10	5	5	5	5	4	4				

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 10 of 12

Ref		Exposure																				Effects					Conversion to mg/kg bw/day			Result		Data Evaluation Score											
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total	
470	14752	Piasek and Kostial, 1990	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	4	0/1500/3500/5500	mg/L	N		ADL	U	DR	6	w	15	w	LC	B	C	PHY	BLPR	BL	5500		Y	0.185	N	0.02168	645		10	5	5	5	6	4	4	10	10	4	63	
471	2505	Lamb et al., 1997	Lead acetate trihydrate	100	Mouse (<i>Mus musculus</i>)	2	0/0.67	g/kg bw/d	N		ADL	U	DR	105	d	6	w	JV	B	C	GRO	BDWT	WO	0.670		Y	0.0376	N	0.00517	670		10	5	5	5	10	8	4	1	10	4	62	
472	2505	Lamb et al., 1997	Lead acetate trihydrate	100	Mouse (<i>Mus musculus</i>)	2	0/0.67	g/kg bw/d	N		ADL	U	DR	105	d	6	w	JV	B	C	ORW	ORWT	LI	0.670		Y	0.0376	N	0.00517	670		10	5	5	5	10	4	4	1	10	4	58	
473	2818	Piasek and Kostial 1991	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/750	mg/kg bw/d	N		NR	U	DR	20	w	10	w	GE	F	C	MOR	MORT	WO	750		Y	0.2681	N	0.03028	750		10	5	5	5	10	9	4	1	10	4	63	
474	3749	Ogilvie, 1977	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	2	0/10	mg/ml	N		NR	U	DR	2	w	NR	NR	AD	M	C	MOR	MORT	WO	10.0		Y	0.0328	N	0.00457	761		10	5	5	5	6	9	4	1	3	4	52	
475	2523	Barlow et al., 1977	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/2	% in diet	N		ADL	U	FD	21	d	NR	NR	LC	F	C	ORW	ORWT	BR	2.00		N	0.21	N	0.01905	991		10	10	5	5	5	5	4	4	1	10	4	58
476	2505	Lamb et al., 1997	Lead acetate trihydrate	100	Mouse (<i>Mus musculus</i>)	4	0/0.67/1.00/1.50	g/kg bw/d	N		ADL	U	DR	105	d	6	w	JV	B	C	FDB	WCON	WO	1.50		Y	0.0376	N	0.00517	1500		10	5	5	5	10	4	4	1	10	4	58	
477	2698	Holtzman et al., 1981	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4	% in diet	N		ADL	U	FD	8	w	60-80	d	JV	M	C	ITX	PARL	LG	4.00		N	0.523	N	0.04032	2390		10	10	5	10	5	4	4	4	1	10	4	63
478	2781	Murthy et al., 1991	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/4.78	mg/org/d	N		ADL	U	DR	70	d	NR	NR	JV	M	C	FDB	FCNS	WO	250		Y	0.045	N	0.00607	5560		10	5	5	5	6	4	4	1	10	4	54	
479	2781	Murthy et al., 1991	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/4.78	mg/org/d	N		ADL	U	DR	70	d	NR	NR	JV	M	C	GRO	BDWT	WO	250		Y	0.045	Y	0.0061	5560		10	5	5	5	7	8	4	1	10	4	59	
480	2781	Murthy et al., 1991	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/4.78	mg/org/d	N		ADL	U	DR	70	d	NR	NR	JV	M	C	REP	TEDG	TE	250		Y	0.045	N	0.00607	5560		10	5	5	5	6	10	4	1	10	4	60	
481	2694	Hilderbrand et al., 1973	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	3	0/5/100	ug/org/d	N		DLY	U	OR	30	d	NR	NR	SM	M	C	BEH	INST	WO		5.00	Y	0.245	N	0.02162		0.0111	10	8	5	5	6	4	4	10	3	4	59	
482	2694	Hilderbrand et al., 1973	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	3	0/5/100	ug/org/d	N		DLY	U	OR	30	d	NR	NR	LC	M	C	CHM	ASCA	UR		5.00	Y	0.245	N	0.02162		0.0111	10	8	5	5	6	1	4	10	3	4	56	
483	2694	Hilderbrand et al., 1973	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	3	0/5/100	ug/org/d	N		DLY	U	OR	30	d	24	d	JV	M	C	REP	TEWT	PG		5.00	Y	0.245	N	0.02162		0.0111	10	8	5	5	6	10	4	10	3	4	65	
484	14697	USEPA, 1980	Lead	100	Rat (<i>Rattus norvegicus</i>)	3	0/5/50	mg/l	N		NR	U	DR	40	d	40	d	JV	M	C	BEH	ACTV	WO		5.00	N	0.217	N	0.02503		0.577	10	5	5	4	5	4	4	10	10	4	61	
485	14697	USEPA, 1980	Lead	100	Rat (<i>Rattus norvegicus</i>)	3	0/5/50	mg/L	N		NR	U	DR	40	d	NR	NR	AD	M	C	CHM	5HAA	BR		5.00	N	0.217	N	0.02503		0.577	10	5	5	4	5	1	4	10	10	4	58	
486	2654	Gonzalez-Riola et al., 1997	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/17	mg/kg diet	N		ADL	U	FD	50	d	21	d	GE	F	C	GRO	BDWT	WO		17.0	Y	0.2756	N	0.02382		0.802	10	10	5	5	6	8	4	10	3	4	65	
487	2616	Escribano et al., 1997	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/17	mg/kg diet	N		NR	U	FD	50	d	50	d	AD	F	C	MPH	GMPH	WO		17.0	Y	0.2756	N	0.02382		0.802	10	10	5	5	6	8	4	10	3	4	65	
488	2905	Tafelski and Lamperti, 1975	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/1/5/10	mg/org	N		DLY	U	GV	29	d	NR	NR	SM	F	C	ENZ	ALAD	BL		1.00	Y	0.283	N	0.02434		1.93	10	8	10	5	6	1	4	10	6	4	64	
489	2930	Wiebe and Barr, 1988	Lead chloride	100	Rat (<i>Rattus norvegicus</i>)	3	0/20/200	mg/L	N		NR	U	DR	14	d	21	d	JV	F	C	HRM	ESDL	UT		20.0	Y	0.1228	N	0.0150		2.44	10	5	5	10	6	1	4	10	10	4	65	
490	2763	Maxfield et al., 1975	Lead acetate	100	Dog (<i>Canis familiaris</i>)	2	0/2.5	mg/kg bw/d	N		NR	U	FD	76	w	<1	yr	JV	B	C	ENZ	ALAD	BL		2.50	N	14	N	0.60128		2.50	10	10	5	5	10	1	4	10	6	4	65	
491	2889	Sourgens et al., 1987	Lead acetate trihydrate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/45/900/4580	mg/L	N		ADL	U	DR	30	d	NR	NR	JV	F	C	HRM	Other	PI		45	Y	0.156	N	0.0186		2.92	10	5	5	5	6	1	4	10	6	4	56	
492	2716	Jadhav and Ramesh, 1997	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/50	mg/L	N		NR	U	DR	30	d	21	d	JV	M	C	CHM	TYRO	BR		50	N	0.248	N	0.02823		3.11	10	5	5	5	5	1	4	10	10	7	62	
493	2577	Cory-Slechtha and Thompson, 1979	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/50/300/1000	mg/L	N		DLY	U	DR	125	d	21	d	JV	M	C	BEH	ACTP	WO		50	Y	0.045	N	0.00607		3.69	10	5	5	5	6	4	4	10	10	4	63	
494	2876	Sierra and Tiffany-Castiglioni, 1992	Lead acetate																																								

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead
Page 11 of 12

Ref			Exposure																				Effects					Conversion to mg/kg bw/day				Result		Data Evaluation Score										
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total		
523	2678	Hammond and Succop, 1995	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/250	mg/L	N		ADL	U	DR	5	d	26	d	JV	F	C	FDB	CAIN	WO		250	N	0.204	N	0.02368		29.0	10	5	5	5	5	4	4	10	10	4	62		
524	2776	Minnema and Hammond, 1994	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/250	mg/L	N		NR	U	DR	10	d	26	d	JV	F	V	FDB	WCON	WO		250	Y	0.13	N	0.01578		30.4	10	5	5	5	5	6	4	4	10	10	4	63	
525	2776	Minnema and Hammond, 1994	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/250	mg/L	N		NR	U	DR	10	d	26	d	JV	F	V	CHM	Other	BL		250	Y	0.13	N	0.01578		30.4	10	5	5	5	5	6	1	4	10	10	4	60	
526	2732	Kempings et. al 1988	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	3	0/0.5/1.0	g/L	N		ADL	U	DR	90	d	NR	NR	LC	M	C	CHM	Other	BL		0.500	Y	0.12	N	0.01469		33.4	10	5	5	5	5	6	1	4	10	10	4	60	
527	14852	Bankowska and Hine, 1985	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/350	mg/L	N		ADL	U	DR	10	w	NR	NR	JV	M	C	CHM	HMCT	BL		350	Y	0.352	N	0.03868		38.5	10	5	5	5	5	6	1	4	10	10	4	60	
528	14852	Bankowska and Hine, 1985	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/350	mg/L	N		ADL	U	DR	10	w	NR	NR	JV	M	C	ORW	SMIX	BR		350	Y	0.352	N	0.03868		38.5	10	5	5	5	5	6	4	4	10	10	4	63	
529	3864	Hayashi, 1983	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/500	mg/L	N		ADL	U	DR	18	d	NR	NR	GE	F	C	ENZ	ALAD	BL		500	N	0.32	N	0.0355		55.5	10	5	5	5	5	5	1	4	10	10	4	59	
530	1717	Bataineh et al., 1998	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/1000	ppm in mg/L	N		ADL	U	DR	12	w	21-23	d	JV	M	V	BEH	AGGT	WO		1000	Y	0.34474	N	0.03796		60.1	10	5	5	5	5	6	4	4	10	3	4	56	
531	1717	Bataineh et al., 1998	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/1000	mg/L	N		ADL	U	DR	12	w	NR	NR	AD	M	V	GRS	BDWT	WO		1000	Y	0.34474	N	0.03796		60.1	10	5	5	5	5	6	4	4	10	3	4	56	
532	1717	Bataineh et al., 1998	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/1000	mg/L	N		ADL	U	DR	12	w	NR	NR	NR	M	V	REP	TEWT	TE		1000	Y	0.34474	N	0.03796		60.1	10	5	5	5	5	6	10	4	10	3	4	62	
533	2545	Bourjeily and Suszkiw, 1997	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/0.2	% in water	N		ADL	U	DR	28	d	NR	NR	LC	F	C	ENZ	ACHE	BR		0.200	N	0.35	N	0.03849		120	10	5	5	5	5	5	1	4	10	10	4	59	
534	2906	Talcott and Koller, 1983	Lead acetate	100	Mouse (<i>Mus musculus</i>)	2	0/1000	mg/L	N		NR	U	DR	18	w	6-8	w	LC	F	C	ORW	SMIX	LI		1000	Y	0.03755	N	0.00516		137	10	5	5	5	5	6	4	4	10	10	4	63	
535	2750	Lessler and Wright, 1976	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/68	mg/org/d	N		ADL	U	FD	4	w	NR	NR	YO	M	C	GRO	BDWT	WO		68.0	Y	0.390	N	0.03168		174	10	10	5	5	5	5	6	8	4	10	3	4	65
536	14750	Blanusa, et al, 1989	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/1500/3500/5500/7500	mg/L	N		NR	U	DR	6	w	4	mo	GE	F	C	ORW	SMIX	KI		1500	Y	0.19	N	0.02221		175	10	5	5	5	5	6	4	4	10	10	4	63	
537	14816	Cramer et al, 1980	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/60	mg/org/d	N		ADL	U	DR	6	d	NR	NR	GE	F	C	FDB	WCON	WO		60.0	N	0.338	N	0.0373		178	10	5	5	5	5	5	4	4	10	10	4	62	
538	2924	Wadi and Ahmad, 1999	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	3	0/0.25/0.5	% in water	N		ADL	U	DR	6	w	7	w	SM	M	C	REP	SPCL	TE		0.250	Y	0.0398	N	0.00544		187	10	5	5	5	5	6	10	4	10	6	4	65	
539	2888	Sokol et al., 1985	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	3	0/0.1/0.3	% water	N		ADL	U	DR	30	d	52	d	JV	M	C	HRM	GHRM	BL		0.100	Y	0.37188	Y	0.135		198	10	5	5	5	5	7	1	4	10	10	4	61	
540	13216	Rabe et al., 1985	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/0.5	% in water	N		ADL	U	DR	21	d	80	d	JV	F	C	FDB	WCON	WO		0.500	Y	0.351	Y	0.02808		218	10	5	5	5	5	7	4	4	10	10	4	64	
541	2922	Vyskocil et al., 1989	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	4	0/0.5/1/2	% in water	N		ADL	U	DR	2	mo	8	w	JV	M	C	ORW	SMIX	KI		0.500	Y	0.2	N	0.02326		318	10	5	5	5	5	6	4	4	10	10	4	63	
542	2887	Sokol, 1989	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/6000	mg/L	N		ADL	U	DR	30	d	27	d	JV	M	C	HRM	TSTR	BL		6000	Y	0.412	N	0.04457		354	10	5	5	5	5	6	1	4	10	10	4	60	
543	2846	Ronis et al., 1996	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/6000	mg/L	N		ADL	U	DR	14	d	24	d	JV	M	C	AVO	WATR	WO		6000	Y	0.333	N	0.0368		362	10	5	5	5	5	6	4	4	10	3	4	56	
544	2846	Ronis et al., 1996	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/6000	mg/L	N		ADL	U	DR	14	d	60	d	SM	M	C	HRM	TSTR	SR		6000	Y	0.333	N	0.0368		362	10	5	5	5	5	6	1	4	10	3	4	53	
545	2887	Sokol, 1989	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/6000	mg/L	N		ADL	U	DR	30	d	52	d	JV	M	C	HRM	TSTR	BL		6000	Y	0.32	N	0.0355		364	10	5	5	5	5	6	1	4	10	10	4	60	
546	2846	Ronis et al., 1996	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/6000	mg/L	N		ADL	U	DR	50	d	60	d	MA	B	C	AVO	WATR	WO		6000	Y	0.26	N	0.02945		371													

Appendix 6.1 Mammalian Toxicity Data Extracted for Wildlife Toxicity Reference Value (TRV)

Lead

Page 12 of 12

Ref		Exposure																		Effects					Conversion to mg/kg bw/day				Result		Data Evaluation Score											
Result #	Ref N.		Chemical Form	MW%	Test Species	# of Conc/ Doses	Conc/ Doses	Conc/Dose Units	Wet Weight Reported?	Percent Moisture	Application Frequency	Method of Analyses	Route of Exposure	Exposure Duration	Duration Units	Age	Age Units	Lifestage	Sex	Control Type	Effect Type	Effect Measure	Response Site	Study NOAEL	Study LOAEL	Body Weight Reported?	Body Weight in kg	Ingestion Rate Reported?	Ingestion Rate in kg or L/day	NOAEL Dose (mg/kg/day)	LOAEL Dose (mg/kg/day)	Data Source	Dose Route	Test Concentrations	Chemical form	Dose Quantification	Endpoint	Dose Range	Statistical Power	Exposure Duration	Test Conditions	Total
575	2910	Tian et al., 1995	Lead acetate	54.61	Rat (<i>Rattus norvegicus</i>)	2	0/0.2	% in water	N		DLY	U	DR	14	d	30	d	JV	F	C	REP	Other	PY		0.200	N	0.35	N	0.03849		120	10	5	5	5	5	10	4	10	10	4	68
576	2729	Kawamoto,1984	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	2	0/1090	ug/g	N		ADL	U	DR	20	d	NR	NR	JV	F	C	REP	Other	PY		1090	N	0.302	N	0.0337		122	10	5	5	5	5	10	4	10	10	4	68
577	14749	Maljkovic et al, 1988	Lead acetate	100	Rat (<i>Rattus norvegicus</i>)	5	0/1500/3500/5500/7500	mg/L	N		ADL	U	DR	35	d	NR	NR	LC	F	C	REP	Other	PY		1500	N	0.32	N	0.0355		166	10	5	5	5	5	10	4	10	10	4	68
578	14813	Carroll et al, 1977	Lead acetate	100	Mouse (<i>Mus musculus</i>)	4	0/2/5/10	mg/ml	N		DLY	U	DR	30	d	NR	NR	LC	F	C	REP	Other	PY		2.00	Y	0.035	N	0.0048		277	10	5	5	5	6	10	4	10	10	4	69
579	2615	Epstein et al., 1999	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	2	0/10	mg/ml	N		NR	U	DR	5	d	NR	NR	GE	F	C	REP	Other	PY		10.0	N	0.0325	N	0.00453		762	10	5	5	5	5	10	4	10	10	4	68
580	2615	Epstein et al., 1999	Lead acetate	54.61	Mouse (<i>Mus musculus</i>)	2	0/10	mg/ml	N		NR	U	DR	24	d	NR	NR	GE	F	C	REP	Other	PY		10.0	N	0.0325	N	0.00453		762	10	5	5	5	5	10	4	10	10	4	68
581	2510	Alfano et al., 1982	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4.0	% in diet	N		NR	U	FD	26	d	NR	NR	LC	F	C	REP	Other	PY		4.00	N	0.35	N	0.02899		2570	10	10	5	10	5	10	4	10	10	4	78
582	2512	Alfano et al., 1983	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4	% in diet	N		NR	U	FD	115	d	NR	NR	LC	F	C	REP	Other	PY		4.00	N	0.35	N	0.02899		2570	10	10	5	10	5	10	4	10	10	4	78
583	2814	Petit and Le Boutilier 1979	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4	% in diet	N		ADL	U	FD	24	d	NR	NR	LC	F	C	REP	Other	PY		4.00	N	0.35	N	0.02899		2570	10	10	5	10	5	10	4	10	10	4	78
584	2740	Krigman et al. 1975	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4	% in diet	Y		ADL	U	FD	25	d	NR	NR	LC	F	C	REP	Other	PY		4.00	N	0.35	N	0.02899		2700	10	10	5	10	5	10	4	10	10	4	78
585	2811	Pentschew and Garro 1966	Lead carbonate	77.55	Rat (<i>Rattus norvegicus</i>)	2	0/4.0	% in diet	NR		NR	M	FD	27	d	NR	NR	LC	F	C	REP	Other	PY		4.5	N	0.248	N	0.02184		2840	10	10	10	5	5	10	4	10	10	4	78

The abbreviations and definitions used in coding data are provided in Attachment 4-3 of the Eco-SSL Guidance (U.S.EPA, 2003).